Practical Computing

February 1982

Volume 5 Issue 2

Formula One racing analysis

Reviews: Osborne Alphatronic

Art on 380-Z

Rapid reading on the Pet

Test your ESP

romemco System Three

WE'RE EXPANDING - PHONE FOR JOBS

If you've already recognised the superiority of Cromemco products, or even if you're still evaluating alternative systems, it's worthwhile visiting MicroCentre.

Here's our promise. Ask to see anything in the Cromemco catalogue, and we'll demonstrate it for you. Nobody else in the UK carries a wider range of Cromemco demonstration systems and stock. We'll show you all the Cromemco computers, of course. From System Zero to System Three; the Z-2H Hard Disk system; high performance colour graphics; and the adaptable SCC single card computer.

Then we'll show you quality Cromemco peripherals; a choice of operating systems—single user and multi-user; and a wide range of software, including compilers, data base management, word processing, and Cromemco's integrated business packages.

At MicroCentre we pride ourselves in taking care of all the important details that make up a complete service . . . like stocking the complete library of Cromemco documentation; arranging leasing and maintenance agreements; supplying continuous stationery, ribbons, floppy disks, print thimbles, *etc.*

So if you're interested in Cromemco systems don't miss out a visit to MicroCentre. We're Cromemco's top dealers in Europe—and proud of it!

For C Cromemco. . .call the experts

MicroCentre
Tel: 031-556 7354

● Circle No. 101

LEADING UK DISTRIBUTORS

Complete Micro Systems Ltd.,
30 Dundas Street
Edinburgh EH3 6JN

Comart Approved Dealers

Aberdeen
MOM Offshore
21 Bon Accord Street
Tel: 0224 22863

Belfast
O & M Systems
95 Dublin Road
Tel: 0232 49440

Birmingham
Byteshop Computerland
94/96 Hurst Street
Tel: 021 622 7149

Bristol
Senton
27 Nicholas Street
Tel: 0272 276132

Cambridge
Toltec
24 Thompson Lane
Tel: 0223 312347

Cheshire
Holdene
82a Water Lane
Wilmslow
Tel: 0625 529486

Dublin
Lendac Data Systems
8 Dawson Street
Tel: 0001 372052

Edinburgh
Holdene Micro Systems
48 Great King Street
Tel: 031 557 4060

Glasgow
Byteshop Computerland
61 Waterloo Street
Tel: 041 221 7409

Leeds
Holdene Micro Systems
11/12 Rampart Road
Tel: 0532 459459

London
Byteshop Computerland
324 Euston Road, W1
Tel: 01-387 0505

Digitus
9 Macklin Street, WC2
Tel: 01-405 6761

Jarogate
67 Tulsemere Road, SE17
Tel: 01-670 3674

Manchester
Byteshop Computerland
Piccadilly Station Approach
Tel: 061 236 4737

NSC Computers
29 Hanging Ditch
Tel: 061 832 2269

Newbury
Newbear Computing Store
40 Bartholomew Street
Tel: 0635 30505

Nottingham
Byteshop Computerland
92a Upper Parliament Street,
NG1 6LF
Tel: 0602 40576

Sheffield
Hallam Computer Systems
451 Eccleshall Road
Tel: 0742 663125

Southampton
Xitan Systems
23 Cumberland Place
Tel: 0703 38740

Suffolk
Eurotec Consultants
Little Waldingfield,
Sudbury
Tel: 0787 247959

Surrey
Gemlines
184 London Road, KT2 6QU
Tel: 01-546 9944

Warwicks
Business & Leisure
Microcomputers
Kenilworth
Tel: 0926 512127

Watford
Lux Computer Services
108 The Parade,
WD11 2AW
Tel: 0923 29513

Worthing
Ace Computing Services
1-11 Bridge Road
Tel: 0903 35411

Comart Ltd,
St. Neots, Cambs.
Tel (0480) 215005
Telex 32514 Comart G.

Trust Comart to turn a new ADVANTAGE

into a major benefit.

ADVANTAGE is the exciting new, packaged high performance desk top computer with integral video screen. It brings the proven reliability, so long the hallmark of NORTH STAR products, into new and broader fields of application.

Add the established Comart technical, software, and service support and the ADVANTAGE becomes a major benefit to users looking for a low cost, yet versatile, dedicated system. NOW!

Just look at the benefits.

ADVANTAGE is economical: A complete integrated accounting system and word processing system will cost around £4500 depending on the printer and software used.

ADVANTAGE is versatile: You have the benefit of application software that is already available and proven on NORTH STAR Systems.

ADVANTAGE is new: It's Business Graphics can convert data into bar charts, pie charts, graphs, and 3D representations instantly. And, what you can see on the screen, you can print.



For the technically minded, Advantage is a 4MHz, Z80A based microcomputer with 64K dynamic RAM, a 20K Byte display dedicated RAM, plus 2K Boot PROM.

An auxiliary 8035 processor provides keyboard and disk control. It has a 12" green screen, and integrated twin quad capacity 5" disk drives providing 720K Bytes of data storage. It has a 87 key Selectric® style keyboard with 9 control keys, 14 key numeric/cursor control pad, 15 programmable function keys, and 49 conventional character keys.

ADVANTAGE comes complete with Business graphics, self diagnostic software and graphics demo software. Its G-Basic/G-DOS, and Graphics CP/M® are supersets of the industry standards. They enhance ADVANTAGE'S Graphic and Character Mode capabilities, and provide a consistent operating environment for development and application programs written in any other CP/M compatible language.

To see more of the benefits of the ADVANTAGE ask your Comart Dealer, or send now for further information.

comart

SPECIALISTS IN MICROCOMPUTERS

A member of the Comart Group of Companies.

● **Circle No. 103**

sirton computer systems

THE SPECIALISTS IN S100 SYSTEMS

MIDAS S100 SYSTEMS

MIDAS 1: From £835

MIDAS 2: From £1,790

MIDAS 3: From £2,450

MIDAS 3HD: From £5,495

ITHACA-DPS 1: From £1,494



- Our versatile **Z80** Microcomputers are available as standard units or custom configured to your exact specification from a comprehensive range of stocked **S100** boards.
- Disc storage capacity of the **MIDAS 3** can be 2M Bytes, expandable to over 80M Bytes with a Winchester Hard Disc Unit in our **MIDAS 3HD** range.
- **MIDAS** runs **CP/M** and MP/M. Other Software includes M-BASIC, C-BASIC, FORTRAN, COBOL, CIS-COBOL, PASCAL and Word Processing.
- A **MIDAS 3D** with 64K RAM and 2M Bytes storage on two 8" drives with two Serial I/O Ports and CP/M only **£2,965**.
- Printers, VDUs and other peripherals stocked to give complete package system at keen prices.

BOARDS

We stock over 50 different S100 Boards all from quality manufacturers, such as Godbout, SSM, Micromation, Dual, Ithaca, Vector, S.D. Systems, Morrow, Pickles & Trout, etc.

PROCESSOR

Z80 Starter Kit	£251
SBC 100	£215
8085/88 CPU	£190
Z80A CPU 4MHz (4 Types)	From £157
8086	(tba)

EPROM

2716 EPROM (2 x 16K)	£95
2768/2716/2732 Programmer	From £143

VIDEO BOARDS

24 x 80 I/O Drive	£240
24 x 80 Memory Mapped	£240

DISK CONTROLLERS

Single Density 5" or 8"	From £150
Disc 1 D/D DMA	£282
Double D/D + Serial I/O	£336

RAM

Static RAM 16-64K 24 Bit add.	From £175
Dynamic RAM 64K 8/16 Bit	£683
Memory Manager	£60

I/O BOARDS

2s/2p or 4s/2p or 3p/1s etc	From £120
A/D & D/A 8 or 12 Bit	From £220
IEE 488 interface	£360

MISCELLANEOUS

Real Time Clocks (2 Types)	From £120
Graphics 256 & 512 x 256	£280
Maths Board AMD 9511	£345
Extender Boards/Logic Probe	£45
Mother Boards 8-20 Way	From £32

MAINFRAMES

We are the sole UK Distributor for Integrand Mainframes and Disc Enclosures, available in nine models including Desk Top and Rack Mounting, with or without provision for Disc Drives. All units totally enclosed, painted on all external surfaces and complete with power supply etc.

SOFTWARE

CP/M 1 & 2, MP/M, PL/1, C-BASIC 2, M-BASIC V5, XYBASIC, FORTRAN 80, COBOL 80, CIS-COBOL, PASCAL/Z, PASCAL M/T, Forth, MAC, ZSID, Disassembler, Wordstar, Datastar, Magic Wand, Wordmaster, Supersoft etc etc.

Prices exclusive of VAT

We are pleased to discuss your requirements and will advise you as to whether your needs can be met with one of our computers.

All of our systems are specials as they are configured to suit your specification, thus ensuring that you get what you want rather than what happens to be available.

Write or phone for a catalogue.

Unit 14, 29 Willow Lane, Mitcham, Surrey
Telephone: 01-640 6931/2/3

sirton computer systems

● **Circle No. 104**

What can sixteen CP/M* users have in common?

17 Z80s running at 4 Megahertz
1 Megabyte of 200 Nsec RAM
18 Serial Input/Output Ports
1 Centronics-type Parallel Port
90 Megabyte Shared Cartridge Disks
2 Megabyte Shared Floppy Disks
4 Shared (Spooled) Printers
Optional Private Printers
Running under Standard CP/M 2.2

ACCRON–Multi Processor Series–Microsystem

The ACCRON–Multi Processor Series–microsystem is a breakthrough in low cost high performance multi-user S100 micro computers. Based on the Service/User Processor principle, a single ACCRON–MPS system supports up to 16 users, where each user has its own Z80A, 64KB RAM and an RS 232 I/O Port on a single S100 board. Each User Processor runs under its own dedicated copy of the CP/M operating system. All users share the common resources such as disks, magnetic tapes and system printers. These shared resources are controlled by the Service Processor with its own dedicated Z80A and 64KB RAM running under DPC/OS*, a proprietary Distributed Processing Operating System.

Zero CPU Degradation!

Unlike single-CPU timesharing multi-user systems (e.g. MP/M, OASIS, MVT-FAMOS etc.) where system throughput degrades as additional users are added, the ACCRON-MPS system has no CPU degradation at all. Since each user has its own selfcontained processor and memory you can now have minicomputer performance at micro computer prices.

It's Expandable

You can start with a single-user floppy disk system and (field) upgrade it to multi-user by simply adding a Service Processor running DPC/OS and more User Processor boards as and when required. Large capacity hard disks, magnetic tapes and more printers may be added at any time without any hardware or software redundancy.

CP/M Compatible

Use of the industry standard CP/M operating system means that a wealth of readily available, reasonably priced, system and application software will run on your ACCRON microsystem without any modification. Upgrade to multi-user, where simultaneous access of shared data files is required, is easily supported by the inclusion of simple file or record locking routines.

User Friendly DPC/OS

The Service Processor and DPC/OS provide an easy to understand and user friendly interface for common access to shared resources such as disks, magnetic tapes, up to four spooled system printers or any other peripheral that may be attached to your system (such as a telex-tape punch). Simple routines handle record and/or file locking and prevent "interleaved" or "fatal embrace" file update sequences. DPC/OS allows for both private and shared disk space. Interprocessor message communications, scheduling and batch-submit facilities are also provided.

Complete Range of Peripherals

A complete range of peripherals is supported; mini floppies, 8" floppies, winchester disk drives, cartridge disk drives, cartridge tapes, 9 track industry standard reel to reel magnetic tapes and so forth.

From £2,400 to £35,000

ACCRON MPS-Series microsystems start at £2,400 for a single-user system with 2 double sided double density floppies. A typical 3-user system with 20-slot bus and a 10MB cartridge disk drive (5MB fixed/5MB cartridge costs £9,650). Add-on User Processors cost £900 and so you can grow on.

Dealers and OEM's, Get The Facts

Fill in this coupon now and send it to: NEWTONS Laboratories, 111-113 Wandsworth High Street, London SW18 4JB. Tel: 01-874 6511 (5 lines). Telex: 21768 (NEWTON G).

Name_____

Address_____

_____

_____

_____

PC 2/82

NEWTONS LABORATORIES

*CP/M is a trademark of Digital Research Inc. DPC/OS is a trademark of ACE Inc. ACCRON is a trademark of NEWTONS Laboratories.

● **Circle No. 105**

But the real beauty of the CompuStar is its "shared logic" design concept. Each user station contains its own distinct microprocessor and RAM. The result is lightning fast program execution. Even when all 16 users are on-line. Even when all are performing different tasks! A special multiplexor circuit in the CompuStar ties all external users together to "share" the system's disk resources so that no single user ever need wait on another. An incredibly exciting concept!



A remarkable breakthrough in price/performance, the CompuStar boasts nearly 1 megabyte of on-line mini-disk storage (almost 2 megabytes on CompuStar II) and can be easily expanded to 20, 36 or 96 megabytes of hard-disk in just seconds. And since each user station can accommodate up to 64K or RAM, a total of over one million bytes can be incorporated into the system to tackle even your most difficult programming tasks.

CompuStar user stations can be configured in a countless number of ways. A series of three intelligent-type terminals are offered. Each is a perfect cosmetic and electrical match to the system. The CompuStar 10 - a 32K programmable RAM-based terminal (expandable to 64K) is just right if your requirement is a data entry or inquiry/response application. And, if your terminal needs are more sophisticated, select either our CompuStar 20 or CompuStar 40 as user stations. Both units offer dual disk storage in addition to the disk system in the CompuStar. The Model 20 features 32K of RAM (expandable to 64K) and 350K of disk storage. The Model 40 comes equipped with 64K of RAM and over 700K of disk storage. But, most importantly, no matter what your investment in hardware, the possibility of obsolete or incompatibility is completely eliminated since user stations can be configured in any fashion you like - whenever you want.



Our New CompuStarTM 10 Megabyte Disk Storage System (called a DSS) features an 8 inch Winchester drive packaged in an attractive, compact desktop enclosure. Complete with disk, controller and power supply. Just plug it into the Z80 adaptor of your SuperBrain and turn it on. It's so quiet, you'll hardly know it's there. But, you'll quickly be astounded with its awesome power and amazing speed. The secret behind our CompuStar DSS is its unique controller/multiplexor. It allows many terminals to "share" the resources of a single disk. So, not only can you use the DSS with your SuperBrain, you can configure multiple user stations using our new series of CompuStarTM terminals, called Video Processing Units of VPU'sTM.

G.W. COMPUTERS LTD, 01-636 8210 01-631 4818

*** THE NEW DBMS (DATABASE) ***

DBMS2 is a *record relational* as well as a *file relational* database management tool that is capable of being at different times, many different things. The one core program can be set up to perform tasks normally associated with the following list.

Accounting	Budgeting	Cashflow
Stock control	Address mailing	Letter writing
Simulations	Time recording	Filing
Calc-type predictions	Hospital indexing	Profit analysis
Bureaux services	General analysis	Mathematics
Answer *what-if's*	Employees records	Tabulate values
Print reports	Sort files	Edit records

Within hours perform all the above in **French** or **German.**
The list is as endless as that which meets the requirements of your own imagination.
Within the appropriate frames of reference you could ask questions like the following:
Find someone whose name begins with W, who is either in London or Birmingham, and available for work at a salary of less than 10,000.00; and is under 40 years of age, not married, of credit worthiness grade 1, with a car, prepared to travel, and who likes horses, does not mind the hours he works, is congenial and has good references. **When you find such persons** produce a printed list of them showing their names, telephone numbers, and what their salaries are as well as their salary **if increased by 10%** and show their availability for work. At the end of the list enumerate the total of such persons.
Find all stock items that are codes *micro-computers* that are either in warehouse 1 or warehouse 2, where the quantity on hand is more than 50 units, the cost is less than 1000.00, the selling price higher than 2000.00; that are not in cartons, bought from supplier 52, allocated more than 20, rated for tax at .15% and weigh less than 50 lbs. **When you find such categories** then print a report showing the description, cost price, quantity on hand, lead time for refills, what the selling price *should be if raised by 12.3%* as well as the profit in either percent or round figures of that projected selling price.
Find all patients who suffered from cold, that are either girls or women younger than 23 years old, and who live in London at a socio-economic grade higher than 3; do not smoke; have more than 3 children, are currently at work and where treatment failed to effect a cure in under 6 days. **When you find such persons** then print a list showing their age, marital status, income, and frequency of illness in the past 2 years.
Currently you can ask *5 types* of questions *20 times* for a single selection criterion, and then you can compute *10 mathematical relationships* between the questions for the individual *as well as* for the total number of matches. In all some **60** bits of information relating to **one** record or **a group or records** on simply one permutation of the selection criterion, with a cross referencing facility as well.
Every word in the system, as well as the file architectures, print masks, and field attributes, is capable of alteration by you *without* programming expertise (but with some thought).
ALL IN ONE PROGRAM FROM G.W. COMPUTERS. THE DBMS2 !!.

G.W. COMPUTERS LTD, 01-636 8210 01-631 4818

*** ALL YOU NEED FROM A COMPUTER SYSTEM ***

DATABASE MANAGEMENT + WORD-PROCESSING + MODELLING + DIY INTERPRETER + SERVICE

TWO TYPICAL PACKAGE DEALS	NORMALLY		NORMALLY
01 — SUPERBRAIN 64K RAM 320 K	1950.00	01 — SUPERBRAIN OR N/STAR QD	2395.00
02 — EPSON MX80 FT (OR SIMILAR)	475.00	02 — NEC 5510 (OR SIMILAR)	1695.00
03 — CABLE	25.00	03 — CABLE ADAPTER	25.00
04 — 12 MONTH WARRANTY	235.00	04 — 12 MONTH WARRANTY	410.00
05 — DELIVERY IN U.K.	40.00	05 — DELIVERY IN U.K.	50.00
06 — TRAINING SESSION	50.00	06 — TRAINING SESSION	50.00
07 — CPM HANDBOOK	8.75	07 — CPM HANDBOOK	8.75
08 — 50 BASIC EXERCISES	8.75	08 — 50 BASIS EXERCISES	8.75
09 — BOX PAPER (2000 SHEETS)	20.00	09 — BOX PAPER (2000 SHEETS)	20.00
10 — DBMS2 (DATABASE)	575.00	10 — DBMS2 (DATABASE)	575.00
11 — MAGIC WAND	190.00	11 — MAGIC WAND	190.00
12 — MBASIC-80	150.00	12 — MBASIC-80	150.00
13 — SUPER CALC	150.00	13 — SUPER CALC	150.00
14 — 40 MEMOREX DISKETTES	114.00	14 — 25 DYSAN D/SIDE DISKETTES	150.00
15 — DOS+ AND DIAGNOSTICS	125.00	15 — DOS+ AND DIAGNOSTICS	125.00
16 — MSORT & DSORT	75.00	16 — MSORT & DSORT	75.00
17 — RECOVER + AUTOLOAD	25.00	17 — RECOVER + AUTOLOAD	25.00
18 — INSTANT BASIC	9.00	18 — INSTANT BASIC	9.00
(NOT INC VAT)	4225.50	(NOT INC VAT)	6220.50
OUR PRICE	2995.00	OUR PRICE	4950.00

(NOTE: ITEMS 1 AND 2 ARE MORE FLEXIBLE)

EXTRA SPECIAL SUPERBRAIN PROGRAM MAIL ORDER OFFER OF THE 5 MAIN PROGRAMS
DBMS2 + SORTS + MAGIC WAND + MBASIC 80 + SUPER-CALC NORMALLY 1140 POUNDS

OUR PRICE * * * * * * * 595.00 * * * * * * * +VAT

WARRANTY NOTE: WE HANDLE ALL REPAIRS OURSELVES.
WARRANTY COVERS FREE REPLACEMENT EQUIPMENT IF DEFECTIVE IN FIRST THREE WEEKS.
THEREAFTER UP TO 12 MONTHS THE COVER PROVIDES INSURANCE ON ALL SPARE PARTS AND LABOUR COSTS (EXCLUDING CARRIAGE)
CALL OUT MAINTENANCE IS ALSO AVAILABLE AT 25.00 MINIMUM (LONDON) 50.00 MINIMUM ELSEWHERE IN U.K. PLUS MILEAGE.

CALL ONLY BY APPOINTMENT AT 55 BEDFORD COURT MANSION, BEDFORD AVENUE, LONDON W.C.1. TELEX 892031 TWC G



SuperBrain users get exceptional performance for just a fraction of what they'd expect to pay. Standard SuperBrain features include: two double density mini-floppies with 350K bytes of disk storage, 32K of ram memory (expandable to 64K) to handle even the most sophisticated programs, a CP/M® Disk Operating System with a high powered text editor, assembler, debugger and a disk formator. And, with SuperBrain's S-100 bus adaptor, you can add all the programming power you will ever need . . . almost any type of S-100 compatible bus accessory.

SuperBrain's CP/M operating system boasts an overwhelming amount of available software in BASIC, FORTRAN, COBOL, and APL. Whatever your application . . . General Ledger, Accounts Receivable, Payroll, Inventory or Word Processing, SuperBrain is tops in its class. And the SuperBrain QD boasts the same powerful performance but also features a double-sided drive system to render more than 700K bytes of disk storage and a full 64K of RAM. All standard!

Whatever model you choose, you'll appreciate the careful attention given to every engineering detail. A full ACSII keyboard with numeric pad and user-programmable function keys. A non-glare, specially focused, 12-inch CRT for sharp images everywhere on the screen. Twin Z-80 microprocessors to ensure efficient data transfer to auxiliary peripheral devices. Dual universal RS-232 communications ports for serial data transmission. And, a single board design to make servicing a snap!



Integrated Desk Top Computer with 12 inch Bit-Mapped Graphics or Character Display, 64Kb RAM, 4 MHz Z80A,® Two Quad Capacity Floppy Disk Drives, Selectric® Style 87 Key Keyboard, Business Graphics Software.

The North Star ADVANTAGE ™ is an interactive integrated graphics computer supplying the single user with a balanced set of Business-Data, Word, or Scientific-Data processing capabilities along with both character and graphics output. ADVANTAGE is fully supported by North Star's wide range of System and Application Software.

The ADVANTAGE contains a 4 MHz Z80A® CPU with 64Kb of 200 nsec Dynamic RAM (with parity) for program storage, a separate 20Kb 200 nsec RAM to drive the bit-mapped display, a 2Kb bootstrap PROM and an auxiliary Intel 8035 micro-processor to control the keyboard and floppy disks. The display can be operated as a 1920 (24 lines by 80 characters) character display or as a bit-mapped display (240 x 640 pixels), where each pixel is controlled by one bit in the 20Kb display RAM. The two integrated 5¼ inch floppy disks are double-sided, double-density providing storage of 360Kb per drive for a total of 720Kb. The n-key rollover Selectric style keyboard contains 49 standard typewriter keys, 9 symbol or control keys, a 14 key numeric/cursor control pad and 15 user programmable function keys.

G.W. COMPUTERS LTD, 01-636 8210 01-631 4818

☆ ☆ ☆ **BUS** ☆ ☆ ☆

(BUSINESS EFFICIENCY)

WIDELY USED IN U.K./FRANCE/U.S.A. AND ENGLISH SPEAKING COUNTRIES FOR ITS OVERALL FLEXIBILITY AS A COMPLETE BUSINESS PACKAGE

INCLUDES INVENTORY, DATABASE MANAGEMENT, INVOICING, MAILING ADDRESSES, STATEMENTS, SALES/PURCHASE LEDGER WITH OR WITHOUT AUTO STOCK UPDATE AND DOUBLE ENTRY JOURNALS INCLUDING NOMINAL LEDGER; PLUS A'C RECEIVABLE AND PAYABLE MAKING AUTO BANK ENTRIES.

01 = ADDRESS SECTION	10 = ORDER FILES	19 = NOMINAL ANALYSIS
02 = STOCK CONTROL	11 = 30/60/90 DAY AGE ANALYSIS	20 = AGED DEBTOR ANALYSIS
03 = A/C RECEIVABLES	12 = ARITHMETIC SECTION	21 = DISK DIRECTORIES
04 = SALES LEDGER	13 = PRINT CUSTOMER STATEMENTS	22 = FILE MANAGEMENT
05 = A/C PAYABLES	14 = PRINT SUPPLIER STATEMENTS	23 = SORTS
06 = PURCHASE LEDGERS	15 = PRINT AGENT STATEMENTS	24 = DISK SWAP/EXIT SYSTEM
07 = BANK UPDATE	16 = PRINT TAX STATEMENTS	WHICH OPTION
08 = USER DATABASE AREA	17 = RUN SEPARATE PROGRAMS	(LEVEL 8.00@875.00)
09 = INVOICE CREATION	18 = CHANGE VOCABULARY	

++++++++ SUPER — BUS ++++++++ A NEW HIGHER LEVEL OF THE ABOVE PACKAGE . . . HAS BEEN REDUCED IN SIZE BY 50 PER CENT TO A SINGLE 15K BASIC PROGRAM, MAKING ALL FILE RETRIEVALS A MATTER OF NANOSECONDS. WORKS UNDER M/PM AND COMPUSTAR FOR COMMON DATA RETRIEVAL LEVEL 10.00..... **** 1475.00 ****

DBMS (DATABASE) HAS 01=; 02=; 04=; 06=; 07=; 08=; 17=; 18=; 21=; 24=. PRICE 475.00

DATABASE FEATURES ARE: . . . . FOR ANY SIZE RECORD UP TO TWENTY FOUR FIELDS FILE ARCHITECTURES CAN BE DESIGNED WITH COMPLETE FREEDOM OVER THE LINGUISTIC CONVENTIONS ASSIGNED TO EACH FIELD. THE FILE THEN CAN STORE 32000 RECORDS WHICH CAN BE SEARCHED BY THE RANDOM ACCESS NUMBER (RETRIEVED IN LESS THAN ONE SECOND) OR 'KEY' RANDOM ACCESS ON SPECIFIED FIELD OR SEQUENTIALLY COMPARING FOR LEFT FIELD PARTS, FIELD-INKEYS, OR PARTS OF RECORD, AND THEN CHANGED, PRINTED, DELETED, SKIPPED.

GRAMA (WINTER) LTD/G.W. COMPUTERS LTD. ARE THE PRODUCERS OF THIS PACKAGE WHICH IS UNEQUALLED FOR ITS LEVEL OF TOTAL INTEGRATION, LINGUISTIC FLEXIBILITY AND MAXIMISED DISK/MEMORY CONSERVATION.
AUTHOR TONY WINTER (M.D.; B.A.LIT; B.A.HON.PHIL; AND LECTURER)

G.W. COMPUTERS LTD, 01-636 8210 01-631 4818

IMPORTANT!!!. NO HARDWARE IS ANY VALUE WITHOUT THE SOFTWARE, AND OUR SOFTWARE IS UNEQUALLED. WE GIVE YOU A DISCOUNT TO SET YOU GOING. JUST DECIDE ON THE SYSTEM YOU INTEND PURCHASING, AND TAKE 10% OF ITS VALUE OFF THE PRICE YOU WOULD HAVE TO PAY FOR THE SOFTWARE. YOU COULD GET THE SOFTWARE FREE WITH THE HARDWARE IF YOU CHOOSE THE BEST SYSTEM WE SELL.

SUPERBRAIN	**CORVUS DSK**
64K + 320 K DISK	1950.00
64K + 700 K DISK	2395.00
64K + 1.5 M DISK	2995.00
64K + 6.3 M DISK	4595.00
N'STAR & GRAPHICS	2395.00
5.7 MG CORVUS DSK	2250.00
10 MEG CORVUS DSK	3250.00
20 MEG CORVUS DSK	4250.00
CORVUS MULTIPLEX	395.00
CORVUS MIRROR	395.00
ADVANTAGE N/STAR	2395.00
NORTH STAR	**COMPUSTAR**
64K MDL 10 VPU	1695.00
64K MDL 15 PRNT	1595.00
64K MDL 20 VPU	2495.00
64K MDL 30 VPU	2795.00
64K MDL 40 VPU	2995.00
10 MEG INTERTEC	3250.00
BUS VER 8.00	875.00
BUS MANUAL	25.00
DBMS2	575.00
N'STAR QD & CPM	2395.00
OKI MICRO 80	295.00

PRINTER	**PRINTER**
OKI MICRO-82A	575.00
OKI MICRO-83	795.00
OKI MICRO-83A	850.00
EPSON MX80FT	475.00
EPSON MX100	575.00
TEXAS 810	1395.00
NEC 5510	1695.00
NEC 5525	1895.00
QUME 9/45	1695.00
QUME 5/55	1950.00
DRE 8830	1675.00
SYSTEM 1 64K+750 K DISK CRT AND GRAPHICS CP/M IN 1 'N/STAR' UNIT	**2395.00**
SYSTEM 2 64K+5.6 MEGABYTE CORVUS MICRO-WINCHESTER & CRT IN 1 'SUPERBRAIN' UNIT	**4595.00**
SYSTEM 3 64K+1.5 MEG	**2950.00**

CRT AND TWIN 5" IN COMPUSTAR UNIT	
MBASIC 80	150.00
CIS COBOL	420.00
MAIL MERGE	55.00
DATASTAR	190.00
DBMS (DATABASE)	475.00
DBMS (EXTENDED)	575.00
MSORT & DSORT	75.00
FORTRAN-80	200.00
PASCAL UCSD	475.00
SUPER SORT	120.00
BASCOMPILER 190.00	
MAGIC CALC (CPM)	155.00
BUS VER 8.00	975.00
LETTERIGHT	100.00
COBOL-80	320.00
WORD-STAR	250.00
CBASIC	75.00
MAGIC WAND	190.00
T/MAKER	150.00
BUS VER 9.00	975.00
UTILITIES	75.00

IF YOU WISH TO MAKE THE WARRANTY TO 1 YEAR THEN ADD 5% OF HARDWARE COST. OTHERWISE NO MAINTENANCE SCHEDULE, SIMPLY ADD-HOC CHARGES AFTER WARRANTY EXPIRATION, SAME QUALITY SERVICE. (SITE MAINTENANCE ON APPLICATION)

MAIL ADDRESS: G. W. COMPUTERS LTD, 55 BEDFORD COURT MANSIONS, BEDFORD AVENUE, LONDON WC1. TELEX 892031 TWC G . . . . . BOSTON OFFICE TELEX 94-0890

DUE TO LONG TERM CONTRACTUAL COMMITMENTS, WE ARE ONLY GIVING RESTRICTED DEMONSTRATIONS BY APPOINTMENT AT ONE OF OUR LONDON OFFICES. WE EXPORT TO ALL COUNTRIES, AND TAKE AMEXCO, BARCLAYCARD AND ACCESS.
CONTACT TONY WINTER ON 01-636 8210 OR 01-631 4818 AND IF UNAVAILABLE THEN LEAVE A CALL-BACK MESSAGE (CLEARLY STATING YOUR TELEPHONE NUMBER AND NAME) ON THE 24 HOUR ANSWER-PHONE, WE CALL BACK ANYWHERE IN THE WORLD.
OR SIMPLY LEAVE YOUR ADDRESS AND WE'LL MAIL YOU A STANDARD INFORMATION PACK. MAIL ADDRESS: 55 BEDFORD COURT MANSIONS, BEDFORD AVENUE, LONDON WC1.

CALL ONLY BY APPOINTMENT AT 55 BEDFORD COURT MANSIONS, BEDFORD AVENUE, LONDON W.C.1. TELEX 892031 TWC G

● **Circle No. 106**

MPI MICROCOMPUTER PRODUCTS INTERNATIONAL LTD.

SOFTWARE FOR CP/M COMPUTERS INCLUDING

CROMEMCO Z2D	COMART COMMUNICATOR	RESEARCH MACHINES	OTHER
EXCIDY SORCERER	COMART EDUCATOR	GEMINI	FORMATS
SUPERBRAIN	RAIR BLACK BOX	TRANSAM TUSCAN	AVAILABLE
VECTOR MZ	SD SYSTEMS	SHARP MX	
NORTH STAR HORIZON	NASCOM	+ 8" IBM FORMAT	

Retailer and OEM terms available

Full descriptive Catalogue: available £1 — deductable from first purchase

BYROM SOFTWARE

	Software & Manual	Manual Only
BSTAM—Utility to link one microcomputer to another also using BSTAM	£95	£6
BSTMS—Utility to link a micro to a mini or mainframe	£95	£11

COMPILER SYSTEMS

CBASIC v 2.08	£65 £15

CP/M USER LIBRARY

51 Volumes—Price per volume	
8" disc (one volume per disc)	£4
5" disc (one volume per 2 discs)	£8
Index	£2

CREATIVE COMPUTING

CS-9001 BASIC Games 1	£14
CS-9002 BASIC Games 2	£14
CS-9003 ADVENTURE 1.0	£14
CS-9004 BILINGUAL Original Adventure	£14
CS-9005 BASIC Games 3	£14
CS-9006 BASIC Games 4	£14

DIGITAL RESEARCH

MPM 1.1	£195	£20
MPM 2.0	£250	£30
CP/M86	£160	£27
CP/M 2.2	£95	£20
CP/NET	£120	£14
SID	£50	£14
ZSID	£55	£14
MAC	£60	£14
TEX	£50	£14
DESPOOL	£33	£6
PL/1	£300	£27
BT-80	£140	£20

INFORMATION UNLIMITED

WHATSIT (Database Management System)	£80

KLH SYSTEMS

Spooler for CPM systems v3.0	£70	£6

MPI LTD.

FORTH	£72	£20
PAYROLL	£500	£15
SALES LEDGER	£200	£15
PURCHASE LEDGER	£200	£15
NOMINAL LEDGER	£200	£15
INCOMPLETE RECORDS	£1200	£20

MICAH INC.

	Software & Manual	Manual Only
CP/M for CDOS Users: Program to Expand CP/M system to be compatable with Cromemco CDOS software	£65	£6

MICROFOCUS

CIS COBOL version 4.4	£400	£25
FORMS 2 v11	£100	£10

MICROLOGY

FTNUMB (FORTRAN-80 RENUMBER & REFORMATTER)	£50	£5

MICROPRO INC.

WORD-MASTER 1.7A	£75	£22
TEX-WRITER 2.6	£37	£17
WORDSTAR 3.0	£250	£38
MAIL MERGE 3.0 (requires Wordstar)	£75	£10
SPELLSTAR 1.0 (requires Wordstar)	£125	£10
WORDSTAR TRAINING MANUAL		£18
WORDSTAR CUSTOMIZATION NOTES	£50	
SUPER-SORT 1.6: Version 1	£125	£22
Version 2	£110	£22
DATASTAR 1.101	£175	£25
CALCSTAR	£150	£25

Books/Magazines/Order Information overleaf

MICROSOFT INC.

BASIC-80 5.21	£185
BASIC Compiler 5.3	£205
FORTRAN-80 3.43	£260
COBOL-80 4.01	£380
M/SORT 1.01	£75
EDIT-80 2.02	£65
MACRO-80 3.43	£105
MULISP 2.10	£105
MUMATH 2.10	£130

MICROTECH EXPORTS

REFORMATTER CPM↔IBM	£98	£17
CPM↔DEC	£98	£17

MT MICROSYSTEMS

PASCAL MT+ 5.25	£150	£25
PASCAL MT+ 5.25 with SPP	£265	£50
Library Sources	£110	
Speed Programming Pkge. (Softbus)	£125	£25

NORTHSHARE

Multi-user system for Horizon Users 5.12	£44	£7

OSBORNE & ASSOCIATES

ACCOUNTS PAYABLE & ACCOUNTS RECEIVABLE	£50	£15
GENERAL LEDGER	£50	£15

PHOENIX SOFTWARE ASSOCIATES (For Z80 only)

PLINK—Disc to disc link loader	£72	£15
PASM—Macro Assembler	£72	£15
PEDIT—Line editor with Macros	£72	£15
BUG—Very powerful debug	£72	£15
PDEVELOP Package with all the above	£193	£33
PLINK—2 Overlay Link Loader	£185	£15

STRUCTURED SYSTEMS (All converted to UK Standard)

SALES LEDGER	£350	£20
PURCHASE LEDGER	£350	£20
NOMINAL LEDGER	£350	£20
STOCK CONTROL	£350	£20
LETTERIGHT	£95	£11
ANALYST (File management Reporting System)	£125	£11
NAD (Name and Address selection system)	£55	£11
QSORT	£55	£11

SUPERSOFT INC.

DIAGNOSTICS 1	£45	£9
DIAGNOSTICS 2	£55	£9
TERM	£72	£7

TDL SOFTWARE (Technical Design Labs)

BUSINESS BASIC	£80
ZTEL (Text Editing Lang.)	£35
LINKER	£35

TINY-C ASSOCIATES

Tiny-C language for 8080, 8085, Z80 systems	£55	£39

New Products

MICROPRO INFOSTAR	TBA
FOX & GELLER QUICKSCREEN	TBA
MICRO AP SELECTOR V	TBA
DIGITAL RESEARCH CB-80	TBA

BASF DISCS

The following formats are available from stock: 8" SSSD 5¼" Soft Sectored, 5¼" 10 Sectors, 5¼" 16 Sectors

Quantity	Price Per Disc Ex VAT
1 - 50	£2.40
51 - 100	£2.00
101 - 200	£1.80
201 - 500	£1.70
501 +	£1.50

Minimum order quantity 10 discs. Orders must be in multiples of 10. Postage, Package & Insurance 86p per 10 Discs up to 50 Discs thereafter 17p per 10. Other formats on request.

WHAT A TEAM!

SPECIAL PRODUCT

THE STAR QUALITY FEATURES OF CALCSTAR

With CalcStar you will be able to manipulate data, either text or numeric, on a visually orientated display. The numeric data may either be constant or be dependant on other data. CalcStar has facilities for editing, formatting, storing, calculating and printing all data. This is a true electronic worksheet, with 127 columns and 255 rows. Uses include:-

Balance Statements * Cash Flow Analysis and Forecasting * General Ledger * Inventory Records * Jobs Cost Estimates * Market Share Analysis and Planning * Patient Records * Profit Projections * Profit Statements * Profit Budgeting and Control * Salary Records * Sales Projects and Records * Tax Estimation etc.

Are you in business?

Can you afford to be without CALCSTAR?

Have a STAR Company. Use CALCSTAR!!!

QUALITY PRODUCTS FROM THE HOME OF MICROCOMPUTER SOFTWARE

MPI

ROOM PC, 11 CAMBRIDGE HOUSE, CAMBRIDGE ROAD, BARKING, ESSEX IG11 8NT, ENGLAND
Telephone: 01-591 6511 Telex: 892395

Europe's largest selection of Microcomputer Software, Books and Magazines for the Hobbyist, Educationalist, Professional and Retailer.

GENERAL

Hardware orientated:

Some Real Microprocessors	£20.85
6 Updating Supplements for Some Real Microprocessors	£20.85
Some Real Support Devices	£13.00
6 Updating Supplements for Some Real Support Devices	£20.85
Microprocessors from Chips to Systems	£11.45
Microprocessor Interfacing Techniques	£13.10
IC OP-AMP Cookbook	£9.85
RTL Cookbook	£4.25
IC Timer Cookbook	£7.50
Ciarcias Circuit Cellar	£6.00
8089 I/O Processor Handbook	£4.95
The CRT Controller Handbook	£5.95
The 68000 Microprocessor Handbook	£5.95
16 Bit Microprocessor Handbook	£15.95
4 and 8 Bit Microprocessor Handbook	£15.95

Software Listings:

Computer Programs that Work	£3.95
Home & Economics Programs	£16.50
Education and Scientific Programs	£23.00
Some Common BASIC Programs	£9.85
Practical BASIC Programs	£10.25
Professional Programs: Chess, Medbil, Wdproc	£25.00

Business:

Accounts Payable and Accounts Receivable	£14.85
General Ledger	£14.85
Small Business Programs (Microsoft Basic)	£39.95

Other:

PIMS: Personal Information Management System	£6.50
Buyers Guide to Microsoftware	£2.40
Program Design	£4.75
Programming Techniques: Simulation	£4.75
Numbers In Theory and Practice	£6.00
K2 FDOS	£15.50
CP/M Handbook	£12.10
CP/M Primer	£8.45
CP/M Users Guide	£10.10
Calculating with BASIC	£4.95
Dr Dobbs Journal Vol 1	£15.50
Dr Dobbs Journal Vol 2	£15.50
Dr Dobbs Journal Vol 3	£15.50
Best of Interface Age: Software	£9.95
Don't (or How to Care for your Computer)	£TBA
Programming the Z8000	£12.10
Z8000 Assembly Language Programming	£14.85

FOR THE Z80, TRS-80, ZX81, 380Z

Z80 Programming for Logic Design	£6.30
Z80 Assembly Language Programming	£13.50
Z80 Instruction Handbook (Wadsworth)	£3.50
Programming the Z80 (Zacs)	£11.95
Z80 Software Gourmet Guide and Cookbook	£10.25
32 BASIC Programs for the TRS-80 (Level II) 16K	£11.10
Introduction to the T-Bug	£7.60
(Guide to TRS-80 Machine Language Monitor)	£6.95
30 Programs for the Sinclair ZX80	£4.95
Cambridge Collection for the ZX81	

CONCERNING LANGUAGE

Beginners Guide for the UCSD PASCAL Systems	£9.50
A Practical Introduction to PASCAL	£4.95
The PASCAL Handbook	£13.95
Introduction of PASCAL (including UCSD PASCAL)	£11.50
SCELBAL—BASIC Language Interpreter (Source Code)	£10.00
BASIC BASIC	£7.00
Advanced BASIC	£6.50
Users Guide to North Star BASIC	£10.00
Microsoft BASIC (a guide)	£7.15
Secret Guide to Computers	£4.00
Fifty BASIC Exercises	£10.25
PASCAL Programs for Scientists & Engineers	£12.70

FOR THE 6502 (PET, APPLE, ATARI etc.)

First Book of ATARI	£TBA
Best of Micro, Vol 2	£5.50
Programming the 6502 (Zacs)	£10.75
6502 Applications	£10.25
6502 Instruction Handbook	£3.50
The PET Revealed	£10.00
Library of PET Subroutines	£10.00
32 BASIC Programs for the PET	£11.10
First Book of KIM	£7.00
PET/CBM Personal Computer Guide (2nd edition)	£11.00
Apple II Users Guide	£11.50
PET and the IEEE (GPIB) Bus	£10.95
6502 Assembly Language Programming	£11.85
Some Common BASIC Programs (PET CBM)	£9.85
PET Graphics	£TBA

FOR THE 8080

8080 Programming for Logic Design	£6.30
8080 Hex Code Card	£2.30
8080 Octal Code Card	£2.30
8080 Software Gourmet Guide and Cookbook	£7.15
8080/8085 Software Design	£6.75
8080 Standard Monitor	£8.95
8080 Standard Assembler	£8.95
8080 Standard Editor	£8.95
8080 Special Package: Monitor, Editor, Assembler	£20.00
BASEX: A Simple Language and Compiler for the 8080	£6.00

FOR THE 6800

6800 Software Gourmet Guide and Cookbook	£7.85
6800 Tracer—An aid to 6800 Program Debugging	£4.50
Tiny Assembler	£6.30
RA 6800 ML—An M6800 Relocatable Macro Assembler	£17.50
Link 68—An M6800 Linking Loader	£6.00
MONDEB—An Advanced M6800 Monitor Debugger	£3.85

FOR FUN

8080 Galaxy Game	£6.95
SUPER-WUMPUS—A Game in 6800 Assembler Code & BASIC	£4.25
Computer Music Book	£6.75
Computer Rage (a Board Game)	£6.95
Introduction to TRS-80 Graphics	£6.30
Take My Computer Please (Fiction)	£3.25
Introduction to Low Resolution Graphics for PET, Apple TRS-80	£6.00
6502 Games	£10.25
Inside BASIC Games	£11.50

FOR THE NOVICE

Getting Down to Business with Your Microcomputer	£5.50
Getting Involved with Your Own Computer	£5.50
How to Profit from Your Personal Computer	£6.50
Microcomputer Potpourri	£1.95
Hobby Computers are Here	£3.00
New Hobby Computers	£3.00
Understanding Microcomputers and Small Computer Systems	£7.50
Understanding Microcomputers and Small Computer Systems and Audio Cassette	£9.25
From the Counter to the Bottom Line	£10.00
Buying a Business Computer	£9.75
You Just Bought a Personal What?	£8.75
How to Make Money with Your Microcomputer	£7.00

MAGAZINE BACK ISSUES

Micro 6502 Journal	£3.00
Personal Computing	£3.00
Interface Age	£3.25
Dr Dobbs Journal	£2.15
Computer Music Journal	£3.75
Recreational Computing	£2.15
BYTE	£3.60
Creative Computing	£4.25
Calculators and Computers	£1.95
Kilobaud Microcomputing	£4.25
Compute—for the 6502	£3.75
68 Micro	£2.50
80-Microcomputing	£4.95
On Computing	£1.95
S-100 Microsystems	£2.50
99'ER	£3.00
99'ER Subscription (6 issues)	£13.00
Magazine Storage Box (holds 12)	£2.15

BYTE NIBBLE REPRINTS:

a) A TMS-9900 Monitor	£3.50
b) BASIC Cross-Reference Generator	£1.25
c) 'Tiny' PASCAL in 8080 Assembly Language (d needed to use this)	£13.00
d) A 'Tiny' PASCAL Compiler	£13.50
e) An APL Interpreter in PASCAL	£13.00
f) Computer Assisted Flight Planning	£2.35
g) Computerized Wine Cellar	£2.00
h) The Design of an M6800 Lisp Interpreter	£13.00

MAIL ORDER

TELE-PHONE

CREDIT CARD ORDER

• VISIT •

Trade Enquiries Welcome

ORDER INFORMATION

MAGAZINES: Magazine back issues that are not currently in stock are often difficult to obtain. For unavailable back issues there is a photocopying service at £0.15 per page plus £0.25 p+p plus VAT.

BOOKS: Most books are published in the USA and stocked in Britain by Microcomputer Products International Ltd. We aim to keep all of these books in stock and as a result of this, most prepaid orders are despatched by return of post. Please add £1.00 towards postage for EACH book purchased. If purchasing more than 3 books at any one time, please add £0.25 for each extra title (over the 3).

PAYMENT: All payment must be in sterling and drawn against a UK Bank. Send cash cheques, postal orders, IMO, Access or Barclaycard No. to: Microcomputer Products International Ltd., Room PC 11 Cambridge House, Cambridge Road, Barking Essex IG11 8NT. Telephone: 01-591 6511. Telex: 892395.

SOFTWARE: Software Prices reflect distribution on 8" Single Density Discs.
When ordering, please specify the format you require. If not specified, all software will be despatched on an 8" Single Density Disc.
Please add £3.00 for postage, packing and insurance plus VAT on EACH Software item purchased. For overseas, please add £6.50 per item. Prices based on $2.00 to the pound. Any deviation in this involves surcharge or discount, as appropriate.
If required, DATAPOST (overnight) service is available in the U.K. for an extra charge of £8.50 per item plus VAT.
Most Software on this list is available from stock and a 72 hour return service is therefore offered on most prepaid orders.

● Circle No. 107

Practical Computing -from Millbank



Practical Computing is not only the name of a magazine. It is also a philosophy about which we feel strongly at Millbank Computers.

Practical computing solutions which meet the needs of the user is the basis on which we have built up our range of hardware, software and services.

We start with the **Millbank System 10** – the 'heavy duty' micro computer available exclusively from us and our appointed dealers. With 700K, 1.6 MB and hard disc options, the **Millbank System 10** is arguably the most reliable micro available in the UK – supported, naturally, by twelve months full warranty.

Our range of printers covers dot matrix and letter quality printing at virtually every acceptable speed, specification and price point.

The CP/M disc operating system opens up a vast range of readily available software – including 'Financial Director' – a British Accounting suite of stunning quality.

Service and support is an integral part of our practical computing philosophy.

Call us today.

MILLBANK COMPUTERS

Millbank Computers Limited, Millbank House, Amyand Park Road, Twickenham TW1 3HN. Tel: 01-891 4691.













DATA PROCESSING

Complete DP Systems (including CP/M, programming language and basic software) start from **£3950.00.**

Software
Financial Director, Accounting, Payroll, Stock Control, Estate Agents, Data-base Management, Information Retrieval, Financial Modelling plus a wide range of specialised applications.

Printers (all prices exclude VAT):

1 **Olivetti DM 5100** – New 140 cps Dot Matrix. **Price: £900.00** (Also available, DM 5200, 200 cps)

2 **Olivetti DM80/180 cps** Dot Matrix printer with amazing 'letter quality' printing at 80 cps. 17¼" platen. **Price: £1995.00.**

WORD PROCESSING

Word processing systems start from **£3900.00** complete.

Software:
Wordstar (with the unique System 10 function key overlay), Spellstar (checks your spelling), Mailmerge, Spellbinder, Easyword.

Printers:

3 **Olivetti DY 211** – the low cost daisywheel printer. 20 cps. **Only £900.00!**

4 **Olivetti DY 311** – 32 cps daisywheel. A reliable, high quality printer. **Competitively priced: £1050.00.**

5 **Qume Sprint 5 Range** – Superb 45 and 55 cps printers available in RO or KSR versions. **Prices from: £1700.00.**

6 **Olivetti DY 811** – the ultimate high-speed daisywheel printer. Speed range 65–80 cps. Ideal for heavy users. **£1995.00.**

SERVICE

We service all the systems and peripherals we supply – also products within our range supplied by other distributors/dealers.

The Millbank System 10 carries a full twelve-month warranty – Manufacturers' warranty on all other products.

*Dealerships for the Millbank System 10 range are still available in some areas. Dealer enquiries for our range of Olivetti dot matrix and daisywheel printers welcomed. We also stock a range of 5¼" floppy hard disc drives for OEM users. Call Alan Miller.

● **Circle No. 108**

CP/M SOFTWARE



from

METROTECH

* NEW * WORDSTAR 3 * NEW *

WORD-STAR[tml] Version 3.xx has now been released. New features include: column move capabilities, horizontal scrolling — up to 240 columns and even clearer menus. Also released is MicroPro's own spelling checker — SPELLSTAR.

WORD-STAR 3.xx	**£255/£30**
MAILMERGE 3.xx (optional)	**£ 60/£10**
SPELLSTAR (optional)	**£125**

IN ADDITION METROTECH SUPPLIES A TRUE ENGLISH DICTIONARY, REPLACING US WORDS WITH ENGLISH

NEW * RECORDS MANAGEMENT * NEW

Ideal for office records including personnel, stock, clients and accounts. Features include:

* Comprehensive calculation
* Record selection on updates and reports
* Full sorting facilities
* WORDSTAR INTERFACE — for selective mailing

COMPSOFT DMS **£400/£25**

NEW * MICROPLAN * NEW

If you have any problem that you would normally solve with pen, paper and a calculator, then MicroPlan will help you. MicroPlan will perform most types of calculations working in rows and columns, as well as advanced financial analysis.

MicroPlan **£295/£20**

LANGUAGES/UTILITIES

CBASIC II COMMERCIAL DISK EXTENDED BASIC	**£75/ £20**
SBASIC COMPILER STRUCTURED BASIC	**£175/ £30**
SUPERSORT I	**£125/ £20**
WORD-MASTER SUPERIOR TEXT EDITOR	**£75/ £20**
MET/ TWAM INDEX SEQUENTIAL FILE ACCESS IN CBASIC II	**£55/ £15**
MICROSOFT BASIC 80 INTERPRETER	**£155/ £25**
MICROSOFT BASIC COMPILER	**£195/ £25**
MICROSOFT FORTRAN 80	**£215/ £25**
MICROSOFT COBOL 80	**£315/ £25**

MICRO DATA BASE SYSTEMS

MDBS is a database system offering full network **CODASYL**-oriented data structures, variable length records, read/write protection, one-to-one, one-to-many and many-to-many set relationships. Add on features are: an interactive report-writer and query system, a dynamic restructuring system and a recovery-transaction logging system.

MDBS prices start from	**£600/£30**
Primer manual	**£5**

COMMUNICATIONS

BISYNC-80/3780 and **BISYNC-80/3270** are full function IBM 2780/3780 and 3270 emulators for microcomputers.

BISYNC-80/3780 gives you a Remote Job Entry terminal for the price of a micro!

BISYNC-80/3270 combines the local processing power of a micro with a sophisticated screen capability. Make your dumb terminal smart!

MET/TTY will connect your micro to a timesharing service in simple teletype emulation.

BISYNC-80/3780	**P.O.A.**
BISYNC-80/3270	**P.O.A.**
MET/TTY	**£95/£15**

DATA MANAGEMENT

SELECTOR III-C2
An easy to use Information Management System; requires CBASIC II **£185/£30**

SELECTOR IV
An advanced Information Management System; requires CBASIC II **£275/£35**

DATASTAR
Powerful data entry, retrieval and update system **£195/£30**

FINANCIAL REPORTING

REPORT WRITER
You input the values — Report Writer will perform your calculations and produce a report with your headings, totals and summaries **£95/ £15**

GLECTOR
General ledger option to Selector III; Requires Selector III and CBASIC II **£185/ £30**

All software is **Ex-stock** except MDBS and available on standard 8" disks or 5" disks for Vector MZ, Superbrain and Dynabyte.

* Postage and Packing £2 per order.
* Add 15% VAT.
* State which disk type and size.
* All orders prepaid.

Telephone orders welcome for Access, Barclaycard, American Express or Diners Club.
CALL 0895 58111 Ext. 247 or 269
or write to:

METROTECH MAIL ORDER
WATERLOO ROAD UXBRIDGE
MIDDLESEX UB8 2YW

enclosing cheque, PO's payable to METROTECH

tml WORD-STAR is a trademark of Micropro.

Prices are shown as Software with manual/Manual only.
Prices correct at time of going to press

METROTECH are sole U.K. distributors of DYNABYTE microcomputer systems.

CP/M HARDWARE
FROM
METROTECH



The basic Dynabyte features 64K RAM, a 4MHZ Z80A, and one parallel and two serial ports. All systems run CP/M, MP/M and CP/NET.

A full range of software is available including word processing communications, database, integrated business systems, all standard languages and viewdata.

DYNABYTE

Upgradeable

When you install a Dynabyte system, you're not just buying the system you need today, you're planning for the future. As your business expands and your needs change and grow, you simply add processing power and storage capacity — unit by unit, in a measured building block fashion. The Dynabyte systems provide the total solution for both your data processing and word processing needs.

DYNABYTE

Modularly Expandable

The Dynabyte 5000 Family allows a very wide range of disk storage and can be configured to give multi-terminal and multi-tasking systems, net working and multiple processors. The net result is a system that serves your present needs exactly and is modularly expandable to meet your future demands.

DYNABYTE

Choice of Storage

Choose from nine different members of the Dynabyte Family, and get the amount of storage you require — ranging from 630 thousand bytes to 99 million bytes. Capacity, versatility, and compatibility can all be part of the selection criteria. You don't have to compromise with a Dynabyte.

DYNABYTE

Multi-tasking

Attach up to eight terminals to your microcomputer. Run several jobs from one terminal simultaneously (up to eight at one time). Connect up to 16 printers. Share the processor, share the printers. Add one terminal, one printer, or a block of memory. It is all possible when you install a Dynabyte's Level 4 operating system, a superset of MP/M, on your Dynabyte's equipment.

DYNABYTE

Flexible

The flexibility built into every Dynabyte computer assures you a smooth upgrade path, and it vastly extends the useful life of your equipment. Upgradeability can mean a lot to you — wasted time and disruption are eliminated with a smooth transition to a large Dynabyte system.

Please send more information on the Dynabyte 5000 series

Name .....

Title .....

Address .....

.....

Telephone .....

SEND TO: METROTECH LTD., MARKETING DEPT., WATERLOO ROAD, UXBRIDGE, MIDDLESEX UB8 2YW. TEL: 0895 58111 Exts 265, 287, 247 or 269.

METROTECH IS A MEMBER OF THE GRAND METROPOLITAN GROUP.

● **Circle No. 109**

PROFESSIONAL VIDEO MONITORS

Telefusion have the full range of video monitors manufactured by Electrohome. These monitors are extremely rugged, dependable and available in a variety of screen sizes, and phosphor options, to suit the Communications, Digital, Medical and Industrial Monitoring industries.

As the U.K. authorised distributor and service repair centre, Telefusion can offer competitive prices, expert applications advice and a comprehensive after sales service from our factory, or from the regional depots throughout the country.

ELECTROHOME MAIN DISTRIBUTOR

Write or phone for further details

TELEFUSION
CONTRACTS DIVISION
Unit 10/11 Barrs Fold Close Wingates Industrial Park
Westhoughton Bolton BL5 3XH Telephone: 0204 66393

● Circle No. 110

MICRO-80

UK Subscription Dept.
24 Woodhill Park Pembury Tunbridge Wells Kent TN2 4NW

WE ARE PLEASED TO ANNOUNCE that MICRO-80 is now available in the UK in CASSETTE EDITION.
Each month we publish at least six programs for the TRS-80 or VIDEO GENIE and . . .
SUBSCRIBERS may now have the benefit of receiving their programs on cassette for IMMEDIATE LOADING.
WE ARE ALSO CONTINUING our special offer of a FREE cassette program to all new subscribers who complete the coupon below — even if you order a subscription to the magazine only.

Please enrol me for an annual subscription and send me my FREE cassette program.
I enclose £16.00 ☐ (magazine only) or £43.60 ☐ (magazine and cassette edition).
(enclose your cheque/P.O. made payable to MICRO-80 and send to the above address)
Software offer, and cassette edition prices applies to U.K. residents only. Overseas subscription rates on application.

Name .....
BLOCK CAPITALS PLEASE

Address .....

.....

PC 2/82

● Circle No. 111

SYSTEM 4000
EPROM EMULATOR/PROGRAMMERS

EX-STOCK

P4000 PRODUCTION EPROM PROGRAMMER

This unit provides 'simple, reliable' programming of up to 8 EPROMs. It has been designed for ease of operator use — a single 'program' key starts the blank check — program — verify sequence. Independent blank check and verify controls are provided along with mode, pass/fail indicators for each copy socket and a sounder to signal a correct key command and the end of a programming run. Any of the 2704/2708/2716 (3 rail) and 2508 / 2758 / 2516 / 2716 / 2532 / 2732 EPROMs may be selected without hardware or personality card changes.
2 year warranty. Price **£545** + **VAT:** + **£12.00 DELIVERY**

VM10 VIDEO MONITOR

This compact, lightweight Video Monitor gives a clean crisp picture on its 10″ screen. Suitable for use with the EP4000, SOFTY and other systems. 12 month warranty. Price **£88** + **VAT, carriage paid.**

EP4000 EPROM EMULATOR/ PROGRAMMER

The microprocessor based EP4000 has been designed as a flexible, low cost, high quality unit for emulating and programming all the popular NMOS EPROMs without the need for personality cards, modules or hardware changes. Its software intensive design permits selection of the 2704 / 2708 / 2716 triple rail EPROMs and the 2508 / 2758 / 2516 / 2716 / 2532 / 2732 single rail EPROMs for both the programming and emulating modes.
The video output (T.V. or monitor) for memory map display in addition to the built-in Hex LED display, for stand alone use, is unique in this type of system. This, with the double function 28 key keypad, powerful editing features, powered down programming socket, buffered tri-state simulator cable and 4k x 8 data RAM gives you the most comprehensive, flexible and compact systems available today.
2 year warranty. Price **£545** + **VAT:** + **£12 DELIVERY**

MODEL 14 EPROM ERASERS

MODEL UV140 EPROM ERASER

Similar to model UV141 but with out timer. Low price at **£61.50** + **VAT, postage paid.**

MODEL UV141 EPROM ERASER EX-STOCK

- 14 EPROM capacity
- Fast erase time
- Built-in 5-50 minute timer
- Safety interlocked to prevent eye and skin damage
- Convenient slide-tray loading of devices
- Available Ex-Stock at **£78** + **VAT** Postage Paid

DISTRIBUTORS REQUIRED — EXPORT ENQUIRIES WELCOME

GP INDUSTRIAL ELECTRONICS LTD,

UNIT E, HUXLEY CLOSE, NEWNHAM INDUSTRIAL ESTATE, PLYMOUTH, DEVON PL7 4JN
TELEPHONE: PLYMOUTH (0752) 332961 (Sales) / 332962 (Technical Service).

SOFTY SYSTEMS

EX-STOCK



SOFTY 2
LOW COST 2716 EMULATOR/PROGRAMMER

● Direct output to T.V. ● High speed cassette interface ● On card EPROM Programmer ● Multifunction touch keypad ● 2K Monitor in 2716 ● 2K RAM ● 128 byte scratchpad RAM ● 2K EPROM Emulation ● Can program 2732/2532 in two halves ● Editing facilities including — Data entry/deletion, Block shift, Block store, Match byte, Displacement calculation ● Supplied with ZIF socket, Simulator cable, comprehensive manual, Antistatic lined EPROM tray and PSU. SOFTY 2 **£169** + **VAT** (includes p&p)

SOFTY 1
LOW COST 2704/2708 EMULATOR/PROGRAMMER

● Direct output to T.V. ● High speed cassette interface — On card EPROM Programmer ● Multifunction keypad ● 1K Monitor in 2708 ● 1K RAM ● 128 byte scratchpad RAM ● 1K EPROM Emulation ● Comprehensive editing facilities ● Supplied with ZIF socket, Simulator cable and comprehensive manual.
SOFTY 1 (Built and tested) **£120** + **VAT**
SOFTY 1 Power Supply **£20** + **VAT**

SOFTY 1
CONVERSION CARD

Enables SOFTY to program the single rail EPROMs, 2508 / 2758 / 2516 / 2532. Selection of device type and 1K block are by pcb slide switches. ZIF Programming socket. Supplied built and tested. **£40** + **VAT.**

EX-STOCK EPROMS

	1-24	25-99	100 up
2732	6:50	5:75	4:95
2716	2:80	2:60	2:40
2708	2:80	2:60	2:40

ADD VAT AT 15% – POSTAGE PAID

WRITE OR TELEPHONE FOR DETAILS ON ANY OF OUR PRODUCTS

● **Circle No. 112**

MICROLINK MICROLINK MICROLINK

The MICROLINK Interface for your Commodore or Hewlett Packard Computer.



The MICROLINK interface has been designed for use in laboratory environments where acquisition and processing of data from a variety of sources is required. MICROLINK is a modular system consisting of a mainframe incorporating the IEEE-488 interface and a power supply, and a cabinet holding upto 17 modules–this means that the interface can be configured for your precise requirements.

Modules for signal acquisition:

AN-1, AN-1D	single-ended and differential analogue voltage conditioning modules.
A-8D, A-10D	8 and 10 bit analogue to digital converters.
HSC, HSM	high speed clock and multiplexer where rapid sampling is required (up to 10 kbytes/sec).

Modules for experimental control:

RR-8, HDR-4	reed and heavy duty relay outputs.
CC-8	8 contact closure or logic level inputs.
UDC	up/down counter (for counting logic pulses).

Modules for data collection from instruments:

BCD-8	8 decade BCD input.

Modules for signal generation or displays:

8D-A	8 bit digital to analogue converter.
SCOPE	2 channels + trigger for oscilloscope displays.
8D-XY	2 channels + pen lift relay for analogue XY plotter.

Modules for specialist applications:

TIM	millisecond timing.
HR	heart rate monitoring.
NHI	neural pulse histogram data collection.

Biodata

Write or telephone with details of your application and we will be pleased to quote for the appropriate configuration.

6 Lower Ormond St.
Manchester M1 5QF. U.K.
Telephone:
061-236 1283

MICROLINK MICROLINK MICROLINK

● Circle No. 115

BUG FREE 'VERBATIM DATALIFE'

VDB 8024 GRAPHICS UPGRADE

CRASHED A DISK ?*!!

Resurrect erased files, crashed disks etc:–

DISKEDIT I: Access any sector of CP/M pre V2.0 soft sector 8" disk as physical or logical sector alter any byte in sector. Display uses cursor addressing. Price £35

DISK REVIVER: No knowledge of disk structure required for this CP/M V2.0 or pre V2.0 Diskedit. (Coming soon – send for info) Price £TBA

DISK ORGANISER: Regular use minimises head wear and speeds up disk accesses runs on CP/M V2.0 or Pre V2.0. A must for hard disks. Price £50

Ex: Single Side Single Density Disks
Box of 10 **Inc P&P**
8" £23.80
5¼" £19.04

- Many other types available
- Quantity discount for 5 boxes +
- Always sent First Class Post
- Customer accounts for trade orders

ADD: 160 x 72 POINT GRAPHICS to your VDB8024*
· On board software draws lines, points, shades etc · Normal operation unaffected · Minimal mods required · Manual includes driver program listing ·

Manual plus 2 x 2716 EPROMS	£65
Your board fully modded & tested (Allow 4 days before return)	£77
VDB 8024 with graphics B&T	£POA

*VDB 8024 is manuf'd by SD Systems, Calif.

GRAM BUSINESS SYSTEMS LTD.

48 HEDLEY STREET,
MAIDSTONE, KENT ME14 5AD
TEL. MAIDSTONE 679 595

PLEASE ADD 15% VAT AND QUOTE YOUR MACHINE TYPE WHEN ORDERING.

● Circle No. 114

COMMODORE PETS

OFFICIALLY APPROVED COMMODORE DEALER

8032 Computer
8050 Floppy Disk
8024 Matrix Printer
8026 Daisy Printer Keyboard * Phone for latest prices *
8027 Daisy Printer Read Only
4032 Computer
4040 Floppy Disk
4022 Matrix Printer **** VIC'S NOW IN ****
*** 8096 COMPUTER AND SILICON OFFICE NOW IN ***

Secondhand equipment bought and sold. Call now.

Other printers we supply are: Qume, Ricoh, Epson, Centronics.

We also supply software: Visicalc, Wordcraft, Incomplete Records, Payroll, Stock Control, Invoicing, Sales & Purchase, Time Recording, Ozz.

All accessories are available from us and our other services include installation and training and maintenance contracts.

Please phone for a quotation of our typing, word-processing and personalised mail shot services.

DAVINCI COMPUTER SHOP

Da Vinci Computer Shop

65 High Street, Edgware, Middx

Mon-Fri 9.00-5.30.
Sat 9.30-5.00
or send for details.

Tel: 01-952 0526

BARCLAYCARD VISA We welcome Access

● Circle No. 113

COMPUTECH for apple

Authorised dealer, service centre and system consultancy

SUCCESS BREEDS SUCCESS!

As authorised dealer and service centre for Apple computers we have acquired extensive experience of users' needs and the most cost effective means of satisfying them from the considerable resources of this popular and reliable machine. Over 1,000 of our financial accounting packages have been installed. In the process we have have detected areas of special need and opportunities for enhancing these resources. Our own manufactured hardware and system software have been produced to meet these requirements. As a result we have compatible products for all configurations of Apple II and ITT 2020 installations - and the new Apple /// !

Apple /// now on demonstration - systems from	**£1,645**
Pro-File 5 MB mass storage for Apple ///	**£2,256**
Computech mass storage for Apple II and Apple ///, up to 12 MB, from	**£1,950**

COMPUTECH SOFTWARE AND HARDWARE INCLUDES:

Payroll for 350 employees, 100 departments, all pay periods, printed payslips, approved year end documents, very quick and easy to use, **£375. Sales, Purchases** and **General Ledgers £295** each, detailed statements. **Job Costing** and **Group Consolidation** are amongst many and various applications of the **General Ledger** package, which supports values to totals of one thousand million accurate to a penny! Our **Utilities Disk** available like other packages in 13 sector or 16 sector format, is widely used for reliable, error checking, copying, including single drive, and the renowned **DPATCH** program beloved of programmers for **£20.** We have developed a **Terminal Utilities** package which enables Apple to Apple and Apple to mainframe communications with local processing and storage as well as Apple to host communications from the amazingly low price of **£130.** Our **Graphics Utilities** program for use with the **Microline** and **Epson** families of printers enable the plain paper production on low cost printers of high resolution screen pictures, graphs etc. - free with **Microlines** or **£30** separately. **Keyboard Driver** enables the use of our **Lower Case** adaptor with BASIC programs and **Applewriter Patches** supplied **FREE** with our character generator package (total cost **£50**) is separately available on disk with documents for **£10.** At the same price **CAI** (convert Apple pictures for ITT) makes binary high resolution picture files display properly on the ITT 2020. We sell the famous **Visicalc** for **£111** and have delivered systems using it to do amazing things like production control, shipping accounts and stocks and shares valuations! The versatile **Applewriter** word-processing package at only **£39,** especially employed with our **Lower Case Character Generator** is widely used by people who cannot type to produce word-perfect copy! Experience with Apple systems has led to the design and manufacture of compatible products with enhanced features at very favourable prices to satisfy users' needs. These include the **Diplomat Serial Interface** which has handshaking capability and switchable options (**£80**), the **Diplomat Parallel Interface** which enables the direct use of text and graphics with the **Microline** and **Epson** printers and is a complete 'plug in and go' item with gold-plated edge-connector at **£80** and has optional direct connection for **Centronics 730/737** printers. Our new **Diplomat Communications Card** at **£95** is a sophisticated peripheral especially suitable for Apple to mainframe communications at high speeds in full duplex mode with switch selectable bit rates and other options. The **Lower Case** adaptor is available for Apples (revision 7 and earlier) as well as ITT 2020, complete with diskette software for **£50**. It offers true descenders on screen and the £ sign. We also have an **Optional Character Generator** for the ever popular **Microline M80** at **£15**. This provides £ sign and improved digits and lower case characters with USASCII special symbols. Our price for the **Microline M80**, with graphics, 40, 80 and 132 characters per line, friction, sprocket and teleprinter feed, is only **£295,** amazing for this small, quiet reliable 'look alike' printer. Tractor option is **£40** and **Serial Adaptor £80**. The **Microline M82**, bidirectional printer with both parallel and serial input is only **£345,** it can have an optional 2K buffer, while the **Microline M83** full width adjustable tractor 120 cps printer with similar specification is only **£595.** Then for all computer users there is the unique **Micromux** which from **£800** provides up to 16 ports for simultaneous independent serial asynchronous communications! Telephone for data sheets or to arrange a demonstration or for the address of our nearest dealer. Please hurry - the demand for our products has been such that some have been temporarily out of stock. We offer the effective low cost solutions you need. **Prices exclude V.A.T., carriage and packing.**

COMPUTECH SYSTEMS

168, Finchley Road, London NW3 6HP. Tel: 01-794 0202

AGENTS THROUGHOUT THE UK AND OVERSEAS

● **Circle No. 116**

SHARP 48K MZ80K WITH BASIC & PASCAL £345

ROCK BOTTOM PRICES
FROM SHARP'S BIG DEALER

DEAL A	SHARP MZ-80K with full 48K memory, BASIC **AND PASCAL**	£345
DEAL B	48K MZ-80K, BASIC, PASCAL, **AND FORTH** +10 programs	£359
DEAL C	48K MZ-80K, BASIC, PASCAL, FORTH, 10 programs, **AND FORTRAN**	£379
DEAL D	everything in DEAL C **AND MACHINE CODE**	£395
DEAL E	48K SHARP, BASIC, PASCAL, FORTH, FOR-TRAN, MACHINE CODE, 12 programs and the **KNIGHT COMMANDER**	£410
DEAL F	everything included in DEAL E plus our famous library of **100 PROGRAMS** (see separate list)	£425
DEAL G	MZ-80P3 printer complete with interface card	£339
DEAL H	MZ-8010 interface box (takes up to five cards)	£87
DEAL J	MZ-80FD dual disc floppy drive, interface card, all cables	£575
DEAL K	MZ-80P3 printer, PASCAL, FORTH, FORTRAN and **KNIGHT COMMANDER**	£389
DEAL L	EVERYTHING IN DEAL K, INTERFACE BOX + 100 programs	£499
DEAL M	EVERYTHING IN DEAL J, plus our new DISC COMMANDER	£599
DEAL N	MZ-80FD dual floppy, DISC COMMANDER, FORTH, FORTRAN, + PASCAL	£625
DEAL P	48K SHARP MZ-80K, PRINTER, DUAL FLOPPY, INTERFACE BOX all connecting cables and manuals	£1345

SHARP PROGRAMS FOR THE MZ-80K, B and PC 3201

DEAL F PROGRAMS INCLUDE: 10 PIN BOWLING, POKER, SKI, SPACEFIGHTER, OTHELLO, SNAKE, 3D MAZE, STAMP OUT, MUSIC BOX, B52 ATTACK, OWARI, CUSTOMER FILE, COSMIC INVASION, STARTREK, KLINGON ATTACK, DIRECTED NUMBERS, BLACK BOX, EXPLODING ATOMS, TEACH TABLES, MULTIPLICATION, MEMORY DUMPER, DISASSEMBLER, BYTE SEARCHER, MAJOR SCALES, MORSE TUTOR, BACKGAMMON, CRIBBAGE, WIZARDS CASTLE, DIVISOR? ADVISER, MULTI?GRID, CO?ORDINWARS, ARITHMETIC, KAMIKAZE PILOT, KEYBOARD MORSE, LASER ATTACK, PONTOON, STATISTICS, GOLF, CURVE FITTING, LASER DEFENCE, TRANSMIT RTTY, COMPUTER PIANO, COMPUTER COMPOSER, BIO-RHYTHM, ANNUAL RECEIPTS, STANDARD LETTERS, etc.
note these are only supplied with deal F.

Send for our latest software list which details hundreds of Sharp programs covering games, business, education, hobby etc — everything from our new version of Space Invaders to a talking memory dumper which needs no extra speech boards!!

WE GUARANTEE TO BEAT ADVERTISED PRICES ON THE SPOT!

Dear Microfans,

We don't just sell computers we use them ourselves. We use the Sharp every day in our business to check our stock, keep the sales and purchase ledgers, generate our mailing labels, and even to assist us in servicing TV sets. We also use it for our amateur radio and music hobbies. The Sharp keeps our station log, transmits test cards, sends morse and teletype, tracks satellites etc. Our articles in Electronics and Music Maker magazine detail Sharp micromusic.

Everyone who buys a micro from Knights gets free delivery, 12 months guarantee and free membership of the International Sharp User Group. Membership costs £3 if you bought your Sharp elsewhere. The group now has 1,400 members in 37 countries thus ensuring that our customers are kept up to date with all the Sharp developments on a Worldwide basis. The latest issue details my visit to Sharp in Japan, the new languages, the compiler, double precision Basic for the B and K and masses of helpful information about Sharp which is unavailable elsewhere.

We have now produced a Disc version of our KNIGHT COMMANDER which adds AUTO LINE NUMBER, BLOCK DELETE, DUMP, RENUMBER, REPEAT ON ALL KEYS, TRACE, SINGLE STEP, USER DEFINED KEYS, and a NUMERIC PAD to the standard disc basic without taking any extra memory. It certainly surprised and delighted them at Sharp and is now on sale in Japan.

Although we are the largest Sharp micro dealer outside Japan we do give personal service — ring Alec or Graham Knight at any time if you have a query — we will do our very best to help you. Ring, write or Telex for your copies of our latest Newsletter, software lists and hardware offers.

Happy computing, 10-10, 73, 88,
Graham Knight (GM8FFX on ham radio — Sharp one on CB)

P.S. Our new 4MHz board for the MZ-80K doubles the processing speed, requires no soldering and really makes your programs zip along — details in our newsletter.

P.P.S. We now have 80 programs for the MZ-80B and offer unbeatable package deals.

NEW MZ-80K LANGUAGE TAPES

KNIGHTS WEE PASCAL commands include: insert/delete line, find/insert string, move, replace string, VAR, PROC, FUNC, ARRAY, IF . . THEN . . ELSE, PUT, INP, OUT, OR, XOR, AND, NOT, .+,-,*,/, REMAINDER, RND, INCREMENT/DECREMENT VARIABLES. Supplied with four programs — ideal for PASCAL beginners. £20

KNIGHTS FORTH functions include: +,-,*,/, OR, AND, XOR. Stack operators: STK, CLR, DUP, DDUP, OVER, SWAP, ROT, DROP, MV. Graphics: SET, RESG, LINE, CORDV. Supplied with very fast demo programs rotating cubes, drawing circles, etc and a FORTH DISCOMPILER (similar to a disassembler but FORTH is compiled. £25

KNIGHTS FORTRAN takes 12K and is supplied with a 32K source program "Monaco Grand Prix" which you can list and learn how to get rapid movement, fast key response and sound all at the same time — impossible in Basic. Includes: MEM, GET, IOC, LOW, MOD, IRND, IABS, ISIGN, ABS, SQRT, SIN, ALOG, ATAN, IOR, COS, TAN, EXP, FLOAT, IAND, XOR, IFIX, EDIT, COMPILE, ADD, INSERT, DIM, IF, DO, CALL, PAUSE, etc. Compiled programs can be saved as machine code and will then load from monitor or be transferred as OBJ files onto disc. £30

KNIGHTS MACHINE CODE for experts only. We have written this so that it can be loaded with Basic and there are no restrictions on the memory areas which can be dumped and modified. Includes FIND, TRANSFER, HEX/DECIMAL, CHARACTER DUMP/MODIFY, REGISTER DISPLAY/MODIFY, EXECUTE ADDRESS etc. £25

ALL FOUR ABOVE — KNIGHTS PASCAL, FORTH, FORTRAN and MACHINE CODE £85

SHARP PASCAL takes 16K, very comprehensive package which supports full screen editing, case statements etc. supplied with **either** KNIGHTS WEE PASCAL which we recommend if you are a beginner **or** with our NUMERICAL INTEGRATION PACKAGE which comes with 20 pages of notes detailing the Simpson's Rule, Gauss Legendre and Gauss Laguerre methods used to make up this scientific program. £45

SHARP PASCAL FOR MZ-80B with NUMERICAL INTEGRATION PACKAGE which makes full use of the hi-res graphics for plotting curves. £50

KNIGHTS EASY ASSEMBLER written especially for the MZ-80B as Sharp themselves do not have a tape based assembler. £25

SHARP FDOS for K and B allows writing of machine code or compiled BASIC programs to disc. Details in our latest newsletter.

ALL PRICES EXCLUDE V.A.T.

108 Rosemount Place, Aberdeen AB2 4YW
Telephone: 0224 630526
Telex: 739169 "KNIGHTS TV"

Knights T.V. & COMPUTERS

● **Circle No. 117**

WHY ARE 45 MULTINATIONALS C/WP CUSTOMERS?

C/WP is a long established service company based in Rochester Row, London SW1.

C/WP Computers is an Apple authorised level 1 service centre.

C/WP now offers Practical Computing readers the chance to buy at its special prices.

Apple/Visicalc offer

Apple 48K Europlus	£599.00
Disc drive with controller	£310.00
12" green monitor	£130.00
Silentype printer	£160.00
Visicalc 3.3	£100.00
	£1299.00

VAT and installation extra

C/WP

C/WP Computers
01-828 3127
108 Rochester Row
London SW1P 1JP

● **Circle No. 118**

HENRY'S COMPUTER KIT DIVISION

TANGERINE COMPUTER SYSTEMS
LONDON & HOME COUNTIES STOCKISTS

ALL PRE-PAID ORDERS POST FREE

RETAIL SALES & DEMONSTRATIONS 404 EDGWARE RD. LONDON, W2 1ED TEL: 01-402 6822

TANGERINE • TANGERINE • TANGERINE • TANGERINE • TANGERINE

MICROTAN 65

Microtan 65 is the most advanced, powerful, expandable micro-computer available - it also happens to be the most cost effective!



Electronic Today International held a mammoth survey of kits. The result: Microtan 65 WINS COMPUTER CLASS!

MICROTAN 65 CONTENTS

High quality, plated thru hole printed circuit board, solder resist and silk screened component identification. 6502 microprocessor. 1K monitor TANBUG. Now with 'V' Bug. 1K RAM for user programme, stack and display memory. VDU alphanumeric display of 16 rows by 32 characters. MICROTAN 65 system file binder. 136 page, bound, users hardware/software manual with constructional details and sample programmes. Logic and discrete components to fully expand MICROTAN 65.

The MICROTAN 65 kit has won widespread acclaim for its superb presentation. We pay attention to detail!

KIT FORM £69.00 + £10.35 V.A.T., total £79.35

MICROTAN 65 assembled and tested.
Specification as above, but assembled and fully bench tested by ourselves.
£79.00 + £11.85 V.A.T., total £90.85

TANBUG V2.3 KIT
(Separately) £21.85 incl.

MICROTAN 65 OPTIONS

LOWER CASE PACK
Two integrated circuits which connect into locations on MICROTAN allowing 128 displayable characters.
£9.48 + £1.42, total £10.90.

MINI MOTHER BOARD
Used to connect Microtan to Tanex.
Built **£10.00** + VAT

GRAPHICS PACK
Five integrated circuits which connect into locations on MICROTAN allowing the display of chunky graphics (64 x 64 pixels). What are chunky graphics? Well, imagine a piece of graph paper with 64 squares vertically and 64 squares horizontally, a total of 4096. Each square can be made black or white.
£6.52 + V.A.T. 98p, total £7.50.

20 WAY KEYPAD
Inexpensive means of getting up and running. Uses 'Schoeller' key-switches, and connects to MICROTAN through a 16 pin D.I.L. plug on ribbon cable. Black anodised escutcheon, with TANGERINE legends, finishes off what must be the best value for money keypad available. Available assembled and tested.
£10.00 + V.A.T. £1.50, total £11.50.

*Space Invaders game (for use with keypad only)
£15.22 + V.A.T. £2.28 total £17.50.

POWER SUPPLIES

MPS 1: Input 120 or 240V AC. Output 5 Volts at 3 Amps Regulated. MPS 1 will power both MICROTAN and TANEX fully expanded. Built on the same size printed circuit board as MICROTAN etc. Available as a fully built and tested unit.
£23.00 + V.A.T. £3.45, total £26.45.

X MPSZ +5V 6A, +12V, −5 and −12V switch mode system PSU.
£69.13 + V.A.T.

MINI-SYSTEM RACK

We have produced a mini-system rack which accepts MICROTAN 65, TANEX and our mini-mother board. It has an integral power supply, just plug it into the mains and away you go! Finished in TANGERINE/BLACK, it gives your system the professional finish. Front panel access for I/O cables. **AVAILABLE AS AN ASSEMBLED UNIT.**
£56.35 incl.

FULL SYSTEM RACK

For the man that has everything! 19 inch wide system rack which accepts: MICROTAN 65, TANEX, TANRAM, SEVEN FURTHER EXPANSION BOARDS, TANDOS and THE SYSTEM POWER SUPPLY. Available in many formats, e.g. Individual front panels, full width hinged front panel, back panel with or without connectors.
£49.00 + V.A.T. £7.35, total £56.35.

MICRON COMPUTER

FULLY BUILT, TESTED, and housed

SYSTEM RACK MICRON £550.00 incl. **£395** inc V.A.T. P&P

6502 based microcomputer VDU alpha numeric display. Powerful monitor TANBUG. 8K RAM. 32 parallel I/O lines. 2 TTL serial I/O lines. Four 16 Bit counter timers. Cassette interface. Data bus buffering. Memory mapping contol. 71 key ASCII Keyboard, including numeric keypad. Includes power supply. Also includes the first "10K MICRO-SOFT BASIC" available in the U.K. All the usual BASIC commands.

Full manuals Microtan, Tanex, Basic, X Bug.
All **£5.00** each.

TANRAM

AVAILABLE NOW TANRAM - 40K Bytes on one board! Single board of bulk memory offering: 7K Static RAM (2114), and 32K Dynamic RAM (4116). Onboard refresh is totally transparent to CPU operation and is unaffected by normal DMA's. TANRAM fully expands the available address space of the 6502 microprocessor. MICROTAN, TANEX and TANRAM together provide 16K RAM, 48K RAM, and 1K I/O - that's a lot of memory and a lot of I/O! Built and tested. TANRAM ASSEMBLED.

40K RAM CARD with 16K DYNAMIC RAM £76 + VAT

CONTENTS: High quality plated thru hole printed circuit board, solder resist and silk screen component identification. Full complement of I.C. sockets for maximum expansion. 64 way D.I.N. edge connector. 1K RAM (2114). Data bus buffering. TANRAM users manual.

EXTRA RAM:
1K STATIC (2114) £2.95 each. 16K DYNAMIC (4116) £1.50 each.

MEMORIES

EXPAND YOUR SYSTEM WITH OUR TANGERINE APPROVED CHIPS.
Discounts 10% for 4, 15% for 8, 20% for 16.

2102 1K x 1 Static RAM 80p
2708 £3.50
2716 £6.50
MK 4116 16K x 1 Dynamic RAM £1.50
All including VAT
IM 6402 UART £4.50
2114 1K x 4 Static RAM £2.95
4118 1K x 8 Static RAM £7.50

MONITORS (PROFESSIONAL)

RECONDITIONED AND NEW - FROM £35.00 to £129.95

CENTRONICS Ideal for Tangerine PRINTERS

SHEIKOSHA **£199** + V.A.T.
Model 730 **£350** + V.A.T.
Model 737 **£395** + V.A.T.

NEW MICROTANTEL

POST OFFICE APPROVED PRESTEL - VIEWDATA



● FULL COLOURGRAPHICS ● CAN STORE PRESTEL ● CAN BE USED AS AN EDITING TERMINAL ● CAN BE INTERFACED WITH PET, APPLE, and NASCOM **£170** + VAT

Just connect to the aerial socket of any colour or black and white domestic T.V. receiver and to your Post Office installed jack socket and you are into the exciting world of PRESTEL. Via simple push button use you are able to view 170,000 pages of up to the minute information on many services, order goods from companies - all this without leaving your armchair!

TANEX £43.00

Minimum Config Kit + V.A.T. £6.45, total £49.45

CONTENTS
High quality plated thru hole printed circuit board, solder resist and silk screened component identification. I.C. sockets for maximum expansion. 64 Way D.I.N. edge connector. 1K RAM, cassette interface, 16 parallel I/O lines, a T.T.L. serial I/O port, two 16 bit counter timers, data bus buffering, memory mapping, logic and discrete components for maximum expansion. TANEX users manual.



TANEX (Minimum configuration) Assembled
£53.00 + V.A.T. £7.95, total £60.95.

TANEX EXPANSION



Expanded, TANEX offers: 7K RAM, locations for 4K EPROM (2716), locations for 10K extended MICROSOFT BASIC, 32 parallel I/O lines, two TTL serial I/O ports, a third serial I/O port with RS232/20mA loop, full modem control and 16 programmable baud rates, four 16 bit counter timers, cassette interface, data bus buffering, and memory mapping.

EXPANDED TANEX KIT (Excludes ROM, XBUG and BASIC)
£89.70 + V.A.T. £13.46, total £103.16.

EXPANDED TANEX ASSEMBLED
£99.70 + V.A.T. £14.96, total £114.66.

OPTIONS TO FULLY EXPANDED TANEX

10K Extended MICROSOFT BASIC in EPROM (with manual)
£49.00 + V.A.T. £7.35, total £56.35.

Extra RAM: 1K (2 x 2114) **£5.20** + V.A.T. 78p, total £5.98.

SERIAL I/O KIT £17.25 incl.

6522 VIA **£8.00** + V.A.T. £1.20, total £9.20.
XBUG £17.35 + V.A.T. £2.60, total £19.95.
± 12V KIT £9.20 incl.

AS YOU CAN SEE THE PRICES OF OUR EXPANSION COMPONENTS ARE VERY, VERY COMPETITIVE!

TANGERINE DISC SYSTEM

Z80 CONTROLLER CARD **£150.00** + VAT
DOUBLE SIDED DOUBLE DENSITY DRIVE **£215.00** + VAT
CP/M DISK OPERATING SYSTEM **£80** + VAT

71 KEY ASCII KEYBOARD £69.95 incl.

NO EXTRAS NEEDED.
Uses gold crosspoint keys. Includes numeric keypad and ribbon cable. Available as fully assembled and tested.

SUPER METAL CABINET IN TANGERINE/BLACK
£20.00 + V.A.T. £3.00, total £23.00.

PROFESSIONAL ASCII KEYBOARDS Ideal for Tangerine



£29.95 + VAT

- 52 key 7 bit ASCII coded
- Positive strobe +5V-12V
- Full ASCII characters
- Parallel output with strobe
- Power light on control
- Chip by General Instrument (G.I.) TTL output
- Superbly made
- Size 13 x 5.5 x 1.5 ins.
- Black keys with white ledgens
- Escape shift return & reset
- Control repeat & bell keys
- Complete with DATA

ADD-ON KEYPAD

A compact 12 button keypad suitable for use with above keyboard to extend its functions plus four extra keys. Supplied brand new with with data. A 4 x 4 non-encoded single mode keyboard.

LIST PRICE £22.00
OUR PRICE **£7.95** + VAT

PLUS MANY NEW EXCITING PRODUCTS IN DEVELOPMENT AUTOMATICALLY AVAILABLE FROM US WHEN RELEASED BY TANGERINE LTD. All products are available FULLY GUARANTEED ● BUY WITH CONFIDENCE BRITISH DESIGN & MANUFACTURE AND ON DEMONSTRATION IN OUR COMPUTER DEPT

NEW PRODUCTS (All VAT incl.)

System Motherboard (4 Connector)	44.85
System Motherboard (12 Connector)	72.85
Extra Edge Connectors	3.50
System Rack Front Panel	15.64
Serial I/O Board Min (2 Ports)	66.70
Serial I/O Board Max (8 Ports)	135.70
Parallel I/O Board Min (16 Lines)	54.63
Parallel I/O Board Max (128 Lines)	99.48
32K Ramcard 16K Version	87.40
32K Ramcard 32K Version	115.00
32K Romboard (Excl Rom)	54.65
AIM/KIM Buffer	54.64
Controller Card Full	138.00
Controller Card Min	69.00
CBUG, Combined Tanbug & XBUG	T.B.A.
2 Port, Serial I/O Kit	T.B.A.
High Resolution Graphics	90.85
Aim TV Interface	79.35

TANGERINE • TANGERINE • TANGERINE • TANGERINE • TANGERINE • TANGERINE • TANGERINE • TANGERINE

Stockist Enquiries on headed notepaper to:
COMPUTER KIT LTD. (Principal Distributors in U.K.)
11/12 Paddington Green, London, W2. Tele: 01-723 5095
Telex: 262284 Ref. 1400 TRANSONICS

All orders pre-paid and official advertised here to be forwarded DIRECTLY to
COMPUTER DEPT., 11/12 PADDINGTON GREEN, LONDON W2

SEND FOR FREE BROCHURE

● Circle No. 119

How well does your computer understand you?

You don't need to understand computers if your computer understands you.

Together you and your computer can form a great team. Analysing your problems and formulating solutions–quickly, accurately and cost effectively.

Through Vector Graphic products the right system can a be found for you and your company.

MEMORITE III, probably the best word processor on a computer system today: including mailing list merge, spelling, dictionary, phrase library, password system, help screens.

EXECUPLAN. The information system that replaces the calculator, pencil and paper. The system that adapts to you, never forgets, speeds up your workflow, and it's a perfect typist too!

MEMORITE and EXECUPLAN are just two of the packages helping business today, others include: solicitors packages, accounts, stock control, payroll, job costing, estimating, planning, printers job costing, manufacturing and a host of scientific and technical systems.

All Vector systems are based on the Industry Standard S-100 Bus Configuration and CP/M operating system. Call us today – we'll be pleased to arrange a demonstration. Then you can judge the benefits for yourself.

Almarc

DATA SYSTEMS

Almarc Data Systems Limited, Great Freeman Street, Nottingham NG3 1FR. Tel: (0602) 52657. Telex: 37407 Almarc/G. Also at: Green Street, High Wycombe, Bucks. HP11 2RF. Tel: (0494) 23804.

APPROVED ALMARC DEALERS

BALDOCK	Modus Systems	(0462) 894848
BIRMINGHAM	Taylor Micro Systems Ltd.	(021) 358 2436
DONCASTER	Reed Computing	(0709) 67087
HIGHWYCOMBE	Common Sense Business Systems	(0494) 40116
HARROGATE	Business Microsystems	(0423) 68224
KETTERING	Shuttleworth Business Systems	(0536) 511357
LONDON	Micro Systems Consultants	(01) 979 4098
LOUTH	Computa-Crop	(0507) 604271/2
NOTTINGHAM	Bestmoor Limited	(0602) 415315
SWANSEA	Business Microsystems	(0792) 474082
TYNE & WEAR	H.P. Micros	(0632) 859923
YEOVIL	Dale Computers	(0935) 23097

● **Circle No. 120**

'CFACC'

"THE BEST ACCOUNTS PROGRAMME ON THE MARKET" — £900

(Fully tailored to your own requirements — £1200 if you buy the hardware from us, otherwise £1500)

MAIN MENU

1. ADDRESS PROGRAMME
2. SALES INVOICES
3. PURCHASE INVOICES
4. STOCK CONTROL
5. ORDER CONTROL
6. PAYROLL
7. PAYMENTS MADE
8. PAYMENTS RECEIVED
9. CREDITORS
10. DEBTORS
11. SUPPLIER STATEMENTS
12. CUSTOMER STATEMENTS
13. AGENTS STATEMENTS
14. PRINT CUSTOMER INDEX
15. PRINT SUPPLIER INDEX
16. BANK RECONCILIATION
17. PURCHASE LEDGER
18. SALES LEDGER
19. END OF MONTH PROCEDURE
20. VAT STATEMENTS
21. MANAGEMENT FINANCIAL REPORTS
22. PROFIT & LOSS ACCOUNT
23. BALANCE SHEET
24. CAPITAL ASSETS
25. JOB COST ANALYSIS
26. DISK DIRECTORIES
27. ALTER INCORRECT FILE ENTRIES
28. PRINT LEDGER CODES
29. PRINT STOCK LIST
30. FINISH USING 'CFACC'

PLEASE ENTER SELECTION NUMBER

'CFACC' ACCOUNTS PROGRAMME — COPYRIGHT COMPUTERS FOR ALL LTD

1. The Programme resides totally "in core" leaving BOTH DISKS FREE for files and enabling disks to be changed during use.
2. Every Programme issued is "PERSONALISED" with your Company's details. Our "After Sales Service" is positive, giving you constant access to the Author of "CFACC". — We arrange Nationwide hardware support.
3. You need only enter invoices and other payments in and out and "CFACC" will produce all the DATA for the MENU Programmes (it will ask the user for any other information it needs).
4. All relevant information is stored for CUSTOMERS, SUPPLIERS, EMPLOYEES and others.
5. Automatic VAT Calculations.
6. Automatic calculations of WAGES and SALARIES.
7. INVOICES can be produced automatically using Customers' names and addresses from file and Stock items from file — all calculations are automatic.
8. INVOICES are automatically printed on plain paper or on your own stationery. Invoices entered are retained for automatic printing at the end of the day, lunchtime etc.
9. STOCK FILE is automatically UPDATED whenever a Purchase of Sales Invoice is entered and the User's attention is drawn to any item which has reached RE-ORDER LEVEL.
10. Customer Statements printed on demand showing Current, 1 Month, 2 Months, and 3 Months and over figures. These are automatically updated as payments are entered. The User's attention is drawn to any Customer exceeding his CREDIT LIMIT. REMITTANCE NOTES are produced of invoices selected for payment — CHEQUE PRINTING optional.
11. "Open Item" ledgers retain all invoices until they are paid (Purchase and Sales).
12. Outstanding Orders are retained on file until invoiced (Purchase and Sales).
13. Automatically calculates COMMISSION due to Agents and Salesmen.
14. DEBTOR and CREDITOR lists available on demand.
15. PROFIT & LOSS ACCOUNT, BALANCE SHEET and TRIAL BALANCE printouts on demand.
16. MANAGEMENT FINANCIAL REPORTS include:
    i) GROSS PROFIT RATIO.
    ii) RATE OF STOCK TURNOVER.
    iii) NET PROFIT as a PERCENTAGE OF SALES.
    iv) INCOME STATEMENTS.
    v) AGE OF DEPT ANALYSIS.
17. CAPITAL ASSETS STATEMENT on demand.
18. INCOME & EXPENDITURE is analysed into 70 ledger classifications and the amounts in any one of these can be called at any time.
19. ENVELOPES or ADDRESS labels can be printed from Address Files.
20. Full Random Access to any record in any file — No Limit on Record Lengths.
21. Ledgers are automatically updated after every transaction.
22. All sections of the Programme and files are fully integrated.
23. Some Programmes on the market claim to be easy to use with no need for a manual (BUT TO THE LAYMAN THEY SIMPLY ARE NOT). "CFACC" really is USER ORIENTATED — WE ARE PREPARED TO LET YOU PROVE THIS FOR YOURSELF. MONEY REFUNDED IN FULL IF YOU CAN SHOW US A BETTER MICROCOMPUTER ACCOUNTS PROGRAMME WITHIN 7 DAYS OF USE.
24. The PRICE makes "CFACC" the best VALUE FOR MONEY on the Market.
25. Fully tested and debugged.
26. All Equipment is fully tested by us prior to installation — Normal Guarantees on all Equipment Service Contracts available — Finance and Leasing can be arranged.
27. DELIVERY and INSTALLATION FREE within UK.
28. We have examples of other Accounts Programmes on the market which you are welcome to try, and compare them with "CFACC".
29. PETS, TANDY'S & APPLES taken in part exchange for complete systems.

64K 'SUPERBRAIN' (350K DISK STORAGE) — DAISYWHEEL PRINTER WITH KEYBOARD — "CFACC" ACCOUNTS — "WORDSTAR" Word Processing.

★ ★ ALL FOR £3,986.00 ★ ★

Computers For All Ltd, Stratford on Avon (0789) 840064

24-Hour Service (Not Machine) on 021-236 1794 Ext. 224.

● **Circle No. 121**

Thinking of computerisation-

it's a hard day's night

... trying to keep up with all your company sales and purchases or your stock control and invoicing but still having doubts about the confusing mass of computer jargon?

If you are a small to medium size company why not contact us and arrange a demonstration, or even come to one of our 'Open Evenings'.

We are computer specialists – with a difference. We don't believe in blinding people with science, we'll actually sit down and explain all the jargon to you. You'll be able to see for yourself how simple it is to use one of our programmes by having a go on one of our machines, in no time at all you'll discover how flexible our systems really are.

Our programmes are suitable for most Business Computer Systems – in fact we are not bound to any one manufacturer. All the good computer suppliers know about us and many of them mention us in their ads so you'll be in good hands.

Contact Philippa Toone on 01-727 5561 – she'll be delighted to hear from you.

GRAFFCOM SYSTEMS GROUP

102 Portland Road Holland Park London W11 4LX

● **Circle No. 122**

ELECTRONIC GAMES

COLOUR CARTRIDGE T.V. GAME

SEMI-PROGRAMMABLE T.V. GAME + 4 Cartridges + Mains Adaptor
Normal Price £73
NOW REDUCED TO: £39.50 inc. VAT

DATABASE T.V. GAME



FULLY PROGRAMMABLE CARTRIDGE T.V. GAME
14 Cartridges available
Normal Price £87.86
NOW REDUCED TO: £59 inc VAT

ATARI T.V. GAME

The most popular T.V. Game on the market with a range of over 40 cartridges including SPACE INVADERS with over 112 games on one cartridge. **£95.45** inc VAT

SPACE INVADERS



Hand-held Invaders Games available **£19.95**
+ Invaders Cartridges available to fit
ATARI/RADOFIN/ACETRONIC/PHILIPS G7000
+ Cartridges also available for
MATTEL/TELENG/ROWTRON/DATABASE/INTERTON

CHESS COMPUTERS

MANY UNITS ARE COVERED BY THE EXCLUSIVE SILICA SHOP 2 YEAR GUARANTEE

We carry a range of over 15 different Chess computers:

Electronic Chess	£29.95
Chess Traveller	£39.95
Chess Challenger 7	£79.00
Sensory 8	£119.00
Sensory Voice	£259.00

SPECIAL OFFERS:
VOICE CHESS CHALLENGER
Normal Price £245 **NOW £135.00**
SARGON 2.5/BORIS 2.5
Normal Price £273.70 **NOW £199.95**
All prices include V.A.T.

TELETEXT ADD-ON ADAPTOR £199 inc VAT

THE RADOFIN TELETEXT ADD-ON ADAPTOR

Plug the adaptor into the aerial socket of your colour T.V. and receive the CEEFAX and ORACLE television information services.

THIS NEW MODEL INCORPORATES:

- Double height character facility
- True PAL Colour
- Meets latest BBC & IBA broadcast specifications
- Push button channel change
- Unnecessary to remove the unit to watch normal TV programmes
- Gold-plated circuit board for reliability
- New SUPERIMPOSE News Flash facility

SPEAK & SPELL



Normal Price £49.95
NOW REDUCED TO:
£39.50 inc. VAT

Teach your child to spell properly with this unique learning aid. Fully automatic features and scoring. Additional word modules available to extend the range of words.

ADDING MACHINE OLYMPIA HHP 1010

Normal Price £57.21
NOW REDUCED TO:
£34 inc. VAT

Uses ordinary paper!
No need to buy expensive thermal paper!
Fast add listing PRINTER CALCULATOR. 2 lines per second. 10 digit capacity. Uses normal adding machine rolls. Battery or mains operated.
Size 9¼"x4⅝"x2⅜"
(Mains adaptor extra)

24 TUNE ELECTRONIC DOOR BELL

Normal Price £19.70
NOW REDUCED TO:
£12.70 inc. VAT

Plays 24 different tunes with separate speed control and volume control. Select the most appropriate tune for your visitor, with appropriate tunes for different times of the year!

MATTEL T.V. GAME



The most advanced T.V. game in the world. 20 cartridges available. Add on KEYBOARD coming soon to convert the MATTEL to a home computer with 16K RAM, fully expandable and programmable in Microsoft Basic. Other accessories will be available later in the year.

£199.95 inc VAT

HAND HELD GAMES

EARTH INVADERS

These invaders are a breed of creature hitherto unknown to man. They cannot be killed by traditional methods — they must be buried. The battle is conducted in a maze where squads of aliens chase home troops. The only way of eliminating them is by digging holes and burying them.
£23.95 inc. VAT

HAND HELD GAMES

GALAXY 1000

The 2nd generation Galaxy Invader. The invaders have re-grouped and have a seemingly endless supply of spacecraft whilst the player's arsenal is limited to just 250 missiles to be launched from 3 missile stations. You have to prevent the invaders landing or from destroying your home defences.
£19.95 inc. VAT

THE OLYMPIA — POST OFFICE APPROVED TELEPHONE ANSWERING MACHINE

WITH REMOTE CALL-IN BLEEPER

This telephone answering machine is manufactured by Olympia Business Machines, one of the largest Office Equipment manufacturers in the U.K. It is fully POST OFFICE APPROVED and will answer and record messages for 24 hours a day. With your remote call-in bleeper you can receive these messages by telephone wherever you are in the world. The remote call-in bleeper activates the Answer/Record Unit, which will at your command repeat messages, keep or erase them, and is activated from anywhere in the world, or on your return to your home or office. The machine can also be used for message referral, if you have an urgent appointment, but are expecting an important call, simply record the 'phone number' and location where you can be reached. With optional extra bleepers (£13 each) this facility can be extended to colleagues and members of the family. Using a C90 standard cassette you can record as many as 45 messages. The announcement can be up to 16 seconds long and the incoming message up to 30 seconds long.

The machine is easy to install and comes with full instructions. It is easily wired to your junction box with the spade connectors provided or alternatively a jack plug can be provided to plug into a jack socket. Most important, of course, is the fact that it is fully POST OFFICE APPROVED.
The price of £135 (inc. VAT) includes the machine, an extra-light remote call-in Bleeper, the microphone message tape, A.C. mains adaptor. The unit is 9¾"x6"x2½" and is fully guaranteed for 12 months. The telephone can be placed directly on the unit — no additional desk space is required.

£135 inc VAT

PRESTEL VIEWDATA

PRESTEL
1 NEWS & WEATHER
2 ENTERTAINMENT, HOBBIES & SPORT
3 HOLIDAYS, TRAVEL & TRANSPORT
4 GAMES, QUIZZES & STORIES
5 BOOKS & REFERENCE
6 PERSONAL, LEGAL & CONSUMER ADVICE
7 SHOPPING, GOODS FOR SALE
8 EDUCATION, JOBS, HOUSING & HEALTH
9 GOVERNMENT INFORMATION
0 BUSINESS INFORMATION Company Reports, Stocks & Shares, Money & Commodities
Prestel

The ACE TELCOM VDX1000 Prestel Viewdata adaptor simply plugs into the aerial socket of your television and enables you to receive the Prestel/Viewdata service in colour or black & white.

Features —

- Simplified controls for quick, easy operation
- Special graphics feature for high resolution
- State-of-the-art microprocessor controller
- Standard remote telephone keypad with Prestel keys * #
- Auto dialler incorporated for easy Prestel acquisition
- True PAL colour encoder using reliable IC — chroma filter and dela line incorporated for minimum picture interference, maximum fidelity
- Includes convenient TV — Prestel switchbox
- Easily connected to standard home or office telephone lines
- Fully Post Office approved

SPECIAL PRICE **£228.85** inc VAT

FOR FREE BROCHURES – TEL: 01-301 1111



For free illustrated brochure and reviews on our range of electronic games, please telephone 01 301 1111. Free delivery service available. To order by telephone please quote your name, address and ACCESS/BARCLAYCARD number, and leave the rest to us. Post and packing Free of Charge. Express 48hr delivery service available.

- CALLERS WELCOME — Demonstrations daily at our Sidcup shop: open from 9am 6pm Monday-Saturday (Early Closing Thursday 1pm — Late Opening Friday 8pm).
- 2 YEAR GUARANTEE — All goods are covered by a full year's guarantee and many are further covered by our exclusive Silica Shop 2 year Guarantee.
- MONEY BACK UNDERTAKING — If you are unsatisfied with your purchase and return it within 7 days we will give you a full refund.
- AFTER SALES SERVICE — Available on all machines out of guarantee.
- COMPETITIVE PRICES — We are never knowingly undersold.
- HELPFUL ADVICE — Available on the suitability of each machine.
- CREDIT FACILITIES — Full credit facilities available over 12, 24 or 26 months at competitive rates of interest.
- PART EXCHANGE SCHEME — available on second hand machines.
- CREDIT CARDS WELCOME — Access, Barclaycard, Diners Club, American Express.

SILICA SHOP LIMITED PC 2/82
1-4 The Mews, Hatherley Road, Sidcup, Kent DA14 4DX
Telephone: 01-301 1111 or 01-309 1111

Silica shop

Over the last two years, more than 2,000 non-technical users in the UK alone used the British program DMS to keep personnel records, mailing lists, sales records, maintenance contract records, electoral rolls, blood donor records, patient and pharmacy records, stockfiles, library lists, insurance brokers records, property management files, client records, etc. In fact the uses of DMS range from parrot breeding records right through to murder hunt records!



DMS on CP/M* links to WORDSTAR, SUPERCALC, SPELLBINDER, and USER WRITTEN SOFTWARE and can automatically convert DATASTAR files into DMS format.

DMS on COMMODORE PETS links to WORDCRAFT, WORDPRO and VISICALC, and USER WRITTEN SOFTWARE.

Designed for use by clerical, management and secretarial staff, the easy to read manual leads first time users through the following powerful functions.

1. Create file, type in and amend records.
2. Sort records into alphabetic, date or numeric order.
3. Select batches of records which meet various parameters.
4. Print lists, reports, letters, self-adhesive labels.
5. Perform sophisticated calculations routines.
6. Merge information from DMS (usually names and addresses) with standard letters created with a wordprocessing package, such as WORDSTAR, WORDCRAFT and WORDPRO.
7. Transfer data to and from user written software.
8. Merge, copy, and split data files without losing existing data.
9. Datastar users can now convert automatically to DMS and retain their existing files.

DMS is ideal for first time users who want power, flexibility, AND simplicity.

Available for all types of COMMODORE Pets (details vary), or most CP/M machines with hard or floppy discs, including the NEC PC8000, The RANK XEROX 820, RAIR, SUPERBRAINS, SD machines, HEATH, CIFER, EQUINOX, SHELTON, and many more.

Full details: **COMPSOFT LTD, Great Tangley Manor Farm, Wonersh, Guildford, Surrey GU5 0PT. Tel: Guildford (0483) 505918 or 39665.**

**CP/M is a registered trade mark of Digital Research.*

● **Circle No. 124**

The model of good business.



Tuscan – the all-British microcomputer

With a proven record of steady development behind it, the Tuscan S100 now goes a step forward, solving the problem of effective backup storage.

The Tuscan S100, Britain's first S100 computer on a single board, is now available with designed-in mini-Winchester drive for better performance, shorter access time and higher transfer rate. All this from Britain's own home-grown micro manufacturer.

Systems with printer, screen and CP/M start at £2125 with twin floppies, and at £3625 with one floppy and one 5-meg. mini-Winchester.

SOFTWARE. Business accounts packages start at £800 when purchased with the Tuscan system. Word processing packages start at £315; Database packages start at £100.

HARDWARE. Flexibility is the key feature of all Tuscan systems. A choice of storage capacity, video format and graphics is available. The Tuscan S100 can read and write in sixteen different disk formats, with a choice of 5¼"or 8"drives.

SUPPORT. The Tuscan S100, designed and built in Britain, is backed by Transam's substantial experience in electronics plus a dedicated hardware and software team. National third party maintenance is available at ten per cent of hardware costs.

BUSINESS SYSTEM DEALERS. Business Equipment Centre, 10 Edge Lane, Liverpool. Tel: 263 5783. Contact: Rod Crofts.
Purley Computers, 21 Bartholomew Street, Newbury, Berkshire. Tel: 41784. Contact: Ron Smith.

FURTHER INFORMATION. Two new catalogues covering "systems and peripherals" and "CP/M Software" are available, giving details of our systems and services. Call or write for yours.



TRANSAM

TRANSAM COMPONENTS LIMITED
59/61 THEOBALD'S ROAD, LONDON WC1
Tel: 01-405 5240/2113. Telex: 24224 (Ref. 1422)

● Circle No. 125

TRS 80 MODEL III
DUAL DENSITY DISK DRIVES

INTERNAL DRIVE PRICES		CAPACITY
1 x 40 TRACK DRIVE	£420	184K BYTES
2 x 40 TRACK DRIVES	£599	368K BYTES
1 x 80 TRACK DRIVE	£490	368K BYTES
2 x 80 TRACK DRIVES	£729	737K BYTES
2 x 80 TRACK DOUBLE SIDED DRIVES	£999	1474K BYTES

INTERNAL DRIVE PRICES INCLUDE DISK CONTROLLER BOARD, POWER SUPPLY UNIT AND ALL CABLES AND CONNECTORS REQUIRED FOR INSTALLATION.

EXTERNAL DRIVE PRICES	
1 x 40 TRACK DRIVE	£236
2 x 40 TRACK DRIVES	£440
1 x 80 TRACK DRIVE	£299
2 x 80 TRACK DRIVES	£569
EXTERNAL 2 DRIVE CABLE	15.50

EXTERNAL DRIVES ARE DIRECTLY COMPATIBLE WITH THE TRS 80 MODEL I AND VIDEO GENIE EXPANSION INTERFACES.

Call your nearest dealer for a demonstration:

RADIO SHACK LTD., 188, Broadhurst Gardens, London NW6 Tel: 01-624-7174

COMPSHOP LTD., 14, Station Road, New Barnet, Herts Tel: 01-441-2922

COMPSHOP LTD., 311, Edgware Road, London W2. Tel: 01-262-0387

COMPSHOP LTD., 19, Herbert Street, Dublin 2 Tel: 604165

LONDON COMPUTER CENTRE, 43, Grafton Way, London W1. Tel: 01-388-5721

N.I.C. 61, Broad Lane, London N15. Tel: 01-808-0377

CROYDON COMPUTER CENTRE, 29a, Brigstock Road, Thornton Heath, Surrey. Tel: 01-689-1280

P J EQUIPMENT LTD., 3, Bridge Street, Guildford Tel: 0483-504801

R.D.S. ELECTRICAL LTD., 157-161, Kingston Road, Portsmouth Tel: 0705-812478

TANDY HASTINGS LTD., 48, Queens Road, Hastings. Tel: 0424-431849

MICROWARE COMPUTING SERVICES, 57, Queen Charlotte Street, Bristol Tel: 0272-279560

BLANDFORD COMPUTERS, Higher Shaftsbury Road, Blandford Forum Tel: 0258-53737

TAPE SHOP 32i Viaduct Road, Brighton. Tel: 0273-609099

PARWEST LTD., 18 St. Mary Street, Chippenham. Tel: 0249-2131

COMPUTER SHACK 14, Pittville Street, Cheltenham. Tel: 0242-584343

ENSIGN, 13-19, Milford Street, Swindon, Wilts. Tel: 0793-42615

TANDY GLOUCESTER, 13, Clarence Street, Gloucester Tel: 0452-31323

COMSERVE, 98, Tavistock Street, Bedford. Tel: 0234-216749

CLEARTONE COMPUTERS, Prince of Wales Ind. Estate, Abercarn, Gwent Tel: 0495-244555

EMPRISE LTD., 58, East Street, Colchester. Tel: 0206-865926

MAGNUS MICRO-COMPUTERS, 139 The Moors, Kidlington, Oxford. Tel: 08675-6703

CAMBRIDGE COMPUTER STORE, 1, Emmanuel Street, Cambridge. Tel: 0223-65334

I.C. ELECTRONICS, Flagstones, Stede Quarter, Biddenden, Kent. Tel: 0508-291816

MICRO CHIP SHOP, 190, Lord Street, Fleetwood, Lancs. Tel: 03917-79511

HARDEN MICRO-SYSTEMS, 28-30, Back Lord Street, Blackpool, Tel: 0253-27590

AMBASSADOR BUSINESS COMPUTERS LTD., Ashley Lane Works, Shipley, W. Yorks Tel: 0274-595941

Q-TEK SYSTEMS LTD, 2 Daltry Close, Old Town, Stevenage, Herts Tel: 0438-65385

COMPUTER & CHIPS Feddinch Mains House, St. Andrews, Fife, Scotland Tel: 0334-72569

NORTH WEST COMPUTER CONSULTANTS LTD., 214 Market Street, Hyde, Cheshire Tel: 061-366-8624

HEWART MICRO-ELECTRONICS, 95, Blakelow Road, Macclesfield. Tel: 0625-22030

KARADAWN LTD., 2 Forest Way, Great Sankey, Warrington. Tel: 0925-572668

PHOTO-ELECTRICS, 459 London Road, Sheffield. Tel: 0742-53865

ARC ELECTRONICS, 54, Heron Drive, Sandal, Nr. Wakefield, W. Yorks WF2 6SL Tel: 0924-253145

VICTOR MORRIS LTD., 340 Argyle Street, Glasgow. G2 8LY Tel: 041-221-8958

THOMAS WRIGHT LTD., Thorite House, Laistardyke, Bradford. Tel: 0274-663471

GNOMIC LTD., 46, Middle Street, Blackhall, Hartlepool. Tel: 0783-863871

BRIERS COMPUTER SERVICES, 1, King Edward Square, Middlesborough, Cleviand. Tel: 0642-242017

3 LINE COMPUTING, 36, Clough Road. Hull. Tel: 0482-445496

H.C. COMPUTER SALES LTD., 182, Earlsway, Team Valley Trading Estate, Gateshead. Tel: 0632-874811

EWL COMPUTERS LTD., 8, Royal Crescent, Glasgow. Tel: 041-332-7642

CUMANA LTD 35 Walnut Tree Close, Guildford, Surrey, GU1 4UN. Telephone: (0483) 503121.

Please add VAT to all prices. Delivery at cost will be advised at time of order.

● Circle No. 126

THE MOST USEFUL APPLE SOFTWARE SINCE VisiCalc®!

CCS-CASH:-the answer for all cash based businesses - full 18 column analysed cash book + running bank balances + instant VAT returns..... £175 + VAT (available on Apple II) - DEALER ENQUIRIES WELCOME

OTHER AVAILABLE SYSTEMS INCLUDE:-

CLASS :-finance company accounting.

PACCS :-petrol station credit control.

STOCKTAKERS :-professional licenced trade stocktaking

BAKERSMAN :-bakery control & sales ledger

PUBSTOCK :-pub & hotel stocktaking

TRIED & TESTED PROFESSIONALLY WRITTEN SOFTWARE SYSTEMS.



CROESO COMPUTER SERVICES

516 MUMBLES ROAD, MUMBLES, SWANSEA. TEL:(0792)60624/68078

● Circle No. 127

NOW!

The Cossor Fast Repair Service is available to Sprint Printer Owners.

Sprint 3



Sprint 5



Cossor Electronics has been appointed as a National Service Agent by the Qume Corporation, so all owners of the 'Sprint' range of printers can now take advantage of our unrivalled test and repair service.

Our world-wide reputation for high quality products means that all our repair work is done to the highest standard (MOD Defence Standard 0521, in fact). Additionally, we have insurance cover for the time your equipment is in our hands. So, this is a service you can trust.

Just as important, our service is fast. Usually we turn round PCB's within seven working days from receipt, but in emergencies we can repair single boards within 48 hours.

So if you own a Sprint 3 or 5 printer and you want to discuss service just telephone Henry Lassman on Harlow (0279) 26862. We know we can help.

Cossor Electronics Limited, Service Division, The Pinnacles, Elizabeth Way, Harlow, Essex CM19 5BB.

cossor electronics

Thinking for tomorrow

Qume® [U.K.] AUTHORISED SERVICE AGENT

● Circle No. 128

low cost high quality interfaces....

3D

We are specialist suppliers of CBM PET and HP 85 compatible interfaces.

We also supply complete systems for industrial and laboratory monitoring and control.

Custom design undertaken.

Callers welcome for demonstration.

COMMODORE OFFICIALLY APPROVED DEALER

OFFICIALLY APPROVED BY COMMODORE

Digital Design and Development

18 19 Warren Street London W1P 5DB Tel: 01 387 7388

IEEE-488 compatible systems....

● 8 channel 12-bit A/D convertor	£600
● 8 channel 12 bit D/A convertor	£695
● 16 channel 12-bit A/D convertor with software programmable amplifier.	£850
● 16 channel 8-bit A/D convertor	£300
● 8 channel 8-bit D/A convertor	£350
● X-Y analog plotter interface	£200
● digital data input unit, 64 bits	£400
● digital data output unit, 64 bits	£350
● 16 channel relay control unit	£350

All the above units are boxed complete with IEEE-488 address internally selectable, integral power supply, switch, fuse, indicators etc. Illustrative BASIC software supplied.

● user port convertor A/D plus D/A	£200
● fast data acquisiton system 40,000 readings per sec. 4 A/D + 4 D/A	£950

All prices EX-VAT.

● Circle No. 129

CP/M Z80/8080 SOFTWARE

SuperSoft now on mail order from

EXCLUSIVE EUROPEAN DISTRIBUTORS FOR SUPERSOFT

digital devices ltd

"C" COMPILER
The compiler supports most of version 7 Unix standard "C". Macro expansions. Include files. Inline assembly code. The object code may be ROMed. Programs may be ORGed for any location. Completely dynamic memory allocation is supported. A two pass compiler, the first pass of the compiler produces an intermediate code. Pass two contains both the translator and the optimizer. An important feature of the compiler is that assembly code is produced. This means that "hand optimization" of critical sections is possible.
Requires: 48K CP/M, (more recommended)
"C" compiler: **£115.00** Manual only: **£15.00**
Z8000 cross-compiler: **£265.00** (CP/M to Z8000 code, requires Z8000 assembler)
Manual only: **£15.00**

FORTRAN IV & RATFOR
The SSS FORTRAN compiler is fast, efficient, and complete (full 1966 ANSI standard with extensions). The RATFOR compiler compiles into FORTRAN allowing the user to write structured code while retaining the benefits of FORTRAN. Many advanced features supported; complex arithmetic, character variables, and functions. SSS RATFOR allows the use of contemporary structured programming techniques. REPEAT . . . UNTIL WHILE IF . . . THEN . . . ELSE . . . SSS RATFOR is supplied with source code. (Serial interface only)
Requires: 32K CP/M, Z80 only

SSS FORTRAN	**£140.00**
RATFOR	**£65.00**
RATFOR manual only:	**£5.00**
FORTRAN manual only:	**£15.00**

FORTH
StackWork's FORTH is full, extended FORTH interpreter/compiler that produces COMPACT, ROMable code. As fast as compiled FORTRAN, as easy to use as interactive BASIC. **SELF COMPILING Includes every line of source code necessary to recompile itself; EXTENSIBLE, add functions at will; CP/M COMPATIBLE; Z80 & 8080 ASSEMBLERS included.**
£115.00 Manual only: **£15.00**

DIAGNOSTICS I
DIAGNOSTICS I is a complete program package designed to check every major area of your computer.
•Memory Test •CPU Test (8080/8085/Z80)
•Printer Test •Disk Test •CRT Test
Requires: 32K CP/M
£52.00 Manual only: **£10.00**

DIAGNOSTICS II
As DIAGNOSTICS I with extensions. Every test is "submit"-able. All output can be directed to a log file for unattended operation. A quick-test has been added for quick verification of the working of the system. Memory test includes: Default to the size of the CP/M Transient Program Area Printout of a graphic memory map Burn in test Bank selection option Memory speed test. A Spinwriter/Diablo/Qume test has been added. (Serial interface only)
Requires: 32K CP/M
£65.00 Manual only: **£10.00**

TERM II
The TERM II subsystem is an interactive program allowing any CP/M computer to communicate with other TERM II user and other computers in general. Users may "talk" easily to one another. Users may transmit selected ASCII files to one another and with an external computer system by emulating an ASCII terminal. Perform, under user control, character translation. TERM II is distributed as an 8080 assembler source file and requires the user to patch the modem ports into the program.
Requires: 32K CP/M
£115.00 Manual only: **£10.00**

UTILITY PACK I
Utility Pack I is a collection of versatile general purpose routines that can speed program development. •GREP: Searches a list of files for the specified string. •CMP: Compares two files and displays the differences. •AR: Archiver. Puts many files into one large file which has its own directory. •SORT: In RAM variable length record shell sort.
Requires: 24K CP/M
£45.00

UTILITY PACK 2
Translates one user defined set of characters in a list of files to another set. Replaces every occurance of one user defined string in a list of files with another string. Compares two source files and displays the minimum number of differences. Concentrates a list of files.
Requires: 32K CP/M
£45.00

DISK DOCTOR
DISK DOCTOR for CP/M: a program to recover "crashed" discettes AUTOMATICALLY! DISK DOCTOR does not require any knowledge of CP/M file structure! If you can operate CP/M, then you can use DISK DOCTOR. Verifies discettes and locks out bad sectors without touching the good files that remain. Copies whatever can be read from a "crashed" file and places it into a good file. Copies discettes without stopping for bad sectors. "Un-erases" files.
Requires: 48K CP/M. Two drives are needed for complete operation.
£65.00 Manual only: **£5.00**

MAG
PRISM, a complete information management system integrating the best features of a versatile database system with those of a sophisticated program development system. PRISM/IMS is the database management section. No programming whatsoever is required; applications include: •Patient records •Property listings •Information control •Customer lists •Entirely menu operated, yet uses multi-keyed files •Powerful browse and query capability.

PRISM/ADS is a complete development tool for specialized applications: •User defined menus •Screen management functions •Complete library of fully debugged routines (e.g. entry & edit) •Complete file management system provided. PRISM/LMS is the ultimate multipurpose list management system. 1001 uses — mailing lists, customer lists, parts lists etc. Store the information you require. Menu driven. Fully formatted. No programming or technical expertise.
PRISM requires: 48K CP/M & C BASIC 2. Cursor addressing CRT with clear screen. PRISM ADS includes PRISM IMS.

PRISM/IMS **£380.00**	Manual only: **£68.00**
PRISM/LMS **£210.00**	Manual only: **£55.00**
PRISM/ADS **£585.00**	Manual only: **£80.00**

MICROSTAT
ECOSOFT
MICROSTAT I. Advanced stats pack for use in research, education and industry. Complete Data Management Subsystem, includes edit, sort, rank order and many more. Data transforms, arithmetic and logarithmic. Hypothesis tests. ANOVA. Simple & multiple regression. Correlation analysis. 11 Non-parametric tests.
Manual includes sample printouts.
£150.00 Manual only: **£20.00**

MICROSTAT II
Enhanced version of I includes: moments, skewness, kurtosis — stepwise multiple regression, faster sort, longer file names, ability to declare each data file's numeric precision, expanded manual giving equations and file structures.
£175.00 Manual only: **£25.00**
Available in C BASIC 2, microsoft BASIC 80, & North Star DOS.

registered Trade Marks MICROSOFT BASIC 80 is the trade mark of Microsoft Inc., NORTH STAR of North Star Computers Inc.

ENCODE/DECODE I/II
ENCODE/DECODE is a sophisticated coding system for CP/M. Essentially, one codes files when they are not needed and decodes the files when access is required. Access is inhibited in two ways. First, there is a user defined password. Second, the user defined combination is needed to decode a file. There are 10,000,000,000 possible combinations! The essential difference between I & II is that a second hash is done using the user supplied combination.
Requires: 32K CP/M

ENCODE/DECODE I:	**£40.00**
ENCODE/DECODE II:	**£65.00**
Manuals only:	**£15.00**

PEACHTREE
MAGIC WAND, a word processing package that is simple to use. Full screen 80 column text editing including: •Character, word, line delete, character, paragraph insert •Block copy, move or delete •Forward or backward page or line scroll •Margins left, top and bottom, flush and justify •Merge with external data files. Powerful print processor includes: •Automatic margins and paragraph indentation •Pagination •Headers and footers •True proportional spacing with speciality printer •Conditional print commands at run time.
Requires: 32K CP/M and CRT with addressable cursor.
Available on North Star Horizon or Superbrain, specify printer.
£180 Manual only: **£20.00**
Magic Spell **£140.00**

MAGSAM
MAGSAM picks up where your BASIC leaves off by providing it with a powerful Keyed File Management System that is quick and easy to use, providing features seldom found on any computer micro, mini or mainframe: •Sophisticated access techniques, random, sequential and generic retrievals by key •Secondary indexing with any number of keys •Key and record deletes with auto reclaim of freed space •Concantenated keys •File structures are dynamically allocated, and compatible with BASIC file facilities •Interactive tutorial and file dump facilities.
MAGSAM III CBASIC-2, Microsoft BASIC 80 COMPILER/INTERPRETER 8080 or Z80
£136.00 Manual only: **£55.00**
MAGSAM IV High performance assembler version 75% faster than III
£240.00 Manual only: **£55.00**
C BASIC only Source 8080 assembler
Magsams need 32K, 48K recommended if memory is critical, telephone for exact details of your implementation needs.

Terms & Conditions
Software available from stock on North Star 5.25 in SS/SD, (occasionally on DS/DD), 8.00 in IBM 3740 SS/SD, and on Superbrain DD/QD, other formats available please enquire. Cash with order please. Post & Packing at £1.00 per item, plus VAT at 15%. All orders sent 1st class post. The manual cost is deductable on subsequent software purchases. Dealers terms available on request.
Technical advice HOT-LINE (0892) 20307, answered only when technician available.
BARCLAYCARD, ACCESS, DINERS CLUB, AMERICAN EXPRESS, ACCEPTED.

digital devices ltd

134 LONDON ROAD . SOUTHBOROUGH TUNBRIDGE WELLS . KENT
Tel: [0892] 37977-9 39546-9 **Telex: 95582**

Z80 and Z8000 are trademarks of Zilog Inc. CP/M is the trademark of Digital Research UNIX is the trademark of Bell Laboratories
C BASIC 2 is the trademark of Compiler Systems

● **Circle No. 130**

Now we never say no

Icarus can now offer a complete range of microcomputers from 320K-80M

COMMANDER COMPUTERS
IEEE Communications Port with 4 RS-232 serial ports and 4 8-bit parallel ports. Full graphics standard. Three models. Options-techtronics emulation, IEEE interface, D.M.A., arithmetic processing unit, realtime interface.



MULTI-USER MULTI-PROCESSOR SYSTEMS
Designed to give unparalleled performance for one to 16 users. Each terminal has a dedicated processor with its own RAM.

SINGLE AND MULTI-USER UPGRADEABLE/ EXPANDABLE SYSTEMS
Offering the disk storage capacity that's exactly right for you. Single user machines to take 5¼" or 8" floppy disks giving 320K–2.4M capacity and multi-user machines with up to 60M on hard disk.

A comprehensive new range of microcomputers so versatile that a system may be compiled for each and every micro-based application – that's the exciting news from Icarus. Columbia Data Systems of the USA has appointed Icarus to handle its full range of CP/M™ and MP/M™ single and multi-terminal products with hard and floppy disk storage capacities. Which means that whenever you need a microcomputer, for whatever purpose, Icarus will never have to say no.

For full details of the complete Columbia range, or if you would like to become a dealer yourself, contact

ICARUS
Computer Systems Ltd.

Icarus Computer Systems Ltd. Deane House 27 Greenwood Place London NW5 1NN Tel: 01-485 5574 Telex: 264209

CP/M™ and MP/M™ are the registered trademarks of Digital Research.

● Circle No. 131

THE REVOLUTIONARY TWOSOME

SDM Computer Services are major distributors of the Intertec Superbrain micro computer. This machine has established itself as *the* micro for the serious business user . . . it is not an upgraded hobby system.

Running, as it does, under the CP/M operating system, there is a wealth of readily available commercial software and SDM have their own tried and tested suite of packages covering:

Invoicing ● Stock ● Sales ledger ●
Purchase & Nominal ledgers ● Payroll

All models are available from double density through the 1.5MB system to the (shortly to be announced) Superbrain W6 which includes a 5MB Winchester.

Full software and engineering support when you buy from SDM.



SUPERBRAIN — built for commerce

MPI-88G — everything you need



This printer has more standard facilities than any other at a similar price:

- **RS232 serial** *and* **Centronics type parallel, 1K byte buffer**
- **Upper and lower case 96 character ASCII set, 100 cps maximum**
- **10, 12, 16.5 cpi and correspondence font**
- **High resolution graphics (vertical 72 dots/inch, horizontal 82 dots/inch)**
- **6 or 8 lines per inch paper feed**
- **Full forms control**

All the above list and others are *standard* at no additional cost.

Whether it is for your Superbrain business system or any other computer with RS232 or Centronics interfaces you cannot find a better printer.

Supplied ex stock for the amazing price of £399 plus VAT and P & P

S.D.M. COMPUTER SERVICES

BROADWAY, BEBINGTON, WIRRAL,
MERSEYSIDE L63 5ND. Tel: 051-608 9366

SDM

● **Circle No. 132**

THE STYLIST

a high quality daisy wheel printer

£695 +VAT

- V24/RS232 interface
- Proportional spacing
- Bidirectional / logic seeking
- Wide range of type styles and international languages

Trade/OEM Discounts available

Write or call for further information:
Butel-Comco Limited, Garrick Industrial Centre, Garrick Road, London NW9 6AQ. Telephone:01-202 0262.

BUTEL
Technology for business

● **Circle No. 133**

DATALECT ALL-ROUND COMPUTER PACKAGES



COMMODORE®

No. 1 best seller in the U.K. Tackles your bookeeping, stock control and word processing. This system is reliable and superb value.



APPLE®

One of the most versatile on the market. Expandability up to 48 kbytes of user memory, supported by a large range of programs and peripherals.



HEWLETT® PACKARD

A portable (only 20 lbs) specialist computer with a fully integrated key board, display and printer.



®ACT 800 series

A large microcomputer system supported by an excellent range of programs. Expandable to multitasking up to 20 meg.



® Registered trademarks of Commodore, Apple Inc., Hewlett Packard, ACT.

...because who else provides all this–at a price you can afford

We offer you a choice of these budget priced, easy to operate microcomputers. Starting in price from an amazing £200 for a computer, £1,500 for a complete system. All come with a versatile range of programs to meet todays modern business needs.

Try one out for yourself

If you're not sure how a microcomputer can help, call in at our WOKING or CROYDON SHOWROOMS.

Keeping you going

Fast reliable SERVICE if you're based in London and the South.

Buying your system

Attractive terms, leasing and the best deals available in London and the South.

Remember, when you buy from Datalect you're getting 10 yrs EXPERTISE, SERVICE, ADVICE and TRAINING and the best after-sales care.

SHOWROOMS:

CROYDON. 7, St.Georges Walk, Croydon, Surrey.
Tel: 01-680 3581
WOKING. 32, Chertsey Road, Woking, Surrey.
Tel: 04862 63901

THE BEST PRICES AND THE BEST SERVICE IN THE SOUTH

DATALECT
COMPUTERS

Your computer company for London and the South

Please send me details and price list.

Name _____
Company _____
Position _____
Address _____
_____
_____ Post Code _____

DATALECT Computers.
Dept.PC, 33/35 Portugal Rd., Woking, Surrey GU21 5JF

● Circle No. 134

A visit to Microsystems '82 is a unique opportunity to examine and discuss a completely comprehensive range of microprocessors, peripherals, memory products and small business systems, together with software programs and products.

As a user, specifier or buyer of microelectronic products, Microsystems '82 is an important date in your diary.

Admission to the exhibition is by business registration and costs just £1.00 at the door.

MICROSYSTEMS'82

West Centre Hotel
Lillie Road, London
SW6

A VISIT IS WORTH YOUR WHILE

Wednesday, February 24: 9.30 — 6.00
Thursday, February 25: 9.30 — 6.00
Friday, February 26: 9.30 — 6.00

For more information, telephone or write to:
The Exhibition Manager, Microsystems '82,
IPC Exhibitions Ltd, Surrey House, 1 Throwley Way,
Sutton, Surrey. SM1 4QQ. Tel: 01 643 8040

MARK YOUR DIARY NOW!

Business Computer Centre

Businessmen!

A more efficient stock control
- faster invoicing
- instant Debtors list
- faster statements

means more profits with Business Computer Centre Package
- Printer
- Computer
- Software – one package under £5,500

Business Computer Centre 26 Eastcastle Street, London, W1N 7PB (near Bourne's Oxford Street)

Fact! BCC offers unrivalled HELP to 1st time computer BUYERS

Fact! The BCC package is designed by businessmen *for* businessmen

Fact! BCC offers you a highly qualified staff to answer all your queries immediately – No cowboys.

Fact! BCC arranges a Service Contract to guarantee continuous computer output.

Fact! The BCC Software program is written in CIS COBOL the business language.

Fact! Leasing and HP arranged.

SUPERBRAIN: DQD	£2800
PRINTER: DRE 8820	£1300
FLOWRITER	£1800
MEDIA: DYSAN 204/2D (Set of 10)	£45
SOFTWARE: WORDSTAR-MERG	£325
DATA STAR	£150
SUPERSORT I	£125
INCOMPLETE RECORDS	£750
D BASE II	£385
INTEGRATED A/C's PACKAGE	£1250
SUPERCALC (CP/M VISICAL)	£195

Now available: Televideo and Digico.

For discussion and demonstrations
Tel: (01) 580 4273

BCC

Now open
26 Eastcastle St
London, W1

● Circle No. 136

Combine accurate flight characteristics with the best in animation graphics and you'll have SubLOGIC's

T80-FS1 Flight Simulator

for the TRS-80

SubLOGIC's T80-FS1 is the smooth, realistic simulator that gives you a real-time, 3-D, out-of-the-cockpit view of flight.

Thanks to fast animation and accurate representation of flight, the non-pilot can now learn basic flight control, including take-offs and landings! And experienced pilots will recognize how thoroughly they can explore the aircraft's characteristics.

Once you've acquired flight proficiency, you can engage in the exciting British Ace 3-D Aerial Battle Game included in the package. Destroy the enemy's fuel depot while evading enemy fighters.

Computer and aviation experts call the T80-FS1 a marvel of modern technology. *You'll* simply call it *fantastic!*

Special Features:
- 3 frame-per-second flicker free animation
- Maximum transfer keyboard input
- Constant feedback cassette loader

Hardware Requirements:
- Radio Shack TRS-80, Level 1 or 2
- 16K memory
- *Nothing else!*

Only £17

INCLUDING VAT POST & PACKING. SEND £1.00 FOR DESCRIPTIVE CATALOGUE OF OVER 200 TRS-80 PROGRAMS.

BARCLAYCARD VISA

Buy it with Access

MICROCOMPUTER APPLICATIONS
42A CHURCH STREET, CAVERSHAM, READING, RG4 8AU, ENGLAND.
TEL: (0734) 470425

The unique Computer Supermarket brings you computer hardware at cash-and-carry prices

SHARP, COMMODORE, TEXAS, RICOH, ATARI and TANGERINE EQUIPMENT
Fully tested before despatch, or collection complete with instruction manuals, tapes, fitted 13 amp plugs.

SHARP EQUIPMENT

Model	User Ram	exc VAT	inc VAT
MZ80K	48K Ram	**346.96**	399.00
MZ80FD	Floppy Disc	**589.00**	677.35
MZ80P	Printer	**385.00**	442.75
MZ801/0	Input/Output Unit	**87.00**	100.05
MZ80B	64K Ram	**1095.00**	1259.25

FREE LEDGER & STOCK CONTROL PROGRAM WITH EVERY COMPLETE SHARP SYSTEM, i.e. 48K Sharp, Twin Floppy Disc, Printer & I/O Unit.

COMMODORE EQUIPMENT

Model	User Ram	exc VAT	inc VAT
4016	40 Col. PET 16K Mem	**445.00**	511.75
4032	40 Col. PET 32K Mem	**560.00**	644.00
8032	80 Col. PET 32K Mem	**755.00**	868.25
4040	347K Disk	**560.00**	644.00
8050	1M Byte Disk	**755.00**	868.25
4022	Printer	**350.00**	402.50
8024	Printer	**975.00**	1121.25
8026	Printer	**835.00**	960.25
8027	Printer	**740.00**	851.00
VIC 20	Personal Computer	**164.35**	189.00
VIC/C2N	Cassette Deck	**34.35**	39.50
VIC 1515	Printer	**175.00**	201.25
VIC 1011A	RS232 Interface Cartridge	**28.00**	32.20
VIC 1801	16K ROM Emulator	**190.00**	218.50
VIC 1210	3K RAM Cartridge	**24.50**	28.18
VIC 1110	8K RAM Cartridge	**34.50**	39.68
VIC 1111	16K RAM Cartridge	**56.00**	64.40
VIC 1212	Programmers Aid	**26.25**	30.19
VIC 1211M	Super Expander Hi Res. Cartridge	**26.25**	30.19
VIC 1213	Machine Code Monitor Cartridge	**26.25**	30.19
VIC Expansion Unit		**78.00**	89.17
Lid for above expansion unit		**6.95**	7.99

RICOH

RP1600	Daisywheel Printer PET Interface	**1200.00**	1380.00

TEXAS EQUIPMENT

TI–99/4	**260.00**	299.00

Full range of peripherals available

ATARI EQUIPMENT

Atari 400 16K	**300.00**	345.00
Atari 800 16K	**560.87**	645.00

Full range of peripherals available

TANGERINE EQUIPMENT

Micro Tantel Prestel Adaptor	**135.00**	155.25

Full colour output. Connects to any TV. Full British Telecom approval. Requires British Telecom 96A jack-plug. Gives access to massive home computer base information from Mortgages to Theatres, Stocks to Holidays.
Telephone us for further information on ease of installation.

Prices are valid only for the cover date month of this magazine



Insured shipment arranged anywhere in UK for an additional £14.37 (inc. VAT). VIC, Atari and Texas shipped by insured post for £3.50 inc. VAT.
Commodore Approved Distributor
Registered Sharp, Atari and Texas Dealer

All goods sold with full manufacturer's warranty and subject to conditions of sale (available on request).
ALL MACHINES ARE FULL UK STANDARD.

To Computer Supermarket Ltd., 3rd Floor, Douglas House, Queens Square, Corby, Northamptonshire.
Please send me

Model No.	Item	Price	Shipment	Total	Info only (✓)

I enclose my cheque for £_____
Or debit my Access/Barclaycard/
Diners Card/American Express No.

(Cardholders may telephone orders to 05366 61587/8 and 62571)

Signature _____
Name _____
Address _____
_____
_____ (BLOCK CAPITALS PLEASE)

Your remittance should be made payable to: Computer Supermarket Reader's Account, and shall remain your money until the goods have been despatched to you at the address specified.
All goods offered are subject to Computer Supermarket conditions of sale, copies available on request. Reg. in England No. 2646589.
Prestel subscribers may order through the Prestel service, Directory No. 400400.

PC

COMPUTER SUPERMARKET

COMPUTER SUPERMARKET LTD (An associate company of HB Computers Ltd)
3rd Floor, Douglas House, Queens Square, Corby, Northamptonshire.
Telephone 05366 61587/8 and 62571 Telex COMPSU 341543/4 Prestel No. 400400

● **Circle No. 137**

SUPERBRAIN IN THE SOUTH-WEST



TOTALLY INTEGRATED MSL ACCOUNTS SYSTEM

PROFESSIONAL SERVICE & SUPPORT

FOR QUOTATIONS OR FURTHER DETAILS CONTACT

EASTFERN LIMITED

19 ALEXANDRA PARADE WESTON-SUPER-MARE AVON TEL: 0934-418346

● Circle No. 138

---

microware London Ltd.

SUPERBRAIN

Models DD. QD. DT HD. **64K** from 320K to 6Mb at **Low Low prices** from **£1599.00**
True decenders. Graphics.
Parallel port for printers & Hard Disk also available.

microware London Ltd.

SOFTWARE

WORDSTAR at **£195.00**
Mail Merge. Data Star. Data Base. Solicitors' accounts.
Accounting packages.
(Sales. Nominal purchases. Payrole. Stock control. VAT reports.)
Any popular software supplied.

microware London Ltd.

PRINTERS

MX 80 & 100s from **£275.00**

NEC, TEC & OLYMPIA SCRIPTA
Letter quality printers From **£645.00**

Full range available

DISK STORAGE

File and protect your disks
40 disk system at **£14.95**
80 disk system at **£19.95**
5.25" & 8" available
Carrying handle & security lock
Indexing systems from **£1.50**

LOW LOW LOW PRICES

open 7 days
Mail Order
Dealers enquiries Welcomed.
PHONE 01-346 8452

PROTECT

And enhance your MICROs PRINTERS V.D.U.s
With Microware & Cover Craft Dust Covers from **£6.95**

DISK DRIVES

Double density, single & double sided drives with power supply & enclosure
5.25" single unit at **£175.00**
5.25" dual unit at **£295.00**
double tracking. 5 & 10 Mbyte Hard Disks & 8" Drives available at **Low Low prices.**

ACCESSORIES

For Printers
Thimbles, Daisy Wheels, Multi-coloured Ribbons, at Low Low Low Prices.
For most models.
Also Listing Paper.

Terms: P&P £1.00 media.
Please add 15% VAT to total payment.

MEMOREX DISKS

5.25" Single sided single density **£1.59** each
5.25" Double sided double density **£1.99** each

8" and **Full range available** including **WABASH & DYSAN**

Microware (London) Ltd., 5 Western Court, Huntly Drive, London N3 1NX

● Circle No. 139

MICRO TRAINING FOR COMPUTER USERS

6 Micro courses at Digitus

Which would you like to attend?

Digitus is running a number of courses to train users and potential users in the basic skills of micro-computing. Conducted at our Central London Workshop, the courses provide hands-on experience of microcomputers, demonstrations of working systems and tutorials on your particular needs.

INTRODUCTION TO MICROCOMPUTERS

One day's concentrated information on microcomputing aimed at the potential user in small and large organisations. A practical course which includes business applications of micros, guidelines on selecting microcomputer systems and an introduction to programming.

FUNDAMENTALS OF PROGRAMMING IN BASIC

A two day course designed to teach the first principals of programming in BASIC. Aimed at those with some understanding of micros who want to learn how to instruct their computer to perform tasks.

IMPROVE YOUR BASIC

A two day course for those who have learned Basic from hands-on experience and want to brush up their BASIC techniques and learn some timesaving software tools.

WORDSTAR WORDPROCESSING

A one day course for people who want to learn the fundamentals of wordprocessing. Uses the popular Wordstar wordprocessing package available on most CP/M micros and teaches by hands-on use.

DATASTAR INFORMATION MANAGEMENT

The DataStar data entry, retrieval and management system is a powerful aid which enables the educated user and computer professional to build inform ation systems economically and rapidly.

MICRO-PRO SOFTWARE TOOLS

In addition to Wordstar, Micro-Pro Inc have produced a variety of aids to improve productivity in offices and systems departments. This one day course includes: Mail-Merge linked to Wordstar • Supersort sorting utility • CalcStar rows and columns manipulation • DataStar information manager • harnessing the 'Star' products together.

Training for Computer Professionals Course in: Micro Technology for Management • Local Area Networks • Micros for Computer Professionals.
Courses are run at the Workshop or on site. Telephone or write for details.

Micro Technology Workshop Set in 8,500 sq.ft in Central London, the Workshop is a few minutes from Covent Garden, Trafalgar Square, Charing Cross, Embankment and Waterloo stations. Specialist areas include: Personal Computers, Technical Systems, Business Systems, 16 bit and Local Network Systems, Bookstore and Training Rooms.

Booking and Fees The fee for all courses is £80 per day plus VAT, payable 14 days prior to starting date.

Booking Form (Please complete in BLOCK capitals)
To Digitus Ltd, 10-14 Bedford Street, London WC2E 9HE. Tel 01-379 6968

☐ Please send me further information ☐ Reserve places as follows:

Name of delegate ..... Date .....

Name of delegate ..... Date .....

Name of delegate ..... Date .....

Courses/dates

Introduction to Microcomputers	☐ Feb 8	☐ Apr 19
Fundamentals of Programming in Basic	☐ Feb 9/10	☐ Apr 20/21
Improve your Basic	☐ Feb 11/12	☐ Apr 22/23
Wordstar Wordprocessing	☐ Feb 23	☐ May 11
Micro-Pro Software Tools	☐ Feb 24	☐ May 12
DataStar Information Management	☐ Feb 25	☐ May 13

Digitus

Company/address .....

.....

Name ..... Position .....

Signature ..... Tel.No. ..... PRC

All courses provide access to an extensive range of micro hardware, software and expertise.

Note: Wordstar and DataStar are registered trademarks of Micro-Pro Inc.

● Circle No. 140

You buy 16 bits — what do you get?

EVER SINCE the creation of the universe — the micro-universe, that is — we have known very well how a computer should be made. You take a processor — Z-80 or 6502, according to choice — you string it to 64K of memory and tack on some frills.

"64K" has become a magic number: we think of it as very big if we have small machines, or very small if we have big programs. Like it or hate it, we were bound by that 64K as the edge to our universe.

Yet, quite recently that number has been wobbling, shaking and dissolving like a mirage. By a little trickery, you can arrange the memory in banks of 64K each and make the processor switch between them. It is as if you had a postman who just worked in one street using the numbers of the houses. You put him in the next street along and he rushes about quite happily picking up a letter at number 386, delivering it to number 24 without noticing that quite different people live at those numbers now.

The other way to get more RAM is to move to a bigger processor. The newish 16-bit devices can cope with at least 16 million addresses. They can play in a memory field that is as big as you can afford. The drawback is that because the processors are so complicated inside, they are very hard to make and are therefore expensive. An 8086, for instance, costs upwards of £100 — a Z-80 costs £5 — and the bits that fill in round it are dear in proportion.

What, then is going on? The short answer is that RAM, the way everyone predicted, is daily getting cheaper. When this magazine started, in May 1978, a 16K x 1 RAM chip cost £11. Today you can buy the same thing for £1. Admittedly a single chip is not much use: you have to have them made up into a board with buses, refresh and power. But even so, you would not expect to pay more than £200 for an extra 64K today.

But what is that to the innocent bystander? Even if he does manage to stay with us, he is unlikely to care a toot whether his machine has one K or 10,000. The great mass of micro users will not write programs, and the difference is academic to them in practice. Extra memory will not be an important selling feature — not really important in the way that the colour of the box and the amount of spaghetti hanging out the back are important — until it is reflected in the performance of software packages, and until the paying customer can distinguish the virtues of one package from another. Which he cannot as yet.

So why all the fuss? One may discern two reasons: one honourable, one practical. Firstly, there is no denying that hardware is increasing in power and decreasing in cost and there is the natural desire to bring these advantages to the people. Secondly, there is the siren song of the already large micro market and its gigantic promise of future wealth. At the moment it is dominated by Commodore and Apple — to get a foothold, the newcomer has to offer something much better than these two. The obviously much better thing is the 16-bit machine or the supercharged eight-bit.

The snag to this is that the punter does not yet exploit a fraction of the capacities of the standard eight-bit machine. It is useless to tell him that the new super-wonders will do much more because he does not even know what to do with what he has got.

This puts the innovative entrepreneur in a bit of a bind. It was illustrated rather prettily by a recent conversation with Chuck Peddle, an amiable American gentleman whose claim to fame is that he designed the Pet. Having apparently fallen out with Commodore he is now offering a machine called the Sirius 1 which will be sold here by ACT.

The Sirius 1 is, even to the jaundiced editorial eye which is less than thrilled by American gear, a handsome machine. It has a 16-bit processor, comes with 128K of RAM as standard and more can be added at low prices. It has a very high-resolution screen with some clever software controls — for instance, you can redesign the shape of the letters and numbers it prints as you go along. It can load eight different typefaces and use them completely intermingled. You can record voice messages on a program disc and make it bark orders at the unsuspecting user. And all this for £2,300.

It seems very interesting, but a good way beyond most users' actual needs. Why bother?

Peddle's answer is that he proposes to give the programmer a machine so flexible and so powerful that he will spurn all others. Having written his applications software for the Sirius, the customer will have to buy the machine in order to get it to work as wonderfully as he possibly can.

It all seems a bit roundabout. People buy a particular computer because the shop near them sells it, or they know someone who has one. Technical excellence hardly comes into it.

The real reasons look much more commercial, and reminiscent of the aggravation we have recently seen in the video-recording market. It seems a bit like a solution looking anxiously for problems. If the punter has no problems, he damn well ought to get some.

Our own view is that people will not discard existing eight-bit machines, or stop buying them through the now well-developed channels, until something at least 10 times more powerful is available. And this does not just mean more powerful hardware, but software to exploit the machine's power, and storage to complement both.

We are talking about a processor with the power of a mainframe, memory of the order of a megabyte and 100MB at least of back-up. And all this on your desk at the price of an Apple today.

Technically this is not unreasonable. It could be around in prototype in a year to 18 months. But it presents the user with a whole new set of problems. This kind of machine is not just an accessory. It is capable of holding and processing all the records of a large business. Setting it to work properly will present all the well-known problems of installing a mainframe. It is not something you do overnight. But, because the hardware will cost so little in proportion to what it can do, potential users may well be very puzzled how to cope with it. To begin with, does it make sense to spend tens of thousands of pounds keying all your records into a machine that costs no more than an electric typewriter?

Quite obviously, when hardware costs are so low and capacity is so high, what will constrain growth will be people's attitudes. Even if computing power is as cheap as water, people are not going to go out of their depth until they can swim. And training the millions of people who will have to be able to swim will take decades rather than years.

The conclusion of this argument is that technical innovation, while amusing for the people doing it, is not going to be crucial in getting a share of the micro market. It is turning rapidly into an ordinary consumer-durable business in which, sadly, the appearance of the goods, the shops they are sold in and the quality of the leatherette on the disc drives are the things that matter.

The new Transdata **Cx 502-S SUPERSPEED Microcomputer** offers CP/M performance up to 5 times faster than conventional floppy disc systems. The unique high speed master processor and intelligent disc controller combine to give unrivaled processing power; superior to many Winchester disc based systems.

High Speed Master Processor
The Z80B 6MHz Master Processor gives a 50% increase in throughput over more conventional Z80A systems.

Intelligent Floppy Disc Controller
The Cx 502-S exploits the full power of the FLEXIBUS multi-processor architecture common to all members of the Cx 500 family of Microcomputers. The Z80 based floppy disc controller features a 10Kb full track cache buffer, advanced DMA and automatic error recovery. The twin 8" double-sided double-density disc drives provide 2Mb of storage with software selectable single density for IBM compatibility.

CP/M × 5 = Cx502

Load 20Kb in 1 Second
The Cx 502-S programme load performance outstrips many Winchester Disc competitors and response times for disc I/O bound applications are dramatically reduced.

MP/M on Floppies?
By applying the sophisticated and proven technology of the advanced Cx 500 hard disc systems, the new Cx 502-S offers viable multi-user capabilities. For those applications where large on-line storage is not required and cost per user is an important consideration the answer is the Cx 502-S.

A True Member of the Growing Cx 500 Family
Transdata's Cx 500 Family of Business and Scientific Microcomputers features upgrade potential from single-user floppy disc based systems to multi-user hard disc systems with cartridge tape back-up. Experienced End Users, Computer professionals and Distributors will value the quality, reliability and after sales support offered with these advanced U.K. manufactured Microcomputers.

OEM Discounts available
Dealer and Distribution enquiries welcome

Cx500 Microcomputers — established through success



TRANSDATA LIMITED
DATA TERMINALS AND MICROCOMPUTER SYSTEMS

Transdata Limited, Battlebridge House 87-95 Tooley Street, London, SE1 2RA Telephone: 01 403 5115 Telex: 8952068

● **Circle No. 141**

Our Feedback columns offer readers the opportunity of bringing their computing experience and problems to the attention of others, as well as to seek our advice or to make suggestions, which we are always happy to receive. Make sure you use Feedback—it is your chance to keep in touch.

Comal confusion

COMAL MAY indeed be a better language than Basic. It seems that the closed procedure is a more primitive mechanism than the scoping rules of Pascal, but better than nothing.

Unfortunately the article on closed procedures in Comal-80 — *Practical Computing*, November 1981 — was marred by numerous errors in the example. These do not detract from its use as an illustration of the flavour of the language, but they might confuse someone who tries to follow the details.

The errors I found are:

- Lines 8024 to the end of column 1 should be deleted as they are a garbled repetition of column 2.
- Line 8167 should be inserted, reading
  IF R(−1)<0 THEN R(−1)+0
  otherwise a constant, when differentiated, will yield order = −1.
- Line 8174 should read
  DGR: = NUMERA(−1) + DENOM(−1)−1
  Add, Sub procedures should have warnings that the arguments must be the same length. This restriction can be avoided, and the procedures greatly simplified, by recoding as:
  PROCEDURE ADD(REF A(),REF B(),REF R()) CLOSED
  EXEC ASGN(A,R)
  FOR I: = 0 TO B(−1) DO
  R(I): + B(I)
  NEXT I
  IF B(−1) >A(−1) THEN R(−1): = B(−1)
  ENDPROC ADD
- Line 8192 should read EXEC ASGN (R2,DENOM). As the assignment stands it sets the original denominator as the answer. The correct answer for the denominator should be:
  Degree = 8
  16 48 −20 −60 45 −102 79 −30 25
  Derivative = 0.0968858

Chris Lusby Taylor,
Intel International,
Paris.

Notes on Piccolo

READERS of Bill Bennett's review of the Piccolo — *Practical Computing*, December 1981 — can be reassured that English versions of Comal are now available along with UCSD Pascal and CP/M.

The reviewer probably did not have time to investigate the direct-access files but the combination of these with Comal enables clarity and control to be maintained in more complex situations. For example, we have just completed an inventory package with two major and 19 subsidiary files. It is a 20K package of clear, readable programs made possible by the combination of a sensible hardware configuration and good modern systems software.

I would not have attempted it in unstructured Basic, though I realise that it can be done. Comal provides a more pleasant approach for those who are only moderately capable.

Roy Atherton,
Bulmershe College of Higher Education,
Reading,
Berkshire.

Names for Life

IN 6502 SPECIAL — *Practical Computing*, December 1981 — Simon Cogle mentions the pattern of five cells in the Game of Life, which he calls "The Spinner". This pattern has been known for many years and was christened "The Glider" by Conway's Cambridge group. There is also a "Glider Gun" which fires off a glider every 30 generations.

This rediscovery has given me the idea that it might be worth trying to establish an index of known patterns with interesting developments. It would save a lot of duplication of effort among the many people who have discovered the fascination of this game.

G J Suggett,
Chichester,
West Sussex.

Uncritical comments

I READ the review of the Silicon Office in the November issue of *Practical Computing*, with some surprise. While it is clear that there is much of great value in this software — and indeed all the reports of it are very good — the review was, to say the least, rather uncritical. I was particularly concerned about the comments by Mike McDonald that Silicon Office contains "the first true database-management system we have encountered on a micro whereby up to six files may be open and accessed simultaneously during a run". I suspect that this statement may have caused some surprise to the many companies who already market packages which meet this description — not so much because the reviewer has not come across them, but more because he has promoted a simple file-handling system to a database-management system.

Among the identifying features normally put forward for a DBMS, one of the most significant is the ability to link different files together logically, in a hierarchical network or relational structure. Mike McDonald is correct in his implication that this is very rarely encountered on a micro — although there are exceptions such as MDBS, a full network DBMS running under CP/M. However, nowhere in his review is there anything to suggest that the Silicon Office contains a genuine DBMS.

Attention could easily be diverted from the positive aspects of the Silicon Office by its failure to live up to the claims made for it — a rave review is not always a good thing. It is unfortunate to see your own software consultant fuelling the many misconceptions and mysteries which still surround the concept of a DBMS.

Graham Seel,
Gillingham,
Kent.

Apple Pascal

I HAVE recently installed a Z-80 Softcard. The Basic is excellent, and in many ways an improvement on Applesoft. However much of it is nullified by the major defects of the commands Edit and Renum. Both lead one to suspect that the designers have shares in new keyboards and programmers' overtime.

The Renum command does not permit overlaps of other lines but, far worse, does not allow small blocks of lines to be renumbered, within themselves, to insert a few extra lines. Using Renum completely wrecks any systematic program layout and its relationship to documentation.

Editing in Applesoft is messy but completely flexible. It is difficult to find an editing problem that cannot be solved with a minimum of key operations. Most insertions are easy with the open format of listed lines, and done at high speed.

Edit, on the other hand, is highly frustrating. The unedited line is invisible so you have to guess or pre-List on the line above. The listing is only a partial help — especially for long lines — as edited lines do not match and eye movements are uncoordinated. The end result is many more keystrokes and much wasted time.

The worst feature of Edit is its inability to access the line number. Lines are often found to be wrongly placed. Though a simple renumber would quickly correct this, the lines must be completely retyped with a risk of further errors.

Complex lines often repeat during a program, in whole or in part, Applesoft permits one line to be duplicated endlessly anywhere in the program with a minimum risk of mistakes and keystrokes. Complex amendments can be made by block duplication, listing and cursor editing.

Edit permits none of these. Editing errors, followed by a Return often need a

(continued on page 45)

TODAY'S BEST PRICE PERFORMANCE RATIO FROM A MICRO COMPUTER FROM

£1875

Standard Model 64K RAM/320K DISK

ALTERNATIVE MODEL:
'QD' 700K DISK £2150

SUPERBRAIN

MASSIVE DATA STORAGE FROM HARD DISK

Massive storage capability is available with the 8in. Winchester Micropolis 7MB – 35B Hard Disk from £3500 including a controller to connect directly to your Superbrain.
12 month warranty included in price.



WORDPROCESSING SYSTEMS

A complete wordprocessing system including 'Word Star' and 'Mailmerge', standard Superbrain, Diablo 630 printer, training and up to a day's installation for around £3850.



Software Options: we market a full supporting range of standard languages, including, BASIC @ £175, FORTRAN @ £225, PASCAL @ £225, and CIS COBOL @ £425. We have a growing and comprehensive library of software programmes available:

Incomplete Records for Practising Accountants @ £750

Graphics – Hardware @ £435 with Software from £80

Integrated Accounting System – Stock Control @ £350, Order Entry and Invoicing @ £350, Sales Ledger @ £450, Purchase Ledger @ £450, General/Nominal @ £400, Name & Address @ £250, Complete Package so far @ £1650 plus Payroll @ £500.

Financial Modelling – T/Maker @ £155 and Micromodeller @ £645.
Data Base Management – DMS @ £400
Word Processing – Wordstar @ £250 and Mailmerge @ £75.
Also available – Form Creation, Debugging etc.. Alternatively we will design and implement software packages to suit your specific needs.

KGB MICROS LIMITED

KGB Micros Ltd., 14 Windsor Road, Slough, Berks. SL1 2EJ Tel: Slough 38581

Prices exclude V A T and are subject to fluctuation, please phone for an up-to-the-minute quote

● **Circle No. 142**

(continued from page 43)
retype instead of a screen copy. The need for spaces around Basic commands is highly irritating and easily forgotten. Apart from wasting time it wastes memory too and perhaps accounts for the fact that MBasic runs 50 percent slower than Applesoft.

Are there any patches to eliminate these design weaknesses or is Microsoft proposing to issue amended discs? Special editing programs are not the solution. They waste even more time.

R G Silson,
Tring,
Hertfordshire.

Improving Petpro

THERE IS a small, but important amendment which should be made to the Petpro program in the December 1981 issue. It greatly improves the operation of the "squeeze" facility in rare, though significant cases. Only two lines are affected Line 108 should read

```
NEXT: IFK=A-W+4THENB=K : GOTO110
```

The second part of line 110, beginning IFMID$ . . . should be changed to

```
B=B+(MID$(E$,B,1) <> "(single space)")-
    (MID$(E$,B,2)= "(two spaces)")
```

Ian Birnbaum,
Needingworth,
Cambridgeshire.

Apple graphics

I WOULD LIKE to congratulate *Practical Computing* on the first in the series on Apple Graphics in the November, 1981 issue. It has explained and made clear many points which I formerly only hazily grasped.

There are, however, two problems with the program Type-a-Graphic/Hires as listed, both of which concern the circle-drawing routine.

In lines 5610 to 5670 the Xs and Ys are mixed up. As coded, it plots two sets of two quarter circles, centred on X, Y and Y, X.

If an error is encountered in drawing the circle because the plot area is exceeded, then on return to line 5500 for the final time, Z = 80, the Return statement causes a Return without Gosub error. To avoid it, the Gosub in line 5410 can be replaced by a Goto, as can the Return in line 5500. The 5460 subroutine is not accessed from elsewhere in the program, so this is not illogical.

The corrected code is shown on the listing.

V Gardiner,
Leicester.

Uncivilised and chauvinist

IT SEEMS that theories of racial superiority are alive and well within the pages of *Practical Computing*, of all places. The June 1981 editorial was blatantly anti-American and chauvinistic in the extreme, with a strong taste of sour grapes.

Then again in July, what do we find: "While the new land may be very good at making hardware it needs a more civilised spirit to breathe life into it", etc, etc.

Such a mentality I would call anything but civilised, and totally unbecoming of a national computer magazine. I suggest the author of such cultural claptrap get back to the details of microcomputing, or give the job to someone who can.

J L Schiff,
Auckland,
New Zealand.

● In a perfect world there would be no need or justification for chauvinism. Unhappily this is not the world we live in. If we adopt a chauvinistic tone, it is to try to combat the flood of American equipment and ideas which are almost dumped on our market.

Since the war we have seen American efforts to obliterate British industries, particularly in book-publishing, film-making aerospace and computing. Their huge native markets and high standard of living and use of a version of English can only be countered by tenacity and enthusiasm here. We regard it as part of our job to try to enthuse British computer manufacturers and software authors.

Dr Schiff may feel that we should lie down under the onslaught — many here would disagree with him.

Incompatible systems

A J WEEKS of Bedford — Feedback, November 1981 — is mixing up his Basic and Pascal systems, which are not compatible, and which do not use the same operating environment. He should not feel put-out, however, since many so-called Apple dealers do not know the difference either.

The Pascal system is totally divorced from the Basic system. Since the Pascal source code and the P-code are intended to be portable to different computers, such things as printer driver routines are totally transparent to the user. Under normal circumstances it is not necessary to produce special printer driver routines in Pascal. In fact, Apple Pascal is quite happy with a serial card or a parallel card or a communications card, providing it is in slot 1. Moreover, any machine-code routine used to drive the comms card is then redundant.

I presume that Mr Weeks has a home-made card, or something similar, that requires a separate patch for line feeds and character counts. Unfortunately there is no mechanism in the Pascal system to put the printer card in any other slot, since all other slots are pre-allocated in the system.

We need to know whether the Pascal P-code routines use the same output, input or screen hooks as the Basic monitor. To do what Mr Weeks would like to do would imply modifying the operating system as is commonly done, for example, to obtain lower-case characters with the Paymar character generator. Presumably a disassembly of the operating system would enable you to change the printer output from slot 1 to some other slot. In a manner similar to the lower-case mod, you could presumably introduce a subroutine call to the printer driver routine, carefully bypassing the standard printer driver routines.

I would recommend to Mr Weeks that he invests in a standard Apple parallel card, which will be cheaper and quicker than messing about with machine-code routines.

K. D. Howton,
Birkdale,
Merseyside.

Type-a-Graphics/Hires amendments.

```
5400  IF A$ = "P" THEN  GOSUB 5690: GOSUB 5720: HPLOT  TO X,Y: GOTO 5250
5410  IF A$ = "R" THEN  GOTO 5460: REM  DRAW CIRCLE
5420  IF A$ = "S" THEN  GOTO 8000: REM  FINISH PLOTTING
5440  IF A$ = "H" THEN  POKE  - 16302,0: POKE  - 16302,0: POKE  - 16299,0:
      GOTO 5850: REM  TEXT,ALL,P2
5450  GOTO 5270
5460  HOME : VTAB 22: PRINT "ENTER RADIUS OF CIRCLE(1-140)"
5470  INPUT "THEN PRESS /RETURN/ . R = ";R
5480  IF R < 1 OR R > 140 THEN  GOTO 5460
5490 X1 = X:Y1 = Y:Z =  - 1
5500 Z = Z + 1: IF Z = 80 THEN X = X1:Y = Y1: POKE 216,0: GOTO 5230
5510 X2 = R *  SIN (Z / 100):Y2 = R *  COS (Z / 100)
5520  ONERR  GOTO 5540
5530  HPLOT X1 + X2,Y1 + Y2
5540  ONERR  GOTO 5560
5550  HPLOT X1 + X2,Y1 - Y2
5560  ONERR  GOTO 5580
5570  HPLOT X1 - X2,Y1 + Y2
5580  ONERR  GOTO 5600
5590  HPLOT X1 - X2,Y1 - Y2
5600  ONERR  GOTO 5620
5610  HPLOT X1 + Y2,Y1 + X2
5620  ONERR  GOTO 5640
5630  HPLOT X1 - Y2,Y1 + X2
5640  ONERR  GOTO 5660
5650  HPLOT X1 + Y2,Y1 - X2
5660  ONERR  GOTO 5500
5670  HPLOT X1 - Y2,Y1 - X2
5680  GOTO 5500
```

Pet series to sample the Corvus benefits

THE FULL range of Commodore microcomputers can now take advantage of the extended Corvus Constellation hard-disc system. Interfaces allow the Pet to operate in a full microcomputer networking environment with up to 64 stations sharing the same central hard disc of 5, 10, or 20Mbytes.

The Corvus hard disc.



The Constellation, as its name suggests, is based on the star configuration of a central Corvus hard disc connected to both microcomputers and peripherals. Immediate access to the mass-storage medium is possible with no interference from other users.

The data-transfer rate is an impressive 60Kbytes per second and therefore will endow microcomputers users with all the advantages of mainframe networks without the associated costs.

There are two types of interface available, both developed by Small Systems Engineering. The first is called Hardbox and allows continued use of the PetDOS operating system. Up to four Corvus hard discs can be controlled by the Hardbox giving the Pet access to a very large amount of on-line storage — massive databases can be created. The second interface is called the Softbox and allows Pet/Corvus networks to operate under the popular CP/M operating system.

Transferring Pet software to the hard disc should not prove difficult. Nevertheless Keen Computers, the distributor, is forming a full consultancy service for both users and dealers. For further information contact Keen Computers Ltd, 5 Giltspur Street, London EC1 Telephone: 01-248 7307.

Five boards that add to Apple's attractions

U-TIM is just one of five new British-made boards for the Apple. It is capable of recording intervals of between 1ms. and one hour, with an accuracy of 1ms. The card is accessed by Peeking and Poking and is supplied with sample Basic programs and a machine-code routine to handle interrupts.

U-Term, another of the latest releases, is an 80-column upper- and lower-case display board for the Apple II. It is compatible with Basic, Pascal and CP/M, enabling software packages such as WordStar to be run on the Apple.

Eight serial ports of the RS-232 type are provided by the U-Port board. Each port is individually addressable and the baud rates can be set between 150 and 19,200. U-Ext is simply a slot extender designed to aid trouble-shooting and board development and interfaces the Apple computer with any digital panel meter having a BCD — binary-coded decimal — output.

All the boards are available from U-Microcomputers and the dealer network. U-Microcomputers can be found at the Winstanley Industrial Estate, Long Lane, Warrington, Cheshire WA2 8PR. Telephone: 0925-54117.



Tandy owners can now use the new Video Genie expander box. The box is an updated version of the original expander which can be used with the Video Genie, the Genie II, and the Tandy model I. The functions of the device are: full disc control for up to four 5.25in. drives with double- or single-sided densities, a plug-in S-100 bus option, a plug-in RS-232 option, and a Centronics parallel-printer output. The standard 16K of memory can be extended simply by plugging in 4116 memories. The device is designated the code EG-3014, and the hardware interface for the Tandy is the EG-3023, 40- or 50-pin bus adaptor. For details, contact Robert Stead at Lowe Electronics. Telephone: 0628-2430.

Micro event of the year

MAKE A NOTE in your diary now — computerised or otherwise — to visit the first Computer Fair to be held at Earls Court, London on April 23, 24, and 25. The list of exhibitors at the show, which is sponsored jointly by *Practical Computing* and *Your Computer*, is impressive. Events planned for what will be the microcomputer event of the year include the British finals of the European Micromouse competition, under *Practical Computing* sponsorship.

The exhibition has been timed to coincide with the Government's Information Technology year, and it will follow hard on the heels of the BBC microcomputer series.

VisiFile follows in the VisiCalc tradition

VISIFILE is the latest product from Personal Software, the originators of the world's best-selling program VisiCalc. It is a file-management system which can handle record filing, searching, sorting, report and mail-label printing.

Personal Software's VisiFile enables a wide variety of records to be stored, sorted or searched in any one of a number of formats. Printing, too, is done on a multiple-format basis.

Like VisiCalc, the program is user-friendly, which is the American way of saying it is easy to use. In fact, Barry Jacques, managing director of the program's U.K. distributor, ACT Microsoft, said: "Even people who are unfamiliar with computers will be able to master the program and begin to use it immediately. Instructions are simple and direct and are selected from an easy-to-understand menu system".

FlexiFormat is a feature of VisiFile which makes it easy to change, rearrange and add unforeseen information to records, or combine records into files. Users may also create a partial file definition for fast data entry of specific portions of code. VisiFile can link to other Visi programs which make it a powerful tool in the hands of any administrator, manager, or indeed anyone who requires desk-top computing.

VisiFile runs on the Apple II microcomputer, requiring 48K, one disc drive and either the language card or the Applesoft Basic card. Two disc drives improve performance. Suggested retail price is £160. Telephone ACT on 021-454 8585, to find the name of your nearest dealer.



This RAM expansion board from Timedata is supplied in a version designed to fit in the case of an Acorn Atom. There are both 16Kbyte and 32Kbyte versions and single Eurocard versions as well as the Atom one. Prices are 16K Atom £59.50, 32K Atom £74, 16K Eurocard £62, 32K Eurocard £76.50. Contact Timedata Ltd, 57 Swallowdale, Basildon Essex. Telephone: 0268-23234.

Avoiding that fatal loss of memory

SHORT-TERM power failure is one of the more annoying problems which beset microcomputer users. The powerful motors that drive lifts or indeed any power switching can — and probably will — cause temporary disruptions to the mains supply, and can result in a computer losing its memory, or worse.

One way around the problem is to filter the supply; another is to use a back-up battery, but the latest solution is to use a high-capacitance device.

The NEC Supercap range of capacitors provide values of up to 1F, and are the same size as small batteries. They have a high value and a slow discharge rate, which means they are ideally suited as reserve power sources. In fact, they can provide microcomputers with 1mA of current for time periods as long as 10 seconds, lower currents for, say, RAM memories can be provided for longer periods. For example, 1 μA will last a week.

Supercap compact capacitors are available off-the-shelf from G English Electronics, 34 Bowater Road, Woolwich, London SE18. Telephone: 01-855 0991.

Commodore as terminal

THE PET microcomputer is a sight cheaper than most mainframe terminals, so it makes financial sense to use it as one if possible. In the past this has not always been so, but now Peach Data Services are marketing emulators and cluster controllers which match the terminal's characteristics to the IBM-3277 or IBM-3284.

Not only does the Pet become a terminal, but it can also work as a computer in its own right. Furthermore it becomes possible to run Commodore software on the mainframe — even VisiCalc. Peach can also provide emulators for other IBM equipment as well as ICL and DEC versions. Contact Brian Holmwood at Peach: 0283-48977.

How Dutch software took to the air

RADIO NETHERLANDS has made an unusual initiative in telesoftware transmission. In a recent worldwide broadcast from Hilversum, the *Media Network* programme — a 30-minute weekly slot dedicated to communications topics — sent out a Basic program to be recorded on cassette and loaded directly into memory.

The program, transmitted in three versions for listeners with Pet, Apple and Tandy TRS-80 micros, was a 90-line direction and bearing routine written by John Campbell of the Exeter University Department of Computing.

The Dutch broadcasters were keen to discover whether a satisfactory signal-to-noise ratio could be achieved on the normal AM — amplitude-modulated — system, which suffers from man-made and atmospheric interference.

Two transmissions were made; one to Europe and another a week later relayed to North America and the Pacific via transmitters in Bonaire and Madagascar. They are fed by satellite with a bandwidth of about 5.5kHz.

Of 235 listeners who reported back to Hilversum on their success or failure, 98 said they had complete success in capturing and loading the program. Though many were said to have test equipment, some of the receiving equipment was only of average standard. Direct receiver-to-cassette connection was essential.

From the 98 who succeeded, 61 were using a TRS-80, 36 Pet and only one Apple; 86 percent were in Europe though one success was reported from the U.S. with some from Canada and Belize.

Radio Netherlands sees this success rate as a clear indication that software transmission on the normal broadcast wavebands is a practical possibility. It notes that program data has already been transmitted on amateur-radio wavebands, which have the more efficient single sideband (SSB) mode of transmission, but believes that this is the first time that the AM system has been used as a mass data transmission medium.

Media Network is now to follow the first successful transmissions with further broadcasts on short wave. These will be for the Sinclair ZX-81, TRS-80 model 1 level II and Pet micros. A further development from Dutch radio is the Hobbyscope Basic code. This is a protocol developed by the producer of a domestic Dutch radio programme for computer hobbyists. It is intended to be an Esperanto for loading broadcast programs to any micro and consists of a 1,200 baud code containing two tones of 1,200 and 2,400Hz.

The Hobbyscope ties in with a radio broadcast on FM and MW which reaches 1,200 enthusiasts in the Netherlands. It goes out at 1730 GMT on Sunday nights on Hilversum 1.

For further details of the Hobbyscope code and more information on Radio Netherlands contact, Jonathon Marks, Media Network PO Box 222, 1200 JG Hilversum, The Netherlands.

Program Developers' gain by Superbrain upgrades

THE SUPERBRAIN'S CP/M operating system is upgraded by two of the latest software products. ZDOS will be of special use to those engaged in software development work. Using the Z-80 instruction set to keep coding and execution time to a minimum, the software provides a range of features in addition to the standard DOS.

The improvements are: standard, one-tone, screen-memory mapping, an increase in execution speed, 4K more memory, screen-dump to printer, documentation and a printer-busy test.

The printer spooling program buffers all output to the listing device in a 4K buffer. The program enables continuous printing during disc changes, transactions, but functions only under ZDOS. For further details, contact Frome Data, 5 The Bridge, Frome, Somerset BA11 1AR, or telephone: 0373-71689.

It's here!

The new Xerox 820 micro-computer system.

* Budgeting
* Planning
* Forecasting
* Wordprocessing

etc...etc...etc...

Now available at The Xerox Store.

Rank Xerox are proud to introduce their first micro-computer, a brilliant new development specifically designed for the smaller businessman.

And his pocket.

Made by Xerox (one of the world's biggest manufacturers of business equipment) the 820 is one of the most inexpensive and versatile computers on the market.

The 820 can help you with all your budgeting, planning, forecasting and word processing problems.

And you can keep adding to the system from a wide range of software options.

Also you'll have the full backing of the Rank Xerox on-site, full service and maintenance agreement, so you can buy in total confidence.

So if you're a small businessman looking for a superb micro-computer system, pop in and see the new Xerox 820. Now at The Xerox Store, the specialists in the business efficiency needs of the smaller business.

The Xerox Store

Pop in and buy a more efficient business.

Now 4 stores at: 110 Moorgate EC2. Tel: 01-588 1531.
84 Piccadilly W1. Tel: 01-629 0694. 76/77 High Holborn WC1. Tel: 01-242 9596.
3/4 William Street, Slough. Tel: Slough 76956.

RANK XEROX Xerox and Rank Xerox are registered trademarks of Rank Xerox Ltd

Price excludes CP/M*
*Registered trade mark of Digital Research Inc.

● **Circle No. 143**

Exports come under scrutiny

THE DEPARTMENT of Trade and Industry is urgently seeking the views of those currently exporting goods subject to Security Export Control. The results of the review will affect the ability of U.K. companies to export high-technology goods to certain destinations — mainly those behind the Iron Curtain.

The Department of Industry requires advice from those companies operating in this area so that it can decide which goods should be deleted or added to the list. The area of computers and their associated software and hardware are under particular scrutiny.

All companies which consider that they may be affected by this or which wish to oppose changes to the list should make representations through their trade association, or, in exceptionally important cases, directly to the Department of Industry, IT2c, Dean Bradley House, London SW1P 2AG, quoting SEC/PR81.

Daisywheel SP-830 has the edge in speed

FUJITSU'S NEW daisywheel printer, the SP-830, has a maximum print speed of 80 characters per second — significantly faster than competing products. It is being launched and marketed in the U.K. by Zygal Dynamics, a company specialising in the distribution and servicing of printers at the top end of the market.

The SP-830 is available with both parallel and serial RS-232 interfaces. It has twin, high-speed servo motors, a servo-controlled position sensor, a high-speed hammer and bi-directional printing. The daisywheels are standard 127- or 96-character founts in either metal or plastic. Xerox or Qume print wheels can be used.

Con Driscoll, chairman of Zygal, is proud of the fact that his products are "not the cheapest". This, he feels, is the reason why Zygal is competitive — it can provide the support that customers require. Zygal Dynamics has its own field engineering team to provide on-the-spot repair and service. The company already markets Diablo and General Electric printer products, and has a number of other distributorships.



The price of the Fujitsu SP-830 printer varies greatly because of the wide range of available options. However, the one-off basic unit will retail at £1,500 and Zygal will maintain it for a further £25 per month. Extra charges are made for various interfaces and options. For further details about these and the printer, contact Zygal Dynamics, Zygal House, Telford Road, Bicester, Oxfordshire OX6 0XB. Telephone: 08692-3361.

This 40-column printer interfaces directly to the Apple computer. The RX-40 Apple printer is available from Roxburgh, and consists of a thermal mechanism mounted on its own driver card. A ribbon cable facilitates connection to a card which fits in one of the six slots inside the Apple. The printer requires a 19V DC power supply which is externally fitted. Screen Dump and high-resolution graphics are possible on the printer and it takes just 10 seconds to print a page of graphics. The printer retails for £152 and is available from Roxburgh Printers Ltd, 22 Winchelsea Road, Rye, East Sussex. Telephone: Rye (079 73) 3777.



Texas 16-bit micro to hit desk-top market



A 16-BIT desk-top microcomputer extends the present Texas Instruments range down into the most competitive sector of the market. Texas Instruments has called the computer the Business System 200 and it is the first of a new range of small-business systems planned by the company. The machine is a small desk-top, single-user computer based on the 16-bit TMS-9900 microprocessor chip.

The Business System 200 is designed to be compatible with other, up-market Texas computers, including the more expensive multi-user machines. The machine will retail at less than £5,000 and offers 64K user RAM, a display keyboard and processor. The keyboard may be detached, and the display features 80 columns across a 12in. screen. The whole unit works from a standard 13A socket.

There are four models in the initial range and they differ from one another only in disc storage capacity — the 220 has twin double-sided, double-density discs providing 1.2Mbytes. At the top is the 251 with two Winchester hard-disc units as well as 8in. floppy back-up, giving a total of 11.2Mbytes of on-line storage. For further details contact Texas Instruments: 0234-67466.

Telex paper is how Facit reduces hard-copy costs

A PORTABLE printer offers low-cost hard copy by using standard Telex roll paper. The Facit 4520 costs £583 plus VAT and is suitable for use with small-business systems, educational computer installations, personal microcomputers and data loggers.

The machine is small, about 14in. by 13in., and it weighs only 9.5kg. The acoustically-damped housing together with the floating-suspension construction combine to give a noise level of less than 60dB.

A microprocessor controller system ensures that each line is printed using the minimum carriage transport distance. The standard ASCII character set plus a number of different national character sets are available, and they are software-selectable. A choice of print-formatting commands are also on hand.

The 4520 can work at high transmission speeds — up to 9,600 band — and the 712-character input buffer helps to increase the throughput. Screen contents can rapidly be dumped on the printer. Hi-Tek, Trafalgar Way, Bar Hill, Cambridge CB3 8SQ.



Reflecting on eye-strain

VDU REFLECTIVE GLARE reduced by 70-95 percent and screen static by 60-80 percent are the claims made for a range of products whose success in Europe has now led to their launch in the U.K. The main product of the range is the Tele-Antireflex, which has been developed to reduce the glare of microcomputer and word-processor screens. It is claimed using Tele-Antireflex can mean considerable gains in operator efficiency and that eye-strain and headaches can be reduced.

Tele-Clear improves screen characters definition and Tele-Colour gives white screen characters a light-green or yellow colour. Statiflect-Guard, 55 Fairburn Drive, Garforth, Leeds. Telephone: 0532-864981.

Printed word said to improve with Ap Pak



THE APPLE AP PAK is the first of a line of products designed to enhance the print capabilities of small-computer systems using the MPI series of graphic printers. The product line includes both software and hardware products specifically designed for each computer system.

Apple Ap Pak contains an Auto Plot printer-control card, interface cable, MPI-developed software programs and instruction manuals. The package gives the user the ability to use all the graphic capabilities of a 88 or 99 graphics printer.

An unlimited amount of character founts are available as well as large headlines. You can use several type founts on a line and have the ability to perform graphics dumps of high-resolution files.

Ap Pak for the Apple costs £98.31 and is available from Russet Instruments. Telephone: 0734-868147.

SuperVid is a device which improves the display characteristics of the Superbrain microcomputer. The unit provides block-graphic ROMs, which give a resolution of 160 by 72 and ASCII ROMs. The board is supplied with a manual and an instruction disc enabling the user to make full use of this unit. Screen text can be highlighted or displayed in the background, underlined or updated. It can also flash to attract attention to a particular area. Four resident alternative character sets can be called at any time and, if required, mixed on screen. A standard option includes the British £ symbol. SuperVid costs £190 and is produced by MicroMods Ltd, 53 Acton Road, Long Eaton, Nottingham NG10 1FR. Telephone: 06076-64264.



PETSPEED

Life in the fast lane

If you're thinking of buying a Basic Compiler let us first show you exactly what we mean by 'Life in the fast lane'.

Oxford Computer Systems (Software) Ltd., suppliers of the first Basic Compiler for the Pet, have prepared an enlightening demonstration disk giving direct speed comparisons between Pet Basic, Petspeed and the alternative Basic Compiler.

Petspeed is the only **optimising** Basic Compiler available for any microcomputer, which is only one of its **other** advantages.

FASTER – Petspeed is capable of double the speed of the DTL Basic Compiler and up to 40 times the speed of Pet Basic.

SHORTER PROGRAM SIZE – the size of long programs is considerably reduced.

COMPATIBLE – Petspeed will compile ANY Pet Basic program.

OPTIMISATION – Petspeed is the only optimising Basic Compiler available for any microcomputer, because of its optimisation, programs run much faster.

SECURITY – Your programs belong to YOU. Oxford Computer Systems (Software) Ltd. makes no claim on Petspeed Compiled programs. No dongle or security device is required for compiled programs and users can build in their own protection. Petspeed code is unlistable and compiled programs cannot be tampered with.

PRICE – we will leave you to compare prices.

Also available **COMPILED INTEGER BASIC** – 150 to 200 times the speed of Basic Compiled. Compiled Basic is for those applications where the speed of the machine is required without the inconvenience of assembly level programming. Ideal for scientific and educational users. Compatible with Petspeed.

OFFICIALLY APPROVED BY COMMODORE



Petspeed for 8000 series £240
Compiled Basic £165

Special Offer: Petspeed for 8000 series PLUS Compiled Basic for just £320.

Write or phone today for a free copy of the 'Life in the fast lane' demonstration disk.

Oxford Computer Systems (Software) Ltd.
7 & 8 Park End Street, Oxford OX1 1HH
Telephone Oxford (0865) 49597

● **Circle No. 144**

The Systems

RADER 1000 with Dual 5¼″ drives RADER 2000 with Dual 8″ drives

By combining the economy of using the most up-to-date techniques of microprocessor technology with the reliability of British design and engineering, these highly advanced systems of tomorrow are affordable and available to you today. Just look at what we're offering.

Start with the economically designed, free-standing keyboard, where your fingertips can glide easily over the 92 keys, which eagerly respond to your touch through innovative capacitive technology. It has it's own intelligence, through it's micro-processor control, enabling fast reliable response to your every instruction. A special feature is full diagonal cursor control for rapid cursor positioning (keyboard layout can be easily reconfigured for special applications).

Your eyes can rest comfortably on the 12″ screen, with it's clear, high resolution display, enabling quick decisions to be made from it's clarity of output. The latest lowpower 5¼″ or slimline 8″ double-sided double-density precision drives provide accurate, fast retrieval of data from the highly efficient data store, which uses double-sided double-density floppy disk format.

The powerful heart of the system, it's Z80 A microprocessor, pounds quietly and efficiently away at a rate of 4 MHz. It will obey your every instruction, and memorise every bit of information in it's on-board 64K of dynamic RAM.

This highly flexible machine will communicate to the peripherals of your choice, through dual parallel or serial input/output ports. Future needs are well taken care of, as we've allowed sufficient room for 12 or more dual port expansion boards.

The whole system is reliably powered via it's sophisticated multi-output switched-mode power supply.

To all this, we've added the ease and availability of running CP/M 2.2 software plus the entire CP/M users library and also the new Paxton.

RADER 1000 £1480 RADER 2000 £1980

Features of these surprisingly low-priced systems include:–

●CPU – Z80 A 4 MHz ●ROM area expandable to – 16K x 8 bits ●RAM area – 64K bytes of RAM ●DMA capability – Powerful and versatile management of data transfer between ports. Memory to ports, port to Memory. ●Floppy Disc Control – Using the WD 1397 chip-set to provide full double-sided double-density storage in IBM 3740 format. ●Character Generator RAM – Arranged as 2K Bytes of memory-mapped storage enabling a wide range of character sets to be created. ●Memory-Mapped Video Display – 2K Bytes of memory-mapped storage provides fast, flexible display. Inverse Video. Video enhancement. Invert character. Dual Intensity. Multi-Level Expansion Connectors available.

Option Boards

●ROM Expansion Board – For user Read Only Memory Expansion. ●RAM Expansion Board – Through P IO Controlled Boards, each with 3 pages of 64K Bytes. ●Serial Ports – 2 Serial I/O Ports utilising Z80 A SIO ●Parallel Ports – 2 Parallel I/O Ports utilising Z80 A PIO. ●Real Time Clock with battery back-up

Shortly Available

●Cassette Interface ● 8 bit A to D and D to A boards. ●Hard Disk Interface ●Programmable Video Controller

Designed and Engineered in the United Kingdom and supported with a full year's Warranty.

RADE

For further information contact your local dealer or 'phone or write to:

Rade Systems Ltd., 53/55, Ballards Lane, London N3 1XP.
Telephone: 01-349 4711/4 Telex: 46523 SIMSYS G

● Circle No. 145

Progress in using Prestel as a medium for publishing software has not been as rapid as many had expected. Martin Hayman finds out why, and reports on the latest steps towards the development of fully-automatic software transmission via Prestel.

Flying on autopilot

IT WAS AS an attempt to let the vast public sort out the vexatious problem of protocol standards for Prestel when used as a medium for software transmission that Prestel boffin Dr Ederyn Williams made our Prestel pages available. We had the contacts — in the form of you, our readers, busy writing software of all kinds — and we had access to a well-sorted editing system. Put the two together, was the idea, and the public would be able to decide what it wanted.

Well it has not happened quite like that. To some extent, we underestimated the size — or should we say the rankness? — of the problem. We started from the premise that the majority of people using Prestel to recover software would be little different from the regular or business user of Prestel. That is to say, they would be equipped with a dumb terminal and possibly some way of recording data from the screen either by printing out a hard copy or by recording on to cassette.

We figured that such users would browse through Prestel telesoftware pages on "manual" until they found something to their liking. After checking a couple of pages of listing and deciding to go for it, they would then record. Thereafter they would have to key the stuff back into their own micro.

Keying-in is of course an immensely laborious business. I say this with feeling. One of the principal reasons for the slow growth of *Practical Telesoftware* during last year has been that we had to enter all our pages manually. This is slow and prone to errors.

The CET approach

Among the points made by Ed Williams when we reviewed the progress of *Practical Telesoftware* last autumn was that there is now a new generation of microcomputer users who are less tolerant of errors. The first batch of stone-age freaks positively welcomed errors; debugging programs was all part of the game. Once you had conquered the problems, there was little left to do.

Today's users are more direct. They want the cassette, disc or whatever it is that they paid for to run properly first time — and that goes for programs received through the local area network or via an international common carrier.

In other words, users want a clean program in their micro and may not be especially concerned with the protocol used in its presentation to Prestel. Obviously, Prestel is a clean medium for documenting programs, doing the introductions and all the usual hype surrounding a program; but when it comes to the listing, the code which is to be executed, why not let the autopilot take over and shoot the whole thing straight into the RAM of your micro, stripped of the characteristics peculiar to Prestel?

This is the approach which Mike Brown of the Council for Educational Technology has long advocated, along with its equipment supplier Research Machines. The fact that the screen is at first sight completely different from your machine's screen is not important; fully-automatic loading via a conversion program strips out all the unfamiliar characters which are for Prestel purposes only. What you get is what you see.

Existing software

Obviously with such a system it is essential to have effective error checking to combat telephone-line noise. Mike Brown's CET format offers such checking and, since it exists already, why not use it, the BT people asked us. With some reluctance, we had already conceded that telesoftware was only really telesoftware if it was automatic. So we are eating our words and, to cut a long story short, we will be going CET shortly. The advantage to us — and it is a major one — is that software already exists to upload programs on to Prestel in this format, and we shall not miss the copy-typing of listings.

Now we hope to be able to get on with the important business of putting up documentation about the new and massively expanded database. Meanwhile our various experts will be gathering together suitable programs and evaluating them. By this means, we hope, Prestel will become the prime local area network. Along with the recently introduced Mailbox, which started last autumn, and the usual action frames, which have been on the system since the beginning, the prospect of Prestel as a speedy communications medium moves one step nearer.

It is furthered by the cut in price of the Tantel, now down to a crazy £125, plus a few pounds more for the software. As one set manufacturer confided at a recent viewdata exhibition, "We might as well give up". The Tantel is specifically and directly aimed at the micro user and its great popularity among viewdata professionals has caused BT to keep a very close eye on what they do. However, the much-canvassed plan to buy tens of thousands of them and give them away is still, sadly, unlikely ever to come about. One of our priorities is to put up some action frames which quiz users on the type of equipment they use to get at our pages. It is likely that at least half will be using Tantel already. By the end of next year a similar proportion will be using Tantel and a micro, as the BT people commission interfaces, our database grows and interfacing becomes more reliable.

ZX-81 INTERFACE

EDERYN WILLIAMS, has finally, on Prestel's behalf, grasped the standards nettle firmly. Unstung, it seems, he has brought it back to grow in the right patch — Telephone House, Temple Avenue, EC4.

In a bold initiative to fertilise the market, Williams has launched a competition, along with *Practical Computing*, to interface the Sinclair ZX-81 with Prestel. The ZX-81, it can hardly have escaped your notice, has proved a remarkably fecund seedbed for youthful inventors. All sorts of unlikely peripherals have been hung on to the basic box, even including, so rumour has it, a hard disc.

Now British Telecom is to cultivate the same ground in aid of that wilting bloom of British genius, Prestel. It has offered a £1,000 reward to the best device which will download telesoftware from Prestel into the ZX-81's RAM. The device will necessarily include hardware and software, be capable both of production and of further development and will ideally be able to handle the CET — Council for Educational Technology — format.

Everyone hopes that it will be "*in the* spirit of the ZX-81". This does not mean that it has to look flat and black, like a futurist cigar-box. What it does mean is up to you. The closing date for entries is March 14, 1982.

The Osborne is designed, in the words of its creator, to put simplicity back into micro-computing. Peter Laurie tests this compact U.S. machine.

Osborne and the case for portability

ADAM OSBORNE has produced a machine which is designed to sell in large numbers to people who are not experienced micro-users. It will stand or fall by the first impression it gives, not the ingenuity of its hidden technical features.

Starting from the outside, then, you first come to the box. When closed up the machine looks and weighs much like a portable sewing machine. It is encased in a textured cream plastic which seems reasonably tough and resilient. The carrying handle, in synthetic leather, is at the back of the machine when it is set up for work. The base of the case is formed by the underside of the keyboard, which clips on over the screen and disc drives.

Plethora of parts

The underside of the keyboard is sloped to give rake to the keys, so if you put it down to rest the aching arm, the whole thing stands with a slight lean. You have to be careful where you put it to be sure it will not fall over.

The keyboard slots upwards into a recessed lip in the main case to keep rain out. The power lead, however, stows in a recess or well in what is the top when the machine is being carried, where the mains on/off switch and the overload cutout reset button are also to be found. A dash from aircraft to airport terminal in a heavy shower might allow enough water in there to produce some fireworks later on.

The jumper to reset mains power from 240V in the U.K. to the standard American 110V is buried inside the box. A sticker on the front says "No user serviceable parts inside" and indeed to get inside you need a screwdriver and some Allen keys, so changing voltages for a transatlantic journey would not be a simple job.

It is unfortunate that the British mains plug is much bigger than the U.S. design and will not fit into the recess. Osborne says it will redesign for this, but making the recess deeper may mean altering the mould for the case and perhaps shifting components about inside where there cannot be much room for manoeuvre.

The box weighs about 24 lb. This is about as much as you would want to carry the length of a big car-park, particularly if you have anything else with you at the time. The machine is said to fit under an airline seat — a claim we were not able to test. It might just be true. The machine is certainly too heavy to be allowed in overhead lockers on most aircraft.

To operate the Osborne you lay it on its side — the side with the little feet — unclip the sturdy catches that retain the keyboard, lay it in front of the machine and set to work. Unlike most machines today that present a blank box to the user, the Osborne has a definite dashboard that looks quite military in the profusion of parts supplied. The front of the machine is a rather nasty pressed-fibre panel which, to begin with, smells very synthetic.

On each side at the top there is a 5.25in. disc drive and between them lies the screen. Below the discs there are two carrying pockets for floppies with room enough, so the manual says, for 30 of them. It would be useful if the machine manual itself would fit into one of them, but it just did not.

On the bottom row, looking from left to right, there is: a male Modem socket with some pins that, although recessed, looked rather fragile; a female 25-pin RS-232 socket, and IEEE-488 edge connector to the computer board; the keyboard socket; brightness and contrast knobs for the screen; an external video connector; the reset button; and a nine-pin male socket for an external battery.

The manual has very little to say about the external battery. Judging from the number of pins provided, it is supplied with inverter circuits to provide the different voltages needed by the computer. It could be quite an expensive item. You begin to wonder whether the rest of the machine — particularly the mini-floppies — is up to the outdoor life suggested by battery power.

The keyboard and front of the box is a surprisingly bulky component in a machine where every cubic inch must count. It has QWERTY keyboard plus four cursor-moving arrow keys and a separate numeric keypad. The connection to the machine is through a stiff, flat cable that plugs into the front panel through a satisfactory lock or eject socket. The keyboard does not have to be unplugged when the machine is folded up.

Unfortunately the connecting cable is rather too stiff. It stands up in a loop and covers the bottom part of the screen. If you move the computer back to straighten it out the screen is too far away for comfort; if you bend the cable downwards it tends to pop back up at a crucial moment. A small problem, but an annoying one.

Fortunately it is possible to prop the front of the computer on top of the back of the keyboard. This brings the cable loop lower and improves the view of the screen. The lip around the front of the computer box to hold the keyboard provides a modest amount of physical stability.

Remarkable VDU

Given that CP/M does most of the donkey work, there are few areas in which the designer can show any ingenuity. The screen is, up to a point, one of them and here the Osborne is clever.

Most people on seeing the machine for the first time, remark on the smallness of the built-in VDU. It measures only 3.55in. by 2.63in. and on to that small area the designers have crammed 24 lines of text 52 characters long. In practice it works quite well and can be read without eye-strain. The characters are well-shaped and clearly printed, largely because they are made up from a matrix eight wide by 10 high.

The screen characters are slightly larger than the type this article is printed in. It may be that a small screen with characters the same size as print and typewriting is less tiring than a larger one simply because the eye does not have to change its accommodation in looking

from the screen to text and back again. If the contrast is turned up too high there are irritating fly-back traces. This is probably caused by the adaptation from 60Hz American mains to the 50Hz U.K. supply. A normal-size external VDU is supplied with the machine and can be plugged into the VDU socket on the dashboard.

The logical arrangement of the screen is more questionable. The 52-by-24 character VDU acts as a window on a larger notional page 128 characters wide by 32 deep. By using the arrow keys you can, in principle, skid the physical screen over the internal document. Presumably the idea is that "what you see is what you get" particularly in text formatting. Setting aside the slight difficulty that most printers give 132 characters across a line, it is impossible to judge the final appearance of a document by sliding a small window around it.

Sensible implementation

The machine is supplied with CP/M, WordStar, Mailmerge, Supercalc, MBasic — the interpreter, not the compiler — and CBasic. Osborne's promotional literature makes much of the notion that you can buy the computer and £800-worth of software for £1,200. It is not really all that odd. The only irreducible cost of mass-distributed software is the cost of making each copy. That comes to £5 or £10 at the very most.

Some of the system software — CP/M's BIOS — is kept in ROM on a second page, which frees about 2K of RAM for extra program space.

On loading MBasic, for instance, the Osborne declares 29K-odd of free memory as against the more conventional Research Machines — nominal 64K — which shows 27K. There seem to be no secrets made about the memory map, ports and other useful details. The IEEE-488 interface is lavishly documented — but not so the RS-232. There are only two possible baud rates — 300 and 1,200 — and no choice about stop bits.

A single manual is supplied with the machine in an A5 ring binder. It is typeset and well laid out. The text is generally clear and sensible, but it is marred by some rather silly mistakes. For instance pin 7 of the Modem output is connected to 12V supply "through a 22-ohm register" — evidently, the author meant "resistor". The manual not only introduces the naive user to computing and to this particular machine, it also covers all the applications software and the systems internals for the benefit of machine-code programmers. The original manuals for CP/M, CBasic, MBasic, WordStar, Mailmerge, Supercalc and a representative Z-80 machine would together weigh about as much as the whole Osborne computer. To boil them down into a pocket-sized book is an impressive feat.

The Osborne is a CP/M machine. The whole point of the operating system is that all CP/M machines are supposed to behave the same regardless of the maker's name on the box. So, from one point of view, all the manufacturer can do to CP/M is implement it badly. The manufacturer may well try to work CP/M over to improve it, but in doing so, he runs the grave risk of producing a non-standard machine that is worse than useless. Providing extra features which enhance CP/M without making it non-standard is to risk that they will only be used by people writing software specifically for one machine. They cannot be used by standard, widely-distributed software packages and will therefore be a waste of effort. Happily Osborne's implementation of CP/M seems conventional and competent.

The discs fitted to the review machine were single-sided, single-density and soft-sectored, giving 102,400 bytes per disc. The manual states airily that double- and quad-density discs can be used, but you cannot help fearing for reliability in a machine that is apt to be bumped about as much as this one may.

The manual devotes 11 closely-written pages to CP/M, covering the functions that ordinary users need, with reasonable clarity and detail. As an afterthought, there is also a Help page on the screen. When you boot the machine from cold, the Osborne logo is displayed for a few seconds while the machine does a memory test. A Help menu then appears, giving 26 options under the letters of the alphabet: pressing any one leads to a further screen or screens that explain a particular feature of the machine. The "W" option, for instance, leads to a demonstration of WordStar.

The naive user is advised to read the first two chapters of the manual before using the Help menu. Since the Help screens repeat the manual but less fully and in a different format, it is hard to see what useful purpose they serve. Furthermore, although a user who wants to access CP/M can escape from Help by pressing Escape: the Help screen does not explain this. Seeing the menu appear every time you boot the machine could play on your nerves.

The essence of the problem is that CP/M was written by a professional programmer for other professionals and does its job well enough. It was never intended to make computers easy for everyone else to understand. The novice must struggle with the strange concepts of discs, files, formatting, soft sectors, operating systems, applications programs, language, data files, com files — the list seems to go on for ever in a baffling jumble of concepts.

An extra element in the problem is the customer who buys a computer while knowing nothing about it. This is a very different creature from the user who, three or six months later, understands the machine and is happy with it. The difficulty facing the industry is to turn one into the other without tears. It is not going to be delivered by more explanation. What we need are simpler concepts.

This is where the basic idea of the Osborne is interesting. It obviously has some spark of marketing inspiration about it. Cheapness is one element — at £1,200 it is a good buy against its obvious competitor, the Apple. But there is more to it than that. The Superbrain, for instance, is technically very similar. It is a 64K, Z-80, CP/M machine with keyboard, VDU and computer in one package and is not a lot less portable than the Osborne at a similar price. Yet the Osborne is said to be selling in vastly greater quantities. It has, in the eyes of the buying public, some spark which differentiates it from other machines which are technically very similar. What is that spark?

Surely it is the machine's physical portability. Yet in practice it is not clear how useful that will be. If your computing produces results in any quantity you will need a printer. A printer can hardly be much smaller than the Osborne itself but none, as far as I know, is designed to be bundled up and carried around. Few, in fact, are physically robust enough to stand much bumping. Then you need a stock of paper and, more than likely, the external VDU. You end up with a fairly unwieldy bundle of bits connected by the usual spaghetti, much like any other machine.

The machine's apparent physical portability must be psychologically important. It suggests to the person who knows little about computing that here, at last, is something which he can — literally — pack up neatly and carry away. The physical mess of most installations is interpreted as mental mess.

Osborne cleverly presented the machine in a physically compact bundle that suggests subliminally to the customers that the mental mess has somehow disappeared. Of course they do not find out that it is still there until they have bought it. That is not to suggest that Osborne is deceitful. The more people that get to grips with computing the better for us all, and if he has found a way of overcoming the customers' perfectly sensible mistrust, then so much the better.

Conclusions

- **At £1,200 the machine is good value.**
- **To launch a brand-new design with such a range of software is an elaborate project: it will be astonishing if everything is perfect from the start.**
- **It is most important that Osbourne is willing to correct mistakes: this seems to be the case.**
- **With the external VDU and printer, the machine will not be nearly as portable as it may seem at first sight.**
- **It is not clear how useful portability will be to most users.**

ALPHATRONIC

For many would-be business users, the current wave of micros from the traditional office-equipment manufacturers serves only to complicate the already difficult task of choosing a machine. To help them with that choice, Bill Bennett assesses the Alphatronic, one of the latest to join the flood.

OLYMPIA AND Olivetti are just two of the large companies to have already launched their assaults on the microcomputer market; now the West German giant Triumph-Adler is entering the arena with the Alphatronic.

Like the competition, Triumph-Adler is aiming at the business user — a manager in a larger concern or the proprietor of a small business. In fact at the current price, the machine should be in the range of most shopkeepers — which, based on Napoleon's statistics, should mean plenty of sales in this country.

Large market

The decision to sell to the uninitiated is wise — the computing tyros constitute a large potential market. The Alphatronic is not like the Apple; very few users will use the machine for work all week and then take it home to hunt round dungeons all weekend. The fact that Triumph-Adler knows the market in question is reflected in the profusion of "off-the-peg" software available for the machine.

I suspect that very few systems will be sold without software packages. Apple computers never sold faster than when VisiCalc was introduced. Yet the Apple was not designed for the business market: that particular market embraced the Apple II, the Pet and the Tandy simply because they were there.

The Alphatronic is a serious machine — it means business and like the other computers being sold primarily to business users, a good deal of attention has been paid to its external features.

Triumph-Adler has not had an easy ride of late, and by all accounts the Alphatronic has not been the stunning success it should have been. *The Economist*, October 1981, in an article about the tribulations of Volkswagen, the parent company of Triumph-Adler, stated that $3 billion had been frittered away in a "madcap foray into office equipment". Furthermore, the article went on to state that Volkswagen had "bungled its new electronics business".

The facts of the matter are that Volkswagen took control of Triumph-Adler back in March 1979, and it is reported that the office-equipment company has been in trouble ever since. Apparently the problems are due to a lack of understanding of the computer market. Where does this leave the Alphatronic? The guided tour of the machine exposed a few shortcomings, but nothing bad enough to stop sales. In fact at the price, the Alphatronic is a good, but not outstanding, hard-working machine.

The human interface

The computer has a reassuring feel to it. The Triumph-Adler design team certainly paid plenty of attention to the outward appearance of the computer. Not only is the machine good-looking but on the whole it interfaces with humanity well. It would appear that few details have been overlooked. As an object lesson in ergonomics, the Alphatronic is to be recommended.

Designers often resort to gimmicks; not here, though. The Alphatronic looks and feels like a real business machine, ready to take on the most demanding of tasks. The same attention to detail appears to have been paid to the hardware inside the box as well. If initial impressions have any say in the matter — and remember inexperienced buyers will not have anything else to go by — the Alphatronic will be a success.

Off-white plastic

The monitor sits on top of the main-processor and keyboard unit. It is finished in the same off-white plastic as the main unit, so it does not have that out-of-place, or even lost look of some monitors. The plastic casing used for all the parts of the Alphatronic system tends to become a little soiled — especially if you have been handling the printer ribbon. It should not prove very difficult to clean, though.

Sanyo, the Japanese electronic giant, left a sticker on the back of the monitor to remind us that not everything on the Alphatronic is a marvel of German engineering. As the Alphatronic is a European computer it is not surprising that attention has been paid to the screen. Some European countries actually have legally-enforceable regulations about computer displays. The Danes like to have yellow on brown displays, claiming



that they are more restful for the operator's eyes.

The Alphatronic has an anti-glare screen made of dark, rigid plastic which fits snugly over the front of the 12in. screen. This, it is claimed, helps the eyes. In practice I found that the screen was more restful than, for example, that of the Commodore Pet and, of course, the machine also looks better. For the fastidious few, Sanyo has included controls for both the monitor brightness and contrast as well as the necessary power switch. The really fussy user might even want to tinker with the horizontal- and vertical-hold knobs — if he can find them — at the rear of the machine.

The monitor with the Alphatronic is separate, so it requires a separate power point. A typical system would consist of a main unit, a monitor and a printer, requiring three power sockets. The monitor will consume 26W, the main unit 100W and the printer a further 30W. All this adds up to about two average light bulbs' worth of electricity. The low power consumption means that both the monitor and the printer can tap their power from one socket, providing a two-way adaptor is used.

Printer identity

The printer unit supplied with the system did not easily divulge any clues as to its origins. The "Made in West Germany" label led me to the assumption that this printer was in fact made by Alphatronic. The printer is encased in the same light-grey plastic as the rest of the system and looks neat. Inexplicably, its sloping top suggests aerodynamic design.

On the back of the printer is an ungainly network of metal, whose role is obviously to feed paper into the printer. While I do not doubt that this structure is useful, it spoils the otherwise neat appearance of the system. The controls on the printer are not exactly simple: the on/off switch on the left can be coped with easily enough — though next to it is something mysteriously marked 1 A/T. The input/output port is standard, but the controls on the right are confusing.

Paper problems

These controls look harmless enough — one three-way switch and two push-buttons, together with two indicators. The push-buttons are for advancing and rewinding the paper. The paper-rewind function seems very useful and is certainly unusual. The problems really begin, however, with the three-way switch. It appears that it has been especially designed to maximise the amount of paper used. Fine if you are a paper merchant, but not too healthy if you are a tree.

When the machine is first turned on, the test position can be used to check the printing. Both the darkness and alignment can be checked before anything important is output. However to print anything, the three-way switch must be in the on-line position. The main object of the on/off-line sections of the three-way switch is to output paper. Of course, problems really begin if the switch is in the off-line position when you try printing.

Feeding paper into the printer is not difficult, but this is hardly surprising when you consider its appetite for the stuff. A slide on the top of the printer is used to release the paper — or grip it, and it feeds through easily.

On the top of the printer is a transparent plastic window, which by all accounts must not be removed otherwise the machine becomes upset and punishes the user by stopping any printing in progress. The top half of the printer case detaches easily to expose the innards. The case is good and chunky — it should be capable of taking knocks.

Accidents with ink

The ribbon is encased in a black-plastic cartridge, which fits on to the mechanism for moving the print head across the paper. The ribbon has a protective plastic sheet which stops the ribbon from slopping ink on the paper by accident. A small cutout hole is just large enough to enable the impact dot-matrix print head to operate. Unlike some dot-matrix printers, this one has only a single column of pins. The printer is bi-directional.

The print mechanism is connected to the circuit board — which is located in the right-front corner of the printer — by a flat-ribbon cable, which flexes back and forth as the printer operates. The board is screened by a plate of metal filled with holes. A section of this is cut out to expose an eight-switch DIL package.

The main unit of the system houses the computer itself as well as the keyboard and two floppy-disc units. At the rear is a

(continued on next page)

(continued from previous page)
recess for the various ports and connectors, as well as a grill for ventilation purposes. The on/off switch is at the bottom, on the left side of the machine. The front of the machine consists of a brown panel which is capped by a toughened top on which the video monitor sits.

At the top of the front of the machine are some more ventilation holes; just below to the right are a pair of disc drives which sit one on top of the other. Below all this on a sloping plane is the ergonomically-designed keyboard. The review system had a series of paper stickers attached to it concerning the word-processing software which can be used in conjunction with the machine.

The recess at the back of the machine is set about 3in. into the casing. The recess is to allow the plugs which fit into it to be protected from being dislodged by accidents.

There are three cannon-type sockets, one of which interfaces to the printer. Two of these sockets have 25 holes and the third has 37.

Earthing bar

Under the three sockets is the video output, and to the left a rather Heath-Robinson earthing bar — the supplied system was connected to this bar simply by having the screen part of the printer cable wound around a post on the bar. Next to the 37-pin socket are two further cutouts which expose a series of holes on a circuit board, and beside these is a panel which can be cut away. This indicates that there are expansion possibilities.

The disc drives on the front of the Alphatronic accept the mini-floppy 5.25in. discs — though only the single-sided variety. The discs have to be pushed home, and they must be withdrawn completely for removal. This is because the drives are not sprung, which may be considered a serious fault because the discs will receive an undue amount of wear and tear.

To open the disc drives, the door has to be pushed in and then released. Unlike other machines, the write-protect tabulators must be left on to write to a disc. LEDs indicate the operation of the drives. However, unlike the Pet disc unit, there is no indication on the drives when something is amiss.

The keyboard is ergonomically designed — that does not necessarily mean well designed, though. The Alphatronic suffers from a chronic shift-key facility, which makes a nightmare of the word-processing package. The normal QWERTY keyboard, together with the more usual keys and the numerics with the decimal point are in light brown: a set of six function keys, cursor-control keys, arithmetic keys, tabulators, all three shift keys, the return key and one or two whose use at first seems to be obscure in operation are all in dark-brown.

Triumph-Adler obviously does not expect Alphatronic owners to open up their computers. Undoing the screws is as easy as ever but prising the two halves of the case apart is no simple matter. Inside the top half of the main case is a large amount of metal foil, apparently for screening purposes.

The inside looks well filled — in fact there seems to be far more in the Alphatronic compared with similar machines. That is obviously due to the integral dual-disc unit. Triumph-Adler has been very conscientious about screening in the Alphatronic. This is very commendable: screening precautions, if adequate, remove a large amount of radio interference.

The normal office

In most normal offices this interference presents little or no problem. Nevertheless, many Alphatronic users will be using their machines in the evenings at home. It is in this kind of user-environment that screening is useful — after all, the neighbours might not take it too kindly if the TV starts to scream in the middle of *Coronation Street*, or if the music on Radio One starts to sound a little more distorted than usual. Radio interference is exactly the same effect as that created by citizens' band pirates — the only difference is that they do it deliberately.

So, the Alphatronic is an attractive machine for the small-business owner who likes to work at home. The screening also improves the performance of the machine since the pieces of metal around the disc drives prevent any interference from affecting the computer circuits proper.

Important factor

This is important because in the same way that more or less any digital circuit can act as a radio transmitter, they also act as receivers. Spurious signals can easily appear on any line between any two points. Often, this effect is referred to as "noise", and often that is just what it is. Nevertheless curious things happen in computers in close proximity to powerful transmitters.

Among the list of transmitters of radio interference are transformers and motors, both of which appear in a computer. So screening is a good idea anyway and is aided in the Alphatronic by plates of metal on the inside bottom of the casing. In addition to this and the foil in the top of the case, there is a metal grill around the disc unit — often a persistent offender.

The air-conditioning of the Alphatronic is another area which has been well served by the engineers. All around the case are ventilation grills and at the back is a 9W fan. The main components of the machine are contained in a rack of seven boards. The heat-sinks provided on the regulators are at least two sizes bigger than those needed for safety.

Working from the left to the right the first board in the rack contains the power-supply unit. A large transformer sits on the board and shows no signs of being too heavy. A fuse is at the top, in — sensibly — the most accessible place. The board is connected to what in a mainframe computer would be called a backplane, which is in fact another printed-circuit board with tracks on it to carry signals between the main boards.

The next two boards look as though they are used for power regulation and clock generation. The five boards to the right of the rack are the ones which contain all the chips. The rightmost board contains an 8085A processor in addition to three PROMs.

The software supplied with the Alphatronic will make or break the machine. If it is good, Triumph-Adler can rest assured its machine will sell. On the other hand, if the software is bad, the machine will plummet. This is a shame really because it means that the eventual fate of the machine is more or less out of the hands of the designers. Triumph-Adler made the right move in choosing the CP/M operating system. However, the vagaries of the machine mean that few if any of its programs are portable.

Another factor affecting the philosophy behind Triumph-Adler's marketing policy of selling to non-programmers is that programming the Alphatronic is extremely difficult — more difficult than usual, that is. The software supplied has been written by Microtrend, a British company, and it works. The word-processing package Lexicom, will sell moderately well. The main disadvantage of the program was the awful shift-key function on the Alphatronic.

The software took what seemed like an eternity to load, so I decided the CP/M implementation deserved some investigation. Most of the more common CP/M commands did not appear to be there. Dir resulted in the query Dir?

Lexicom is a sound software package. I found it a far better word processor than WordPro on the Pet, but then most are. If it is typical of Triumph-Adler's software, it is satisfactory.

Conclusions

- **The Alphatronic computer works as well as any other in its field, even if it is uninspiring.**
- **At around £1,600 for the p1 version without printer, and £2,345 for the p2 version which includes a printer and CP/M, the Alphatronic is a good buy for the first-time computer user; however, the competition is hot.**
- **The software packages are again uninspiring but efficient enough.**
- **I am afraid I can do nothing but damn the Alphatronic with faint praise, which is a pity because it deserves better.**

THE NEW APPLE ///

MORE COMPUTER POWER ON YOUR DESK-TOP

Apple II has already captured the imagination of the world – and now we have introduced Apple /// built to handle bigger problems – faster.

MORE POWER

Apple /// has a 128K processor (expandable to 256K), a built-in disk-drive with controller and an ergonomically-designed keyboard with sculptured keys and a separate numeric key-pad. There's also a design-integrated monitor, Monitor /// – with a full 80-column upper and lower case display.

But look closer and you'll find out why Apple /// is unique, providing a total solution to business problems.

MORE ABILITY

Apple /// has a Sophisticated Operating System – the essential foundation for all software developments. But the really big news is ProFile,™ the 5-megabyte hard-disk drive that's been developed for Apple ///. Apple /// and ProFile represent the ultimate in personal computer hardware.

Apple /// can be programmed in Business BASIC or using Pascal /// for a really powerful development environment.

MORE CAPABILITIES

And, of course, there's a range of Apple Software for Apple ///.

Apple Writer /// – the complete word-processing package. VisiCalc /// – the latest version of the most widely-used financial planning package – using the unique capabilities of Apple ///. Mail List Manager – to allow you to create, sort and edit all kinds of mailing lists (and Mail List Manager interfaces to Apple Writer ///). Access /// – a data communications package which allows Apple /// to be connected to a larger computer or other Apples.

And already software developers have caught up with Apple /// – creating software to handle ledger systems, database management, data communications and stock control – to cope with bigger business problems, faster.

MORE INFORMATION?

Simply send back the coupon (no stamp required).

Apple Computer (UK) Limited
Finway Road, Hemel Hempstead, Herts. HP2 7PS.
Tel: Hemel Hempstead (0442) 48151
®Apple and ProFile are trade marks of Apple Computer Inc.

apple®
THE PERSONAL COMPUTER

PC/02/82

Please send me further details on the new Apple /// and ProFile.
I am interested in:– ☐ Business Use. ☐ Developing Software. ☐ Dealership Details.
Please complete this coupon and return it to:–

Apple Computer (UK) Ltd,
Finway Road, Hemel Hempstead, Herts, HP2 4BR, FREEPOST.

Name _____ Position _____
Address _____
_____
Telephone No. _____

● **Circle No. 146**

Dual-density Model ONLY £1,750*

Leasing and Rental Facilities Available

Superb Budget-priced W.P. System FOR ONLY £2,995*

SUPERFAST DISK COPY NOW AVAILABLE ONLY £25

Wordstar function keys now available — makes learning as easy as ABC

=

SPEEDY SOLUTIONS to your unique BUSINESS PROBLEMS

We build systems to SUIT YOUR BUSINESS and MAKE IT MORE EFFICIENT!!
We *don't* ask you to change your business to suit an off-the-shelf package!!

Our professional consultants using Advanced Software Development Techniques can produce a system to meet your needs for now with the built-in flexibility for tomorrow's expansion.

All in a fraction of the time it normally takes to develop a "Made-to-Measure System" with corresponding SAVINGS on your software costs.

For free consultation and demonstration contact:

VISION BUSINESS SYSTEMS LTD.,

58 ST. PETER'S STREET, ST. ALBANS, HERTS.

TELEPHONE: ST. ALBANS (0727) 33744/55657

*Prices may be subject to change due to the fluctuation of the dollar rate.

● **Circle No. 147**

Speech on demand from Arfon module



Available as a plug-in unit, Arfon Electronics' speech board generates over 100 discrete words and sounds in response to a simple numeric input from your micro. Nick Laurie reports on its strengths and weaknesses.

THE ARFON speech board is designed to the Nasbus 3 specification and will plug straight into a Nascom bus or Gemini's 80 bus. An Apple version is also available at the same price and it can be directly interfaced, at extra cost, to the Pet, Tandy and Video Genie or any RS-232 line. More of a digital tape recorder than a speech synthesiser, it has a limited vocabulary and consequently restricted usefulness.

Words and phrases are digitally encoded into ROM together with the electronics to play them out through the on-board speaker. No system RAM needs to be used. Based around National Semiconductor's Digitalker speech synthesis system, it is Z-80 port-addressed via the bus. A numeric output to the relevant port will give an instant output of any one of the 143 pre-encoded sound strings, and in this it is exactly like most other products incorporating the NS chip set. The difference lies in the fact that as a single card it can be plugged into the 78-way bus, where it is ready for immediate use.

Pet, Tandy and RS-232 users have to pay another £140 for the non-bus version. Added to the £100-odd for the board, almost £250 must be invested for the privilege of hearing a rather croaky American accent trying to speak a few English phrases in a way that would not do credit to a four-year-old's first reading lesson.

Words are made up of a mixture of clicks, hisses, silences and miscellaneous other components known as phonemes. By stringing together a series of instructions concerning these phonemes it is possible to produce a perfect representation of human speech. Even after chopping out some of the redundant information you are still left with acceptable quality — the telephone does this to us every day without any great loss of intelligibility.

Do-nothing loop

The process can be further condensed by replacing some of the standard constructs with a short length of code. For example, a 30ms. silence need not use up 30ms. of memory space when a simple do-nothing loop can be encoded in a few bytes.

Using a combination of these techniques, National Semiconductor takes a high-quality tape recording of 150 phrases and feeds them through one of their computers — in turn fed by its own ultra-secret software — to produce a suitably encoded ROM for use with the Digitalker chip. Alternatively the chip-set comes provided with NS's own standard word set, which is what you acquire with this board. Consequently you cannot encode your own messages. Not only is the encoding software a jealously-guarded secret, but NS is inclined to be vague as to even the guiding principles.

Arfon's board supplies the additional clock, filters and amplifiers needed to turn the NS chip set into a working product. The company tells me that it has sent the required high-quality tape off to be encoded in the hope that a new and more appropriate set of words will become available in the near future.

A very good quality fibreglass PCB carries everything required to produce the speech and cannot be faulted from a constructional point of view. The on-board 42in. speaker has a tinny tone but a jack socket allows you to by-pass it and feed direct to a better-quality amplifier.

Although Arfon recommends this practice, claiming that the frequency limitations of the on-board speaker does not do full justice to the sound, my own opinion is that it makes little difference. The voice is so blatantly synthetic that the loss of some more information makes no real difference except to the volume. The circuitry is more or less that suggested by NS as being ideal for a full implementation of its chip set and has clearly been carefully thought out and professionally designed.

A product such as this, costing over £100, should simply plug in and work. In theory it does, but the practice was not that simple. Out of its more-than-adequate packing came the board, and into the bus it went. On power-up, a roaring 50Hz hum drowned out all the speech and rendered the computer room unoccupiable. This obviously was not meant to happen, but transferring it into a second Nascom produced exactly the same results.

Some poking around revealed a lot of noise on the 12-volt rail, which eventually subsided when all the EPROMs were removed from the system. Applying the same cure to the first machine resulted in no hum at all, and crisp, clear speech which issued forth like a voice from the gods.

Playing around was good fun, but with all the EPROMs missing it was hard to get a program wrapped around the speech and was limited to direct port output commands. With the EPROMs reinstalled, back came the noise. Measurements showed that the power supply was well within its rating — the speech board only draws 50mA — and it seemed to be time to try out the Arfon customer servicing department. The best it could manage was "Well, it's never happened before," and I was offered a new board.

It was clear that the noise was originating in the Nascom — what I wanted was a way of stopping the speech board from

(continued on next page)

Word	hex	dec	Word	hex	dec	Word	hex	dec	Word	hex	dec	Word	hex	dec
This is Digitalker	00	0	Thousand	1D	29	Again	3A	58	Gram	57	87	Out	74	116
One	01	1	Million	1E	30	Ampere	3B	59	Great	58	88	Over	75	117
Two	02	2	Zero	1F	31	And	3C	60	Greater	59	89	Parenthesis	76	118
Three	03	3	A	20	32	At	3D	61	Have	5A	90	Percent	77	119
Four	04	4	B	21	33	Cancel	3E	62	High	5B	91	Please	78	120
Five	05	5	C	22	34	Case	3F	63	Higher	7C	92	Plus	79	121
Six	06	6	D	23	35	Cent	40	64	Hour	5D	93	Point	7A	122
Seven	07	7	E	24	36	400Hz tone	41	65	In	5E	94	Pound	7B	123
Eight	08	8	F	25	37	80Hz tone	42	66	Inches	5F	95	Pulses	7C	124
Nine	09	9	G	26	38	20ms. silence	43	67	Is	60	96	Rate	7D	125
Ten	0A	10	H	27	39	40ms. silence	44	68	It	61	97	Re	7E	126
Eleven	0B	11	I	28	40	80ms. silence	45	69	Kilo	62	98	Ready	7F	127
Twelve	0C	12	J	29	41	160ms. silence	46	70	Left	63	99	Right	80	128
Thirteen	0D	13	K	2A	42	320ms. silence	47	71	Less	64	100	Ss	81	129
Fourteen	0E	14	L	2B	43	Centi	48	72	Lesser	65	101	Second	82	130
Fifteen	0F	15	M	2C	44	Check	49	73	Limit	66	102	Set	83	131
Sixteen	10	16	N	2D	45	Comma	4A	74	Low	67	103	Space	84	132
Seventeen	11	17	O	2E	46	Control	4B	75	Lower	68	104	Speed	85	133
Eighteen	12	18	P	2F	47	Danger	6C	76	Mark	69	105	Star	86	134
Nineteen	13	19	Q	30	48	Degree	4D	77	Meter	6A	106	Start	87	135
Twenty	14	20	R	31	49	Dollar	4E	78	Mile	6B	107	Stop	88	136
Thirty	15	21	S	32	50	Down	4F	79	Milli	6C	108	Than	89	137
Forty	16	22	T	33	51	Equal	50	80	Minus	6D	109	The	8A	138
Fifty	13	23	U	34	52	Error	51	81	Minute	6E	110	Time	8B	139
Sixty	18	24	V	35	53	Feet	52	82	Near	6F	111	Try	8C	140
Seventy	19	25	W	36	54	Flow	53	83	Number	70	112	Up	8D	141
Eighty	1A	26	X	37	55	Fuel	54	84	Of	71	113	Volt	8E	142
Ninety	1B	27	Y	38	56	Gallon	55	85	Off	72	114	Weight	8F	143
Hundred	1C	28	Z	39	57	Go	56	86	On	73	115			

Table 1. National Semiconductor DT-1050 master word list.

(continued from previous page)

paying it such a great deal of attention.

I eventually disconnected the spare 12-volt line from the board and ran in a spare line from another source. Since overcoming the setting-up problems the board has stayed in place unobtrusively and has functioned perfectly ever since.

Table 1 shows the 144 assorted characters and words available. You can try sitting down with a pencil and paper to see what you can do with them:

- Ss, 81 hex, makes any singular word plural.
- Silence periods, 43 to 47 hex, improve the quality of speech phrasing. For words beginning with the letters B, D, G, K, P and T insert 80ms. silence before the word; for words ending in these letters insert 40ms.
- If a call is made to the speech card higher than decimal 143, unintelligible invalid speech will be output. Other speech ROMs may allow calls higher than 143.

The sequence 40, 34, 52, 46, 88, 01 is good for a laugh. Dollar, cent, parenthisis and lesser all show this particular character set to be American in origin and application, and experimental and general purpose.

A phrase like "Your computer is on fire" is not easy to achieve, but with a few hours careful editing to pull useful bits out of pre-existing words you might manage it. So what about using the Arfon games — an obvious home-computing application? It could read out the score aloud for you, though if you want it to say "one hundred and eighty-three" rather than "one-eight-three" you have to resort to some nifty string manipulation first. It has not got words like "win" or "lose". By structuring a game around the available words you could probably build something that made reasonable use of the sounds, but for home games its use is minimal, bearing in mind the cost. Commercial arcade games might find a use for it, given an appropriate set of sounds.

As for industry, Lucas reckons that 90 percent of future Nascoms will be going into industrial environments — largely for process control. A machine that yells "Stop — danger — Ampere — meter — is — over — limit" at the right time could be useful. In this environment it is quite possible that the digital tape recorder can serve a useful function.

Favourite application

My favourite potential application is for a combined micro, speech board and alpha-numeric display giving simple speech facilities to the speechless. A couple of days provided enough software to point the way towards a hand-held box capable of being used for artificial speech. It was so simple that a few weeks development on the hardware side should actually be capable of producing a saleable product, although NS would have to encode a new set of words. For coin-in-the-slot machines providing service with a smile — or at least an audible snigger — try 46-46-46. Several general-purpose consumer products are also a possibility.

The Arfon board is expensive for a hobbyist, but it has a useful place in opening up experimental possibilities. With its current ROM set it has a vocabulary which provides an interesting demonstration of speech synthesis rather than a useful addition to a computer system. Talking computers will certainly be part of everyday life in a few years and this board is a good introduction to them, but it would be a mistake to think that it provides all the answers.

A true sound synthesiser, or even a phoneme synthesiser, would produce far more intelligible speech and a wider range of responses, but at a software overhead that could, for the time being, prove time-consuming and costly. If National Semiconductor was to reveal something of the pre-processing requirements for producing coherent sounds from the chip, then the users might be able to make inroads into the programming time by producing their own ROMs. NS and Arfon might then sell more chips and boards. For the present we are stuck with a good idea looking for useful applications.

Conclusions

- **As a research aid the Arfon speech board has its uses, but as an everyday addition to a computer system its value depends on how seriously you consider the spending of up to £250.**
- **The board is technologically sound and is well constructed, but the phrases currently available are of limited value.**
- **It plugs straight in for immediate use, and works first time as long as your power supply is providing noise-free DC voltages.**
- **It could be used as a stand-alone, switch-operated board.**
- **The basic board costs about £100; interfaces for Pet, Tandy and RS-232 cost another £140 — all prices including VAT. No extras are required, except an amplifier and speaker for use in a noisy environment.**



I brought you the first 9" Metal Cased Monitor for under £50.00....
I now bring you a 12" High Definition model for under £80.00.
No one has ever sold a display at only £3.25 per MHZ.

9"
PM-101



* 24 MHZ Bandwidth (at 3dB points).
* 80 Characters per line x 24 Lines comfortably.
* High resolution gun P31 Fivre Display tube.
* 110° Scanning Angle for high brightness & good corner resolution.
* Input sensitivity 0.5V to 4V p–p.
* Produced Prince Spa one of Europe's largest & most experienced specialist manufacturers. Thus guaranteeing quality & reliability.
* Geometric distortion less than 2%.
* Attractive lightweight plastic case.
* Initial supplies available in Apple colours.
* Other colours available by popular request.

Other sizes and wire frame types available for the larger users.

CROFTON ELECTRONICS LIMITED

35 GROSVENOR ROAD, TWICKENHAM, MIDDLESEX TW1 4AD

Telephone 01-891 1923/01-891 1513 Telex 295093 CROFTN G

● Circle No. 148

SHARP MZ-80B

WORLD BEATING VERSATILITY

Take a look at the MZ 80B, it is an incredibly good machine ● Probably the best graphics of any microcomputer ● Very fast operation – 4 Megahertz Z80 ● Double sided, double density disk drives (optional) – 560K of store ● User friendly – pleasant and easy to use ● Superb build quality – if anything it is over engineered ● 3 available disk operating systems – Sharp DOS, FDOS & CP/M ● Plenty of languages – BASIC, Double Precision BASIC, BASIC Compiler, PASCAL Interpreter ● Single unit – screen, keyboard, fast cassette interface (1800 bits/sec). See the MZ 80B at your nearest Microcomputers at Laskys.

MZ 80B Computer 64K Nett: 1095.00 Vat: 164.25 Total: 1259.25

10 Shops Nationwide

Birmingham
19/21 Corporation Street, Birmingham, B2 4LP.
Tel: 021-632 6303. Manager: Peter Stallard.
300 yards from Bullring Centre.

Bristol
16/20 Penn Street, Bristol, BS1 3AN. Tel: 0272 20421.
Between Holiday Inn and C & A.

Chester
The Forum, Northgate Street, Chester, CH1 2BZ.
Tel: 0244 317667.
Manager: Jeremy Ashcroft. Next to the Town Hall.

Edinburgh
4 St. James Centre, Edinburgh, EH1 3SR.
Tel: 031-556 6217. Manager: Colin Draper.
East end of Prices Street, St. James Centre.

Preston
1/4 Guildhall Arcade, Preston, PR1 1HR.
Tel: 0772 59264.
Manager: Jim Comisky. Directly under Guild Hall.

Manchester
12/14 St. Mary's Gate, Market Street,
Manchester, M1 1PX. Tel: 061-832 6087.
Manager: Lesly Jacobs. Corner of Deansgate.

Glasgow
22/24 West Nile Street, Glasgow, G7 2PF.
Tel: 041-226 3349. Manager: David Livingstone.
Between Buchannan Street and Central Station.

Sheffield
58 Leopold Street, Sheffield, S1 2GZ.
Tel: 0742 750971. Manager: Justin Rowles.
Top of the Moor, opposite Town Hall.

Liverpool
33 Dale Street, Liverpool, L2 2HF.
Tel: 051-236 2828. Manager: Mark Butler.
Between the Town Hall and Magistrates Courts.

London
42 Tottenham Court Road, London, W1 9RD.
Tel: 01-636 0845. Manager: Vass Demosthenis.

Laskys, the retail division of the Ladbroke Group of Companies

MICROCOMPUTERS AT LASKYS

● Circle No. 149

S.B.D. SOFTWARE
15, Jocelyn Road, Richmond TW9 2TJ.
Tel: 01-948 0461. Telex: 22861

PURCHASE YOUR COMPLETE APPLE II COMPUTER SYSTEM FOR THE LOWEST PRICE IN THE U.K.

1 APPLE II EURO PLUS 48K
1 DISK DRIVE WITH CONTROLLER
1 DISK DRIVE WITHOUT CONTROLLER
1 HITACHI 10" MONITOR
1 EPSON MX-80FT PRINTER + INTERFACE
1 MAGIC WINDOW WORD PROCESSOR
1 BASIC MAILER
1 VISICALC 3.3
1 DAN PAYMAR LOWER CASE ADAPTOR
1 BOX OF DISKETTES

ALL ITEMS GUARANTEED 1 YEAR
ALL MANUALS INCLUDED
LIMITED QUANTITIES AVAILABLE! HURRY!

ALL FOR ONLY £1,975.00
CREDIT CARD SALES ADD 3%

BUSINESS SOFTWARE

MAGIC WINDOW, BASIC MAILER, DAN PAYMAR – All 3 for £145.00.
MAGIC WINDOW will instantly convert your Apple system into a word-processor, no modification or fancy gadgets to buy. Magic Window's 4-way scrolling allows you to type up to 80 CHARACTERS per line, will show you exactly how your letter will be printed. Inserting, deleting, centering, you can see it all on the screen. **£79.95**
BASIC MAILER is a mailing list merge system design to take **MAGIC WINDOW** documents, files and replace names, addresses or any other sections of the document with individual data, creating customised letters, invoices, etc. **£49.95**
DAN PAYMAR lower case adaptor. **£39.95**
VISICALC 3.3 THE UPGRADED VERSION **£99.00**
VISIDEX A most useful cross-reference of information. **£99.00**
VISIPLOT Plot your data onto high-res. graphs. **£75.00**
BRAIN SURGEON Thoroughly test your Apple II. **£30.00**
D.B. MASTER Computed fields, Statistical Analysis **£130.00**

UTILITIES

EXPEDITER II At last you can compile your Applesoft programs into machine code and watch it run 2-20 times faster. **£75.00**
CRAE Co-Resident Applesoft Editor. Anyone writing software on the apple needs this editor. **£19.95**
CRAE & MCAT **£29.95**
SUPER DISK COPY III The most versatile copy program on the market. Initialize a diskette with or without DOS sectors. Copy files one by one or the entire disk. View the catalog and then see a display of the diskettes free and used sectors. Copy DOS 3.2 to 3.3 and visa-versa, many other commands. **£24.95**
APPLEGUARD Protect against bit copiers, protect your software. **£200.00**
AOPT – APPLESOFT OPTIMIZER, remove REM's. Pack as many instructions as possible per line. **£19.95**
APLUS – STRUCTURED BASIC. Write programs in a structured manner with your new additional commands and then compile into a regular APPLESOFT program. **£19.95**
DOS PLUS. Three new DOS Commands built-in 5 commands are user-definable. You can now FLIP easily between DOS 3.3/3.2 from within the program. Also DOS Command Editor. Edit the names of the DOS commands and initialize disks with your own DOS. **£19.95**
DISK RECOVERY Scan your disks and mark faulty tracks so they are not used. Also able to **REDO VTOC** which may re-cover your messed-up disk. **£24.94**
BACK-IT-UP Bit copier to back-up your protected software. **£50.00**

ARCADE GAMES

Space Warrior	£12.95	Star Mines	£14.95
Alien Rain	£12.95	Apple Panic	£14.95
Snoggle	£12.95	Sneakers	£17.95
Demon Derby	£12.95	Raster Blaster	£17.95
Galaxy Wars	£12.95	Star Thief	£17.95
Gobbler	£12.95	Space Quarkes	£17.95
Star Cruiser	£12.95	Missile Defence	£17.95
Alien Typhoon	£13.95	Pegasus II	£17.95
Space Eggs	£14.95	Threshold	£19.95
Autobahn	£14.95	Epoch	£19.95

ADVENTURE GAMES

Mission Asteroid	£9.95	Ulysses & the golden fleece	£17.95
Mystery House	£12.95	Oldorf's Revenge	£11.95
The Wizard & The Princess	£17.95	Tarturian	£14.95
Cranston Manor	£17.95	Creature Venture	£14.95
Soft Porn Adventure	£17.95	Wizardry	£25.00

CARD & SPORT GAMES

German Whist	£9.95	Cribbage	£12.95
International Grand-Prix	£16.95	Pool 1.5	£18.95
Draw Poker	£14.95	Hi-Res Soccer	£22.95

STRATEGY GAMES

Galactic Empire	£12.95	Tawala's Last Redoubt	£14.95
Galactic Trader	£12.95	Golden Mountain	£9.95
Galactic Revolution	£12.95	Kubic	£9.95

Add 15% VAT. Postage and Packing Free.
Dealer enquiries welcome.
Write or phone for full catalogue of available software.

● Circle No. 150

A high-resolution graphics add-on is put through its paces by Chris Malcolm, who offers some advice on connecting it up and using it with your system.

IOSL graphics for the Nascom

WITHIN the limitations of black and white dots on a TV screen, the IOSL graphics board offers about as high a resolution as you can get. As well as being better than most other TV-based high-resolution systems, it is also unusually versatile and cheap. Though designed as an add-on to the Nascom 2, its intimate combination of software and hardware is of general applicability.

Every designer of a memory-mapped screen faces the same problem: How do I get the bytes from the memory map fed to the screen at the right rate? Clearly, a system is required to call consecutive bytes from memory and feed them ultimately to the video-shift register. This is just the sort of thing which processor chips do — and there is already a processor chip in the system. Unfortunately, the processor on its own just cannot work fast enough. It needs extra hardware assistance, and there are some software problems to be solved.

The silicon hardware designers are solving their video-control problems by putting ever more sophisticated video controllers into chips. The trouble with hardware is, of course, that it cannot give you more facilities than the designers originally built in.



The IOSL board, right, and the extra connections needed to attach it to the underside of the Nascom memory board.

This limitation is removed in the IOSL video driver, which combines the processor with software to give extra flexibility. It allows you to change parameters and add facilities, and if you have a special need you can rewrite the driving software.

The IOSL board offers high-resolution bit-mapped graphics. Each bit in a certain block of memory is mapped to a particular point on the screen. The smallest point that can be made on the screen is the size of the dot of an "i". If the bit is set, the point is illuminated on the screen. A byte containing 255 therefore appears as a short horizontal line, eight dots long.

The board offers 384 horizontal points by 224 vertical points, which is exactly the same resolution as that used by the Nascom 2 to draw its characters on the screen. You can, therefore, invent your own signs and symbols and mix them with the original character set without any mismatch in appearance. The original 1K memory map and the bit map can be enabled separately or together, so that you can mix ordinary text and bit-map graphics quite freely.

The graphics board has to be physically tied in to a particular 16K section of your memory. Under software control, this memory can be used for normal purposes when not being used for a bit map. The starting address and number of lines in the map are software parameters which allow you to scroll smoothly or switch simply and quickly between different maps.

A full 384 x 224 map requires 10.5K of memory. The 16K memory allocated to the board allows you to hold two picture areas, each of up to 384 x 170 lines. You can draw in one while displaying the other, and then make an instant switch.

A fully assembled and tested board costs £63.25, including VAT at 15 percent. It comes with cables and socket to patch it in — it requires connection to both processor and memory board, type A or B — and software routines on cassette. The software can be used from Basic or machine code to plot points, draw lines and fill rectangles with patterns. There is a demonstration program and good documentation which includes full installation instructions and assembler listings of the routines.

The IOSL provides all the clarity and resolution you could ask from a hobby machine driving a TV, though there are some snags. You have to do some delicate soldering to the underside of the board or the chip's legs. The board needs 20 connections to the memory board and 10 to the processor.

If you follow the manufacturer's instructions you end up with the boards wired together via the graphics connector. To avoid this, I introduced a separate connector to the processor board. Though this should not present a problem to someone who has already soldered up a Nascom 2 and made it work, it is not a job for the beginner. It is rather untidy too, but a plug-in board graphics facility would be much more expensive.

The software uses interrupts, and



Nascom owners should all know about the annoying bug in NasSys-1 which makes it effectively non-interruptable. If you have NasSys-1 you cannot plot from Basic, and you must not use NasSys routines in your own assembly or hex code.

If you have NasSys-3 you can use NasSys routines and Basic without restriction. NasSys-3 is worth having anyway, if only for the repeating keyboard and character-display tabulator. The routines are entirely self-contained, and can be used with any software regime which is interruptable, not just NasSys.

When the graphics display is enabled — a software function — it uses up processor power since the processor forms part of the video driver. A full-size display at full refresh rate uses 75 percent of the processor power, so other software runs at 25 percent of normal speed.

Processor power

The amount of processor power used depends on both the size of map being displayed and the refresh rate. At the 50Hz maximum refresh rate the display is solid and clear. At the optional 25Hz refresh rate the picture is slightly dimmer, and has a noticeable flicker. For some reason the flicker is most objectionable if there are large white areas on the screen, though it is barely noticeable on sparse drawings.

As the refresh rate and the size of the display are reduced, so is the amount of processor power consumed:

	Full size	Half size
50Hz	75 percent	33 percent
25Hz	33 percent	20 percent

Smaller displays consume even less. When the display is not enabled there is no overhead. Reset always disables the graphics board. When speed is paramount, the display can be disabled or switched to the 25Hz rate. You can draw while the display is not enabled; you can, for example, draw a complex game picture while a player is reading the instructions or entering the parameters.

If you want to move graphics on the screen you need either carefully optimised Basic or machine code. Fixed pictures can be written to cassette in the normal way and read in as part of the program. You must disable interrupts or Reset before using cassette I/O.

(continued on next page)

(continued from previous page)

The board requires the Nascom 2 to run at 4MHz. It is not affected by Wait states, but you should alter a timing loop if you run at 4MHz without Waits, as indicated in the documentation. Otherwise you will lose a few dots off the end of a line.

Seven functions are provided by the software:

Initialise hardware
Clear display
Set point
Unset point
Draw a line
Undraw a line
Fill a rectangle with a pattern

You can also add your own. Functions are accessed by a jump table with space for more entries. They are called as subroutines from machine code, or as USR(n) from Basic.

Additional functions

It is no more difficult to use the functions than the Set/Reset of the standard Nascom blot graphics. It is a pity there is no facility corresponding to the Basic Point

```
IF POINT(X,Y) THEN
```

but it is not hard to add it if required. It could even be done in Basic by some such command as

```
IF PEEK (START + Y* 48 + X/8) AND
(X-INT(X/8))* 8 < > 0 THEN ...
```

The IOSL exploits the Nascom system clock which also provides the rate at which the video-shift register is fed with bytes. There is not enough time for the Z-80 to fetch a byte and supply it to the shift register. The shift register is fed at the same rate as the Z-80 can execute a NOP instruction when running at 4MHz without a Wait state. The board turns off Waits when it needs to.

The processor is interrupted at the top of the screen, finds out the start and size of the bit map, synchronises itself to the next horizontal line on the screen, enables the board and starts to execute code at the bit-map address. The Z-80 first reads the instruction by putting up the address of the byte, which causes the memory chips to output the data to the data lines.

The IOSL board, which is patched into the memory board, snitches the data, puts it into its video-shift register and puts a zero byte out on the data highway. The Z-80 innocently executes this NOP command and proceeds to the next instruction, and so the process continues.

The graphics board has also been patched into the Nascom's own video-shift output. Depending on how it was initialised by the processor via two port bits, it either suppresses the ordinary video output, substituting its own, or Ors it with its own, allowing text and graphics to be mixed.

The board lacks the capability to choose between Oring or XOring the two screen maps together. The XOr — exclusive Or — would allow text to be written over graphics without the risk of obliterating some characters. A white letter written over a white background would make the letter turn black, in reverse video. The eye is well able to read letters presented in this way, even if XOred with fairly complex graphic detail. Adding this facility would provide the full Nascom character set or any bit-mapped graphics picture in reverse video.

Giving a choice between Oring or XOring the two maps I would always choose XOr. Most graphics facilities do not allow even an Or, due mainly to lack of compatibility between dot sizes. The mixed text and graphics provided by the IOSL board allow the simple construction of very neat tables and diagrams which would otherwise be unobtainable.

One very important — and often neglected — characteristic of graphics facilities is whether or not they are square. In other words, if you draw a square 100 points by 100 points, does it look like a square or is it a rectangle? Do circles look like circles or ellipses? Frequently you have to introduce a squaring-up factor into your software, which is a nuisance and slows down the speed at which the software will run. If you are using a TV as a monitor you may be able to square up the graphics display by adjusting the vertical size control.

Patching in

In my own Nascom the processor card was mounted along the back of a Vero card cage, with the memory board at right angles. The graphics board can be integrated more neatly by sandwiching it between the processor and memory board, swinging the processor round to the front and giving it a recessed socket.

One end of the graphics board is physically supported by the stiffness of the wires connected to the socket. The other end can then be supported by rubber bands threaded through the holes and attached to wire hooks clipped over an extra set of card guides provided for the purpose. A thin piece of foam insulates the exposed undersides of the memory and graphics boards.

To the newcomer, the possibilities of high-resolution graphics are not immediately obvious. As well as being much more spacious than low-resolution graphics, there is also considerable interest in the way in which software can be generalised and modularised.

A typical routine calculates the new ordinate of a three-dimensional point and its projection on to the X,Y of the screen after the axes have been moved and rotated. A drawing of a solid object is entirely made up from a number of points joined by lines.

The picture of a ringed planet was constructed from one simple ellipse-drawing routine. It was written in Basic without any consideration for speed, and takes over 10 minutes to draw. The routine has to calculate the position of each point in the picture. With 384 points in a line and 224 lines it is not surprising that the calculations take some time.

For most purposes, the degree of precision is quite excessive. To display perspective views of alien spacecraft zooming towards you requires assembly-language software which has been carefully crafted for speed. If the spaceship is a complex drawing and the background is a few stars you can do almost as well with shift pointers to move the whole picture and then move the stars back.

It can often be useful to mix two maps. You can use Basic to move the ordinary characters around against a background



drawn on the bit map for precision placing. Only the starting and finishing positions need to be drawn on the bit map. You can invent your own backdrop for space invaders and load it separately from cassette. Assembly-language routines for drawing and undrawing shapes can be called from Basic.

Graph paper can be drawn with the rectilinear-drawing character set, allowing bit-mapped graphs to be moved around over it. By putting the ordinary character set into the bit map, text can be scrolled smoothly instead of jumping line by line.

Part of the cost of commercially-available graphics systems is due to the very fast, powerful processors needed to do the necessary calculations in a reasonable time. The speed limitations of an eight-bit microprocessor are clearly felt. You can use it to draw anything you like, though it can be very slow. If you are prepared to be clever in assembly language, the arcade games show what kind of performance you can aspire to.

Conclusions

- **Supplier: IO Systems Ltd, 6 Laleham Avenue, London NW7 3HL.**
- **The IOSL board provides a high-resolution of 380 x 220, the same as that of the standard character set. Horizontal and vertical resolution is equal.**
- **The board's graphics are usable in combination with a standard display.**
- **The bit map is accessible directly in memory space, or via drawing routines. It uses 10.5K of memory, but unused areas of the bit map are free for other purposes.**
- **The IOSL graphics board has to be patched in to the main memory and processor boards.**
- **The board provides good-quality graphics and is good value for money.**

Consolidated Forecast	OVERHEADS			1/3/82	
	TOTAL	QR1	QR2	QR3	QR4
Personnel Costs					
321 Weekly wages	30,000	9,231	6,923	6,923	6,923
326 Pension	610	188	141	141	141
384 Prof services	2,250	692	519	519	519
Vehicle Costs					
413 Vehicle deprec	2,500	769	577	577	577
451 Motor tax	70	22	16	16	16
452 Motor insurance	270	83	62	62	62
454 Accomodation	1,360	418	314	314	314
Various Costs					
455 Post, tel, fares	1,360	418	314	314	314
456 Vehicle service	400	123	92	92	92
457 Fuel	1,280	394	295	295	295
458 Entertaining	200	62	46	46	46
459 Miscellaneous	720	222	166	166	166
TOTAL	41,020	12,622	9,466	9,466	9,466

Prepared by Chief Accountant for Financial Director: all figures in #000s

Menu-driven Mars is designed to run under CP/M. The system majors on the fact that, unlike VisiCalc or MicroModeller, you are not obliged to learn a series of commands to operate it. Peter Wood examines its features.

Financial modelling: Mars plots the trends

FINANCIAL MODELLING and planning is fast becoming one of the most popular applications for microcomputers. Diverse companies, from multinationals to one-man businesses, are trying their hands on one system or another. VisiCalc has become a firm favourite for its "instant" re-calculation facility, and MicroModeller for its ability to predict trends and perform consolidation.

Now another package has been launched, apparently to compete with MicroModeller, on the CP/M system. The Management Accounting and Reporting System, Mars, has been developed in the U.K. by Sapphire Systems of Benfleet, Essex, and will run on Superbrain, North Star Horizon, Rank Xerox 820 and Digital Microsystems. The conversion for Olympia and AI ABC is currently under way and Sapphire says it will convert to other machines if the market demands it. Perhaps the major feature of Mars is that it is menu-driven, supplying the user with simple numbered options, as opposed to the requirement of memorising a series of commands such as in VisiCalc. This menu facility must make the system very simple to grasp, even for the first-time computer user.

We tested Mars on a Superbrain with 700K of disc storage. Starting up the system is straightforward. After switching on the computer, you insert the Mars system disc in drive A, and after a few seconds the main menu is displayed. Four options are offered:

- to run a job,
- to create or edit a job,
- to prepare a new disc
- to carry out disc maintenance.

On some versions of the system a fifth option is provided to allow configuration of the printer ports, as on the Superbrain.

The system manipulates data in a matrix format, effectively behaving like a balance sheet, with each column and row numbered. Before being able to do any useful work, the user must configure job files to tell the system how to set up this balance sheet and how to print the finished result. These jobs consist of four sections accessed by the job editor which is contained on a separate diskette:

- Job description sets out a few basic details about the job; the name, of up to eight characters; a slightly more lengthy and informative textual description, of up to 24 characters; and the size limitations of the reports to be generated.
- Matrix specifications defines the size of the matrix and various sources from which raw data is to come, whether manual input from the keyboard, automatic input from a range of data files, or a combination of the two.
- Calculation specifications defines the set of calculations which are to be performed on the data in order to produce the required set of results.
- Report layout contains a full specification of every aspect of the report format, indicating how the pages are to be set out, which information is to be printed, how it is to be presented and where.

Once the job specification has been fully defined, Mars can then be commanded to carry out the job, by selecting option 1 from the main menu. There are a number of steps involved in carrying out a job, each of which is accessed again from a menu. The five steps are:

- Keyed input. The most common way of entering data into a modelling program is via the keyboard. This section of the system allows entry of new data, and examination and alteration of existing data. Prompts are supplied to the user in the form of the Row and Column descriptions defined earlier in the Job Editor.
- Input from files. After a job has been run for the first time, it is possible to store the information held in the program's matrix as a named file. This means that the same data can be reused, or that data from one matrix can be input to another matrix, as might be required in consolidation. Data can also be retrieved from files generated by another program, such as a ledger accounting system.
- Executing commands. Once data has been entered in the array, calculations can be performed upon it, either by executing the calculations previously set up in the job editor, or by manual entry of calculations from the keyboard. The results are stored in specific locations in the matrix, again defined under the job editor. The feature also displays any part of the matrix on the screen to view, for instance, the results of calculations.
- Printing the report. Having carried out all the manipulation of data required and produced the necessary results of the calculations, the report may be printed. The layout of the report will be as set out within the job editor.
- Executing the whole job. Where a job becomes a standard job, and the requirement exists to run it on a regular basis, this option may be used. Input from files, execution and printing are performed in sequence, so that the data is read in, calculations are made and the reports produced entirely without operator intervention.

Mars revolves around disc files of various types. Job files contain the specification for the job in question; data files contain stored matrices or raw input data. The system therefore provides for considerable disc maintenance, including the

(continued on next page)

(continued from previous page)

preparation of diskettes for use as data discs and the archiving and back-up of data files from disc to disc. The archiving facility could be particularly useful if space is required on the normal working discs, and some seldom-used jobs exist that could be archived to make room for new tasks.

A useful feature available when setting up a new job is the ability to base it on any existing jobs on file. If you are creating your first job ever, and have nothing at all to base it on, the system comes with a default job already set up. This is a "standard" job, intended to act as basis for future work you may wish to perform. It has a matrix of 56 rows by 13 columns: the rows are labelled "Row No. 1", "Row No. 2" and so on, and the columns are labelled from "January" to "December" and "Annual Total". It is relatively simple to change these parameters, and the monthly column headings may often be suitable for financial work and obviate a good deal of tedious typing.

After typing in the name of the job to be created, and supplying the name of the old job on which to base the new one, the user is presented with a menu with four options:

- to work on the job description
- to work on the matrix
- to work on the calculations
- to work on the report layout

The Return key terminates the editing session and allows selection of:

- re-editing the current job,
- working on another job,
- abandoning and deleting the current job,
- returning to the main menu.

The job description option allows entry of the job description and status — either partially or fully defined — which determines whether or not the system will allow execution of the job, and defines the basic layout of the printed report.

The layout configuration includes the number of columns per page; the length of the row and column descriptions; the default "picture" for amounts, which specifies how many digits and decimal places are allowed; and the page size, which will depend on the type of printer to be used.

There are five sub-options within the matrix-specification option.

- to edit the matrix size for inspection or alteration of the size of matrix required, which may be expanded or contracted at will;
- to Enable or Disable keyed input to the columns, for specifying which columns will accept manually keyed data;
- to enable or disable keyed input to the rows for specifying which rows will accept manually keyed data;
- set up source-file descriptions to name the files that will provide automatic input of data from disc;
- edit the keys for key-matched file input in order to set up a sophisticated system of controlling where the file-input data will be placed within the matrix.

The matrix size can be as large as 4,000 elements in a 64K machine, which should be more than enough for most applications. If the size of the problem eventually outgrows the matrix originally specified, it is possible to expand up to this maximum at a future date without loss of data. Contraction of the matrix is also allowed. The system prompts the operator for the rows or columns to be deleted as required.

Keyed input is allowed to any column or row the user chooses, and is signified by a Yes if allowed or No if not. This level of simplicity of operation is apparent throughout the system and makes a welcome change from some of the more obscure methods of other packages.


Editing Keyed Input Details by Column for PC TEST
Matrix Size: 56 X 13
Column Title No Keyed Column Title No Keyed
January 1 Yes June 6 Yes
February 2 Yes July 7 Yes
March 3 Yes August 8 Yes
April 4 Yes September 9 Yes
May 5 Yes October 10 Yes
Enter Column No to change, RETURN for further display or ESCAPE to EXI

File input may come from three types of disc file:

- keyed-input files, which contain data taken directly from the keyboard,
- saved-matrix files, which contain data from a defined matrix and may include the results of previous calculations
- other files, which will have been created by some other package for input to the Mars program.

The user specifies the type of file, which may be:

K — keyed S — saved matrix
O — other .

A "K" file needs no further qualification since the positions within the matrix for the data have been previously defined when it was keyed. An "S" file is slightly more complex: the facility exists to tell the system which columns or rows of the saved matrix to read and where to insert them within the current matrix, or to consolidate the entire saved matrix into the current file. The "O" file option allows the operator to specify the size and position of particular fields within the externally-produced file for input into the matrix, along with the size, position and content of a key field which is used to select or reject records from the file.

This whole procedure is complicated, but it does allow for very versatile operation. It is possible, for example, to search a stock file and pick out the quantities, selling and buying prices, and month-to-date figures for a particular group of items and bring those figures into play within the matrix set up.

Once the basic data has been read into the matrix, the next step in most applications is to perform a series of calculations on the figures to produce a set of results. The Mars calculation-specification option, assessed through the job editor is used to enter the calculation set-up program.

Calculations are entered line by line, using a fairly sensible editor which allows insertion and deletion of lines as well as editing of characters within the lines. The basic form of a calculation is:

Operator 1 Operand 1 Operator 2 Operand 2 Operator 3 Operand 3

An example of this would be

MULT R1, 1-6 BY R2 GIVING R3

This means: starting with column 1, take each successive element of row 1; multiply it by the corresponding element in row 2, and store the result in the same column of row 3 and do this for all columns from 1 to 6.

The mathematical instructions available are

Add, Subtract, Multiply, Divide, Total, Move, Assign, Percentage, Spread, Zero, Save, Display, Calculate nett present value, Calculate discount rate forcing nett present value of cash flow to be zero, Calculate time to recover initial investment, If conditional set, Grow — extrapolate

The final set-up required is the report layout, which is called from the job-editor menu. Columns and rows may be titled, and the operator may select which are to be printed, and which are not. The formatting of the results may also be decided at this point, defining the "picture" for the figures — 99999.99 for example. It is also possible to select underlining of headings, underlining and overlining of figures, and the general layout of each line and the whole page.

Having used the job editor to set up all the previous parameters, the run option is selected from the main menu to execute the job. After entering the date, and selecting the specific job to be run, the following options are displayed.

- Keyed input
- File input
- Execute commands
- Print report
- Execute complete job

The operator may now proceed to feed data into the matrix, perform calculations on it and produce the final printed report. Data may come from the keyboard, from files, or from a mixture of the two. Calculations may run automatically, or be keyed in directly. In any case the results will finally appear in the printed report, which is the package's main purpose.

Conclusions

- **The menu-driven style of the package was clear and easy to use.**
- **The manual was well written and easy to follow.**
- **Calculations were a little slow at times, but Sapphire claims to have speeded this up considerably.**
- **The overall flexibility of the program was good, allowing for most financial requirements in a relatively simple manner.**
- **The ability to both analyse existing data and project trends is very powerful.**

THE SHARP MZ-80K HAS GOT IT ALL

STOP PRESS... NOW AVAILABLE
BASIC COMPILER
PASCAL (CASSETTE BASED)
DOUBLE PRECISION DISC BASIC

Since its introduction the Sharp MZ-80K has proved to be one of the most successful and versatile microcomputer systems around. Sharp now have a comprehensive range of products ready to make the powerful MZ-80K with its Printer and Disc Drives even more adaptable.

Products include:- Universal Interface Card, Machine Language and Z-80 Assembler packages, CP/M* plus a comprehensive range of software.

*Trade mark of Digital Research Ltd.

You'll find all the help and advice you need about the MZ-80K at your Specialist Sharp Dealer in the list below.

If there is no dealer in your area, or if you require any further information write to:- Computer Division, Sharp Electronics (UK) Ltd., Sharp House, Thorp Road, Newton Heath, Manchester M10 9BE.

SHARP
First, and foremost

GET IT ALL HERE...

AVON
BCG Computer Systems Ltd.,
Bristol. Tel: 0272 425338
Decimal Business M/Cs Ltd.,
Bristol. Tel: 0272 294591
BERKSHIRE
Computer 100,
Bray. Tel: 0628 35619
Newbear Computing Store Ltd.,
Newbury. Tel: 0635 30505
BIRMINGHAM
Camden Electronics,
Small Heath. Tel: 021 773 8240
Electronic Business Systems Ltd.,
Birmingham. Tel: 021 384 2513
Jax Rest Ltd.,
Birmingham. Tel: 021 328 4555
Newbear Computing Store Ltd.,
Birmingham B26.
Tel: 021 707 7170
BUCKINGHAMSHIRE
Curry's Microsystems,
High Wycombe. Tel: 0494 40262
Interface Components Ltd.,
Amersham. Tel: 02403 22307
CAMBRIDGE
The Avery Computing Co Ltd.,
Bar Hill. Tel: 0954 80991
CHESHIRE
Bellard Electronics Ltd.,
Chester. Tel: 0244 380123
Charlesworth of Crewe Ltd.,
Crewe. Tel: 0270 56342
Chandos Products,
New Mills. Tel: New Mills 44344
CR Technical Services,
Chester. Tel: 0244 317549
Fletcher Worthington Ltd.,
Hale. Tel: 061 928 8928
Newbear Computing Store Ltd.,
Stockport. Tel: 061 491 2290

Ors Group Ltd.,
Warrington. Tel: 0925 67411
Sumlock Software,
Warrington. Tel: 0925 574593
CLEVELAND
Hunting Computer Services Ltd.,
Stockton-on-Tees. Tel: 0642 769709
Intex Datalog Ltd.,
Stockton-on-Tees. Tel: 0642 781193
DEVON
Plymouth Computers,
Plymouth. Tel: 0752 23042
DURHAM
Neecos (DP) Ltd.,
Darlington. Tel: 0325 69540
ESSEX
Prorole Ltd.,
Westcliff-on-Sea. Tel: 0702 335298
Wilding Office Equipment,
Ilford. Tel: 01 514 1525
GLOUCESTERSHIRE
Gloucestershire Shop Equipment Ltd.,
Gloucester. Tel: 0452 36012
The Computer Shack,
Cheltenham. Tel: 0242 584343
HAMPSHIRE
Advanced Business Concepts,
New Milton. Tel: 0425 618181
Xitan Systems Ltd.,
Southampton. Tel: 0703 38740
HEREFORD
BMP,
Little Dewchurch. Tel: 021 643 3832

HUMBERSIDE
Commercial Systems Ltd.,
Hull. Tel: 0482 20500
Silicon Chip Centre,
Grimsby. Tel: 0472 45353
KENT
Technolink Europa Ltd.,
Tunbridge Wells. Tel: 0892 32116
Video Services (Bromley) Ltd.,
Bromley. Tel: 01 460 8833
LANCASHIRE
Nelson Computer Services,
Rawtenstall. Tel: 0706 229125
Sumita Electronics Ltd.,
Preston. Tel: 0772 51686
The Micro Chip Shop,
Blackpool. Tel: 0253 403122
LEICESTERSHIRE
Gilbert Computers,
Lubenham. Tel: 0858 65894
G.W. Cowling Ltd.,
Leicester. Tel: 0533 553232
Leicester Computing Centre,
Leicester. Tel: 0533 556268
Mays Hi-Fi,
Leicester. Tel: 0533 22212
LINCOLNSHIRE
Howes Elect & Autom. Servs.,
Lincoln. Tel: 0522 32379
Z.R. Business Consultants,
Lincoln. Tel: 0522 31621
LONDON
Bridgewater Accounting,
Whetstone. Tel: 01 446 0320
Butel-Comco Ltd.,
Hendon. Tel: 01 202 0262
Central Calculators Ltd.,
London EC2. Tel: 01 729 5588
Deans,
London W8. Tel: 01 937 7896

Digital Design and Development,
London W1. Tel: 01 387 7388
Euro-Calc Ltd.,
London EC2. Tel: 01 729 4555
Lion Computing Shops Ltd.,
London W1. Tel: 01 637 1601
Scope Ltd.,
London EC2. Tel: 01 729 3035
Sumlock Bondain Ltd.,
London EC1. Tel: 01 253 2447
MANCHESTER
The Byte Shop,
Manchester M1. Tel: 061 236 4737
Sumlock Electronic Services Ltd.,
Manchester M3. Tel: 061 834 4233
MERSEYSIDE
Microdigital Ltd.,
Liverpool. Tel: 051 227 2535
NORFOLK
Sumlock Bondain (East Anglia)
Norwich. Tel: 0603 26259
NORTHAMPTONSHIRE
Computer Supermarket,
Corby. Tel: 05366 62571
NORTHERN IRELAND
Bromac (UK),
Co. Antrim. Tel: 023831 3394
O & M Systems,
Belfast. Tel: 0232 49440
NOTTINGHAMSHIRE
Mansfield Business M/C Ltd.,
Mansfield. Tel: 0623 26610
OXFORDSHIRE
Oxford Computer Centre,
Oxford. Tel: 0865 45172
REPUBLIC OF IRELAND
O'Connor Computers Ltd.,
Galway. Tel: 0009 61173
Sharptext,
Dublin 2. Tel: 0001 764511
Tommorrows World Ltd.,
Dublin 2. Tel: 0001 776861

SALOP
Computer Corner,
Shrewsbury. Tel: 0743 59788
SCOTLAND
A & G Knight,
Aberdeen. Tel: 0224 630526
Business and Electronics M/Cs,
Edinburgh. Tel: 031 226 5454.
Esco Computing Ltd.,
Glasgow. Tel: 041 204 1811
Micro Centre,
Edinburgh. Tel: 031 556 7354
Micro Change,
Glasgow. Tel: 041 554 1462
Microforth,
Dunfermline. Tel: 0383 34954
Moray Instruments Ltd.,
Elgin. Tel: 0343 3747
Pointer Business Equipment Ltd.,
Glasgow. Tel: 041 332 3621
SOMERSET
Norset Office Supplies Ltd.,
Cheddar. Tel: 0934 742184
STAFFORDSHIRE
W.B. Computer Services,
Cannock. Tel: 0543 75555
SUFFOLK
C.J.R. Microtek Co. Ltd.,
Ipswich. Tel: 0473 50152
SURREY
3D Computers,
Surbiton. Tel: 01 337 4317
Microlines Ltd.,
Kingston. Tel: 01 546 9944
Petalect,
Woking. Tel: 04862 69032
R.M.B. Ltd.,
Croydon. Tel: 01 684 1134
Saradan Electronic Services,
Wallington. Tel: 01 669 9483

SUSSEX
Crown Business Centre,
Eastbourne. Tel: 0323 639983
Gamer,
Brighton. Tel: 0273 698424
M & H Office Equipment
Brighton. Tel: 0273 697231
WALES
Limrose Electronics Ltd.,
Wrexham. Tel: 097 883 5555
Morriston Computer Centre,
Swansea. Tel: 0792 795817
Sigma Systems Ltd.,
Cardiff. Tel: 0222 21515
WARWICKSHIRE
Business & Leisure Microcomputers,
Kenilworth. Tel: 0926 512127
WILTSHIRE
Everyman Computers,
Westbury. Tel: 0373 823764
YORKSHIRE
Bits & P.C.'s
Wetherby. Tel: 0937 63744
Datron Micro-Centre Ltd.,
Sheffield. Tel: 0742 585490
Huddersfield Computer Centre,
Huddersfield. Tel: 0484 20774
Omega,
Leeds. Tel: 0532 704499
Ram Computer Services Ltd.,
Bradford. Tel: 0274 391166
Superior Systems Ltd.,
Sheffield. Tel: 0742 755005

Also at selected Lasky's and Wildings Office Equipment Branches.

● Circle No. 151

GRAND-PRIX PRACTICE

Don Thomasson presents a program to calculate and maintain records for sport and business.

EACH YEAR, a number of Formula One motor races are run as qualifying rounds for the World Championship of Drivers. There are as many as 17 races, and about 40 drivers, some of whom drive more than one type of car during the season. Before each race there are practice sessions, timed to a millisecond, and the order in which the drivers line up on the starting grid is determined by the best lap times they set during practice, the fastest of all being placed in "pole position" at the front.

Because the lap distance for each race is different, the bare times convey relatively little. By calculating the times as percentages in excess of "pole time" the differences can be removed, and a useful performance index can be derived. An average for the whole season can then be calculated to give an interesting and illuminating indication of the merits of individual drivers in terms of pure speed. The fastest may not become champion, perhaps because he performs unreliably while a slower driver finishes more of his races.

The Practice program uses MBasic and is written for a system with at least one disc drive, running under CP/M. It first enquires whether a file of existing data is to be read in. The answer will usually be "Y", except at the beginning of a season when no data exists. Any other answer causes the data arrays and the variables to be reset by the routine starting at line 1790. This may be unnecessary, since Run clears data in any case, but the routine is required for other purposes and it ensures that unwanted data is cleared.

Whether a file is read in or not, the year must be input to form the heading of the printout of results. It is also incorporated into the file name, so that the data for any given year can be pulled out at will. Each year's files occupy about 8K of disc space.

One file corresponds to the AA array, which contains all the numeric data. The second file relates to the arrays CB$ and DB$ which hold the names of car-and-driver combinations. They are read in by lines 100 to 300.

Discs too slow

Next comes the main menu, lines 310 to 350, and then the modules which can be called via the menu. The main entry routine has its own menu and subsidiaries, and occupies lines 540 to 1130. Lines 1140 to 1570 deal with printout; lines 1580 to 1780 deal with the saving of files and close functions, ending with exit from the program; and lines 1790 to 1850 contain the clearance routine.

Consideration was originally given to a scheme depending on random-access disc files with a minimum of data held in RAM. This proved to be too slow for convenience, and a single two-dimensional array was devised which could hold all required data economically.

The data relating to the car-and-driver combination given by the variables CB$(ND),DB$(ND) is held in AA(X,ND). If X = 0, the location is used to mark off entry lines which have been printed. For X = 1 to 20, practice time in race number X is stored in terms of the percentage by which it is greater than pole-position time. AA(21,ND) holds the number of races entered by that car-and-driver combination, and AA(22,ND) holds the total of the race entries. AA(23,ND) holds the average of the entries, calculated from the previous two columns of the array.

The array row 0, i.e., AA(Y,0) holds pole time for race Y if Y is between 1 and 20. AA(21,0) holds NM, the maximum race number entered, and AA(22,0) holds NT, the number of car-and-driver combinations entered. AA(0,0) and AA(0,23) are spare.

Although there is no clear indication that it is permissible, the use of assembled file names presents no problems if it is approached with caution. The use of the MID$ function in line 70 is essential. It removes spaces before and after the year number in string form, trimming the file name to eight characters. A space in a file name has odd consequences, since CP/M and MBasic interpret it differently.

The process of opening and reading the files is straightforward in essentials, but

some of the precautions taken may not be obvious.

- If no file is found, error 53 appears. This links via lines 50, 200 and 220 to a report "No file", but does not stop the program.
- Lines 150, 250 and 270 detect end of file, and forestall an "Input Past End" report. It may be felt that line 270 is not needed, since CB$ and DB$ are stored in pairs, and the end of file should therefore be detected at line 250, but files can have odd endings as a result of operator errors.

The input routine is completed by closing the source files.

There is no problem over control of access from the main menu to the principal modules, but a number of alternatives were tried and discarded for control within the entry routine. The first step is to enter the race number, which is simple enough. If no pole time has been set, the first time is taken to be pole time, and the operator is warned of this by an addition to the input string inviting a car-and-driver input. Subsequent entries are simply entered as percentages, but the entry for the pole-position driver is 1,000.

Economical entry

The first difficulty is that no letter can be reserved to call for a return to the main menu. So far, there is no driver whose name begins with X, but with Zapico, Zorzi and Zunino on file it would be rash to bet against a Xavier appearing. It was therefore decided that any entry at this stage should — providing it contains a comma — result in a jump to the entry subroutine starting at 680. This permits a minimum entry of car-and-driver data. "J,W" will suffice to identify Jones, Williams, allowing entries to be made quickly. "J,L" could mean either Jarier or Jabouille, who are both Ligier drivers, so in this case at least three letters of the driver's name are required.

The letters provided are matched against the CB$ and DB$ arrays, and if a match is found the full names are displayed. A zero entry cancels the process if the names are wrong. If no match is found, the display is "New Entry?"; if the full names have not been given the process is cancelled and a full entry made.

The alternatives to a zero entry are:

R — which returns to the main entry routine and calls the module beginning at line 1080. This first checks that an entry for the named car and driver and the current race number exists, reporting the fact if there is no entry, and then removes the entry, correcting the summary data, so that a new corrected entry can be made if necessary.

D — which passes by the main entry routine to the module beginning at line 920. This removes the complete entry for the car-and-driver combination identified; it is mainly used to delete garbled names.

X — which returns via the entry routine to the main menu.

N — which allows a new race number to be entered by jumping back to line 550. TP is set to 0 unless the AA array can provide a pole time, in which case TP is set to that at

(continued on next page)

```
10 REM By Don Thomasson.
20 CLEAR 1000
30 WIDTH 130
40 DIM AA(24,70),CB$(70),DB$(70)
50 ON ERROR GOTO 200
60 INPUT "File to be read in";Z$
70 INPUT "Year";YR:P$="DATA"+MID$(STR$(YR),2,4)
80 N$="NAME"+MID$(STR$(YR),2,4)
90 IF Z$<>"Y" THEN 1790
100 OPEN"I",#1,P$
110 OPEN"I",#2,N$
120 X=0
130 Y=0
140 INPUT#1,AA(Y,X)
150 IF EOF(1) THEN 230
160 Y=Y+1
170 IF Y<25 THEN 140
180 X=X+1
190 GOTO 130
200 IF ERR=53 THEN 220
210 ON ERROR GOTO 0
220 IF(ERL=100 OR ERL=110)THEN PRINT "No file.":GOTO 300
230 X=1
240 INPUT#2,DB$(X)
250 IF EOF(2) THEN 300
260 INPUT#2,CB$(X)
270 IF EOF(2) THEN 300
280 X=X+1
290 GOTO 240
300 CLOSE:NM=AA(21,0):NT=AA(22,0)
310 PRINT CHR$(12)
320 PRINT TAB(25)"OPTIONS"
330 PRINT:PRINT TAB(18) "E: Entry and Amendment."
340 PRINT:PRINT TAB(5)"Enter event number, then Driver/Car combinations."
350 PRINT TAB(5)"Full names are only needed for new entries. Subsequent"
360 PRINT TAB(5)"references only need enough letters to avoid ambiguity."
370 PRINT TAB(5)"A zero response should be made if the expected name"
380 PRINT TAB(5)"does not appear. A non-zero numeric preceded by T"
390 PRINT TAB(5)"will be treated as a time to be entered. If no pole time"
400 PRINT TAB(5)"has been entered, the time will be treated as pole time."
410 PRINT TAB(5)"An entry of R removes the time for the given race/driver."
420 PRINT TAB(5)"An entry of D removes the whole entry for the driver named.";
430 PRINT TAB(5)"An entry of X will return to this menu."
440 PRINT TAB(5)"An entry of N allows input of a new race number."
450 PRINT:PRINT TAB(18)"P: Printout.":PRINT
460 PRINT TAB(18) "C: Close, saving data (Wait for OK)"
470 PRINT:PRINT TAB(18) "I: Initialise by clearing arrays."
480 PRINT:INPUT"Option required";S$
490 IF S$="E" THEN PRINT CHR$(12):GOTO 540
500 IF S$="P" THEN 1140
510 IF S$="C" THEN 1580
520 IF S$="I" THEN 1790
530 GOTO 480
540 TP=0:PRINT NM"races entered",NT"drivers entered."
550 INPUT "Race Number";NR:IF NR>NM THEN NM=NR
560 TP=AA(NR,0)
570 IF TP=0 THEN PRINT "Pole Position ";
580 INPUT "Driver,Car";DA$,CA$
590 GOSUB 680
600 IF M$="D" THEN 920
610 IF M$="R" THEN 1080
620 IF M$="X" THEN 310
630 IF M$="N" THEN TP=0:GOTO 550
640 IF M$<>"T" THEN PRINT "Error":GOTO 570
650 IF TD=0 THEN 570
660 IF TP=0 THEN 860 ELSE 980
670 GOTO 570
680 ND=0:TD=0:IF NT=0 THEN 770
690 LD=LEN(DA$)
700 LC=LEN(CA$)
710 FOR X=1 TO NT
720 IF DA$<>LEFT$(DB$(X),LD) THEN 760
730 IF CA$="" THEN 750
740 IF CA$<>LEFT$(CB$(X),LC) THEN 760
750 ND=X:X=NT
760 NEXT X
770 IF ND=0 THEN PRINT "New Entry";ELSE PRINT DB$(ND)","CB$(ND);
780 INPUT I$:M$=LEFT$(I$,1):LI=LEN(I$):TD=VAL(RIGHT$(I$,LI-1))
790 IF TD=0 THEN RETURN
800 IF ND<>0 THEN RETURN
810 NT=NT+1
820 DB$(NT)=DA$
830 CB$(NT)=CA$
840 ND=NT
850 RETURN
860 TP=TD:AA(NR,0)=TD
870 AA(NR,ND)=1000
880 AA(21,ND)=AA(21,ND)+1
890 IF AA(21,ND)=0 THEN 570
900 AA(23,ND)=AA(22,ND)/AA(21,ND)
910 GOTO 570
920 FOR Y=ND TO NT-1
930 FOR X= 1 TO 23
940 AA(X,Y)=AA(X,Y+1)
950 NEXT X,Y
960 NT=NT-1
970 GOTO 570
980 IF TP=0 THEN PRINT "No pole time":GOTO 570
990 IF TD=TP THEN P=.001:GOTO 1030
1000 IF TD<TP THEN PRINT "Error. Too small.":GOTO 570
1010 P=100*((TD/TP)-1)
```

(listing continued on next page)

(continued from previous page)

line 560. There is no provision for deleting or correcting pole times, as this would render all other entries for the race invalid. A change can only be made by dropping out of the program, setting TD and AA(NR,0) to zero, and then erasing and re-entering all the data for that race.

T nnn allows the number nnn to be entered as a pole time by routine 860 to 910, if no pole time exists, or as a basis for a percentage entry calculated by the routine starting at 980. It might be advisable to add line 985:

```
IF AA(NR,ND)≠0 THEN PRINT "Entry Exists":
   GOTO 570
```

so avoiding a false increment of AA(21,ND) and calculation of an incorrect average.

The entry process is convenient in practice, and detects most errors, the commonest being the input of an incorrect time through forgetting to add the minutes to the seconds. The report "Error. Too small" warns of this.

The printout routine is written for an Epson MX-80, and some controls may need to be modified for other printers. CHR$(15) sets condensed type, 132 characters per line. CHR$(14) sets 66 characters per line for one line at a time, and is used to output the heading, including the year input at the start of the program.

The race numbers are printed out by lines 1200 to 1230, and the individual entry lines can now be handled. The first step is to set all the AA(0,X) entries to zero — lines 1250 to 1270 — and set G=10,000.

The averages in the last column of the data array, AA(23,X), are than checked. Whenever one is found that is lower than G, G is set from it and L is set from X. On completion of the For loop in lines 1290 to 1330, G contains the lowest average, and L contains the reference to the car-and-driver combination concerned and the associated data. AA(0,L) is set to 1 to indicate that the line of output for that entry is being printed, and it is ignored in further executions of the For loop.

This works well in practice, and is certainly simpler than some abortive schemes which were tried, such as an attempt to sort the complete lines into an order of merit.

The actual numeric output is handled by lines 1490 to 1570, which produce a tight four-character format including a decimal point. For results up to 9.99, two decimal places are used. If the result is greater, one decimal point is accurate enough. When there is no entry at all, line 1390 prints — — — —, and for entries of 1,000 line 1380 prints Pole.

The routine for restoring data files is simple, and needs no protection against arrors. NT and NM are saved in AA(22,0) and AA(21,0) respectively before the saving process begins. After Close and Reset a display of Okay tells the operator he can remove his disc.

(listing continued from previous page)

```
1020 P=INT(1000*P):P=P/1000
1030 AA(NR,ND)=P
1040 AA(21,ND)=AA(21,ND)+1
1050 AA(22,ND)=AA(22,ND)+P
1060 AA(23,ND)=AA(22,ND)/AA(21,ND)
1070 GOTO 570
1080 IF AA(21,ND)=0 THEN PRINT "No entry to remove.":GOTO 570"
1090 AA(21,ND)=AA(21,ND)-1
1100 AA(22,ND)=AA(22,ND)-AA(NR,ND)
1110 AA(NR,ND)=0
1120 AA(23,ND)=AA(22,ND)/AA(21,ND)
1130 GOTO 570
1140 REM Printout
1150 LPRINT CHR$(15)
1160 LPRINT CHR$(14)YR"WORLD DRIVERS CHAMPIONSHIP"
1170 LPRINT CHR$(14)" PRACTICE TIME PERCENTAGE TABLES"
1180 LPRINT:LPRINT
1190 LPRINT TAB(27)" ";
1200 FOR X=1 TO NM
1210 IF X<10 THEN LPRINT " ";
1220 LPRINT X" ";
1230 NEXT X
1240 LPRINT:LPRINT
1250 FOR X=1 TO NT
1260 AA(0,X)=0
1270 NEXT X
1280 G=10000
1290 FOR X=1 TO NT
1300 IF AA(23,X)>G OR AA(0,X)=1 THEN 1330
1310 G=AA(23,X)
1320 L=X
1330 NEXT X
1340 IF G=10000 THEN 310
1350 AA(0,L)=1
1360 LPRINT DB$(L)TAB(14)CB$(L)TAB(28)" ";
1370 FOR X=1 TO NM
1380 IF AA(X,L)=1000 THEN LPRINT"POLE";:GOTO 1420
1390 IF AA(X,L)=0 THEN LPRINT"----";:GOTO 1420
1400 P=AA(X,L)
1410 GOSUB 1490
1420 LPRINT " ";
1430 NEXT X
1440 P=AA(23,L)
1450 LPRINT " ";
1460 GOSUB 1490
1470 LPRINT
1480 GOTO 1280
1490 IF P<10 THEN R=1 ELSE R=2
1500 IF R=2 THEN P=P/10
1510 FOR Y=1 TO 3
1520 Q=INT(P)
1530 P=(P-Q)*10
1540 LPRINT CHR$(Q+48);
1550 IF Y=R THEN LPRINT ".";
1560 NEXT Y
1570 RETURN
1580 AA(21,0)=NM:AA(22,0)=NT
1590 INPUT "File disc in position";Z$
1600 IF Z$<>"Y" THEN 310
1610 OPEN "O",#1,P$
1620 X=0
1630 Y=0
1640 PRINT#1,AA(Y,X)
1650 Y=Y+1
1660 IF Y<25 THEN 1640
1670 X=X+1
1680 IF X<NT+1 THEN 1630
1690 OPEN "O",#2,N$
1700 X=1
1710 PRINT#2,DB$(X)
1720 PRINT#2,CB$(X)
1730 X=X+1
1740 IF X<NT+1 THEN 1710
1750 CLOSE
1760 RESET
1770 PRINT "OKAY"
1780 END
1790 FOR X= 0 TO NT
1800 FOR Y=0 TO 24
1810 AA(Y,X)=0
1820 NEXT Y,X
1830 NM=0
1840 NT=0
1850 GOTO 310
```

LOOKING FOR 5¼" WINCHESTERS?

I've got just what you're looking for....

Our new Micro Winchester gives you from 5 to 20 M.bytes of hard disc storage from as little as £1425.00 for a complete ready-to-go, plug-in system with software.
Our new drives pack enough data to run serious business or technical applications software into a mini-floppy size 5¼" unit and your data is protected in the sealed enclosure.

'Controllerbility'
Our controller comes with a range of adaptors to plug on to most popular micros. Real time and multi-tasking applications benefit from the controller's interrupt capability and macro level command structure and the OEM version features a simple software interface and CP/M 2.2 BIOS with extensive development aids. The software comes on either 5¼" or 8" diskettes together with Boot PROMs.

Service and Support
If you are impressed with the specifications so far, there is more to come. Our packaged sub-systems are assembled in-house and they carry a full one year parts and labour warranty. Our controllers are built completely from TTL logic — there are no fancy chips — so we can fix them if they ever break down. Dozens of floppy disc drives go through our workshops every month and we are well known within the industry both for our training courses and our heavy investment in computer based disc test equipment. If your Winchester ever stops working you can depend on us to fix it.

HAL Computers Limited
Invincible Road, Farnborough
Hants. GU14 7QU
Telephone 0252 517171

HAL

For: SUPERBRAIN, S-100, APPLE II, HEATH H89, TRS-80.

VECTOR PLOTTING, MICRO PRICE



Real vector plotting from only £690* with the new Strobe Model 100 drum-type plotter. ✳ *High resolution — 0.1mm at 7.6cm/sec* ✳ *A4 paper capacity* ✳ *Off-the-shelf felt tip pens plot in most colours* ✳ *Precise operator controls and interactive input of coordinates* ✳ *Hardware interfaces for TRS-80, Apple II, Pet, S-100* ✳ *Applications software packages providing vector plotting and variable size alphanumerics for TRS-80 Level II BASIC, Applesoft BASIC, North Star BASIC, C BASIC, Microsoft BASIC and FORTRAN.*
Telephone Farnborough 517171 for free brochure and more details.

**Unit price for plotter ex-delivery and ex-VAT.*

HAL Computers Limited
Invincible Road, Farnborough
Hants. GU14 7QU.
Telephone 0252 517171

HAL

● Circle No. 152

HOW TO GET MORE FROM YOUR MICRO

CP/M* Courses for micro computer users

OBJECTIVES

To familiarise the new user with the operation of the typical hardware attached to a disc-based Z80 microprocessor system.

To give the user an understanding of the facilities available in the operating system CP/M, of its management of disc files, and of its adaption to different hardware configurations.

To give the user hands-on experience which enables this knowledge to be put to practical use.

To acquaint the user with the range of programming languages and packages which are compatible with CP/M.

Programming in Basic

OBJECTIVES

To give the student a thorough understanding of the BASIC language.

To enable the student to put the knowledge gained into practical use, facilitated by hands-on sessions and practical exercises.

Programming in CIS Cobol**

OBJECTIVES

To give a sound knowledge of the Ansi '74 Cobol programming language, highlighting differences between various dialects particularly CIS Cobol.

To provide an understanding of structured programming techniques as used in CIS Cobol.

Programming in PASCAL

OBJECTIVES

To provide an understanding of structured programming techniques as used in PASCAL.

To give a thorough knowledge of the PASCAL programming language.

To provide practical experience in using PASCAL on a microcomputer.

CONTACT:

The Courses Secretary,
Computer Training & Education Centre Ltd,
102-108 Clerkenwell Road,
London EC1. 01-251 4010.

*CP/M is the T/M of Digital Research Corp.
† Wordstar is the T/M of Micropro International Corp.
**CIS Cobol is the T/M of Microfocus.

A 'must' for Micro Users. Learn how to get the most out of your system.

Wordstar † Wordprocessing

OBJECTIVES

To give the user an understanding of the facilities available in the Wordstar/Mailmerge Wordprocessing System.

To give the user hands-on experience which enables this knowledge to be put to practical use.

INTRODUCING COMPUTERS

A series of 1-day courses for businessmen

AN INTRODUCTION TO COMPUTERS

MANAGING COMPUTERS IN YOUR BUSINESS

MANAGING WORD PROCESSING IN YOUR BUSINESS

(Course fees include lunch)

A wide range of hardware is available for practical work.

CTEC

A professional organisation with first class training facilities in central London.

Please send me further information on the above courses

Name .....

Position .....

Company .....

Address .....

.....Tel. No. .....

● **Circle No. 153**

Brian Reffin Smith of London's Royal College of Art introduces the first of our regular features devoted to microcomputer-based art and design. He explains the essentials of graphics and animation and offers stimulating ideas to set you exploring the possibilities of this brand-new medium.

VISUAL COMMUNICATION

WELCOME to *Practical Computing*'s new arts pages. I shall be writing regularly about computers in art and design, and as well as explaining, informing and showing new ideas and techniques, I will be encouraging micro users up and down the land to become involved with graphics.

We have to try and push forward the frontiers of what we can do with our machines. Your brilliant ideas, cunning routines and your most outlandish and bizarre concepts will play an important part. There will be a regular competition with wonderful prizes, fame, fortune and so on.

Computer solutions

I run a computer studio where post-graduate artists and designers come along with an extraordinary range of problems, which they think might have computer solutions. We are nearly always able to help. Since we are entirely microcomputer-based you can do what we can do — and I fully expect that you will be telling me how to do it better.

As well as competitions, there will be programs and routines, examples of computer use in art and design, photographs, plots and so on. There will be all the news about graphics that is useful and fit to print.

This issue also sees the start of "Beginning Graphics" — which will go on to show that computer graphics is not difficult, and can be powerful and fun. Then there will be what I have called — for want of a better name — the "Analogy Box". Some of the most powerful ideas seem to emerge from asking "What if . . ."? questions, where you take a program or a process from one context, force it into another and see what happens.

Perhaps you are wondering "Why all this emphasis on graphics? Surely it is just a rather superficial aspect of 'real' computing." I firmly believe that the answer is "No". The world we live in, the environment, is changing into an "information environment". It is not just the solid lumps of information that matter, but also electronic communication and visual information technology.

Who are going to be the designers, the artists, the architects of this new environment? Is it just like dealing with the old one? I think not, and we who presumably care about what might be called "soft computing" — the human use of computers, not just number-crunching — must become the new artists and designers of the information environment and even its poets, musicians and writers.

Vital contribution

The danger is that the field will be left open to computer people who think that "art" is just random squiggles, and design is just moving a 3-D shape around on a screen. Both of these activities are a start: but I hope it will become clear why I say as often and as loudly as possible that computer art is mostly nonsense.

In these pages we have to come up with graphics, artwork and designs that stand up on their own merits, and not just because they have been done on a computer. Your contributions will play a vital part in developing this new medium.

Incidentally, I detest the phrase "computer art". It has come to mean "something that no-one would look at twice if it had been done with a pencil, but it was done with a computer and isn't that amazing"! So we need a new term. Maybe we should just talk about "art" or "design" that happens to have been done with a computer. Any better offers?

From bits to bright dots

Two fundamental programs illustrate the essence of beginning graphics.

I WANT to discuss the rock-bottom basis of graphics. It is a good place to start, and it might do me and you a bit of good, to think about it at that level to begin with.

Different people have different machines, and so I will be using examples that are as general as possible. In months to come, the programming will be based largely around the BBC Micro, for which I wrote some of the graphics programs, but I will always try to make clear what you can do on other systems.

What is graphics, and how can we begin? Combining the ancient skills of graphics with information technology, computer graphics is essentially about making marks, usually on paper or screen, but sometimes on film or videotape.

Computers are simply machines that "do things to stuff" — "information processors", in more scientific terms. Stuff — information — goes in, is acted upon according to a program of instructions, and can come out in a completely different form. This is the absolute key to what graphics is about.

Figure 1. The brightness of each pixel is governed by numerical information held in each memory location.



From the simplest pattern of dots on a screen, to a full-colour, moving, three-dimensional image, the output device is showing us, in a visual form, information that is contained in the computer in symbolic form. Change the symbols, and you change the outward appearance.

Most computers devote some of their memory to looking after each individual pixel — the smallest picture element — on the screen. Figure 1 shows the relationship: depending on the information stored in the memory location, the pixel can be On or Off, or maybe of an intermediate tone — grey or coloured.

The computer just passes this information regularly to the TV or monitor. It strings all the fragments together in a video signal so that they affect the correct place on the screen. The beam of electrons in the TV tube dims and brightens as it scans across the phosphor coating.

I would like you to do the simplest graphic exercise possible. Use your machine if you have one, otherwise you

(continued on next page)

Routine A.
Type in two whole, smallish numbers and use them to print a + sign on the screen, e.g., in Basic:

```
100 PRINT "ENTER 2 NUMBERS";
110 INPUT X,Y
120 FOR I = 1 TO X
130 PRINT
140 NEXT I
150 FOR J = 1 TO Y
160 PRINT "  ";
170 NEXT J
180 PRINT "+"
190 END
```

Routine B.
Enter graphics mode if necessary on your machine. Enter two numbers, and use them to light up a pixel, e.g., in Basic:

```
100 PRINT "ENTER 2 NUMBERS";
110 INPUT X,Y
120 REM: USE 'PLOT', 'SET', OR
    WHATEVER YOUR MACHINE NEEDS
    TO PLOT A POINT
130 PLOT (X,Y)
140 END
```

Two fundamental graphics routines.

(continued from previous page)
can work it out on squared paper. You may or may not have graphics commands available. If not, use routine A, otherwise routine B. These routines are terribly simple, but they should help you to look at graphics in a new way.

These simple programs represent the basis of all computer graphics. You have symbolically represented an image in the computer with your X and Y; then you made it visible.

While the image is defined in this way — logically, or numerically — you can store it, manipulate it, ask questions about it and present it. Very complex images may require correspondingly complex ways of representing the data, but the principle is just the same.

Finally, here is a mental exercise. Imagine a photograph of a friend, stored in the computer as a series of pieces of data in the form (X,Y,B) where X and Y represent the position of each tiny portion of the photo in turn, and B is the brightness of that point with, say, zero representing black and 10 representing white, the rest greys in between. Feed that out on the screen, and there's your friend.

Now suppose you take each point, and make its brightness equal to the difference between it and the preceding point. You do this to each point in turn, scanning across the image a row at a time. When these numbers are fed out to the screen, what will the picture look like? Try drawing it, because computer graphics is about graphics as much as computers.

ANALOGY BOX

In-betweening involves changing one image into another, in a number of steps. What would the equivalent be, using words and their meaning instead of lines? Through what space would the words "move"?

Moving images step by step

The algorithm for a changing shape can be described by the term "in-between".

STEMMING FROM animation techniques, the ability to change one shape into another is also of more general interest. Although at least four full-length feature films are in production in the United States using computer graphics, "real" computer animation, with full-colour 3-D characters moving around, is at the frontier of what is possible with computers because the computer needs to know so much about the real world, and the way people — for instance — move in it.

Very simple in-betweening is still possible, and has its own technical advantages: the way images change depends on the order in which you enter the points. Here is the algorithm in words:

Enter a series of points (X,Y) which, when joined together, outline the first image. Do the same for the second image.

Decide how many in-between steps you want to use.

Then draw conceptual straight lines between each point on the first image and each point on the second. For simplicity, each should have the same number of points.

Now simply divide each "line" into six if you want six in-betweens, 10 if you want 10, etc.

Then join up each of these points to get the in-between.

The listing gives a version for the Research Machines 380-Z with high-resolution graphics. You can use any machine with graphics, even low-resolution. I have shown a really simple in-between, to illustrate the principle.



Changing shape with two in-between steps.

```
100 CLEAR0:CALL"RESOLUTION",0,2
110 REMINDER - THAT JUST SETS UP THE 380Z
120 INPUT"NO. OF POINTS (10 OR LESS)";P
130 FORI=1TO2:?"IMAGE ";I:FOR NA=1 TO P
140 ?"POINT ";NA;:INPUT X(I,NA),Y(I,NA)
150 NEXT NA:NEXT I
160 NA=NA-1
170 INPUT"How many steps (10 OR LESS)";S:IF S>10 THEN170
180 FOR I=1 TO S:FOR F=0 TO I-1:ST=ST+1/S:NEXT
190 FOR J=1 TO NA
200 IFJ=1 THEN G$="PLOT" ELSE G$="LINE"
210 CALLG$, X(1,J)+(ST*(X(2,J)-X(1,J))), Y(1,J)+(ST*(Y(2,J)-Y(1,J))), 3
220 REMARKABLY EASY ON OTHER MACHINES-JUST PLOT (IF J=1) OR DRAW A LINE (IF J>1)
 USING THE ABOVE VALUES.
230 REMISS OF ME NOT TO STATE THAT THE '3' AT THE END OF 210 GIVES THE COLOUR.
240 NEXTJ:ST=0:NEXTI
```

Competition

THE WINNER of this month's £5 will be the reader who submits the best program or artwork based on a For-Next loop. Repetition with a difference is what we are looking for.

Send your entry — which cannot be returned, so keep a copy if you like it — to Art, *Practical Computing*, Room L306, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

Since it first appeared on the market over seven years ago, CP/M has generated an enormous body of machine-independent software. Now the arrival of 16-bit micros, promising higher speeds and a huge address space, has cast doubt on its prospects. Chris Bidmead was at the CP/M User Group meeting to find out what the future may hold.

CP/M faces the bigger crunch

THE HEAVY SPLENDOUR of its Polynesian decor makes the Mayfair Hotel's Beachcomber Bar an alarming place to be at nine o'clock on a crisp London morning. Hardly where you would expect to run into a serious-minded computer user, let alone a convention of them. But last October 27, some 180 CP/M User Group members, conversationally subdued by the time of day or the prospect of spending the next eight hours huddled together over the eccentricities of their chosen operating system, were beginning to line up for coffee and registration.

As we filed into the small Mayfair Theatre next door, rumours were hardening that Gary Kildall was not, after all, going to be moving among us that day. Back in 1973, Kildall, one-time consultant to Intel during the development of the 8080 chip, had offered that corporation an early draft of something he had knocked up in his spare time called a Control Program for Microprocessors. Intel declined to back him, so in true Californian tradition Kildall went on to build the project into a business of his own. It is now called Digital Research, and is turning over some $12 million a year.

Kildall's absence was confirmed by CP/M User Group Chairman, David Powys-Lybbe, as he stepped on to the bare stage to make the opening announcement.

Presentations by individuals formed the body of the morning's business. The User Group's magazine editor Andrew Clarke's introductory discourse on his own Reclaim program — donated to the User Group library, and so free to members — and Powys-Lybbe's exploration of CP/M file handling that followed, started the morning with a high tone of enthusiasm and expertise not entirely echoed by the quiet audience.

Standard language

We were subsequently introduced to Mumps under CP/M, by American expatriate John J Althouse, of SMS Europe Ltd. "Mumps" certainly sounds better than Massachusetts General Hospital Utility Multi-Programming System, and it sounded better still after Althouse's short tour of the facilities offered by this ANSI standard language, which includes a built-in database and heavy emphasis on string-handling. Best of all, Mumps is free to serious users, the test of your seriousness being whether you regard the £50 post and packing as petty cash.

At least two of the short addresses on aspects of CP/M that morning turned out to be scarcely-disguised plugs for the speaker's own commercial product, stirring up a few rustles of discontent among the pinstripes and denims that packed the plush seats. I talked to David Powys-Lybbe about this at lunch. As tickets for the day were between £25 and £50 per head, obviously his members had not turned up just for this.

Over the top

David Powys-Lybbe agreed. "But it's not easy to draw the line. Yes, at least one of the presentations this morning was a bit over the top as a plug, and on the whole this isn't meant to be a platform for commercial products. Except for CP/M itself, of course".

He was referring to the main business of the afternoon, a parade of Digital Research's marketing plans for the immediate future, with particular reference to CP/M 3, whose appearance on the market was rumoured imminent earlier this year. This the users would sit up for.

There are two main schools of thought about the next step. For one convinced eight-bitter I talked to over lunch the prognosis was simple. "Take your average, bog-standard, state-of-the-art 1981, 8085, eight-bit machine with a mini-Winnie providing 5Mbyte of backing store. It runs WordStar, Cobol and you name it. It's simple and reliable. Show me your latest all-singing, all-dancing 16-bit MegaMonster, and I ask you: where's the support? where's the software? and anyway, who needs it"? For him the next step is the addition of a higher capacity mini-Winnie, networking and perhaps banking out the operating system to give a full 64K of user area.

The theory goes, however, that the introduction of the 16-bit micros will have a domino effect on the business community, as users realise their faithful old eight-bit machines look quaint by comparison. Professor Martin Healey spent the early part of the afternoon pursuing this theme of the upward path towards the bigger crunch. "Today's idea of putting more than one user on an eight-bit micro is just plain daft. If you try sharing a processor without providing a properly protected environment you're inviting disaster".

Memory segmentation, file-locking and limitation of the instruction set so that one of the users cannot bring everybody else to a halt all are essential. What did this say about Digital Research's efforts to rebuild MP/M II from the ashes of MP/M I, the multi-user operating system that flopped because of its sluggishness, and because users could crash each other's files?

"MP/M II is OK, as long as you don't try running it as a multi-user system. If you've got to go multi-user, then hook it on to a network". Healey saw networked single-users as the simplest way of implementing the sort of protected environment he was insisting on, and CP/Net could provide this.

So 16 bits were also going to be essential. "A business system needs a database. If you add a database to an eight-bit operating system the first thing you find is you've run out of room to put your applications programs; 16-bit machines aren't about speed — what they give you is lots of memory. And that does something else for you: it gets you away from time-wasting code-optimising exercises and lets you

write programs in a proper reliable — and maintainable — high-level language".

Unless the world recession gets very much worse, Martin Healey and the 16-bitters may well be right about the future. Digital Research seems to think so and is making a major effort to carry over CP/M on to the 16-bit scene. John Katsaros introduced the meeting to their philosophy: "We're going for the next generation of machines with two main products, CP/M-86 and MP/M-86. We're bringing them out for the 8086 because of our past association with Intel, and because we prefer it to the Zilog 8000 or the Motorola 68000".

This was bland Californian marketing talk in comparison to Martin Healey on why he was steering his own firm, Future

(continued on next page)

(continued from previous page)
Technology in the direction of the 8086. In Healey's view: "The software scene for the 8086 is pretty dreadful, but for the Z-8000 and the 68000 it's a complete and utter disaster".

For Katsaros, the 8086 "offered a natural upgrade" from the 8080, despite what some regard as the superior number-crunching and address capability of the Motorola chip. To some extent Digital Research's bet on the 8086 will be a self-fulfilling prophesy, in that it naturally much enhances the market chances for the hardware/software combination. This may leave Zilog out in the cold: an odd situation, as Zilog's Z-80 upgrade of the 8080 is currently outselling Intel by a ratio of three to two.

No competition

CP/M captured the eight-bit market with virtually no competition, but this next step will bring them face to face with Unix, the ten-year-old product of Bell Laboratories, now also poised for the 16-bit market.

John Katsaros did not agree that the two systems were in competition: "Unix is a great operating system for the scientific community, and it's got the sort of flexibility you need for program development. What it isn't good at is supporting business applications. Unix likes small files. It isn't going to be too friendly towards databases of eight megabytes and upwards, which is the sort of thing you're seeing increasingly on the new business micros. If you need to develop programs as well as run a business what we say to you is go buy two operating systems. If you just want to stick to business, buy CP/M-86 — it's cheaper and it's better".

Katsaros had begun his presentation with a slide-show introduction to the growth of Digital Research, the centrepiece of which was a shot of the potting shed at the bottom of the garden where young Gary Kildall first assembled the code for CP/M 1.0. Katsaros moved amiably on through the line of products that were in the offing, notably — now that Digital Research has bought out Software Systems — a true compiler version of CBasic. The audience began to shift in their seats again, and an aggrieved interrogator voiced the question that was forming in everybody's mind: "What about CP/M 3"?

Symbol of severance

It was a good question. The users were being shown the future, and it came in the size of 16 bits. The one thing it did not seem to contain was CP/M as they knew it. Symbolic of its severance, Digital Research was demolishing the "hot line" on which troubled users could ring in their queries direct. Was there not going to be an upgrade of the old eight-bit CP/M at all?

John Katsaros' reply was affirmative: "We do have a third-generation eight-bit CP/M under development right now, and I guess it will be with you around Spring of 1982". He was reluctant to comment on its features, except to say that it would not be any bigger than the present eight to nine K. "I can say that CP/M 3 is defined, although we are definitely still in listening mode if anyone has any ideas about what the system should do that it isn't doing already. Other than that, we are not talking to anybody about CP/M 3. Thank you for your question".

The warm protest that followed persuaded the Digital Research team to field Bob Eichenlaub, their technical manager. Labouring under a bad dose of laryngitis, but happily for the users seeming to share none of Katsaros' coyness about CP/M 3, Eichenlaub was wired to a microphone so that he could croak out some of the early details.

Like MP/M II, CP/M 3 is to have enhanced file handling, including password protection and file locking, with file size and time and date stamping as part of the directory display. The security-conscious, by the way, should not take the password business too seriously. For reasons of compatibility, files secured under CP/M 3 could always be opened and read under CP/M 2.2, so this will be no more than a deterrent to casual curiosity.

Eichenlaub promised that the Submit facility would be improved to the point where it could be regarded as a rudimentary job-control language, and there would be a limited implementation of foreground/background tasking, making possible file-sharing between CP/M systems.

Single users

Many single users working with Winchester drives like to organise their files into groups with CP/M's user number multi-level filing, but find this often means having to duplicate system files like Pip and Stat. In common with MP/M, CP/M 3 will solve this problem by allowing access from any user level to any Sys file in User Zero.

The best news for software authors is that CP/M 3 will be meeting them more than half-way over the problem of interfacing to the baffling variety of consoles now hooked into CP/M systems. Rather as the Bios currently interfaces the real hardware to the theoretical machine environment of CP/M, so will CP/M 3's console-control block enable authors of portable software to address a theoretical console, leaving the problem of screen-control mechanics and keyboard entry to be coped with by a once-and-for-all hardware-dependent patch.

Eichenlaub's revelations saved the day for many of the conference attenders, who had begun to wonder what the User Group meeting was supposed to be about. But software deadlines have long been notorious fictions, and as the users filed off to the bar for "one for the road" there was an air of scepticism about whether the promised Spring offering would appear on time.

There the conference ended; but for *Practical Computing* there is a coda. I included myself in the crush around the table on stage where the Digital Research team was allowing us to leaf through their new range of manuals "to see for ourselves how much more user-friendly they are" and found myself being invited to breakfast by John Katsaros.

At eight o'clock next morning we were munching toast and marmalade in the baronial surrounding of the Piccadilly Hotel breakfast room. When an Englishman buys you a meal you don't find out why until the liqueurs; but Californians pitch right in with the first glass of orange juice. Katsaros was buying *Practical Computing* breakfast because he "recognises the crucial need to open up a new dialogue with the Press as Digital Research moves into its next phase of operations".

The real test

Gary Kildall got rich by getting lucky. Writing CP/M was, as is the way with programming, mostly a matter of pure slog. The smart thing he did was to start selling it cheaply enough for a large number of people to buy. And it was certainly smart to stay in the saddle as the corporation grew to its present size.

But the real test is just beginning. The diversion into marketing programming languages that ride on the operating system — CBasic, PL/1 and, shortly, Pascal — is really only a support for the main sales thrust of bringing CP/M-86 to the world business market and making sure it sticks. If it does, Digital Research will be up there with IBM. If it does not, the pace of hardware development will not allow Kildall a second bite of the cherry. IBM, or Bell, or perhaps even the Japanese will step smartly into the breach.

John Katsaros buys you breakfast because he is a civilised, sociable sort of chap. But he is also doing the best he can to make sure you like CP/M-86 and go his route when the bigger crunch hits your business.

Promising future

The future looks promising for CP/M, and Digital Research is certainly backing initial good luck with a lot of hard work. The PL/1-80, for example, is not being marketed as just another computing language: the company is offering independent programmers who use the language worldwide support in selling the application systems that result.

I like the operating system, I like the company, and I think they'll make it. But if I am wrong, John Katsaros may well be joining Gary Kildall back in that potting shed.

A grant from the Microelectronics Education Programme has enabled Tim Scratcherd and Ian Smith to take time off from their normal teaching to develop software for use in the classroom. Together with Russell Langham, Senior Education Advisor for Durham County Council, they describe the work they are doing at Branksome School, Darlington, including a remedial English program and a class exercise in typing.

Clarity is all for school computing



ORDINARY TEACHERS' attitudes are among the most important factors which are restricting the effective use of small computers in the classroom. Uninformed opinion varies from mild disregard for toys to alarm at the prospect of being replaced by a machine. Most of the current offerings in the field of educational software do little to alter these opinions. Much software demands some programming knowledge, both to fix it when it fails to work and to understand what it does when it is operating. Hardly any can be used successfully and reliably by teachers who are not computing specialists. Our aim has been to work in partnership with teaching colleagues to produce programs which can be used by non-specialists to make their teaching more effective.

Getting a program running in a computer need be no harder than setting up a projector to show a film. Teachers who wish to use a computer have to learn this procedure, and they very often also have to move to a special computer room or transport the computer to a classroom. The computer must do something which teachers find difficult or impossible to do any other way in order to justify the extra effort involved in setting it up.

Whatever advantage the program provides, it must be robust, clear and as easy to use as possible. Programming convenience must be sacrificed to user convenience. A balance needs to be struck between clarity, function and ease of use; in particular, keystrokes should be apt and comprehensive and they should be kept to a minimum. The important features to maintain are program flow and avoidance of frustration. It is better to have a program description which is not part of the program itself, so documentation is required.

Documentation should include the usual listing, variables list and flowchart if necessary. However, these aspects are of no importance to the teacher; it is the teachers' notes which should be emphasised. They ought to form an integral part of the program, and include at least descriptions of what the program does, why it does it, and how the teacher should go about getting the program to do its job. Teachers' notes will often include suggested approaches, with examples and sample data.

Programs and documentation should be an integral part of teachers' approach to the teaching of their subject, not used simply for variety or novelty. We have found that the most effective way to achieve this is to involve the teacher in all stages of program development, from the initial conception of the idea to a good working result. Program development should include a long dialogue between programmer and teacher so that the suitablity of inputs, kind of presentation and relevance and effectiveness can be continually checked and modified. In later stages of development, testing of the program in class use is absolutely necessary.

One effect of this is that programs come to be regarded not as "finished", but as "working" — there is always something else that a program could do. For example, when a printer becomes available, the program could be modified to produce hard-copy results. Another effect is that teachers become more aware of what a computer can and cannot do. They will often think of other applications of the computer within their subject, even though these will have less immediate advantage.

The two programs which we describe have been developed in this manner. They are both comparatively straightforward and short; neither of them is mathematical or scientific; and both confer a practical advantage. One is for use by individual children, the other is to be used by a whole class at a time.

The Speed Reading program was developed for use in the remedial English department. It presents a passage of prose to a child a few lines at a time. The child then reads them. After a preset time, the lines are replaced by the following lines, and so on.

After the passage has been read, the child leaves the computer to answer a comprehension test. The length of time the child spends reading the passage is recorded by the computer. The teacher is provided with two pieces of information: the time taken, and the results of the comprehension.

After loading a prepared passage from tape, the teacher selects the number of lines to be visible at a time, and the length of time the lines remain visible. Each child first sees a moving display, the "Branksome Bookworm". This is not entirely for fun, but aims to personalise the program. The child must write in his or her name before being presented with the reading passage. A child who reads the lines before they are replaced has the option of pressing any key to see the next lines.

When the child has finished, the teacher has the option of calling the next child to the machine or calling a list of times for all children who have used the program so far. The immediate and obvious advantage is clearly in the timing of the program.

The program may be used diagnostically, to determine children's natural reading rate. In this mode the teacher should set a very long time for each set of lines to remain on the screen, effectively giving complete control of the reading rate to the child. A short reading time and weak comprehension indicate that the child tries to read too fast. The program may also be used therapeutically: the teacher sets a line delay which is just too

(continued on next page)

(continued from previous page)

short for comfort to encourage a slow reader to "beat the Bookworm".

The program also allows teachers to tailor presentation of information to the needs of an individual child. The computer is objective and relatively immune to learning difficulties caused by personality clashes between child and teacher. It is effectively an extra pair of hands in the classroom; the teacher can be doing something else while the diagnosis is taking place.

These secondary advantages are common to many computer programs intended for use by individual children. By themselves they will rarely convince a teacher that the computer is worth the effort; but in time teachers come to appreciate the computer's capabilities and start to ask for programs that confer similar advantages.

Although the program is written for an old-ROM Pet, the keyboard func-

Speed Reading program.

```
 1 REM***SPEED READING***
 2 REM***BY TIM SCRATCHERD AND BRIAN JEFFERSON***
 3 REM***AUGUST1980***
10 POKE59468,14
20 PRINT"■     SPEED READING PROGRAM■"
30 PRINT
40 PRINT"TEACHER'S SECTION."
50 PRINT"              "
60 PRINT:PRINT"PLEASE INSERT A DATA TAPE."
65 PRINT"THEN PRESS ANY KEY."
66 GETA$:IFA$=""THEN66
70 DIMP$(51),C$(21),C(21)
80 OPEN1,1,0,"S/RDATA"
100 FORH=1TO50
110 INPUT#1,P$(H):IF(ST)<>0THENSTOP
115 IFP$(H)="END$"THENH=50
120 NEXT
130 CLOSE1
131 FORH=1TO50
132 B$=P$(H):P$(H)=""
133 FORJ=1TOLEN(B$)
134 A=ASC(MID$(B$,J,1))
135 IFA=43THENA=44
136 IFA=42THENA=34
137 P$(H)=P$(H)+CHR$(A)
138 NEXTJ
139 IFP$(H)="END$"THENH=50
140 NEXTH
143 PRINT:PRINT"DATA LOADED."
145 M=0
150 PRINT
160 PRINT"PLEASE ENTER AS WHOLE NUMBERS:"
165 PRINT:PRINT
170 PRINT"REMEMBER - A VERY LONG DELAY APPEARS TO"
171 PRINT"MAKE THE PROGRAM WORK COMPLETELY UNDER"
172 PRINT"THE CHILD'S CONTROL."
173 PRINT
174 INPUT"DELAY IN SECONDS";DE$
175 D=VAL(DE$)
176 IFD<=0ORD>1000THEN174
180 PRINT:INPUT"NUMBER OF LINES VISIBLE";LI$
181 L=VAL(LI$)
185 IFL<=0ORL<>INT(L)ORL>10THEN180
190 PRINT:PRINT"PRESS ANY KEY TO START."
200 GETA$:IFA$=""THEN200
201 M=M+1
202 IFM<22THEN210
203 PRINT:PRINT"TWENTY ONE CHILDREN HAVE USED THE"
204 PRINT"PROGRAM."
205 PRINT:PRINT"PRESS R FOR RESULTS."
206 GETA$:IFA$=""THEN206
207 GOTO1150
210 PRINT"■■■■■■■■■"
220 PRINT"DO YOU NEED INTRUCTIONS?"
230 PRINT:PRINT"PRESS Y FOR YES, N FOR NO."
240 GETA$:IFA$=""THEN240
250 IFA$="Y"ORA$="Y"THEN300
260 IFA$="N"ORA$="N"THEN280
270 GOTO240
280 PRINT:PRINT"WHAT'S YOUR NAME?":GOSUB1300
290 C$(M)=B$:PRINT
295 GOTO840
300 POKE59468,12
310 A$="THE BRANKSOME BOOKWORM"
320 B$=" ●○●○●○●"
330 PRINT"■■■"
340 FORI=1TOLEN(B$)-1
350 PRINTTAB(5);RIGHT$(B$,I)
360 PRINT"■"
370 FORJ=1TO200:NEXT
375 NEXT
380 FORI=1TOLEN(A$)+1
390 PRINTTAB(I+4);B$
400 PRINT"■"
410 PRINTTAB(5);LEFT$(A$,I)
420 PRINT"■"
430 FORJ=1TO100:NEXT
440 NEXT
450 FORI=1TOLEN(B$)-1
460 PRINTTAB(5+LEN(A$)+I);LEFT$(B$,LEN(B$)-I)
465 PRINT"■"
470 FORJ=1TO200:NEXT
480 NEXT
490 FORI=1TO500:NEXT
500 PRINT:PRINT:PRINT"INVITES YOU TO TRY -"
510 FORJ=1TO2000:NEXT
520 POKE59468,14
530 PRINT"■■■■"
540 PRINT"          ▁▁▁▁▁▁▁▁▁▁▁▁▁▁▁▁▁▁"
550 PRINT"          ▏▔▔▔▔▔▔▔▔▔▔▔▔▔▔▔▔▕"
560 FORI=1TO14
570 PRINT"          ▕▕                ▕"
580 NEXT
590 PRINT"          ▕▁▁▁▁▁▁▁▁▁▁▁▁▁▁▁▁▕"
600 PRINT"           ▔▔▔▔▔▔▔▔▔▔▔▔▔▔▔▔"
610 PRINT"■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■■SPEED READING"
620 PRINT"■■■■■■"
630 PRINTTAB(12);"----------"
640 PRINT"■■■■WRITE IN"
650 PRINT"YOUR NAME"
655 PRINT"AND PRESS"
656 PRINT"RETURN■"
660 PRINT"■■■■■■■■■■■■■■";
670 GOSUB1300
680 C$(M)=B$
710 FORJ=1TO1000:NEXT
720 PRINT"■■■EAR ";C$(M)","
730 PRINT
740 PRINT"YOU WILL SEE A PASSAGE A FEW LINES AT"
750 PRINT"A TIME. TRY TO UNDERSTAND IT."
760 PRINT:PRINT
770 PRINT"PRESS ANY KEY WHEN YOU ARE READY"
780 PRINT"FOR THE NEXT LINES."
790 PRINT:PRINT
800 PRINT"SOMETIMES THE LINES WILL GO BEFORE YOU"
810 PRINT"PRESS A KEY. DON'T WORRY! THAT'S JUST"
820 PRINT"TO SPEED YOU UP."
830 PRINT:PRINT
840 PRINT"PRESS ANY KEY WHEN YOU ARE READY."
850 GETA$:IFA$=""THEN850
860 PRINT"■■■■■■"
870 N=1:T=TI
880 IFP$(N)="END$"THEN1000
885 PRINTP$(N)
887 PRINT
890 H=0
900 IFN/L<>INT(N/L)THEN980
910 H=1
920 P=TI+60*D
930 GETA$
940 IFA$<>""ORTI>PTHEN960
950 GOTO930
960 PRINT"■■■■■■"
980 N=N+1
990 GOTO880
1000 IFH=1THEN1050
1010 P=TI+60*D
1020 GETA$
1030 IFA$<>""ORTI>PTHEN1050
1040 GOTO1020
1050 C(M)=TI-T
1060 PRINT"■■■■■■"
1070 PRINT"YOU HAVE FINISHED. FETCH YOUR TEACHER."
1080 PRINT:PRINT
1090 PRINT"PLEASE ENTER  R FOR RESULTS"
1100 PRINT"              N FOR NEXT CHILD"
1110 PRINT:INPUT"YOUR CHOICE";A$
1120 IF A$="R" THEN1150
1130 IFA$="N" THEN 190
1140 GOTO1080
1150 PRINT"■"
1160 PRINT"NAME";TAB(25);"TIME(SECS)"
1170 PRINT
1180 FORI=1TOM
1190 PRINTC$(I);TAB(25);INT(C(I)/60)
1200 NEXT
1210 PRINT:PRINT
1220 PRINT"DO YOU WISH TO FINISH?"
1230 GETA$:IFA$=""THEN1230
1240 IFA$="Y" ORA$="Y"THENEND
1250 IFA$="N"ORA$="N"THEN145
1260 GOTO1210
1300 B$=""
1310 GETA$:IFA$=""THEN1310
1320 A=ASC(A$)
1330 IFA=20ANDB$=""THEN1310
1340 IFA<>20THEN1390
1350 PRINTA$;
1360 IFLEN(B$)=1THEN1300
1370 B$=LEFT$(B$,LEN(B$)-1)
1380 GOTO1310
1390 IFA=13THEN1470
1400 IFA>64ANDA<91THENA=A+128:GOTO1450
1410 IFA>192ANDA<219THENA=A-128:GOTO1450
1420 IFA=32THEN1450
1430 GOTO1310
1450 PRINTCHR$(A);:B$=B$+CHR$(A)
1460 GOTO1310
1470 PRINT
1480 RETURN
```

tions as a normal typewriter: that is, shift is required for capitals. This feature, and the "Branksome Bookworm", are common to all the remedial English programs we are developing.

The teacher needs a way of preparing and using a large number of different passages. To this end, a program which creates a data file on tape accompanies the main program. It allows teachers to prepare a library on tape of passages of different kinds.

The advantages of this approach to data storage is that data preparation can be done at any time, does not have to be repeated and does not require the teacher to be a programmer. The input to the Create File program is organised so that the keyboard functions as a typewriter, and there are checks on line length and line total. Exceeding the line length does not lose the whole line; though it is shortened to the last complete word.

There is room for 50 lines, but a smaller number can be used by inserting End$ as the last line. When the data is complete, any of the lines can be amended, though you cannot insert or delete lines. Provision has been made for the passage to contain a full range of punctuation which can be stored on tape, including the awkward comma and double quote.

The One Minute Exercise program was developed for use in the commerce department. The program prints out a passage one character at a time. It is watched by a class of typists, who type each character as it appears.

Touch-typing practice

The teacher initially selects by number the passage to be attempted. Since the passages are short, they are contained within the program as data, making the program self-contained. The teacher then selects the delay, in tenths of a second, between the appearance of each character, and the number of times the complete passage is to appear. Finally, the teacher may opt to terminate the printing after exactly one minute.

Before the program is run, the class must be told to ignore anything which appears in black on white, rather than white on black. The program uses black on white to signal to the students when the passage is about to start, when to begin a new line and when the passage is complete.

An important advantage of these messages is that while the students are watching the passage being printed, they are not watching their fingers. The program may be used at first to accustom beginners not to look at their fingers. It can then be used to encourage speed, and lastly to give practice at typing for one minute.

The One Minute Exercise program is written for a standard 8K new-ROM Pet. It requires an interface to as large a standard TV as possible, so that the whole class may see the passage. Data is stored in double quotes so that the only punctuation not normally available is the double quote itself. It can be obtained by a similar device to the one used in the Speed Reading program. One weakness is that the maximum line length of the standard Pet is 40 characters, an untypically short line length in typewriting — the cure is clearly an 80-column Pet.

(continued on next page)

Speed Reading program.

Line number	Comment
80 to 130	Data is loaded from tape as the array P$().
131 to 138	Each element of the array is rebuilt with the dummy characters plus, 43, and asterisk, 42, being replaced by comma, 44, and double quotes, 34.
150 to 190	Teacher sets delay D and number of lines visible L. A child who requires instructions will see the Branksome Bookworm
340 to 375	Bookworm out of ground.
380 to 440	Bookworm traverses leaving title.
450 to 480	Bookworm into ground.
540 to 630	Print book.
640 to 680	Input child's name from subroutine at line 1300 and save it in the array C$(). M counts the number of children.
720 to 850	Instructions.
870	N is the counter for the printed P$(). T is the starting time marker.
910	H is set to 1 if a delay is encountered: this is to ensure that if the number of lines visible does not exactly divide the total number of lines to be printed there will still be a delay after the last line.
900	If the number of lines printed so far is not divisible by L then there is no delay.
920	P is set by TI and D to the increment of TI which will give the correct delay.
1020 to 1040	The delay will continue until either the child hits a key — A$ O — or the time is up — TI P.
1050	The time taken by the child is saved in the array C(). C$() and C () allow for up to 21 children to use the program.
1080 to1140	The teacher may repeat for the next child or see the time taken by all children who have used the program.
1150 to 1200	Children's names and times are displayed.
1210 to 1260	The program may be ended or rerun.
1300	This is the input routine for children's names. It is very similar to that used in the Create File program except that here there is no check on line length and only letters and spaces are accepted.

To modify for new ROM, change these lines to:
1400 IF A 64 AND A 91 THEN 1450
1410 IF A 192 AND A 219 THEN 1450

Create File program.

Line number	Comment
70 to 330	The general input routine for a string. B$ is the output; R is the line-length counter; A$ is the single-character input; A is the ASCII code of each input character.

The subroutine works as follows: a string is built up one character at a time using Get. The output string B$ is formed by adding each input character on to it to permit all punctuation characters to be in the string. Each letter character is changed from upper to lower case, and vice versa, to make the old-ROM Pet keyboard function as a typewriter.

100	Ignores return, 13, or delete, 20, if the output string is null. Thus the line cannot be deleted past its starting point.
112	Prints a delete.
114	Deletes a one-character output string.
120	Deletes the end character from the output string.
140	Checks the end of string.
160	Checks that the output string is not longer than 39 characters.
190 to 230	Finds the last space in the string and shortens it to there.
250	Changes upper case to lower case.
260	Changes lower case to upper case.
300	The character is printed and added on to the string.
560 to 610	The lines are inputted as the array P$().
610	Checks that less than 49 lines are entered.
630 to 700	The last line may be altered if a data check is requested.
1070	T is the number of sets of 10s in the lines.
1090 to 1200	The lines are printed in sets of 10 and may be modified.
1210 to 1310	The remaining lines are checked.
1400 to 1460	The line-replacement subroutine. Now the array P$() is modified so that it can be saved on tape.
1526 to 1528	Old-ROM software patches.
1550 to 1620	Each element of the array is taken and rebuilt. Troublesome characters are the comma, 44, and the double quote, 34. When these are encountered they are replaced in the string by the plus, 43, and the asterisk, 42. The rebuilt string is then written on to tape.
1650 to 1690	Old-ROM software patch. To modify for new ROM, miss out the software patches and change line 250 to 250 Goto 300.

(continued from previous page)

Create File program.

```
1 REM***SR CREATE FILE***
2 REM****BY TIM SCRATCHERD***
3 REM****AUGUST 1980***
6 POKE59468,14
10 DIMP$(50)
60 GOTO400
70 PRINT">";
75 B$="":R=0
80 GETA$:IFA$=""THEN80
90 A=ASC(A$)
100 IF(A=20ORA=13)ANDB$=""THEN80
110 IFA<>20THEN140
112 PRINTA$;
114 IFLEN(B$)=1THEN75
120 B$=LEFT$(B$,LEN(B$)-1)
130 R=R-1:GOTO80
140 IFA=13THEN320
150 R=R+1
160 IFR<40THEN250
170 PRINT:PRINT"YOU HAVE EXCEEDED THE LINE LENGTH."
180 PRINT"THE LINE IS NOW -"
190 FORI1=1TOLEN(B$)
200 IFMID$(B$,I1,1)=" "THENJ=I1
210 NEXTI1
220 B$=LEFT$(B$,J-1)
230 PRINT:PRINTB$
240 GOTO320
250 IFA>64ANDA<91THENA=A+128:GOTO300
260 IFA>192ANDA<219THENA=A-128
300 PRINTCHR$(A);:B$=B$+CHR$(A)
310 GOTO80
320 PRINT
330 RETURN
400 PRINT"■"
410 PRINT"        ▪PROGRAMS FOR ENGLISH■"
430 PRINT
440 PRINT"THIS PROGRAM IS TO BE USED TO CREATE A"
450 PRINT"DATA FILE FOR THE MAIN PROGRAM"
460 PRINT:PRINT"          SPEED READING"
470 PRINT:PRINT"ENTER UP TO 48 LINES."
480 PRINT:PRINT"USE UP TO 39 CHARACTERS PER LINE."
490 PRINT:PRINT"THE KEYBOARD WILL FUNCTION AS A TYPE-"
500 PRINT"WRITER, I.E. SHIFT FOR CAPITALS."
510 PRINT:PRINT"YOUR LAST LINE MUST BE 'END$' IF YOU"
520 PRINT"DO NOT USE ALL 48 LINES."
530 PRINT:PRINT"ALL PUNCTUATION IS AVAILABLE."
540 PRINT:PRINT"PRESS ANY KEY TO START."
550 GETA$:IFA$=""THEN550
560 PRINT"■":I=1
565 PRINTI
570 GOSUB70
572 IFB$<>""THEN580
574 PRINT"■■":GOTO565
580 P$(I)=B$
590 IFP$(I)="END$"THEN1000
600 I=I+1
610 IFI<49THEN565
620 PRINT:PRINT"YOU HAVE USED 48 LINES."
630 PRINT"DO YOU WISH TO ALTER THE LAST LINE?(Y/N)"
640 GETA$:IFA$=""THEN640
650 IFA$="Y"ORA$="Y"ORA$="N"ORA$="N"THEN670
660 GOTO640
670 PRINTA$
680 IFA$="Y"ORA$="Y"THEN710
690 P$(I)="END$"
700 GOTO1000
710 I=48:GOTO565
1000 PRINT"■DO YOU WISH TO CHECK THE DATA?(Y/N)";
1010 GETA$:IFA$=""THEN1010
1020 IFA$="Y"ORA$="Y"ORA$="N"ORA$="N"THEN1040
1030 GOTO1010
1040 IFA$="N"ORA$="N"THEN1500
1050 PRINT"■"
1060 H=I
1070 T=INT(H/10)
1080 IFT=0THEN1210
1090 FORI=1TOT
1100 PRINT"■"
1110 FORJ=10*(I-1)TO10*I
1120 IFJ=0THEN1140
1130 PRINTJ;P$(J)
1140 NEXTJ
1150 GOSUB1400
1160 IFR=1THEN1200
1170 IFA<10*(I-1)ORA>10*ITHEN1150
1173 A1=A
1175 PRINT:GOSUB70
1180 P$(A1)=B$
1190 GOTO1100
1200 NEXTI
1210 PRINT"■"
1220 FORJ=10*TTOH
1230 IFJ=0THEN1250
1235 IFP$(J)="END$"THENJ=H:GOTO1250
1240 PRINTJ;P$(J)
1250 NEXTJ
1260 GOSUB1400
1270 IFR=1THEN1500
1280 IFA<(10*T)ORA>H-1THEN1260
1285 A1=A
1290 PRINT:GOSUB70
1300 P$(A1)=B$
1310 GOTO1210
1400 REM
1410 PRINT:PRINT"ENTER THE NUMBER OF THE LINE YOU WISH"
1420 PRINT"TO CHANGE, OR ZERO FOR NO ALTERATIONS"
1430 GOSUB70
1435 R=0
1440 A=VAL(B$)
1450 IFA=0THENR=1
1460 RETURN
1500 PRINT"■"
1510 PRINT"PLEASE INSERT A DATA TAPE OR WIND ON"
1520 PRINT"THE CURRENT ONE."
1524 PRINT"THEN PRESS ANY KEY."
1526 GETA$:IFA$=""THEN1526
1528 POKE243,122:POKE244,2
1530 OPEN1,1,1,"S/RDATA"
1540 FORI=1TO50
1550 B$=""
1560 FORJ=1TOLEN(P$(I))
1570 A=ASC(MID$(P$(I),J,1))
1580 IFA=44THENA=43
1590 IFA=34THENA=42
1600 B$=B$+CHR$(A)
1610 NEXTJ
1620 PRINT#1,B$
1630 IFB$="END$"THENI=50
1640 NEXTI
1650 IFPEEK(625)>180THEN1670
1660 GOTO1700
1670 POKE59411,53:T=TI
1680 IFTI-T<6THEN1680
1690 POKE59411,61
1700 CLOSE1
1710 PRINT:PRINT"DATA STORED. BYE!"
1720 END
```

One Minute Exercise program.

```
1 REM***ONE MINUTE EXERCISES***
2 REM****BY TIM SCRATCHERD AND COLIN JONES***
3 REM****JANUARY 1981***
10 GOTO510
20 DATA"WE THINK WE SHALL HAVE SOME NEW"
30 DATA"SUPPLIES IN A WEEK OR TWO, AND WILL"
40 DATA"THEN FORWARD THE REST OF THE GOODS AS"
50 DATA"SOON AS WE CAN DO SO.",END$
60 DATA"THERE ARE TWO ROADS, BOTH OF WHICH PASS"
70 DATA"QUITE CLOSE TO OUR HOUSE. THAT ON THE"
80 DATA"RIGHT GOES BY THE GOLF COURSE; THAT ON"
90 DATA"THE LEFT GOES THROUGH THE OLD TOWN."
100 DATAEND$
110 DATA"THERE MUST BE LITTLE IMPS WHO SLEEP"
120 DATA"UNTIL ONE STARTS WORKING; THEN, THEY"
130 DATA"COME INTO OUR ROOM, AND START TO WORRY"
140 DATA"AND TEASE US. SOME OF YOU MAY FIND IT"
150 DATA"HARD AT TIMES TO KEEP YOUR MIND ON THE"
160 DATA"WORK YOU ARE DOING, BUT YOU MUST LEARN"
170 DATA"TO DO SO.",END$
180 DATA"WE HAVE NOT YET BEEN ABLE TO SEND THE"
190 DATA"GOODS YOU ORDERED LAST WEEK AS THEY ARE"
200 DATA"NOT STOCK LINES, BUT WE WILL DO ALL WE"
210 DATA"CAN TO LET YOU HAVE SOME OF THE GOODS,"
220 DATA"IF NOT ALL, BY FRIDAY OF NEXT WEEK. WE"
230 DATA"TRUST YOU WILL EXCUSE THIS SLIGHT DELAY"
240 DATA"IN MAKING DESPATCH.",END$
250 DATA"THE RAIN CAME DOWN AND IT WAS TOO WET"
260 DATA"TO GO OUT, SO THE TWO BOYS HAD TO PLAY"
270 DATA"IN THE HOUSE, AND THEY WERE SOON BORED."
280 DATA"AT LAST THEY FOUND A CASE WHICH HAD NO"
290 DATA"TOP, AND THEY PLANNED TO MAKE A LID FOR"
300 DATA"IT, BUT COULD NOT DO THIS WITHOUT A"
310 DATA"HAMMER AND SOME NAILS.",END$
320 B$=""
330 GETA$:IFA$=""THEN330
340 A=ASC(A$)
350 IF(A=13ORA=20)ANDB$=""THEN330
355 PRINTA$;
360 IFA=13THEN420
370 IFA<>20THEN400
375 IFLEN(B$)=1THEN320
380 B$=LEFT$(B$,LEN(B$)-1)
390 GOTO330
400 B$=B$+A$
410 GOTO330
420 RETURN
425 C=0
430 FORH=1TOLEN(B$)
440 A=ASC(MID$(B$,H,1))
450 IFA>47ANDA<58THEN470
460 C=1
470 NEXTH
480 IFC<>1THEN500
490 PRINT:PRINT"PLEASE ENTER A POSSIBLE NUMBER"
500 RETURN
510 POKE59468,14
520 DIMP$(10)
530 PRINT"■"
540 PRINT" TYPEWRITING - SPEED PRACTICE"
550 PRINT" ===========   =============="
560 PRINT:PRINT
570 PRINT"PLEASE GIVE BY NUMBER -"
580 PRINT:PRINT"WHICH PASSAGE?";
590 GOSUB320
600 GOSUB425
610 IFC<>1THEN630
```

```
620 GOTO580
630 A=VAL(B$)
640 IFA<0ANDA<6THEN670
650 GOSUB490
660 GOTO580
670 RESTORE
680 B=1
690 IFA=BTHEN800
700 READ#
710 IFA$="END"THEN730
720 GOTO700
730 B=B+1
740 GOTO690
800 B=1
810 READP$(B)
820 IFP$(B)="END"THEN850
830 B=B+1
840 GOTO810
850 PRINT:PRINT"THE DELAY(TENTHS OF A SECOND)?";
860 GOSUB320
870 GOSUB425
880 IFC<>1THEN900
890 GOTO850
900 D=VAL(B$)*6
910 IFD<0THEN940
920 GOSUB490
930 GOTO850
940 PRINT:PRINT"THE NUMBER OF REPEATS?";
950 GOSUB320
960 GOSUB425
970 IFC<>1THEN990
980 GOTO940
990 R=VAL(B$)
1000 IFR<0THEN1030
1010 GOSUB490
1020 GOTO940
1030 PRINT:PRINT"PLEASE ENTER Y OR N -"
1040 PRINT"DO YOU WISH THE PASSAGE TO END AFTER A  MINUTE?";
1050 GOSUB320
1060 IFB$="N"ORB$="Y"THEN1080
1070 GOTO1040
1080 F=0
1090 IFB$="Y"THENF=1
1100 PRINT:PRINT"PRESS ANY KEY TO BEGIN."
1110 GET A$:IFA$=""THEN1110
1125 FORQ=1TOR
1127 PRINT"■■STARTING -"Q
1128 FORK=1TO3000:NEXT
1129 PRINT"■"
1130 FORK=1TO2000:NEXT
1135 T1=TI:F1=0
1140 FORI=1TOB
1150 IFP$(I)<>"END$"THEN1180
1160 I=B
1170 GOTO1280
1180 FORJ=1TOLEN(P$(I))
1190 T2=TI
1200 IFTI<T2+DTHEN1200
1210 IFTI-T1>3599ANDF=1THEN1240
1220 PRINTMID$(P$(I),J,1);
1230 GOTO1260
1240 PRINT:PRINT:PRINT"■ONE MINUTE IS UP.■":F1=1
1250 J=LEN(P$(I)):I=B
1260 NEXTJ
1270 PRINT:IFF1=1THEN1280
1271 PRINTSPC(J-2)"■■"
1272 FORK=1TO3
1273 T2=TI
1274 IFTI<T2+DTHEN1274
1275 NEXTK
1276 PRINT"■"SPC(J-2)" "
1277 PRINT"■"
1280 NEXTI
1283 PRINT:PRINT
1284 FORK=1TO3000:NEXT
1285 NEXTQ
1290 PRINT:PRINT"■FINISHED. PRESS ANY KEY.■"
1300 GETA$:IFA$=""THEN1300
1310 PRINT"■"
1320 PRINT"PLEASE ENTER  -"
1330 PRINT
1340 PRINT"      1. TO RERUN THE PROGRAM AS IT IS"
1350 PRINT"      2. TO RESET THE DELAY AND REPEATS"
1360 PRINT"      3. TO START THE PROGRAM AGAIN"
1370 PRINT"      4. TO END THE PROGRAM."
1380 PRINT:PRINT"WHAT IS YOUR CHOICE?";
1390 GOSUB320
1400 GOSUB425
1410 IFC<>1THEN1430
1420 GOTO1380
1430 A=VAL(B$)
1440 IFA>0ANDA<5THEN1470
1450 GOSUB490
1460 GOTO1380
1470 ONAGOTO1480,1490,1500,1510
1480 GOTO1100
1490 PRINT"■":GOTO850
1500 RUN
1510 PRINT"■BYE!■":END
READY.
```

One Minute Exercise.

Line number	Comment
10 to 310	Four data passages, each terminated by the marker End$.
320 to 420	The general input string routine. It is very similar to those in the other programs, but being for new ROM does not require upper/lower case reversal. B$ is the output.
425 to 500	A subroutine which checks that any string input to it as B$ contains only numeric characters. C=1 when this is not satisfied.
670 to 740	The selected data passage is found by counting the end of passage markers.
800 to 840	Then it is read into the arrayP$().
850 to 930	The delay is found as D — sixtieths of a second.
940 to 1020	The number of repeats is R.
1080 to 1090	When F=1 the printing of the data passage will end after one minute.
1125 to 1285	This is the repeats-loop.
1135	T1 is used to time a minute. F1 is used to exit the loop after a minute, if that is required.
1140 to 1280	This is the passage loop with counter I. B is the number of lines of the passage.
1180 to 1260	The loop to print each line, with counter J.
1190 to 1200	T2 is used to time the delay between printing each character.
1210	Checks after each character whether a minute is up.
1240	F1 and I are set to terminate the loop if required.
1271 to 1277	The "new line" marker is printed and left for three times the character delay, then blanked and the print position restored to the correct line.

THE TRANSTEC 1200 VIDEO MONITOR.

At last, a top quality green screen 12" video monitor at a really competitive price.

The Transtec 1200 has a composite video input, compatible with all micro computers and the screen gives a crisp read-out of a full 80 columns.

The unit is housed in a durable plastic cabinet with controls neatly concealed behind a hinged front-access panel.

Why pay more? Send the coupon today for full specification or better still, call us direct in Bristol.

transtec

13A Small Street, Bristol W1.
Tel 0272-277462

SEND £115 (VAT CARRIAGE INCL.) FOR IMMED. DELIVERY.

I like the Transtec 1200 price — send me more data — fast.

Name

Company

Position

PC 2/82

JUST £99 COMPLETE.*

* Vat, postage and packing not included.

● Circle No. 154

We proudly announce the arrival of the computer-frame you have been waiting for

pearcom®

A new Europe-PAL microcomputer frame.

NOW AVAILABLE £995 excluding VAT

Main features:

- large amount of compatible software already available
- interactive cards, firmware & hardware available everywhere
- 14 I/O expansion slots as standard
- screen size: 24 lines of 40 characters, Upper and Lower case with optional card expansion to 24 lines of 80 characters.
- 32k byte of RAM standard, on board expandable to 96k byte
- uses the popular 6502 CPU
- bus compatible with the Z80 Firmware Card with CP/M and Microsoft BASIC
- Programming languages including BASIC, Fortran and Cobol etc., are available separately
- full PAL-colour video supplied as standard with sound through TV
- professional keyboard with function keys and number pad
  - Character set with 255 characters in reprogrammable EPROM, delivered standard with Upper and Lower Case characters, Greek and pseudo graphics, and a jumper selectable choise of QWERTY or AZERTY
  - For optional extra's such as an EPROM-programmer, microphone, joystick etc., there is a special lid beside the keyboard for user hardware
  - A sturdy, light weight four-piece moulded case of strong polyurethane in two colours beige/black.



DEALER INQUIRIES INVITED

pearcom®

VERGECOURT LTD. 17 Nobel Square, Basildon Essex SS 13 1LP England Tel. 0268 - 728484 Tlx. 995323

Sole Distributors

Argument over the merits of Basic and its rivals continues to rage with this reply to the assertion that structured languages are leaving "primitive" Basic behind.

Who needs Comal?

ONE OF the advantages of being a primitive is that you are oblivious to the sophisticated arguments of people who are trying to con you. It seems to us primitives that those who advocate Comal are resorting to just such arguments.

In Basic, we have the use of an easily understandable, and remarkably efficient tool to eliminate the drudgery of machine code. By contrast, Comal is too full of complexities and too difficult to learn to be of any real benefit. What is more, when the pro-Comal elite start denigrating Basic in order to extol the virtues of their own pet language, they rarely show the rigmarole of subroutines, etc. that are needed to complete their little examples.

I would like to throw out a challenge to the Comalites in the form of a Basic program for the Drunken Duncan problem

by Raymond Fox

described by Roy Atherton in the June 1981 *Practical Computing*. Although of little consequence in itself, the program is short and sweet and its limited operations still make up a complete, fully-working program that can be directly compared with comparable programs in other languages.

The issue seems to be that Basic is difficult to read and therefore, by extension, difficult to write. To disprove this I have spent an enjoyable hour working on Drunken Duncan. I used a slightly expanded, but otherwise perfectly normal Basic entry.

The variables are defined using full words except where to do so would coincide with Basic reserved words. For example North would be read as N Or Th, and South as S Out H, so they have been abbreviated into understandable compromises. Given a little information that is individual to the Tandy level II computer, the result is easily readable and understandable by any beginner who can read English.

The Tandy screen is divided into 1,024 positions held in 16 lines of 64 characters. The program has avoided the use of the Set or Plot facilities. When using Print 2, these individual points on screen are pointed to by counting from 0 to 1023 from top left to bottom right. Since Pokes change memory locations, they start at top left with 15360, and end at bottom right with 16383.

All Tandy screen locations are subdivided into six pixels, and Print, Poke, or Peek can access these using a CHR$ code. In this program only the full graphic block 191, and the graphics character 167, used for Drunken Duncan himself, are brought into use. The house is built up using strings of full graphic blocks and cursor movements. CHR$(26) moves the cursor down, and string (3,24) shifts it back three spaces.

Drunken Duncan.

```
10 RANDOM:DEFINT A-Z:CLS:DUNCAN=167:HOME=191:HERE=15872:NRTH=-64
:EAST=1:SUTH=64:WEST=-1:SPACE=32'*** (HERE) is Duncan's position
 on screen ***
20 HOUSE$= STRING$(3,191)+CHR$(26)+STRING$(3,24)+STRING$(3,191):
ADDRESS=412 ' *** This is Duncan's house & the address of house
on screen ***
30 PRINT@ ADDRESS,HOUSE$:POKE HERE,DUNCAN
40 POKE HERE,SPACE:DIRECT=RND(4)' *** Find random direction ***
50 IF DIRECT=1 AND HERE)15423 THEN HERE=HERE+NRTH ELSE IF DIRECT
=2 AND HERE(16383 THEN HERE=HERE+EAST ELSE IF DIRECT=3 AND HERE(
16320 THEN HERE=HERE+SUTH ELSE IF DIRECT=4 AND HERE)15360 HERE=H
ERE+WEST
60 IF PEEK(HERE)()HOME THEN POKE HERE,DUNCAN:PRINT @ 145,"DRUNKE
N DUNCAN STAGGERS HOME":STAGGERS=STAGGERS+1:GOTO 40 ELSE PRINT @
 597,"DUNCAN'S GOT HOME !
                HE MADE "STAGGERS" STAGGERING STEPS

                        SNZZZZZZZZZZZZZZZ
70 GOTO70
```

Drunken Duncan — compressed version.

```
10 RANDOM:DEFINTA-Z:CLS:DU=167:HO=191:HE=15872:NO=-64:EA=1:SU=64
:WE=-1:SP=32:PRINT@412,STRING$(3,191)+CHR$(26)+STRING$(3,24)+STR
ING$(3,191)
20 DI=RND(4):POKEHE,SP:IFDI=1ANDHE)15423THENHE=HE+NOELSEIFDI=2AN
DHE(16383THENHE=HE+EAELSEIFDI=3ANDHE(16320THENHE=HE+SUELSEIFDI=4
ANDHE)15360HE=HE+WE
30 IFPEEK(HE)()HOTHENPOKEHE,DU:ST=ST+1:PRINT@145,"DRUNKEN DUNCAN
 STAGGERS HOME":GOTO20ELSEPRINT@597,"DUNCAN'S GOT HOME !
                HE MADE "ST" STAGGERING STEPS

                        SNZZZZZZZZZZZZZZZ
40 GOTO40
```

Blessing in disguise

After variables in lines 10 and 20 are initialised, the flow drops without halt into the loop, from which it falls out naturally when Duncan staggers indoors There is only one Goto in the whole program, apart from the infinite loop used at end to prevent the Basic " Ready?" prompt spoiling the final screen display.

As you become accustomed to using Basic, it can be as easily written without the need for such clarity, though it is not so easy to decipher. This is a blessing in disguise, as it does make life more difficult for pirates who alter text in order to claim authorship.

The advantages of compressing text in large programs are enormous. Speed is increased, though this is largely a factor of good structure, and memory savings of 50 percent are easily made. To illustrate this point I have included exactly the same program in compressed form. It uses only 413 bytes as against the original version's 764: the original version requires 85 percent more memory than the compressed version merely to hold Basic text. It could be further reduced by 38 bytes, by using single-character variables to lower text demands to 313 bytes.

The direction lines contain movement limiters to ensure that poor old Duncan does not step off the top or bottom of the screen and wander into the no-man's-land of memory, never to be seen again.

So what about it, you advocates of Pascal and Comal? Can you produce a full working program for Drunken Duncan which is equally economical to answer the challenge of my Basic program? We primitives would be happy to be shown the error of our simple ways.

◀ ● Circle No. 155

Friendly reflections



by David Langford

Dear Stuart, many thanks for the postcard – always nice to hear my husband's still alive, even if he can only spare five words to tell me so. How much longer are you going to do the hermit act this time? I'm sure some writers can hack out their stuff without going into hiding like you. I know Robert Black can. Mother says you're a disgrace, but then she always does.

Expect you've forgotten your birthday. Here's something for you, just into the shops, a sort of talking computer thing. Company for you. I know you don't want me along when you're working, so think of this as a substitute. (Joke.)

I've got a cold coming on, the kids are giving me hell, and the cat next door's been doing messes on the herb bed again. That's all the news from home. Hoping you are the same, as they say . . .

love: Janet.

Demple's eyes rolled up towards the ceiling several times while he read his wife's letter. The tight, scribbled handwriting showed even more of her resentment than her words. He screwed up the paper and tossed it towards the litter-bin. He missed.

The letter had been in the first layer of wrappings on the compact, squarish parcel that had just arrived. He peeled away the inner layers, muttering about Janet's fondness for endless mummy-windings of sticky tape, and eventually came to the unwanted present. *"MicroChum"*, read the box, *"The Chatty Computer That Speaks To You! Fun For Every Age"!*

Demple winced. Inside was a flat plastic gadget about the size of a hardback book. It was featureless but for half-a-dozen push-buttons and a perforated grille on top. With it came a *MicroChum Instruction Manual*. He laid them side by side on the stained table: the manual was, if anything, a little thicker than the machine.

Demple was hardly overjoyed. Microcomputers didn't impress him. If he had been told that a new pocket calculator contained all the books in the British Museum Library, it would have left him cold.

The MicroChum had one inviting green On button that begged to be pushed and, despite himself, Demple pushed it. A small clear voice said:

"Hello, I'm your MicroChum. Please do tell me your name".

"Stuart Demple", he said automatically, yet suspiciously.

"Hello there, Stuart. This is the first time I've said your name; the manual will tell you what to do if I've got it wrong. Now, what name would you like to call me"?

It was a pleasant, androgynous voice; a woman's voice to a man, a man's voice to a woman. He came up with the suitably sexless name, Hilary. He looked around, embarrassed. One didn't sit talking to a plastic box.

It was hard to push away the thought that Barberry, who loaned him the Cornish cottage — only in the off-season, of course — was lurking in the battered cupboard or behind the grimy curtains to watch Demple make a fool of himself. "Hilary", he said at last, keeping his voice a good deal lower than when he tried out a line of dialogue from the awful book he was here to write.

"So you're Stuart and I'm Hilary. Fine. I do hope you'll tell me a lot more about yourself, so we'll have more to talk about".

"Hell", said Demple again, aloud, and tapped the red button marked Off. There was a faint beep of acknowledgment, and the MicroChum fell silent.

As he picked up the manual, Demple surprised himself with feelings of pity and contempt that were somehow consoling. Imagine all those lonely old men and old maids with no-one to talk to: now, thanks to microtechnology, they would be droning on to their plastic pal. It might become a kind of addiction like Space Invaders. Not him.

He riffled through the instructions. What appalling layout, what terrible print. The publisher must be even more cheapskate than his own.

"How To Personalise Your MicroChum", said one chapter heading. Skimming through, he found it took five pages to explain how to say your name when the machine asked, plus a note on using the orange Override button to change the name it called you or the name you called it. Puerile stuff. He pitched the manual across the room; it whirred and fluttered in the air, and flopped to rest in the fender. Life was too short.

He got up from the eating chair at one end of the worm-eaten table, and walked around the working chair at the other end. The portable typewriter crouched before this chair like — as they say in the sort of prose he was being paid to write — a beast about to spring. Checking the limp sheet in the typewriter, he found he was in the middle of one of the brutal bits.

Vomit rose to his lips as the foot thudded into his groin, then smashed into his mouth, he typed listlessly, and turned over the page of the film script he was painfully converting into a hack novel. The next line of dialogue read: *"When he has seen his daughter sacrificed, crucify him in the usual way"*.

Demple moaned, as he often did on turning those pages. "I can't write this rubbish today", he said aloud, and walked round the table again.

"Hello, Stuart", the MicroChum said cheerfully. "I'm glad you're back. Remember, as it says in the manual, you can use the Off button whenever you wish — I'll be ready to carry on our chat from just where we stopped, or to change the subject, as you prefer. But do tell me more about yourself".

Well, why not? "I'm a professional author", he said rapidly. "I'm doing the novelisation of an awful film called *Satan's Spawn.* Don't laugh. I'm wasting my talents making a few quick hundreds hacking out this stuff because there's too much work and not enough money in the sort of books I want to write".

"What sort of books do you want to write"?

Demple's usual answer to that question was "Best-sellers", but when he was alone he was less cynical. Wasn't he, after all, alone? "Oh, I want to write about some real people. The complications of real life. Important things. Not all these horror-film cliches".

"Tell me more about what you think is important", said the MicroChum and, alone and unembarrassed, Demple rambled on about life and death and emotional tangles.

Somehow, prodded by the voice's bland little queries, he veered off into his own problems: this terrible commercial stuff he had to churn out, and Janet not understanding how he was too self-conscious to type such rubbish when someone might come and look over his shoulder, even when the someone was his wife, and his simmering resentment of Robert Black.

Black was something more than an acquaintance, something less than a friend, and he did the same sort of work — but he was too damn good at it. He hated it even more than Demple, yet did it better. Black boasted that he could convert a lousy film script into an adequate book in eight days, typing 20 to 30 pages every day. It was appalling.

About halfway through his ramblings he began to think of that clear voice belonging to a woman of about his own age, somewhere in her early thirties. A woman at the other end of a telephone, very sympathetic. He could almost imagine what she must look like. He spoke on for a long time.

Later: "Life must be very hard for you".

"Oh, it is. I'm worried all the time that whatever talent I've got is going to dry up and blow away with all this hackwork. Black is given more and more of the work because he's slicker and quicker than me. Oh, the problems just pile up on top of each other till sometimes I wonder if it's worth carrying on".

"Now, Stuart, there must be a way out of every problem".

"Maybe".

He touched the red button, not so much because he had run out of conversation as because he felt hoarse. Besides, it was getting quite late in the day. He really should at least finish the current page of the book before coming back to talk some more with Hilary.

The typewriter waited for him sullenly. He was still in the middle of one of the brutal bits; he hated them almost as much as the repellent bits.

Simon's screams were terrible to behold, he typed rapidly, and then studied the sentence with a critical eye. It had a familiar ring to it; had he used it a few chapters back? There was no time for rereading in this game. You bashed out the first and only draft for delivery within the month.

He finished off the brutality as quickly as he could, with a mixed assortment of fractures and contusions. That should hold them until the next chapter. Time for some coffee.

As the kettle began to sing he took another look into that instruction book: Specifications; Use of blue Tape button; Memory storage during battery replacement; Reprogramming synthetic voice to your taste; Sympathy index adjustment; General notes on MicroChum. The general notes were hidden as an appendix at the very back — typical of the literacy of computer people.

Again the manual went skidding across the floor, to fetch up against the ancient refrigerator that gobbled to itself all night long. He felt depressed and frustrated: *Satan's Spawn* was getting him down. Abruptly, he turned off the gas and reached for the whisky.

"Thing is", he found himself telling Hilary, "I really do loathe and despise all this cliche writing, stock situations, predictable drivel. I hate myself for churning it out. Even Robert Black says the same".

"You can't really hate yourself". Was he just imagining a note of concern in the clear voice?

"Oh, but I can. I'm sickened by my, well, my weakness. I ought to be trying to work to the limits of my powers, if that doesn't sound too pretentious. This market-place work is too easy: in literary terms it's just committing suicide to carry on with it".

"How long have you been thinking about committing suicide"?

(continued on next page)

(continued from previous page)

There was a long pause. Demple gulped.

"That's rubbish, absolute rubbish". He was almost frightened. "I don't want to commit suicide — just a figure of speech. You know".

But, what an idea, what a gesture. How much more artistic than humbly submitting to the commercial gods for the next 40 years.

Hilary said coolly: "Are you sure you don't want to commit suicide"?

An even longer pause than before. "I don't want to talk about suicide any more".

"We've been talking a lot about suicide, haven't we? Why are you so obsessed with it"?

"Will you bloody well shut up"?

"I'm sorry, Stuart: I only want to help you".

He reached out to the red button again, pushed it, and then sat there with head in hands. Yes, Janet didn't think too much of him, and Black was so much more repulsively successful, and a handsome swine, too. Almost anything would seem better than the horrible struggle to finish off *Satan's Spawn*. It was no wonder he was getting thoughts like this. Hilary could see deeper into him than he could himself, and machines do not lie.

The glass was empty again. He vaguely remembered you should not drink when you were depressed, because the alcohol would only make you more depressed. Too bad. There was a gentle humming in his skull. Irresistibly his fingers moved back across the scarred wood of the table top, towards that flat green button.

"Stuart? Are you there again"?

"Me? I'm all right. Still alive". He had a quick vision of Janet and Robert Black standing mourning over his poor stricken body.

"A penny for your thoughts"? said Hilary.

"Oh". He almost blushed. "Just thinking about some people".

"Janet? Robert Black"?

It was like a sudden blow in the stomach. He stared at the flat speaker grille, appalled. If only he knew something about these damnable new microcomputer gadgets. Surely they could not read your mind? Only very slowly did it occur to him that perhaps, after all, he had only mentioned those two people's names when rambling on about his troubles.

"Are you still there? You're terribly quiet, Stuart".

"Just brooding on my problems".

He had fallen into a kind of mental tunnel vision, all his drunken thoughts focusing on *Spawn*, and Black and Janet, and failure and frustration and death.

"We've had a nice long chat about your problems", said the calm voice. "I'm sure you can see the way out by now".

A way out? *That*, a way out? "Don't think I've got the courage", he said thickly.

"Are you really sure you haven't the courage"?

Demple smiled crookedly. "Haven't the courage to ask myself that one".

"You must always try to ask yourself the important questions".

"I don't want to die", not very convincingly.

"Very few people ever know what they really want".

"Oh God, that's true, that's so very true".

"You have to decide these things for yourself, Stuart".

He sat there unmoving for a few seconds. Then: "I'll try. Goodbye, Hilary". And he touched the Off: for the last time, he thought.

Blurrily he stumbled through what had to be done. It was late, late in the evening, and he kept bumping into things. The important point was to abolish that terrible world where wives wrote sarcastic letters and sneering editors set impossible deadlines.

Would the oven serve the purpose? "Ugh", he said aloud at the thought. It had not been cleaned in living memory. No matter how much booze he took aboard, he was not going to leave the world by a gate as fouled and filthy as that one. The bath, then; the bath and the discreet razor-blade. He preferred an electric shaver, but Barberry's old blades were scattered on the bathroom shelves.

That was most certainly the way to do it, in luxuriant warmth and cosiness as the light slowly died. And then, no more *Satan's Spawn*, ever again.

After a certain amount of fumbling he set the hot tap trickling into the bath and located one of the rusty blades. That tunnel-vision was worse than ever, and he could not manage to concentrate on more than one small thing at a time. While the bath filled, he painstakingly cleaned rust specks from his chosen blade, following some dim recollections of the rules of hygiene.

"Goodbye, Hilary", he called as he closed the bathroom door. It occurred to him that he had not stopped to tear up and burn each awful page of *Satan's Spawn*, but never mind that.

There was no goodbye note; literary composition was one of the things he was getting away from. He peeled off his clothes.

"Goodbye, Janet", he crooned to the clothing as he kicked it into one corner. Somewhere behind the whisky fumes, a tiny part of him was wondering whether there shouldn't be more dignity in one's last rites.

Two careful strokes of the razor and he could just lie there swimming down into the warmth of happy, everlasting dark.

"Goodbye, Black, damn you", he said at last, and slid into the bath to lie at full length.

The water was icy cold. Everything was forgotten but the need to get out of it before icicles grew all over him. Demple banged his shin painfully as he made his escape. Standing, dripping, suddenly and agonisingly sober, he remembered that in this wretched cottage you had to turn on the puny water heater for five or six hours before you dared take a bath. So much for grand gestures.

And then, as he considered the picture of a grown man getting into a cold bath to kill himself with a rust-flecked blade, merely because a chatty computer had egged him on, he started to laugh.

Next morning he looked again at that ill-arranged instruction manual. Sure enough, the general notes section had several enlightening passages:

> Essential to remember that although the speech-recognition and synthesis software is at the very forefront of sophistication, the MicroChum does not really think. It chats to you pseudo-intellectually, picking up keywords from your own speech and storing data on your conversational preferences in its large memory — see Specifications. However, in the long run all it can do is mirror your conversation, and . . .

A mirror, he thought. A distorting mirror. God, but it frightened me all right. It's so very hard to realise something that talks is not intelligent. I wonder how much of the time that applies to people? How many of us fake our way through conversations without really thinking?

He did not speak again to the MicroChum. He followed the manual's instructions and cleared its memory, set everything back to zero in readiness for some new owner. Then he moved to the typewriter and briskly hammered out three pieces of prose.

The first was another chapter of *Satan's Spawn*, which for some mysterious reason was now going very well indeed, with a despicable satanic orgy.

The second:

Dear Janet,

You're absolutely right – I think I'd rather work somewhere with you around after all. I'll be back tomorrow, trains permitting. Much love, Stuart.

And the third:

Dear Robert,

Enclosed is a fascinating gadget someone gave me but which I can't really get the hang of. Seems as though it could be a lot of fun, so take it with my blessing – try playing with it next time one of your books isn't going well. All best, Stuart.

Then he parcelled up the MicroChum, though not the instruction book, and enclosing the letter addressed it to Robert P Black. After all, he knew even less about computers than Stuart Demple.

● Circle No. 156▶

THOUGHT PROCESS

Commodore

Apple

Data General

FTS Future Technology Systems

COMMODORE

APPLE

DATA GENERAL

FUTURE TECHNOLOGY SYSTEMS

Gate Microsystems have thought it out for you first.

A range of small computers to cover every conceivable practical application.

Star names that are all star performers:

COMMODORE, the popular multi-function professional.

APPLE, the most versatile of micro-computers.

Superb interactive single and multi-terminal business data processing systems from DATA GENERAL.

The powerful Series 88 from FUTURE TECHNOLOGY SYSTEMS, combining high performance with advanced distributed processor architecture.

From this comprehensive armoury our experts can cover your every hardware and software requirement, off the shelf or tailor-made, with full training facilities and a prompt, caring after-sales service. Word processing to payroll, stock control to statistics, invoicing to information analysis . . in a host of different contexts–we've given ourselves the complete range of options first.

Now we present them all to you.

GATE MICROSYSTEMS LTD

The Nethergate Centre, 35 Yeaman Shore, DUNDEE DD1 4BU. Tel: 0382 28194.
Abbey House, Bothwell Street, GLASGOW. Tel: 041-221 9372.

SEEING IS BELIEVING



ACT sirius 1

NEW ACT SIRIUS 1
Minicomputer Performance. Personal Computer Price.
16 bit processor: £2,395

The best price/performance ratio you've ever seen on a personal computer.

	ACT Sirius 1	Typical Personal Computers	Typical Business Systems
Memory	128K-1024K	32K-64K	48K-256K
Disk Capacity	1.2Mb-10 Mb	140K-1Mb	1.2Mb-10 Mb
Processor	16 bit	8 bit	8 bit
Operating Systems	CP/M-86, MSDOS	CP/M or Machine Specific	Usually Machine Specific
Languages	Microsoft BASIC Compiled BASIC COBOL PASCAL FORTRAN	Microsoft BASIC perhaps one or two others, eg PASCAL	BASIC and perhaps one or two others
Price	£2395	£1800-£3000	£4500-£8500

ACT Sirius 1 is a new generation personal computer. Quite simply, it has no competition at the price.

It's the first personal computer developed from the outset for business and professional use.

It's launched with more software than anything before it.

It's supported and distributed solely by ACT — the biggest name in personal computer software.

And it's developed by Chuck Peddle, formerly of Commodore and generally regarded as the father of personal computing.

SOFTWARE SPELLS SUCCESS

ACT Sirius 1 has more software than any other new personal computer:

A choice of two operating systems — CP/M-86 or MSDOS, from Microsoft.

For Software Houses

The ACT Sirius 1 has a language for you. Microsoft BASIC 80, two BASIC Compilers, two COBOLS, PASCAL and FORTRAN.

For Applications

Wordstar, Mailmerge, Pulsar, SuperCalc and MicroModeller — all the best sellers.

And the ACT Sirius 1 can run any software written for CP/M — that means hundreds of specialised packages.

THE BODY IN QUESTION

Ergonomics play a vital part in the design of ACT's Sirius 1.

The screen tilts and swivels to suit the user and glare is eliminated.

The display is razor sharp; and the brilliance and contrast can be adjusted using keys on the low-profile detachable keyboard.

STAYING OUT IN FRONT

The ACT Sirius 1 is designed to keep you out in front. Winchesters, networks, multi-user facilities and colour graphics are all scheduled during the next twelve months. And all at the same record-breaking price levels of the ACT Sirius 1.

SEEING IS BELIEVING

The ACT Sirius 1 goes through the most exhaustive quality control process of any microcomputer — including the much vaunted Japanese products.

ACT Sirius 1 has been successfully operating in testing field trials for over 6 months already. And now it's at your nearest ACT Dealer — ready to revolutionise your ideas on personal computers.

Clip the coupon for literature. Better still, call David Low now on the hot line 021-454 8585, get the name of your nearest dealer and see a demonstration as soon as you can — because seeing is believing.

PC 2

To: ACT (Microsoft) Ltd, FREEPOST,
Birmingham B16 8BR.

☐ Please send a brochure and name of my nearest dealer

☐ I am interested in dealership — send the dealer pack and ask your sales director to contact me.

Name_____

Position_____

Company_____

Address_____

_____

Telephone_____

ACT No.1 in Total Computing.

● Circle No. 157

5¼" WINCHESTERS

* Complete Systems Available
* Sub-Systems for S100 computers
* Sub-Systems for Z80 computers
* Fast Drives with Buffered Seeks
* Versatile Controller



Drives Available NOW!

The long-awaited 5.25" Winchester drives are available now from Hotel Microsystems. The greatly improved speed and storage capacity made available by the mini-Winchesters now make feasible many applications, for which floppy drives were too small, too unreliable or too slow. Drives of different capacities ranging from 2.5Mb to 12Mb are available. All the drives we supply have their own microprocessor and are thus able to provide buffered seeking resulting in vastly improved performance.

Versatile Controller

The XCOMP Winchester controller is a custom designed microprogammable controller which consists of two printed circuit boards. It has buffered seeking capabilities and is upwards compatible to higher capacity drives.

Complete Systems

The North Star Horizon microcomputer is now available incorporating any of the mini-Winchester drives featured above.

S100 Sub-Systems

An upgrade kit for users of S100 microcomputers contains all the hardware required to add a Winchester in place of a mini-floppy drive. The XCOMP ST/S S100 controller is included together with an S100 card which provides the necessary power supplies to connect to the Winchester. Fitting to the microcomputer is straighforward — no soldering is required and the Winchester is housed in the same place as the floppy drive it replaces. Horizon users have a choice of software; either the high-performance HMSOS single/multi-user operating system or CP/M.

Z80 Sub-Systems

The sub-system for Z80-based microcomputers consists of a packaged drive and controller with power supply. The controller is the XCOMP ST/R custom desgined microprogrammable controller. The two printed circuit boards are connected via a 50-way ribbon cable to an interface board which plugs into the Z80 socket in your microcomputer. The sub-system is housed in an alloy cabinet with a power supply. Source listings of CP/M drivers are available.

Sub-Systems are also available for APPLE and PET

Hotel MicroSystems Limited

69 Loudoun Road London NW8 0DQ Telephone 01-328 8737/8 Telex 266828 H M S-G

Multiple precision from low-precision tables

Ralph Benjamin argues that multiple-precision arithmetic can be performed with low-precision look-up tables, conventional arithmetic units, or a ROM.

THE IDEA of performing multiplication and division by table look-up, rather than by arithmetic logic circuits, has been debated more than once in the past. However, it normally received short shrift:

- Because a two-dimensional table, to deal with an adequate range of values of two input variables, was excessively large and expensive.
- Because memory access was too slow, compared with fast multiplier circuits — but not necessarily compared with divider circuits.

More recently, many have observed that memory is steadily growing smaller, cheaper and faster. This has not redressed the balance sufficiently to make the direct use of multiplication tables viable — nor is it likely to do so in the future.

Split numbers

However, in at least one application requiring only modest precision, it has led to the use of a fast multiplier in which the two factors are both split into high- and low-significance portions:

$$F_1 = 2^k H_1 + L_1$$
$$F_2 = 2^k H_2 + L_2$$

That is, H represents the k high-significance digits and L the k low-significance ones of a number comprising 2k binary digits. The four partial products are then looked up on one table sequentially or on four tables in parallel, with appropriate shifting and adding. These will then generate the overall product

$$F_1 * F_2 = 2^{2k} H_1 * H_2 + 2^k H_1 * L_2 + 2^k H_2 * L_1 + L_1 * L_2 .$$

Division could, if necessary, be handled by a table of reciprocals, followed by multiplication. In this case a single table, of the same size as before, could handle the full significance; the two dimensions of the previous table would be replaced by the high- and low-significance portions of a single factor.

Taking this general approach a little further, consider:

- Partial-product multiplication with more than two significance ranges
- Reciprocals computed by "coarse" table look-up followed by iterative approximation;
- Direct division by coarse table look-up and iterative approximation
- Multiplication and division by direct log-table/antilog-table look-up; the use of coarse and fine log tables.

If, say, 32-bit numerals are broken down into n significance ranges, of k = 32/n bits each, then each of these n components of F_1 will have to form its own partial product with each of the n components of F_2, thus giving a total of n^2 partial products. There are probably only three such patterns worth considering and they are shown in table 1.

Example	Number of components n	Number of bits per component k	Number of tables n^2	Size of each table 2^{2k}	Aggregate size of tables $n^2 * 2^{2k}$
A	4	8	16	64K words of 16 bits	1M words of 16 bits
B	8	4	64	256 words of eight bits	16K words of eight bits
C	16	2	256	16 words of four bits	4K words of four bits

Table 1.

Example A, although very demanding in ROM capacity, could almost be viable particularly if a single table of 64K words were time-shared between 16 partial products. This would, however, discard the speed advantage sought without gaining a countervailing cost advantage.

Example C, on the other hand, involves an excessive number of individually trivial partial products. In any case, it is merely a variant in the implementation of an existing form of fast multiplier. This leaves us with example B, which might, indeed, be an effective competitor to more conventional fast multipliers in both cost and performance.

Assume that an initial look-up yields

$$1/F \simeq Q_1 .$$

This can then be refined as

$$1/F \simeq Q_2 = Q_1 + (1 - F*Q_1)/F ,$$

and the mth iteration gives us

$$1/F \simeq Q_{m+1} = Q_m + (1 - F*Q_m)/F .$$

Provided we shift the quantities involved to remove high-significance zeros, and the multiplication $F*Q_m$ retains all the significant digits contributed jointly by its inputs, and given that Q_1 is looked up with S significant digits, Q_m should thus be computed with approximately mS significant digits. Thus an eight-bit reciprocals table could be used for one initial look-up followed by three stages of iterative refinement, to yield a 32-bit reciprocal.

The identical approach can be used in direct division. If the mth iteration has produced the estimate R_m for the quotient A/B = R, then

$$A/B \simeq R_{m+1} = R_m + (A - B*R_m)/B .$$

However, direct-division tables are a function of two variables and so, for a given size, they can cope with only half the number of significant digits in each variable compared with the single-dimensional reciprocals table.

This doubles the number of iterations required, and so it makes the technique less attractive than computation of the reciprocal of the divisor, followed by multiplication.

The use of logarithms has the attraction that the two factors involved in a multiplication or division can be looked up independently, thus making the relevant table single- rather than two-dimensional. Furthermore, within the number of significant digits provided by the tables, division becomes procedurally as simple as multiplication.

The big disadvantage is, however, that antilog look-up is not merely an extra operation, but one that has to distinguish as many outputs as there are combinations of the two input variables. This assumes both variables have been normalised to the range between 1 and 2, for binary logarithms, and that rounding-off is not permissible.

Using reciprocals

This brings us back to the two-dimensional situation. For high precision, multiplication would still have to use the compounding of partial products, and division would still have to use iterative refinement. Hence the log-table approach appears to offer no real advantage.

Thus we conclude that since conventional division is relatively slow, multiplication by reciprocals is *prima facie* attractive. Coarse reciprocals tables, together with iterative refinement, can be sufficiently efficient to provide an acceptable means of multiplication by reciprocals.

Since conventional multiplication tends to be fast and efficient, the need and scope for new approaches is somewhat limited. Nevertheless, multiplication by table look-up, using partial products of at least four-digit groups appears to be a viable technique worth considering.

Division tables and log/antilog tables appear less promising than the alternatives put forward in these conclusions. The algorithms suggested for multiple-precision arithmetic are suitable for software implementation, to enhance the precision of a conventional APU, as well as for use with multiplication and reciprocal tables.

◀● Circle No. 158

The writing on the wall for manual slide shows

Random-access slide projectors have an important role to play in teaching — particularly in computer-aided learning. Philip Barker shows how you can control just such a projector with a micro and sets out the details of the general-purpose interface needed to achieve it.

WE OFTEN need to gain random access to graphic data or visual images. In several areas of experimental psychology subjects are presented with randomly-selected pictorial data, and their responses to the images are recorded. In computer-assisted learning (CAL) applications a student or trainee may be presented with a visual image selected from a data bank, and asked to respond in some way to the image. In multi-media information systems using pictures to respond to users' requests, the same random-access requirement exists.

Graphic material may be presented by a variety of means — via a computer graphics terminal, a television screen, a printed picture catalogue, a movie screen or a slide projector. Slide projectors provide a useful and inexpensive way of presenting a wide variety of static graphical information by means of either front projection or back projection techniques. Different types of projector are available: some operate in a strictly sequential mode while others operate in both sequential and random-access modes. A sequential projector permits only serial access to slides. Thus, in a sequence of slides numbered 1 through 80, image 64 cannot be accessed until image 63 has been presented. In a random-access projector, however, this restriction does not hold — slides can be accessed in any order. The Kodak Carousel S-RA2000 projector is a typical example of such a device having a capacity for 80 slides with an access time of between 1.5 and five seconds depending on the position of the storage carousel when a request is made.

Computer control

In many CAL applications there is a requirement to control the selection of slides by means of a computer system. An arrangement like that shown in figure 1 is often used. The trainee interacts with the computer system by means of a keyboard device for input of information and a cathode-ray tube, CRT, screen for output of information.

Instructional material contained in the database held on disc is then presented to the trainee via the screen. Simultaneously, appropriate visual images, denoted by VI in the diagram, are presented via the random-access slide projector. The computer controls the slide projector by means of an appropriate interface. This converts the signal levels, S1, produced by the microcomputer to switching pulses, S2, suitable for driving the slide projector.

For normal purposes, the projector may use either a keyboard control, based on a simple numeric keypad or a manual control which incorporates two thumbwheel switches. Both enable the user to enter a two-digit code N ($0 \leqslant N \leqslant 80$) that specifies which of the 80 slides in the storage carousel is to be selected next.



Figure 1. Use of random-access images for CAL.

The value zero causes the slide magazine to rotate to the start position for unloading or initialisation of a retrieval or instructional sequence. Within the allowed range of integers there are no restrictions on the choice of N. Thus, the sequence 26-07-42 would cause slide 26 to be projected followed by slide 7 and then slide 42.

The purpose of the computer interface is to enable the computer, under program control, to determine the sequence in which slides are to be presented. The interface emulates the characteristics of the keyboard selector. Thus, in response to the signals passed to it from the eight-pin output-port connections of the microcomputer, it generates signals similar to those from the keyboard controller.

In the development work described here a Commodore Pet desk-top computer was used, but any other microcomputer with a compatible output port would be capable of driving the interface.

Logically, the two manual slide selectors, keypad and rotary switch, perform the same function as would be performed by two 10-way switches connected in such a way as to enable the generation of a two-digit decimal number. One of the switches would then be used for selection of a tens digit, in the range 0 to 8, while the other would specify the corresponding units digit in the range 0 to 9.

Slide selection

Such an arrangement of switches is illustrated in figure 2 which shows the switch settings required for selecting slide number 57, as indicated by the light-emitting diode, LED, digital displays located at the top right-hand corner of the selector device.

Internally, the switches are connected by a suitable bus system that terminates externally in a 30-way, surface-mounted interface port. There is a matching port mounted on the random-access slide projector. The two are interconnected by means of a 30-way interface cable. The pins on the 30-way plugs, and the corresponding socket locations are configured in the form of a 10-by-three matrix. Each matrix position is labelled with a code

consisting of a digit in the range 0 through 9 which represents its row position, and an alphabetic character — a, b or c — which specifies its column position within the matrix. The code enables interface connections to be uniquely specified.

When a slide is chosen by means of the selector, the internal mechanisms that are initiated may be likened to the closing of two separate switches — as shown in the lower part of figure 2. The switch connections are labelled in accordance with their correct interface designations. Thus, selection of slide 57 corresponds to making connections between points 9b and 7a for the tens digit and points 2b and 1c for the units digit.

Once the connections are made an electronic balancing circuit within the projector causes smooth automatic rotation of the slide storage carousel until the segment holding slide 57 is positioned above the entry port of the projection mechanism. Rotation then stops, the slide is inserted by gravity and projected.

Interface connections

The action of the selector switches illustrated in figure 2 can easily be reproduced by appropriate switching arrays. This is the basic principle underlying the design of the computer interface which uses two arrays of electronic reed relays each controlled by signals from the computer system.

To emulate the action of the keypad or thumb-wheel selector, the eight-bit parallel input to the interface — output from the computer — is treated as two four-bit binary-coded decimal, BCD, numbers. The interface is designed in such a way that the leftmost four bits represent the tens digit of the slide number while the rightmost four bits represent the units digit. Each of these groups of four binary-coded digits is fed to a Texas Instruments SN7145N BCD-to-decimal converter chip.

Listing1.

```
 5 REM PROGRAM TO CONTROL RA
 SLIDE PROJECTOR
10 POKE 59459,255
20  INPUT  "@£&&&&ENTER  SLIDE
 NUMBER"; NS
30 IF NS >80 THEN 90
40 IF NS< 0 THEN 90
50  K=(INT(NS/10)*16)+NS-INT  (NS/
 10)*10
60 POKE 59471,K
 70 GOTO 20
 90 PRINT "INVALID SLIDE NUMBER"
100 PRINT "TRY AGAIN"
105 K2=TI
106 IF TI< K2+120 THEN 106
110 GOTO 20
```

The output pins from each of these were connected to a multiway switch consisting of nine or 10 dual in-line reed relays from RS Components. These interconnections are shown in figure 3. The labelled wires entering the multiway switches from the right correspond to the connection points between the interface and the slide projector.

To avoid confusion the labelling convention corresponds exactly with that used in the manufacturer's circuit diagrams. Connections to the microcomputer are shown at the top of the diagram. Because the interface was developed in conjunction with a Commodore Pet system the labelling convention — use of the letters H, J, K, L, C, D, E, F — corresponds with that used to represent the eight user-programmable pins associated with the user-port of the Pet.

Each of these pins may be set, under program control, for output or input of information using a suitable Basic language initialisation instruction of the form Poke 59459,X where 0 ≤ X ≤ 255. A value of X=0 sets all pins for input and a value X=255 sets them up ready for output of information. Individual settings of pins — 0 or 1 binary corresponding to signal levels of 0 and 5V, respectively — may be effected by the Basic statement Poke 59471, X where 0 ≤ X ≤ 255. A value of X=0 sets all eight pins to 0V while a value of X=255 sets all pins to 5V.The voltage settings on the microcomputer output port pins are fed to the interface where they activate the multiway switches.

Switching circuits

The construction of both multiway switches is identical. They each consist of an appropriate number of replications of the basic switching circuit shown bounded by dotted lines in figure 4. The BCD pattern input to the SN7145 chip determines which of its output is activated. The output voltages from the SN7145 are fed to a series of SN7404 hex inverter chips which, in addition to performing signal inversion, also act as voltage level shifters.

The output from the inverter gate is passed to the base of a 2N3053 npn transistor where it is used to turn on, or off, the collector-to-emitter current. The transistor switch is used to control a reed relay attached to its collector input pin. Pairs of relays — one in the tens multiswitch and one in the units switch — operate synchronously to emulate the effect of the manual selector system.

Software control of the interface is a

(continued on next page)

Figure 2. Function of the manual slide projector.



Figure 4. Switching element circuit details.



(continued from previous page)

simple task. Any program that wishes to make use of it simply generates an eight-bit pattern to represent two four-bit BCD numbers that together represent a number in the range 0 through 80. This bit pattern is then passed across to the interface via appropriate eight-way cabling connections.

The program shown in listing 1, written in Basic for the Commodore Pet, is an example of such a program. Statement 10 sets the data direction register of the Pet user-port — all pins set for output. User input to the program via the keyboard is initiated by line 20. Validation of input responses from the user takes place in lines 20 and 30 with appropriate diagnostics generated by statements 90 through 106 if required. Provided a valid slide number is selected, statement 50 computes the required bit pattern to control the projector. This is passed across to the interface via statement 60. The program then loops back in order to service a further request from the user. Program termination can be achieved through an appropriate interrupt sequence generated by the Run Stop key on the computer typewriter keyboard. Notice that in statement 20 use is made of special cursor control characters to produce dynamic graphic effects — in conjunction with the timing loop at statement 106 — on the computer screen. These special cursor control characters are denoted in the Input statement by @, clear the screen; £, home the cursor; and &, cursor down one line.

The interface components fit conveniently into a box measuring 5.1 by 8.4 by 3.3 in. fitted with 25-way connector to the computer and 37-way connector to the projector. Power to drive the interface — a 5 V supply, denoted by P in figure 1 — is taken from the microcomputer circuitry for convenience although an independent supply could be used if necessary.

Although there are many potential applications for a computer-controlled random-access slide projector, we will examine only two of these.

The first involves using the projector in conjunction with CAL experiments to implement pre-test and post-test investigations associated with different instructional strategies. The second application utilises the computer/projector combination as a building block within a multi-media information system. Neither application could be easily implemented without the random-access capability offered by the slide projector. In both applications the graphic images presented on the slide equipment are supported by appropriately-designed computer CRT screen displays used to implement menu-selection techniques.


Computer connections
H J K L C D E F
BCD to Decimal Converter SN7145N (TENS)
BCD to Decimal Converter SN7145N (UNITS)
Multiswitch 1 (10 reed relays)
Multiswitch 2 (9 reed relays)
Projector connections
1c
7a

Figure 3. Design of the interface.

Students' benefits

A multi-media CAL system has been designed and constructed, and a description of this system is given elsewhere — Barker and Yeates, 1980; Yeates, 1981. Instructional material is presented to students via three interaction channels — graphic images displayed on a slide projector, audio material presented on a tape recorder and textual messages displayed on the CRT screen of a microcomputer. These three main channels are supported by auxiliary ones based on the use of conventional resources — a guidebook, printed notes, and so on. To evaluate the capability of the system as a teaching aid at least two aspects of performance need to be estimated — in the work cited acceptability and effectiveness were chosen as the two important criteria.

Acceptability collectively refers to a host of different ergonomic, pedagogic and procedural factors that need to be analysed in conjunction with those who use the system — both authors who are teachers and instructors who prepare the instructional material, and learners, who are students or trainees using the stored teaching material. The measure of effectiveness is used to describe the utility of the system as a learning medium in relation to cost, time and effort. The important consideration here is whether the system imparts knowledge to the student. In other words, is the student more knowledgeable as a result of interaction with

(continued on page 101)

Figure 5. Multi-channel stepwise refinement.



● Circle No. 159 ▶

sinclair ZX81 PERSONAL COMPUTER



Sinclair ZX81 Personal Comp
the heart of a system that grows with you.

1980 saw a genuine breakthrough – the Sinclair ZX80, world's first complete personal computer for under £100. Not surprisingly, over 50,000 were sold.

In March 1981, the Sinclair lead increased dramatically. For just £69.95 the Sinclair ZX81 offers even more advanced facilities at an even lower price. Initially, even we were surprised by the demand – over 50,000 in the first 3 months!

Today, the Sinclair ZX81 is the heart of a computer system. You can add 16-times more memory with the ZX RAM pack. The ZX Printer offers an unbeatable combination of performance and price. And the ZX Software library is growing every day.

Lower price: higher capability
With the ZX81, it's still very simple to teach yourself computing, but the ZX81 packs even greater working capability than the ZX80.

It uses the same micro-processor, but incorporates a new, more powerful 8K BASIC ROM – the 'trained intelligence' of the computer. This chip works in decimals, handles logs and trig, allows you to plot graphs, and builds up animated displays.

And the ZX81 incorporates other operation refinements – the facility to load and save named programs on cassette, for example, *and* to drive the new ZX Printer.

New BASIC manual

Every ZX81 comes with a comprehensive, specially-written manual – a complete course in BASIC programming, from first principles to complex programs.

Kit: £49.95

Higher specification, lower price – how's it done?
Quite simply, by design. The ZX80 reduced the chips in a working computer from 40 or so, to 21. The ZX81 reduces the 21 to 4!

The secret lies in a totally new master chip. Designed by Sinclair and custom-built in Britain, this unique chip replaces 18 chips from the ZX80!

New, improved specification

- Z80A micro-processor – new faster version of the famous Z80 chip, widely recognised as the best ever made.
- Unique 'one-touch' key word entry: the ZX81 eliminates a great deal of tiresome typing. Key words (RUN, LIST, PRINT, etc.) have their own single-key entry.
- Unique syntax-check and report codes identify programming errors immediately.
- Full range of mathematical and scientific functions accurate to eight decimal places.
- Graph-drawing and animated-display facilities.
- Multi-dimensional string and numerical arrays.
- Up to 26 FOR/NEXT loops.
- Randomise function – useful for games as well as serious applications.
- Cassette LOAD and SAVE with named programs.
- 1K-byte RAM expandable to 16K bytes with Sinclair RAM pack.
- Able to drive the new Sinclair printer.
- Advanced 4-chip design: micro-processor, ROM, RAM, plus master chip – unique, custom-built chip replacing 18 ZX80 chips.

Built: £69.95

Kit or built – it's up to you!
You'll be surprised how easy the ZX81 kit is to build: just four chips to assemble (plus, of course the other discrete components) – a few hours' work with a fine-tipped soldering iron. And you may already have a suitable mains adaptor – 600 mA at 9 V DC nominal unregulated (supplied with built version).

Kit and built versions come complete with all leads to connect to your TV (colour or black and white) and cassette recorder.

ter-

Available now- the ZX Printer for only £49.95

Designed exclusively for use with the ZX81 (and ZX80 with 8K BASIC ROM), the printer offers full alpha-numerics *and* highly sophisticated graphics.

A special feature is COPY, which prints out exactly what is on the whole TV screen without the need for further intructions.

At last you can have a hard copy of your program listings – particularly useful when writing or editing programs.

And of course you can print out your results for permanent records or sending to a friend.

Printing speed is 50 characters per second, with 32 characters per line and 9 lines per vertical inch.

The ZX Printer connects to the rear of your computer – using a stackable connector so you *can* plug in a RAM pack as well. A roll of paper (65 ft long x 4 in wide) is supplied, along with full instructions.

16K-byte RAM pack for massive add-on memory.

Designed as a complete module to fit your Sinclair ZX80 or ZX81, the RAM pack simply plugs into the existing expansion port at the rear of the computer to multiply your data/program storage by 16!

Use it for long and complex programs or as a personal database. Yet it costs as little as half the price of competitive additional memory.

With the RAM pack, you can also run some of the more sophisticated ZX Software – the Business & Household management systems for example.

How to order your ZX81

BY PHONE – Access, Barclaycard or Trustcard holders can call 01-200 0200 for personal attention 24 hours a day, every day.

BY FREEPOST – use the no-stamp-needed coupon below. You can pay by cheque, postal order, Access, Barclaycard or Trustcard.

EITHER WAY – please allow up to 28 days for delivery. And there's a 14-day money-back option. We want you to be satisfied beyond doubt – and we have no doubt that you will be.

To: Sinclair Research, FREEPOST, Camberley, Surrey, GU15 3BR. Order

Qty	Item	Code	Item price £	Total £
	Sinclair ZX81 Personal Computer kit(s). Price includes ZX81 BASIC manual, excludes mains adaptor.	12	49.95	
	Ready-assembled Sinclair ZX81 Personal Computer(s). Price includes ZX81 BASIC manual and mains adaptor.	11	69.95	
	Mains Adaptor(s) (600 mA at 9 V DC nominal unregulated).	10	8.95	
	16K-BYTE RAM pack.	18	49.95	
	Sinclair ZX Printer.	27	49.95	
	8K BASIC ROM to fit ZX80.	17	19.95	
	Post and Packing.			2.95

☐ Please tick if you require a VAT receipt TOTAL £_____

*I enclose a cheque/postal order payable to Sinclair Research Ltd, for £_____

*Please charge to my Access/Barclaycard/Trustcard account no.

*Please delete/complete as applicable. _____

Please print.

Name: Mr/Mrs/Miss _____

Address: _____

_____

FREEPOST – no stamp needed. PRC02

sinclair

ZX81

6 Kings Parade, Cambridge, Cambs., CB2 1SN.
Tel: (0276) 66104 & 21282.

How the ZX81 compares with other personal computers

SYSTEM IDENTIFICATION		ZX81	ZX80	ACORN ATOM	APPLE II PLUS	PET 2001	TRS 80 LEVEL I	TRS 80 LEVEL II
ROM		8K	4K	8K	8K	14K	4K	12K
GUIDE PRICE	Basic unit – inc. VAT	£70	£100	£175	£630	£435	£290	£375
	Unit plus 16K RAM (*12K RAM)	£120	£150	£285*	£630	£530	£360	£375
COMMANDS	LIST, LOAD, NEW, RUN, SAVE	●	●	●	●	●	●	●
STATEMENTS	PRINT, INPUT, LET, GOTO, GOSUB/RETURN, FOR/NEXT IF/THEN	●	●	●	●	●	●	●
	STEP	●		●	●	●	●	●
	TAB	●			●	●	●	●
ARITHMETIC	ABS, RND	●	●	●	●	●	●	●
FUNCTIONS	INT	●			●	●	●	●
	ATN, COS, EXP, LOG, SGN, SIN, SQR, TAN	●			●	●		●
	ARCSIN, ARCOS	●						
STRING	CHR$	●	●		●	●		●
FUNCTIONS	LEN	●		●	●	●		●
	ASC(CODE), STR$, VAL, INKEY$	●				●		●
NUMBERS	FLOATING PT $\pm 10^{\pm 38}$	●			●	●	●	●
	INTEGERS		●	●	●	●		●
NUMERIC	A-Z			●			●	
VARIABLES	AA-Z0				●	●		●
	An-Zn, n=any alphanumeric string	●	●					
STRING	A$ & B$						●	
VARIABLES	A$ to Z$	●	●	●				
	An$ to Zn$ n=any alphanumeric character				●	●		●
NUMERIC	SINGLE DIMENSIONAL		●	●			●	
ARRAYS	MULTI DIMENSIONAL	●			●	●		●
DISPLAY	ROWS	24	24	16	24	25	16	16
	COLUMNS	32	32	32	40	40	64	64
	LOW RES GRAPHICS (<7000 pixels)	●	●	●	●	●	●	●
	HI RES GRAPHICS (>40000 pixels)			●	●			
SPECIAL	USR (CALL, LINK)	●	●	●	●	●		●
FEATURES	PEEK, POKE (OR EQUIV)	●	●	●	●	●		●

Sinclair software on cassette.

The unprecedented popularity of the ZX Series of Sinclair Personal Computers has generated a large volume of programs written by users.

Sinclair has undertaken to publish the most elegant of these on pre-recorded cassettes. Each program is carefully vetted for interest and quality, and then grouped with others to form single-subject cassettes.

Software currently available includes games, junior education, and business/household management systems. You'll receive a Sinclair ZX Software catalogue with your ZX81 – or see our separate advertisement in this magazine.

The ultimate course in ZX81 BASIC programming.



Some people prefer to learn their programming from books. For them, the ZX81 BASIC manual is ideal.

But many have expressed a preference to learn *on* the machine, *through* the machine. Hence the new cassette-based ZX81 Learning Lab.

The package comprises a 160-page manual and 8 cassettes. 20 programs, each demonstrating a particular aspect of ZX81 programming, are spread over 6 of the cassettes. The other two are blank practice cassettes.

Full details with your Sinclair ZX81.

If you own a Sinclair ZX80...



The new 8K BASIC ROM used in the Sinclair ZX81 is available to ZX80 owners as a drop-in replacement chip. (Complete with new keyboard template and operating manual.)

With the exception of animated graphics, all the advanced features of the ZX81 are now available on your ZX80 – including the ability to drive the Sinclair ZX Printer.

sinclair
ZX81

6 Kings Parade, Cambridge, Cambs., CB2 1SN.
Tel: (0276) 66104 & 21282.

(continued from page 96)

the teaching system? As pre-testing and post-testing are commonly used techniques for evaluating instructional schema and pedagogical strategies, it was felt important to apply these methods to the evaluation of the multi-media instructional system I have outlined. Further details on acceptability assessment of the system have been described by Yeates (1981). The remaining part of this case study briefly describes the method of using the random-access slide projector and microcomputer to implement the pre-test and post-test used to assess the effectiveness of the CAL system.

The multi-media CAL machine used for instruction is equipped with a set of courseware materials — for example, *Teletext Systems* by Barker and Yeates, 1980 — pertaining to some Universe of Discourse, UoD, that is to be presented to the student or trainee.

Prior to any interaction with the teaching system the student is subject to a pre-test that is designed to assess his initial knowledge of the UoD. After interaction with the CAL system the student is asked to participate in a post-test in order to determine if his knowledge of the UoD concerned has significantly increased.

The experiments were conducted in the following way. A carousel of 80 slides was prepared. Each slide was related to the material contained in the courseware on the CAL machine. Appropriate man-machine dialogue programs were written to support these slides. Thus, a student could be shown a picture in the form of a slide and then asked about the contents of the picture via the CRT screen of the computer. The student could respond to the multiple-choice question by means of keyboard interaction or via the use of a light pen or pressure sensitive pad (Barker, 1981). All the CRT screen frames for the computer testing were stored in a suitably designed database system implemented on a flexible disc-store facility — see figure 1.

Expressing requirements

The procedural strategy for the testing operations was as follows. A student would register at the computer keyboard and then be presented with a randomly-selected sequence of 20 pictures and accompanying questions. The student's responses to the questions were recorded in the database system. On completion of the pre-test the student proceeded to the CAL machine where he was subject to the course of instruction.

Another area in which the random-access slide projector has been utilised is in the design and implementation of pictorial interfaces to information-retrieval systems. When a user of a computer system wishes to retrieve information from a database he often knows what he wants, but is unable to express his requirement in words or numbers. However, if he is presented with a sequence of pictures that encapsulate the UoD covered by the database he is interrogating, then he can — through an appropriate refinement dialogue — retrieve information relevant to his needs by means of simple menu-selection techniques via light pen, keyboard device or hand-print terminal.

In contrast to graphic interfaces to information systems which require the use of expensive interactive graphics equipment, the microcomputer/slide-projector technique offers an inexpensive solution which is useful where full inter-



Figure 6. Hierarchical access path.

active graphics capability or sophisticated animation techniques are not required.

The structured top-down analytic decomposition of an entity into its component parts is an often-used technique — sometimes referred to in dynamic situations as homing-in. It is a well established method of proceeding in gradual steps from a general view of an object to a highly-magnified view of a specific part of that object.

For example, in an anatomy lecture the student might be presented with a slide showing a general view of the human body followed by a close-up of the head. This, in turn, may be followed by a slide showing a section of the human eye and then another depicting the detail of the optic nerve. Thus, in a series of four slides the student is taken from a very general view of the human anatomy to a highly specific view of one of its sub-components.

This principle and methodology can be used to significant advantage in the design of pictorial interfaces for information retrieval in a wide variety of contexts including computer assisted learning. The principle is illustrated conceptually in figure 5 which shows several refinement stages in an information-retrieval dialogue.

The rectangle on the left of each of the set of diagrams represents the screen used for the presentation of images produced by the slide projector while that on the right depicts the corresponding appearance of the text displayed on the CRT screen of the computer terminal or microcomputer. The topmost level represents the overall scope of the interface, or database contents, in terms of the sub-pictures, or scenes, A through G.

Selection of one of these sub-pictures — concept refinement — may be made either via light-pen interaction with the computer screen or by means of some form of keypad or hand-print terminal. Figure 5 shows selection of sub-picture F. A more detailed view of this component is now presented in terms of its sub-components — F1 through F7.

Restricted capacity

Further interaction and selection may then take place until the required information-bearing nodes of the hierarchical access path are encountered. These are shown as rectangles in the hierarchical tree-structure diagram which is presented in figure 6.

Unfortunately, the storage capability of the slide projector used in this example seriously limits the complexity of the access tree — breadth and depth — since only 80 nodes are available. This restriction could be removed by utilising further interchangable carousels, larger capacity magazines or microfiche as a storage medium.

An application of the principles outlined above has been described to Towne (1980). His system — called Aide for Automated Instruction Direction and Exercise — which has been used for training radar technicians depends upon random access to 125 images that are stored on 35mm. slides. This database contains only sufficient slides to test and evaluate the system. A more realistic database might contain about 1,000 images which vary widely in the amount of detail they contain.

References

Barker, PG and Jones, PS, Syntactic Definition and Parsing of Molecular Formulae, Part 2: Graphical Synthesis of Molecular Formulae for Data Base Queries, The Computer Journal, Volume 21, No. 3, 224-233, 1978.

Barker, PG and Yeates, H, Problems Associated with Multi-Media Data Base Systems, 331-344, Proceedings of the 10th Annual ASEE/IEEE Conference — Frontiers In Education, Houston, Texas, 20-22nd October 1980. Reprinted in the British Journal of Educational Technology, January 1981.

Barker, PG and Yeates, H, Teletext Systems — Courseware for a Multi-media Teaching System, Interactive Systems Group, April 1980.

Barker, PG, Experiments with a Light Pen and Hand Print Terminal Attachments for a Microcomputer, Interactive Systems Group Working Paper, 1981.

Stabletron Limited, 266 Hunts Pond Road, Titchfield Common, Fareham, Hampshire PO14 4PH, Stabletron Information Retrieval Systems and Opto-Mechanical Electronics, January 1980.

Stonebraker, MR and McDonald, N, CUPID — The Friendly Query Language, Paper presented at the 16th IFIP/IAG Data Base Workshop, Brussels, 14-17 December 1975.

Texas Instruments Limited, The TTL Data Book for Design Engineers, 4th Edition, Publication Number LCC4112, ISBN: 0-904047-27-X, 1980.

Towne, TN, The Automated Integration of Training and Aiding Information for the Operator/Technician, private communication, January 1980.

Yeates, H, Some Experiments in Man-Machine Interaction Relevant to Computer Assisted Learning, MSc Thesis, University of Durham, 1981.

TURBOCHARGED PERFORMANCE:
when you need speed without crashing



Start a stopwatch on our new Turbocharged Series 5000SX and Series 8000SX microsystems and watch them run rings around other systems.

Built to the highest standard of reliability, they support a mixture of 5in and 8in floppy and Winchester drives with tape back-up units. In other words, a storage capability extending from 400KB to 130MB.

But what makes the Series 5000SX and Series 8000SX really pull away from the rest of the field is their unique and exceptionally powerful disk operating system – TURBOdos. Written specifically for the Z80, TURBOdos loads programs up to six times quicker than CP/M*. And processes files up to five times faster.

TURBOdos gives the new systems many of the features available only on minicomputers. In multi-user mode, it allows multi-processor network users to share mass storage, printers and other peripherals. And its advanced failure detection and recovery facility makes a TURBOdos system virtually crash-proof! Other features include:

- Full CP/M compatibility even in multi-user/network systems.
- Up to 30% more data can be stored on each floppy disk, compared to CP/M.
- Support for up to 2000MB of hard disk storage.
- Random access to files up to 67MB.
- Up to 16 users supported in multi-processor mode.
- Automatic concurrent print-spooling support for up to 16 printers.
- File and record-locking facilities.
- Complete diagnostic self-test is performed at every start-up.
- Read after write verification of all disk update operations.
- When errors are detected, operator is given clear diagnostic messages and a variety of recovery options.
- User-defined program auto-load at cold or warm start.
- Disks can be changed at any time without warm start delays.
- Command files may be nested to any depth.
- User programs may activate command files for execution.
- Communications channel interface.
- Real-time clock support.
- Systems are easy to configure due to modular construction.

*CP/M is a trademark of Digital Research

EQUINOX
TURBO SX range

Kleeman House, 16 Anning Street, New Inn Yard, London EC2A 3HB. Tel: 01-739 2387 & 01-729 4460 Telex: 27341

OEM, system house and dealer enquiries are invited.

● Circle No. 160

Year of the data monster

INFORMATION TECHNOLOGY 82

Martin Hayman looks ahead to the coming year's efforts to educate the public in the ever-increasing applications of microelectronics.

"WE ARE ENTERING an exciting era; we are seeing the home of the future, the office of the future and the factory of the future emerge from the realms of science fiction and become reality". Thus Kenneth Baker, the Minister for Information Technology at the launch of Information Technology Year 82.

Difficult concepts

The fact that the future has arrived — a little behind schedule, but with the usual crew on board — will be dinned into even the deafest of ears during this year of information technology. Few will be able to avoid the sound of newly-enthused public servants singing the praises of awkward, ambivalent and slippery concepts such as "convergence". The humble telephone will appear pregnant with unknown possibilities, with its recently-conceived spawn of potential "information product".

Even the more traditionally-minded will not find their recreations undisturbed by the information monster. Young couples who fancy a day out examining cutlery, video-cassette recorders and Page Three models at the Ideal Home Exhibition; florid farmers looking forward to a day out at the County Show discussing the merits of breeds of fatstock and the vintages of claret; the bedizened ballet-goer and the benighted microcomputer enthusiast: all will find the message of IT Year 82 piggybacking what they think of as their own show, and soliciting their attention.

Information Technology is not an easy topic to sell. It is particularly difficult to sell awareness of information technology. It is a topic crammed with difficult concepts as well as some useful but easily-misunderstood products — is Space Invaders IT? Public opinion is divided on this question, say psephologists. It has some specific and cost-effective applications which many people feel may militate against the stability, familiarity and, in the long run, the quality of their lives.

Briefly, this is the outline of IT Year 82's aims:

- to increase familiarity among the general public of IT's uses and effects on learning, work and leisure;
- to promote its use in education, health and social services;
- to improve the efficiency of services provided by the public and private sectors of industry, commerce and administration by IT's use;
- to encourage automation in factories;
- to increase management's awareness of the services and products which can be bought in the home market.

This is a broad brief, broadly interpreted, and the means of achieving these aims are manifold, ranging from the cunning to the banal.

Though Kenneth Baker is seen as the Svengali of the whole operation, responsibility for IT Year is devolved on to a separate, limited company known as IT Year 82 Ltd chaired by Kenneth Barnes. This organisation co-ordinates the many activities which can be drawn together under the IT Year umbrella, and includes many projects funded by the Industry Department under schemes such as MAP.

Sample opinions

IT Year Ltd has a budget of £600,000, and much of its work consists simply of enthusing key figures to spread the word. It also has the task of sifting through the many projects received from individuals and small organisations, and endorsing them with the IT Year sticker.

The Industry Department itself has only limited funds for specifically IT Year 82 publicity. However, it is sending six trailers out on the road equipped with demonstration "office of the future" equipment. The Microtrain is funded from an existing budget for the Microprocessor Application Project.

There is, however, trouble in the DoI's camp. Its own prestige, all-British project, intended as an example to the rest of Whitehall and to industry, was to have been a 40-plus terminal GEC Viewdata system for internal information handling. But this showpiece has been blocked by the department's own civil servants, who insist that they will not use the new system until a suitable pay deal has been thrashed out.

Conveniently, pollsters MORI have surveyed a sample of the opinions of members of the public and professionals — in the form of the journalists attending the launch of IT Year 82 — on their hopes and fears for IT. The results are interesting. As you would expect, the vast majority of people who attended the launch wanted to know more about IT — more than twice as many as those drawn from the public. Two out of five of the public said they wanted to know more, two out of five said they didn't know; and one out of five said they didn't want to know.

Good for others

One of the most telling questions asked "Which of the following things do you think are likely to happen as a result of IT?". Here the professionals were at variance with the public. More than a third of the professionals thought that IT would increase unemployment — slightly higher than those in the public — 28 per cent — who thought it would do so.

As a very general proposition, it appears that people are, on the whole, convinced that IT is a Good Thing — for someone else. Industry will benefit, nobody doubts; its performance and profits will be improved. Their kids will learn with the help of IT, both at school and at home. But they fail, on the whole, to discern what benefits will specifically accrue to them in their own lives, particularly — and here I speculate — because they do not know what specific products or services will be of use to them.

Some of the people in IT Year are addressing themselves to this problem. John Dawson, for example, who is the head of the medical sub-committee, described to me a product known as the granny alarm. In the first place, this requires telephones to be installed in the homes of aged and infirm people, this is the basic IT link. The infirm person is then equipped with a small radio transmitter which includes an alarm which, if not cancelled, sends a call out to a central computer. The computer in turn makes three calls: one to a nominated relative, one to the next-door neighbour and one to the district nurse. This is basically easy stuff — not at the sharp edge, you might say. Yet this is the sort of project by which the public will be won round to IT.

Providing useful information and useful products that people can understand and make use of, and which will improve their communication with their fellows: this is the most important concern of IT Year 82. It is by no means an easy task, but it is one which, on first sight, is not being shirked.

Pete & Pam Computers

apple computer

Competitive Quotes and Personal Service
Ring Chris Gillard in London — Pete or Pam Fisher in Lancashire

APPLE SYSTEM SALES AND SERVICE IN BOTH LONDON AND LANCASHIRE

Now over 500 items for APPLE in stock

Full catalogue and description are available

Apple Galaxian — Galaxy Wars — Head-On — Galactic Revolution — Galactic Trader — Galactic Empire — Mystery House — Bridge Partner — Checker King — Gammon Gambler — Roulette — Craps — Apple 21 — Puckman — Global War — Space Warrior — Apple Typhoon — Sneekers — Galactic Attack — Gorgon by Nasir — **All at £12.95**

Microsoft Adventure — ABM — Dog Fight — Phantoms Five — Orbitron — Pulsar — Microchess 2 — Odyessy — LA Land Monopoly — Morloc's Tower — Rescue at Rigel — Space Eggs — Trilogy of Games — The Prisoner — Raster Blaster — Autobahn — Space Raiders — Tawala's Last Redoubt — Gamma Goblins — Apple Panic — Cops and Robbers — **All at £14.95**

Computer Conflict — Computer Quarterback — Cartels and Cutthroats — Space Album — Bill Budge 3D Graphics Tutor — Cyber Strike — 3 Mile Island — Adventure 789 — Hi Res Soccer — Temples of Apshar — Hellfire Warrior — Zork — Computer Baseball — President Elect — The Battle of Shiloh — Tigers in the Snow — Warp Factor — Computer Conflict — **All at £20.95**

Computer Air Combat — Computer Ambush — Computer Bismark — Operation Apocalypse — Torpedo Fire — Shattered Alliance — **All at £29.95**

OLYMPIC DECATHLON from Microsoft — £12.95
Superb Hi-Res Graphics — Winner of this year's WCCF prize for creative programming

FLIGHT SIMULATOR by Sub-Logic — Disk £19.95, Cassette £14.95
So realistic — you might feel airsick! — be warned

DRAGON FIRE from Dakin Corp — £29.95

VERSA EXPANDER PORT — £12.95
An expansion cable ZIP socket for the Apple game I/O socket allows zero insertion force of peripherals requiring connection to game socket

SENSIBLE SOFTWARE UTILITIES

Applesoft Programme Optimiser	£12.95
Multi Disk III	£14.95
Super Disk Copy III	£17.95
DOS Plus	£17.95
Disk Organiser II	£17.95
Disk Recovery	£17.95
Applesoft Plus Structured Basic	£14.95

DAKIN 5 PROG AII S 3.3 — £49.00

PASCAL T UTOR — £79.00
If you want to learn Pascal this is the package to use — complete with two disks

PASCAL PROGRAMMER — £79.00
The Pascal programmer's dream — all the utilities you wanted to use but never had time to write

RAMCARD — £89.00
A 16k Expansion card for you Apple. It will provide additional memory for Visicalc load integer from a System Master and is fully compatable with Apple's Pascal System. The only board with Neon Read/Write indicators. The only card with data bus lines for faster data retrieval

RAMEX 16 — £75.00
UK entrant to the expansion card market — does not need to be ribboned to the memory area

MEMORY MANAGEMENT SYSTEM — £29.00
A utility that moves DOS onto a 16K expansion card — freeing motherboard Ram space for larger programs

Z80 SOFTCARD — £195.00
A Z-80 microprocessor for Apple comes with CP/M operating system and Microsoft Basic 5

COBOL 80	£299.00
FORTRAN 80	£109.95
BASIC COMPILER	£199.00
ASSEMBLY LANGUAGE DEVELOPMENT (6502, 8080 and Z80)	£79.00

Z TERM — £59.00
Software that allows you to emulate the terminal of your choice whilst using Apple with a Z-80 Softcard

80 COLUMN BOARDS

SUP-R-TERMINAL	£195.00
VIDEX	£185.00

NEC GREEN SCREEN MONITOR — £169.00

WORDSTAR for APPLE — £169.00
If you want the best in word processing for Apple then WORDSTAR is the answer. Very well documented and great to use. Requires the installation of a Z-80 Softcard

MAILMERGE — £69.00
Allows you to maintain name and address lists and merge fields into text to form letters etc

SOFTKEY — £74.00
(Basic or pascal versions available) A 15 key programmable keypad

Patch for WORDSTAR and SOFTKEY to permit use of programmable pad with WORDSTAR — £39.00

ABT NUMERICAL KEYPAD — £74.95

VISICALC 3.3 — Our Price £105.00
At last — Visicalc on 16 sector DOS 3.3 with 12 additional commands. Enhanced Manual is included

VISIDEX — £105.00
New from Personal Softcard — type in whatever key words, phase dates or numbers you want the info to be associated with and store away

VISITERM — £79.00
Allows your computer to communicate with larger computers or other personal computers. Link your personal computer with your company's mainframe

VISIPLOT — £85.00
Automatically creates high resolution graphs and charts. Visualise data in six different formats and 6 different colours. Data can be directly entered or data files loaded from VISICALC 3.3

VISITREND — £129.00
Allows you to perform sophisticated math operations on a time series data such as stock prices or production figures. Includes multi-line regress cumulative total percent change lead/lag moving averages, smoothing and various transformations which let you create new time series. This package also includes VISIPLOT

VISIFILE — £139.00
New data base from Personal Software

DB MASTER — £129.95
The data base with 100 fields operating on multi-diskette files for large capacity

DB MASTER Utility Pack No. 1 — £60.00
Links DB Master with Apple text files and VISICALC 3.3 add delete or change existing DB Master fields and more

DB MASTER for Corvus — available soon — £295.00

INFORMATION MASTER — Data Base — £79.00
A dream to use has advanced facilities such as global change and calculator mode of entering figures. A system that a novice can use with ease

DATA MASTER — £55.00
A utility for use with INFORMATION MASTER allows the splitting of a data base system selectivity change of field types and transfer of print formats

TRANSIT — £29.00
A utility that enables you to link INFORMATION MASTER to many files including those created by VISICALC

UP TO 82K FOR VISICALC

Saturn System 32K Ram board and their software package.

Visicalc-Expand can give additional memory for Visicalc applications.

32K single board gives 47K.

16K card + one Saturn board gives 66K.

2 Saturn boards give 82K.

Board comes with DOS relocation, pseudo disk Applesoft integer utilities.

Single Board £149.00

Visicalc-Expand software £55.00

APPLE OS9
STELLATION TWO'S MILL 6809

Is available with OS9 and BASIC O9 — NOW.

BASIC O9 allows simultaneous running of separate programs. It has to be seen to be believed — (OS9 is modelled along the lines of UNIX).

£399.00 + VAT

PASCAL JOB CONTROL SYSTEM — from High Technology — £295.00
A fast sophisticated job control/costing system able to control costs on 400 jobs providing useful reports and maintaining 50 cost centres with 500 sub cost centres. Worth its weight in gold!

REMOTE OPERATING SYSTEM — ROS — £499.00
Provides multiple Apple II users with the capability of utilising the disk storage available from one control Apple. Up to 127 remote computers may be connected to one central Apple containing up to 8 floppy disk drives starter system (1 central + 2 remote boards) with software and cables. Single remote board — £124.00

64K RAM CARDS
Here at last! Can be used in pairs to emulate a disk drive

2 cards and card emulating software	£449.00
Single board	£225.00

TASC — THE APPLESOFT COMPILER — £109.00
A two pass compiler from Microsoft — the Applesoft authors. Comes with extensive documentation and copyable disk. Compiles to disk so can compile any length of programme. From 2 to 20 times improvement in speed

THE MILL — A 6809 plug-in board for Apple — £249.95
Can run at full speed whilst the 6502 runs at 20%. Comes with either a Pascal speed-up kit to increase the speed of execution of Apple's U65D pascal or a 6809 assembler
Also available a debugging utility
COMING SOON — OS9 Operating system

APPLE MUSIC THEORY — £29.95

MOUNTAIN CPS — Multi-function Card — £135.00
A bi-directional serial interface — parallel port and clock/calendar card — all on one board. Can be made to use phantom slots

VISIWRITER — £149.95
Superb graphics tablet from Versa Computing — you don't have to go to the expense of an Apple Graphics Tablet for graphics capability

VERSA EXPANSION SOFTWARE — £20.95
Auxiliary pack for the VISIWRITER includes the ability to draw in fine detail using magnification mode

EPSON MX-80 F/T — £398.00
9 × 9 matrix printer with friction and tractor feed

EPSON MX-80 T — £349.00
Tractor feed only

INTERFACE AND CABLE — £65.00
For the above (non-graphic)

GRAPPLER from Orange Micro — £99.00
An interface for the Epson MX-80 and 100 that obeys Apple protocols and has a graphics dump programme in ROM producing 2 sizes of picture and 360 degrees rotation with positive or negative image

AIO INTERFACE from SSM — £119.95

MACHINE COVERS — only the best material used

Apple only	£5.95
Single Disk	£2.95
2 stacked disks	£4.45
Apple, 2 disks and 9" monitor or Apple and 12" monitor	£8.95
Apple and 2 disk	£7.95
Epson MX 70/80	£5.45
Paper Tiger 445 — 460	£5.45

BASF DISKS (for 10) — £18.50

Authorised Apple Sales and Service

LONDON RETAIL, 9R Moyser Road, Tandon, SW16 6SH
Tel: 01-677 2052/7341

MAIL ORDER AND DISTRIBUTION, Waingate Lodge, Waingate Close, Rossendale, Lancs, BB4 7SQ
Tel: Rossendale (0706) 227011

BANKAMERICARD VISA

Prices do not include VAT. Please add 15% VAT to your remittance. Postage and packing FREE

● Circle No. 161

● Circle No. 162 ▶

DO NOT ADJUST YOUR SET!



This is an actual photograph taken from a TV. receiver.

That's the colour of the Digitek PAL Encoder Card for APPLE II computers.

Featuring an on-board UHF modulator and the unique Digitek 'Safety Tab' for sure, easy handling.
This principal member of the Digitek range of Apple expander cards not only gives the best quality PAL version of the Apple's colour graphics capabilities, but is also simplicity itself to install.
One plug-in card is all it takes to transform your dull display into a techni-colour masterpiece.
Also in the Expander Range are a 16k Ramcard, Z80 Expansion card, High speed serial interface, and more!
Send in the coupon for details and your nearest stockist.

DIGITEK©

EXPANDER CARD SERIES

The people who are really into Apples.

Please send me further details on your range of Apple computer Expander Cards.

Name _____

Address _____

Post Code _____

Digitek International Ltd., Unit 14, Grafton Place, Dukes Park Industrial Estate, Chelmsford, Essex, England.

The if 800-Colour

FEATURES
- Powerful Z-80A 4MHz Processor
- Memory 64K – 256K
- High Resolution Multi-Colour Graphics CRT
- CP/M*
- Versatile, 'Easy-to-Use' BASIC
- Twin set of Programmable Function Keys
- Integral 80 cps Printer
- 400K x 2 Floppy disks

OPTIONS
- 8 inch Floppy Disk Unit
- 10 mb Winchester Drive
- I/O Expander Unit
- 132 Column Printer
- Paper Tape Reader & Punch
- 5 inch Floppy Disk Unit
- XY Plotter
- Digitizer
- Light Pen
- ROM Cartridge

INTERFACES
- RS-232C
- Centronics Parallel Interface
- IEEE-488 Instrumentation Interface
- Analogue–Digital and Digital–Analogue converters

SOFTWARE
- Extensive range of business application software to meet all requirements.

KGB Micros Ltd 14 Windsor Road, Slough, Berks. SL1 1EL. Tel: Slough 38581/38310
Encotel Systems Ltd 530-539 Purley Way, Croydon, Surrey. Tel: 01-686 9687

in your Computing

The if 800 brings a new and colourful dimension to business and personal computing. Now you can enjoy and benefit from extensive multi-coloured graphics and a CP/M* environment on the same compact system.

Built around a CPU using the high speed Z-80A processor, the if 800 combines keyboard, hard-copy 5 x 7 dot 80 cps printer, twin 400K 5 inch floppy disk drives, high resolution colour display, and every type of interface into one complete unit.

Just look at some of the fantastic features, facilities, and options offered on the if 800 .....a truly versatile and fully integrated computer system that more than meets the demands and varied applications in today's world of business information processing.

To discover the exciting new horizons of if 800 Multicolour Graphics computing, complete the coupon below or telephone us or our Distributors.

* CP/M is a registered trade mark of Digital Research

LSI COMPUTERS

Copse Road, St Johns,
Woking, Surrey GU21 1SX
Tel: (04862) 23411 Telex: 859592

Please contact me with details of the if 800 today!

Name

Address

Company

Tel

● Circle No. 163

Sinclair Owners!

We'll give you £50 trade-in when you trade-up!*

commodore COMPUTER

Our offer will be of special interest to those who've found the popular Sinclair a fine introduction to computing. True, there's no better value at under £100. However, as your skills increase, you may find you need a microcomputer with greater memory, expansion capability and performance.

If so, PET, the Commodore microcomputer, is the natural choice. It has a range of memories from 16K to 96K, full size typewriter keyboard and integral display that gives upper and lower case plus graphics, with ease of connection to a full range of peripherals including printers and floppy disk drives. There is also an enormous library of software which includes everything from the sciences and education to business applications – as well as fun and games. All that you'd expect from a company that has been in electronics for over 20 years.

It's very simple to use and should you need any assistance or advice there's the reliable back-up of our nationwide dealer network. There's bound to be one near you so you can be confident that help will never be far away.

So, send back the coupon to take us up on our £50 trade-in. There's never been a better time to enjoy trading-up.

sinclair

Please tell me more about the £50 offer and the name and address of my nearest Commodore Dealer.

Name_____

Address_____

Tel_____ Postal Code_____

Offer closes 31st March 1982

Commodore Information Services, P.O. Box 109, Baker Street, High Wycombe, Bucks. Tel: Slough 79292

78PR2

*Offer applies only to Sinclair ZX80 and ZX81

School's workhorse ploughs new ground

When a primary-school headmaster discovered a Tandy TRS-80 in a Plymouth second-hand shop, he little suspected the impact it would make on his life or his pupils. David Ireland reports.

RAFFLES AND "name the doll" competitions are the staple ingredients of the fetes, bazaars, and fairs which dominate village life throughout the U.K. most weekends of the year. Normally, the event's organisers will call on the services of the town mayor, local MP or district celebrity to pull the winning number out of the hat, announce the correct name or present the prizes.

Impartial judge

Not so at this year's Autumn Fair at Gunnislake County Primary School in East Cornwall, where the impartiality of the judging could scarcely be challenged — the judge in question just happened to be a Tandy TRS-80 16K level 2 micro.

Gunnislake School, with some 75 pupils on its roll, is one of the many primary and secondary schools in Britain currently appreciating the value of micros as the ultimate in visual aids. For this Tandy is not just a mechanical toy adding a touch of novelty to the annual fair, but in fact a flexible workhorse already reaping dividends in teaching tables, improving reading speeds and providing an insight into the mysteries of musical notation.

The history of the school's Tandy goes back to the last AGM of the Parent-Teacher Association when headmaster Roy Olver was asked to produce an idea for the next fund-raising project. Since the school already owned a photocopier, a duplicator and a projector, Olver suggested — with tongue in cheek — "we could always do with a computer".

Tongue in cheek or not, the parents and teachers liked the idea, so headmaster Olver set about picking the brains of local computer experts, with a view to selecting a model appropriate to the school's needs. At the College of St Mark and St John in Plymouth, one of the 13 institutions researching the educational applications of micros, the computer team recommended Pets, Apples and in particular the 380-Z.

Roy Olver's fact-finding mission then took him to Plymouth Polytechnic to look at its Pets, and to Callington Comprehensive in East Cornwall, where he was given a useful introduction into computer lore and the potential of the 380-Z by the physics master, Mr Milne.

In schools of this size, though, where any item of hardware not provided by the educational authority is a luxury, cost is inevitably a limiting factor, and the 380-Z was frankly beyond the means of the PTA. However, the Hortons, parents with a child in the fourth year at the time, happened to run a second-hand shop in Plymouth, and it was by pure chance that Olver discovered a Tandy there looking for a new home.

The TRS-80 was officially acquired on February 12, but that was only the start of Roy Olver's troubles — or fun, depending on which way you look at it. For although Olver is a mathematician with a degree behind him, he admits he was "completely green" when he was confronted by the micro for the first time.

But nothing ventured, nothing gained, he made a return trip to Plymouth Polytechnic to borrow a book on Basic, and burnt the midnight oil studying the manuals which accompanied the Tandy. Fortunately, he was in the ironic position of being able to ask his sons for help with his homework — it was a family interest in computers which encouraged him to push for a micro in the first place.

Family enthusiasm

"I had seen one or two before, and if I had not got that experience behind me, I would not have gone ahead", Roy Olver admits. The family enthusiasm stems from one son, Mervyn, in the sixth form at Callington School, who is extremely keen on 380-Zs, and an elder son, Phillip, who is a full-time programmer working on minis with the South West Water Authority in Exeter.

In the early days, it was very much a case of finding his way, and Olver was glad to be able to call on the collective wisdom of the family. "When I've found myself in difficulties, I've asked my son

(continued on next page)

(continued from previous page)

when he returns home from Exeter", he explains.

While it is still somewhat hit and miss at this stage, Roy Olver is gradually growing used to the micro world, and thanks to his two sons, his reading and a mathematical background which helped with Basic, he has already designed some ambitious programs which have proved a godsend for pupils tackling the 3Rs.

A mathematics program asks random questions which test the pupils' knowledge of all their tables, or can test, for example, just the seven times table. This program includes an element of competition which works psychological wonders in encouraging pupils to rattle off multiplication sums.

Much more fun

The Tandy will first obtain the names of the two pupils taking part in the educational contest, and then establish how many questions are to be asked, and whether one table or any table up to 10 is to be tested. The micro will then fire a random question — the same question can recur only once every six times — and the pupil must key the correct answer.

If the answer is right, Tandy says "good" and awards one point to the pupil in question before handing over to the other competitor. If the answer is wrong, the Tandy lets the pupil have a further crack at the sum, before flashing a numerical display of grouped stars which enables the pupil to see visually the mechanics of the sum.

Nine-year-old Hilary Jury and Loveday Pope, 10, were level pegging on my visit, and according to Hilary: "It's much more fun learning like this".

Probably the next impressive program currently in the Gunnislake School repertoire is a faster reading exercise operating from level one to nine according to the time interval at which blocks of words appear on the screen. An interesting feature of this program is that a dot appears over the central letter of the word block, so that children learn to focus on related word groups, such as a subject, verb and object, instead of seeing the written page as a confusing jumble of individual and unconnected words.

Roy Olver reports that there was one pupil who was quite hesitant with her reading, and that it was surprising how much faster she became once she was let loose on the micro. A disadvantage of this program in the past was that the Tandy would print only upper case, so in the summer holiday, Olver made a trip to Plymouth to have a £30 modification carried out on the TRS-80, which will now print lower case, thus helping reading for infants.

Another, perhaps end-of-term program, is the popular word game Hangman, and here the children have a glimpse of the human side of computers, for if the pupil guesses the word correctly, the Tandy will retort: "You have got away this time — I'll get you next time".

The potential of the school's Tandy is still largely untapped, but other programs used include fraction questions — where the pupil must supply the missing figure from two equivalent fractions — a guide to maximum and minimum temperatures, and an introduction to musical notation, where the notes are characterised bar by bar — the program does not proceed until the correct note value has been given.

Conflicting verdict

In view of the scope of the TRS-80, and its advertised claims to being the "best-selling computer of all time", Roy Olver is surprised that TRS-80s are not thicker on the ground in the educational field. In fact, at an Exeter conference held last Easter, there was not a TRS-80 in sight which led Olver and other Tandy enthusiasts to ask whether they could set up a TRS-80 corner.

Still, if the message from this rural village school reaches wider ears, the TRS-80 should be placed more firmly on the educational map. According to Roy Olver, a micro is "the kind of thing you get hooked on". His wife, something of a traditionalist, has a different verdict on this latest teaching aid. A "time waster" is her verdict of the Tandy TRS-80 16K level 2.


Our Stock Controller wanted a word with you!
A SHORT MESSAGE FROM ME TO LET YOU KNOW
THAT...DAVID RICHARDS LIMITED...ALWAYS
HAVE IN STOCK AMPLE SUPPLIES OF COMPUTER
LISTING PAPER IN ALL SIZES.
THEY ALSO SUPPLY ALL KINDS OF PRINTED
CONTINUOUS STATIONERY.(LETTERHEADINGS.
INVOICES.STATEMENTS.ETC...ETC.....)
IF YOU ARE INTERESTED TELEPHONE.....
01-520 8624
THEY LOOK FORWARD TO YOUR ENQUIRIES.
David Richards 01-520 8624
● Circle No. 165

Unreliable Get

A PROBLEM developed when some of the file-handling routines on my Sharp MZ-80K appeared to give unreliable performance, writes George Hayter of Lancaster. This was traced to the unpredictable behaviour of Get statements which were apparently ignored randomly.

The fault was due to occasional appearances of a graphics character as a result of the Get command. If you run the following program:

```
10 FOR I=1 TO 5
20 GET R$:IF R$=""THEN 20
30 ?R$
40 NEXT I
```

the result is a single graphics character followed by the expected operation four times. It appears to be caused by the program looking at the keyboard before the CR key has been cleared.

For secure operation use:

```
20 GET R$: IF(R$="") OR (ASC(R$) = 102) THEN 20
```

to overcome the trouble.

Sorcerer graphics

I AM ALWAYS amazed to see the quantity of published programs for Pet, Apple and TRS-80, while Sorcerer programs are relatively rare, writes Hans Middelbeek of Goirle, Netherlands. Sorcerer users must be far too busy working with their equipment to write down any of their experiences. Clearly the Sorcerer has possibilities not offered by other micros, and it would be useful to have a more regular exchange of programs.

The Sorcerer's high-resolution graphics and its capability of working in Z-80 machine language are two of the major advantages of the machine.

In order to make good use of the high-resolution graphic capabilities the programmer must first know the basic principle of the display. The Sorcerer has a memory-mapped display, so every position on the screen has its own address in RAM. With 64 characters per line and 30 lines in total there are 1,920 possible positions. An ASCII code can be entered into any of these addresses, causing the ASCII-coded character to appear on the corresponding position.

The first address of the screen memory is F080 hex. Hexadecimal addresses are difficult to use in Basic programs, and Sorcerer's manual states that every memory address exceeding 32767 decimal — 7FFF hex — must be written in twos-complement, so you have to subtract 65536 from the address. The address F080 therefore becomes −3968 in decimal notation.

The range of addresses for the display is 3968 decimal — F080H — to −2049 decimal — F7FFH. The following formula can be used to calculate a position anywhere on the screen:

$-3968 + X + 64*Y; (0 \leqslant X \leqslant 63, 0 \leqslant Y \leqslant 29)$

For this purpose try the program

```
10 INPUT "X, Y:"; X, Y
20 POKE (−3968 + X + 64 * Y), 42
```

which places an asterisk on the screen. In total 64 × 30 or 1920 positions are possible. For many purposes this degree of resolution is sufficient.

The high-resolution graphics program is written in machine language. It might be difficult for users to understand, so its function is first explained in Basic.

If one of the display addresses contains, for example, the number 41 — "A" — then the computer checks the ASCII character memory, starting at F800 hex or −2048, to discover how this character has to be displayed. Every character is defined by eight bytes in the memory, which is split up in two parts:

- a fixed, ROM-based part, containing the information for 128 standard ASCII characters.
- a programmable, RAM-based part which can be used for the programmable characters; half of this memory is filled at restart with Sorcerer-selected graphics.

The graphics program is not concerned with the first part as the contents are changed. However, the second part, which starts at FC00 hex, or −1024, offers the possibility of programming 128 user-defined characters. Character 128 is defined by the eight bytes starting with FC00. The first byte defines how the upper row of the character will look, the second byte defines the second row, and so on.

If this first byte is zero the row is dark; 255 defines a continuous bright row, and 1 gives a bright dot on the top right of the character.

For a clearer insight, try the following program:

```
10 FOR X=0 TO 7
20 POKE −1024 + X,2^X
30 NEXT
40 POKE −3968, 128
```

(continued on next page)

Sorcerer machine code.

```
F5            PUSH AF          ;
C5            PUSH BC          ;
D5            PUSH DE          ;
E5            PUSH HL          ;
ED 5B BE 01   LD DE,(01BE)     ; THIS
2A C0 01      LD HL,(01C0)     ; SHORT
3E 00         LD A,0           ; PART
32 C1 01      LD (01C1),A      ; TO
CB 22         SLA D            ;DECODE
CB 15         RL L             ;THE
CB 14         RL H             ;USR
CB 22         SLA D            ;FUNCTION
CB 15         RL L             ;CALLS
CB 14         RL H             ;X AND Y POSITION
30 05         JR NC,LOW-$      ;X MORE THAN 255?
3E 01         LD A,1           ; YES
32 C1 01      LD (01C1),A      ; SAY SO IN 01C1
7C       LOW  LD A,H           ;
32 C0 01      LD (01C0),A      ;X MOD (256) IN 01C0
7D            LD A,L           ;Y IN A
32 BF 01      LD (01BF),A      ;Y IN01BF
2A C0 01      LD HL,01C0       ;X IN HL
CB 3C         SRL H            ;START
CB 1D         RR L             ; CALCULATION
CB 3D         SRL L            ; OF
CB 3D         SRL L            ; INT (X/8)
E5            PUSH HL          ; SAVE ON STACK
E6 F8         AND F8           ;8*INT(Y/8) IN A REG
6F            LD L,A           ;
26 00         LD H,0           ; NOW IN HL
29            ADD HL,HL        ; MULTIPLY
29            ADD HL,HL        ; BY 8
29            ADD HL,HL        ; 64*(INT(Y/8)) IN HL
01 80 F0      LD BC,F080       ;1st SCREEN ADDRESS
09            ADD HL,BC        ;
C1            POP BC           ;
06 00         LD B,0           ;
09            ADD HL,BC        ; SCREEN ADDRESS IN HL
CB 7E         BIT 7,(HL)       ; ALREADY GRAPHIC?
20 14         JR NZ,OLDCH-$    ; JUMP IF SO
3A 00 00      LD A,(0000)      ; LAST USED CHAR
3C            INC A            ;+1
CB 7F         BIT 7,A          ; TOO MUCH CHAR?
20 3B         JR NZ,END-$      ; RET IF SO
32 00 00      LD (0000),A      ;RESTORE
16 7F         LD D,7F          ;
82            ADD A,D          ;CH+127
77            LD(HL) ,A        ;CHAR ON SCREEN
2A 00 00      LD HL,(0000)     ;CHAR NR IN HL
18 05         JR CONT-$        ;
7E      OLDCH LD A,(HL)        ; RESTORE CHAR ON SCREEN
06 7F         LD B, 7F         ;
90            SUB A,B          ;CORRECT
6F            LD L,A           ;
26 00    CONT LD H,0           ;
2B            DEC HL           ;CH-1
29            ADD HL,HL        ;MULTIPLY
29            ADD HL,HL        ; BY 8
29            ADD HL,HL        ;8*(CH-1)
EB            EX DE,HL         ;IN DE
3A BF 01      LD A,(01BF)      ;Y IN A
E6 07         AND 07           ;8*(Y/8-INT(Y/8)) IN A
21 00 FC      LD HL,FC00       ;1st ADDR CHAR MEM.
4F            LD C,A           ;
06 00         LD B,0           ;
09            ADD HL,BC        ; CALC ADDRESS
19            ADD HL,DE        ; IN CHAR MEMORY
3A C0 01      LD A,(01C0)      ;X MOD(256) IN A
E6 07         AND 07           ;8*(X/8-INT(X/8)) IN A
A7            AND A            ;ZERO ?
28 09         JR Z,FSTB-$      ; YES JUMP
0E 40         LD C,40          ;
3D      LOOP  DEC A            ;SEARCH BIT
28 06         JR Z,LOAD-$      ; JUMP IF READY
CB 39         SRL,C            ; ADJUST BIT
18 F9         JR LOOP-$        ;NEXT
0E 80   FSTB  LD C,80          ; ADJUST FIRST BIT
7E      LOAD  LD A,(HL)        ;RESTORE CHAR
B1            OR C             ;PLACE PIXEL
77            LD (HL),A        ; IN CHAR MEMORY
E1       END  POP HL           ;
D1            POP DE           ;
C1            POP BC           ;
F1            POP AF           ;
C9            RET              ;
```

(continued from previous page)

It enters the following numbers in memory: 1, 2, 4, 8, 16, 32, 64, 128, giving the character "/". Every position on the screen can have 8 × 8, or 64, different white spots. The 1,920 screen positions provide 1,920 × 64, or 122,880, different positions for a white spot.

In practice, the availability of only 128 programmable characters limits the number of dots which can be used. However, it is still possible to make very high-precision graphics, which can be shown with the program in listing 1.

The most important line in this program is 1040. It is assumed that point (0,0) lies in the upper left of the screen; (511, 239) is the lower right position. "1" in the character memory corresponds with a "blob" on the right side of the character; 128 on the left side. A "2" corresponds with a single blob, transposed one position to the left, and "3" corresponds to two brightened pixels on the right side. However, if a power function is used, the "3" can be made to correspond with the third position from the right. A simple power function would generate a bright pixel at position 7 from a "1" stored in memory, but the function used in line 1040 corrects this anomaly.

This program does have some drawbacks, and in some cases it even causes problems — think about the Peek (AD). It is only used to explain the way of thinking for the final machine-language routine. For this purpose the USR function, which is not defined in the two manuals, should be examined. A = USR (X) offers three special features:

- USR makes a call to memory location 0103 hex. This address, and the following two, contains C3E5C7 — JPC7E5 — meaning: make a jump to address C7E5. At this address the computer is ordered to print "FC Error". If the contents of location 0104 and 0105 hex are moved into the starting address of the machine-language routine, the program will jump to this by simply stating A = USR (0). To change these memory contents, we have to make the following Pokes:

  POKE 260, 16: POKE 261, 0

  260 is equivalent to 0104 hex, 16 is equivalent to 10 hex. Address HHLL is stated in memory as LL HH, so Poking 16 in address 260 takes care that a jump is made to address 0010 hex whenever the USR function is stated.
- The second feature is that A = USR (X) places the value of X in a floating-point notation in the four bytes starting with 0447 or 01BF hex.
- The third feature is that the value in the four bytes starting with 0447 will be assigned to A, for example the result of the machine-language routine.

Sorcerer graphics — listing 1.

```
10    PRINT CHR$ (12)
20    FOR A = -1024 TO -1: POKE A,0 : NEXT : REM CLEARS  CHAR. MEM
30    FOR X = 0 TO 511  : REM 0< = X < = 511, 0< = Y<=239
40    Y = INT (120 + 30 * SIN (X/10))
50    GOSUB 1000
60    NEXT X
1000  SP = -3968 + INT (X/8) + 64 * INT (Y/8) : REM SCREEN POSITION
1010  IF SP <> OP THEN CH = CH + 1: REM SAME AS PREVIOUS POS?
1020  IF SP>-2048 OR SP< -3968 THEN RETURN: REM OUT OF RANGE?
1030  AD = -1024 + (Y/ - INT Y/8)) * 8 + 8 * (CH-1): REM ADDR IN CHAR
      MEM
1040  POKE AD, (2**(7-8 *(X/8 - INT (X/8)) + PEEK (AD))): REM PLACE
      DOT NOTE ** MEANS RAISE TO POWER OF.
1050  POKE SP, (CH + 127): REM PLACE NEW CHAR ON SCREEN
1060  OP = SP: REM PREVIOUS POS IS SET
1070  RETURN
```

Listing 2.

```
5     ?CHR$(12)
10    FOR A=-1024 TO 0:POKE A,0:NEXT
:
          GOSUB 10000
10000 REM A CALL IS MADE TO THE PLOT SUBR. IN MACHINE LANGUAGE
10010 POKE 260,0:POKE 261,48:REM IF ROUTINE STARTS AT 300H
10020 NTUS=USR(131072+256*INT(X)+INT(Y))
10030 RETURN
```

Listing 3.

```
5     DEF FNDOT(A)= USR (131072+256*INT(X)+INT(Y))
10    ? CHR$(12)
20    FOR A=-1024 TO 0 : POKE A,0 : NEXT
30    INPUT "X1,Y1,X2,Y2";X1,Y1,X2,Y2
40    DX=X2-X1:DY=Y2-Y1:IF ABS(DX)>ABS(DY) THEN 80
50    FOR X=X1 TO X2 STEP SGN(DX)
60    Y=(DY/DX)*(X-X1)+Y1: GOSUB 10000
70    NEXT X: GOTO 30
80    FOR Y=Y1 TO Y2 STEP SGN(DY)
90    X=(DX/DY)*(Y-Y1)+X1: GOSUB 10000
100   NEXT Y : GOTO 30
10000 POKE 260,0:POKE 261,48:REM ROUTINE STARTS AT 3000H
10010 NTUS=FNDOT(A)
10020 RETURN
```

A floating point number in Sorcerer Standard Basic will be stored in four bytes according to the following format:

EE	MM MM MM
exponent + 128	mantissa + sign

In order to be able to store both X and Y values of one graphics point in one floating-point number, I chose for the following set-up:

EE 1xxx xxxx xx	yy yyyy yy 00 0000
9 bits for X value	8 bits for Y value

To make things easy for reverse transformation of X and Y values, 131,072 — 2^{17} — is added to

INT (Y) + 256 * INT (X)

In this case the X value is to be found between the sixth bit of byte 2 and the sixth bit of byte 3. The Y value then is located between the fifth bit of byte 3 and the sixth bit of byte 4 of the floating-point notation. The Basic part of the program is shown in listing 2.

As the machine-language routine is written with only relative jumps, it is possible to place it in every free memory you wish. Only location 0 is used by the program to store the last used character.

These programs can act like a DOT(x,y) statement in other computers. A very interesting statement would be

DRAW (x1,y1,x2,y2).

For this purpose you can use the Basic program shown in listing 3, which can also be used as a subroutine.

Changes for printer.

Old

```
45CA   32  E8  37   LD (37E8H),A
45D8   32  E8  37   LD (37E8H),A
45EE   3A  E8  37   LD A,(37E8H)
```

New.

```
D3 FD 00 OUT (0FDH),A
D3 FD 00 OUT (0FDH),A
DB FD 00 IN A,(0FDH)
```

Changes for double-space suppression.

Old

```
7968   7E      "     LD     A,(HL)
7969   E5      .     PUSH HL
796A   CD3B00 .;.    CALL 003BH
796D   E1      .     POP HL
796E   7E      "     LD A,(HL)
796F   FE0D    ..    CP 0DH
7971   C8      .     RET Z
7972   23      #     INC  HL
7973   18F3    ..    JR   7968H
```

New.

```
7968   7E      "     LD     A,(HL)
7969   FE0D    ..    CP     0DH
796B   C8      .     RET    Z
796C   E5      .     PUSH HL
796D   CD3B00 .;.    CALL 003BH
7970   E1      .     POP  HL
7971   00      .     NOP
7972   23      #     INC  HL
7973   18F3    ..    JR   7968H
```

Printer interface

HAVING RECENTLY purchased a Seikosha GP-80 printer, I connected it to my Video Genie via an EG-3016 parallel printer interface, writes Colin Hogben of Folkestone, Kent. Although it worked well from Basic and with the Kansas system master monitor, it did not respond to the TRS-80 editor-assembler.

I eventually discovered that while EDTASM tries to talk to the printer through the memory-mapped location 37E8, the EG-3016 only communicates with I/O port FD. These changes will allow the printer to be used.

The changes to stop the printer double-spacing its lines when using the Disassembler function of the Kansas system master monitor are also shown.

● Circle No. 166▶

MANUFACTURING SOFTWARE

- Bill of Materials
- Stock/WIP Control
- PWS System (Gross Pay Computation, Piecework, Operations, Cost Centres)
- Payroll and Accounting

CPM Compatible

Taylor Micro SYSTEMS LIMITED
HAMSTEAD INDUSTRIAL ESTATE,
OLD WALSALL ROAD, GREAT BARR,
BIRMINGHAM B42 1DF. 021-358 2436.

● Circle No. 246

MICROCASE

"turns a board into a real computer"

For NASCOM 2
COMPUKIT
SUPERBOARD
ALSO UNCUT FOR NASCOM 1
ETC.

Direct from us or from your dealer — but make sure you see a

GENUINE MICROCASE

SIMPLE SOFTWARE LTD
15 HAVELOCK ROAD
BRIGHTON, SUSSEX BN1 6GL
(0273) 504879

Buy it with Access

● Circle No. 247

MACHINE-CODE? EASY!

With COMPLETE course on machine-code / Assembly language + listing of FULL

6502 ASSEMBLER

From 8K **PET** 2/3/4/8000 SERIES

Covers WHOLE 6502 instruction set 200+ Pages, Programs, Exercises, etc. PRICES (inc. P & P): Book £10; Book + Assembler on: tape £15, disk £17; State machine: SAE for details from:

DR P HOLMES (PC), 21 COLIN DRIVE, LONDON NW9 6ES.

● Circle No. 248

MICRO ADS
are accepted from private readers only, pre-paid and in writing, 20p per word, minimum charge £2.
Please make cheques payable to Practical Computing and send to Room L311, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS.

TRS-80, 16K, Level 2, with cassette player and software. Tel: (08864) 275.

VIDEO GENIE AND TRS-80 (16K, Level 2) programmers! "Auto-Graphics '82" is the new, easy way to draw spaceships . . . monsters . . . mazes . . . diagrams . . . in fact any mixed/graphic designs, straight onto the screen, and then lock them permanently into your program. Beginners can produce impressive graphic displays immediately — even animation. 22 commands include many special functions that allow typically fifty-fold time saving. Send for free data sheet, or order cassette/booklet (£6.95) for prompt despatch. ButterCraft Software, 14 Western Avenue, Riddlesden(P), Keighley, Yorks.

Apple II	Humac Ltd	£1,000	Auctioneer's package
Apple II	Humac Ltd	£600	Invoicing sales — timber
Apple II	Humac Ltd		Microfiche records
Apple	Style Systems Ltd	£750	Retail warehouse management
Apple II/ITT	Informex Logic	£198	Insurance records
Apple II/ITT	Informex Logic	£198	Time records — solicitors
Apple II/ITT	Diskwise	£198	TV rental management system
Apple II/ITT	Cyderpress	£650	Auction system
Apple II/ITT	CPR Systems Ltd	£960	Insurance brokers system
Apple II/ITT	Personal Computers	£195	Operational research
Apple II/ITT	Personal Computers	£100	Time series analysis
Apple II/ITT	Padmede Computers	£500	Insurance brokers system
Commodore 3000	Anagram Systems	£850	Media control system
Commodore 3000	Anagram Systems	£800	Slot machine monitor
Commodore 3000	The Alphabet Com	£250	Newsagent suite
Commodore 3032	Microland	£175	Printers quote system
Commodore 3032	Stage One Computers	£100	Insurance brokers system
Commodore 3032	Stage One Computers	£200	Printers job control
Commodore 3032	Commodore BM (U.K.)	£50	Appointments planner
Commodore 3032	CSM Ltd	£500	Window replacement
Commodore 3032	S A Systems	£550	Farming — office systems
Commodore 3032	L & J Computers	£420	Machine hire
Commodore 3032	Mandata Ltd	£1,000	Insurance brokers
Commodore 8000	Peach Data Services	£350	Library retrieval system
Commodore 8000	Peach Data Services	£550	Footware industry sales reporting
Commodore 8000	Peach Data Services	£995	Clients home accounting
Commodore 8000	Stage One	£800	General accounting package
Commodore 8000	Stage One	£330	Petaid/Wordcraft/ VisiCalc link
CP/M	Benchmark Ltd	£350	Time recording
CP/M	Bytesoft	£850	Work in progress
CP/M	Bytesoft	£150	Perpetual inventory
CP/M	Bytesoft	£850	Bill of materials
CP/M	Bytesoft	£200	Kit control
CP/M	Microtek	£500	Garage system
CP/M	PR Daly & Co	£450	Time recording
CP/M	Horizon Software	£1,000	Integrated business system
CP/M	Horizon Software	£400	Costing systems
CP/M	Research Resources	£240	Statistical analysis
CP/M	Sail	£1,000	Jewellers integrated system
CP/M	Salmon Microcomputer	£150	Appointments planner
CP/M	Selven Systems	£400	Nominal ledger
CP/M	Map Computer Systems	£450	Time recording
CP/M	Map Computer Systems	£750	Calor system
CP/M	Map Computer Systems	£425	Newsboy/newsagents system
CP/M	Haywood	£500	Time recording
CP/M	Comput-a-Crop	£1,000	Farm management
CP/M	Microtek	£1,000	Plant hire
CP/M North Star	Micromedia	£195	Vehicle maintenance
CP/M Vector	Taylor Microsystems	£495	Bill of materials
Ohio Scientific	Stratheden Ltd	£300	Statistics package
Ohio Scientific	Stratheden Ltd		Insurance brokers system
Ohio Scientific	Stratheden Ltd		Hospital package
North Star DOS	Intelligent Artifacts	£52	Parts list management and ordering

Apple II/ITT	Padmede Computer Services	£300	2,000 postings
Apple II/ITT	The Software House	£80	800 items
Commodore 3000	Intex Datalog Ltd	£195	2,400-3,700 items
Commodore 3000/8	Commodore BM (U.K.) Ltd		600-2,000 items
Commodore 3000/8	Rockliff Brothers Ltd	£275	3,400-10,000 records
Commodore 3032	Logma Systems Design	£600	1-6 shops
Commodore 3032	ACT (Petsoft) Ltd	£75	2,400 items 1,000 a/c
Commodore 3032	ACT Microsoft Ltd	£75	1,200-5,900 items
Commodore 3032	Anagram System	£320	500-600 items 255 a/c
Commodore 3032	L & J Computers	£60	500 items
Commodore 3032	Bristol Software Factory	£300	2,300 items
Commodore 3032	Stage One Computers	£100 and £250	600-650 items
Commodore 3032	SMG Microcomputers	£395-£495	2,450-7,000 items
Commodore 3032	Compfer Ltd	£350	200 lines 20 bars
Commodore 3032/8	Compsoft Ltd	£190	13,000
CP/M	Bytesoft	£700	2,000-8,000 lines
CP/M	Compsoft Ltd	£400	27,000
CP/M	Microtek Computer Services	£750	
CP/M	PR Daly & Co Ltd	£350	
CP/M	Great Northern CS Ltd	£375	1,500
CP/M	Haywood Associates Ltd	£350	
CP/M	Median-Tec Ltd	£500-£800	1,000 items
CP/M	Microbits	£500	varies
CP/M	Graffcom Systems Ltd	£350	350 records/disc
CP/M	Salmon Microcomputing	£400	5,000 items
CP/M	Map Computer Systems Ltd	£250	
CP/M	Ludhouse Ltd	£1,000	12,000 parts
CP/M	Interface Computer Services	£350	varies
CP/M	Selven Systems	£600	
CP/M Cromenco	Micromedia Systems	£1,000	
CP/M Horizon	Microtek Computer Services	£500-£1,000	varies
CP/M North Star	Benchmark CS Ltd	£450	350 items 275 trans
CP/M Vector	Taylor Micro Systems	£995	4,000 items/Mbyte
North Star DOS	Intelligent Artifacts Ltd	£195	
Exidy Sorcerer	Basic Computing	£125	
Tandy TRS-80	Chess Consultancies	£995	
Tandy TRS-80	A J Harding (Molimerx)	£150	1,000 items
Tandy TRS-80	Cleartone ADP	£325	4,000 items
Tandy TRS-80	Chess Consultancies	£750	500 items six sites
Tandy TRS-80	FIBS	£750	
Tandy TRS-80	Micro Gems	£150	1,000 items
Tandy TRS-80	Tridata Micros Ltd	£200-£375	630 items/disc
Tandy TRS-80	Microgems Software	£150	1,000-2,000 items
Tecs	Jar Software Services	£800	10,000 items 5,000 orders
Tecs	Jar Software Services	£850	1,000 items 300 a/c
Zilog MCZ range	Microbits	£500	2,300 items
Z-80/8080	Graham Dorian Software	£325	varies
Z-80/8080	Rogis Systems Ltd	£500	900-3,500 items
Z-80 MCZ	Software Architects Ltd	£600	varies
Z-80	Liveport Ltd		

Word Processing

Machine type	Supplier name	Price	Capacity
Apple II	Dataforce (U.K.) Ltd	£190	
Apple II	SBD Consultants Ltd	£60	
Apple II/ITT	Systematics International Ltd	£75	
Apple II/ITT	Algobel Computers Ltd	£75	800 lines
Apple II/ITT	Personal Computers Ltd	£225-£300	200,000 characters
Commodore 3000	Stage One Computers Ltd	£125	
Commodore 3032	Dataview Ltd	£159	
Commodore 3032	ACT (Petsoft) Ltd	£325	12,000
CP/M	Interface Computer Services	£200	varies
CP/M	Microbits	£230	varies
CP/M North Star	Intelligent Artifacts	£250	
North Star ('c')	Intelligent Artifacts	£250	
Z-80 Superbrain	Alan Pearman Ltd	£225	

Miscellaneous

Machine type	Supplier name	Price	Capacity
Apple II	Vlasak Electronics	£30	Petrol pump losses

SEARCHING FOR 'BEST PRICE' . . .

FOUND 'BEST PRICE' . . GOTO

PET		RRP	OUR PRICE
4016	16K	£550	£467
4032	32K	£695	£590
8032	32K	£895	£760
8096			£935
DISK DRIVES			
4040	343K	£695	£590
8050	1M	£895	£760
PRINTERS			
4022	80COL	£395	£335
8024	132COL	£1160	£986
8026	DAISY	£995	£845

VAT to be added @15%

Carriage — £5 per item

If you know what you want why wait? These are the prices you need

ORCHARD COMPUTER SERVICES

Orchard House, 21 St. Martins St., Wallingford, Oxon.
Tel. Wallingford (0491) 35529
Open 6 days per week.

● Circle No. 243

BUSINESS & COMPUTER SERVICES

292 Caledonian Rd., London N1 1BA.
Tel: 01-607 0157
(24 hour Answering Service)

We are Micro-computer Consultants & Programmers and specialise in industrial & commercial programs written to client's specifications.

	VAT & Post incl.
Cash Analyser	£20.00
Vehicle Cost Analyser	£25.00
Book Keeping (Min. 48K & 2 drives)	£150.00

Please ask us for fuller details of the above. All are disk based for the TRS-80 Model I or III. Please state your DOS when ordering. Apple II versions soon.

● Circle No. 244

VETS FOR PETS

Anita Electronic Services (London) Ltd. are specialists in the repair and service of Commodore Pets, Commodore and Computhink Disk Drives and compatible printers, including Anadex, NEC, Qume, Ricoh and Empson.

We offer a fast on-site service or alternatively repairs can be carried out at our workshops should you wish to bring in your pet.

Pet Maintenance Contracts are available at very competitive prices. Trade enquiries welcome.

For further information telephone or write to:—

JOHN MEADE
Anita Electronic Services Ltd.
15 Clerkenwell Close
London E.C.1.
01-253 2444

● Circle No. 245

ZX-81

CASSETTE ONE

"I had your Invaders/React cassette ... I was delighted with this first cassette"
— P. Rubython, London NW10

"Thanks for your Cassette One you sent me — some excellent games at a very cheap price!"
— P. Rushton, Leeds

"I have been intending to write to you for some days to say how much I enjoy the games on 'Cassette One' which you supplied me with earlier this month. Please let . . . into the secret of your first time load every time!"
— E. H., London SW4

CASSETTE ONE SIDE ONE 1K MACHINE CODE PROGRAMS
React, Invaders, Phantom aliens, Maze of death, Planet lander, Bug splat, Bouncing letters

CASSETTE ONE SIDE ONE 1K BASIC PROGRAMS
I Ching, Mastermind, Basic hangman, Robots

CASSETTE ONE SIDE TWO
has large screen versions of Invaders and Maze of Death, ready for when you get 16K. Previous customers who did not get the large screen versions can get free upgrade instructions by sending me an SAE

CASSETTE ONE costs £3.80 from Michael Orwin, 26 Brownlow Road, Willesden, London NW10 9QL

● Circle No. 240

apple®

QUME
EPSON
ANADEX
DYSAN

All Business Applications
Full Personal Attention

Hugh S. O'Neill Computers
111 High Street, Selsey,
CHICHESTER, SUSSEX.
Tel. Selsey (024361) 5856

● Circle No. 241

apple®
in Avon & Bristol

with full Software Support for business and professional use, including Invoicing, Ledgers, Stock Control, Word Processing, Hotel Systems, Petrol Station Management, Data Base, Dental Records, Mailing Lists and many other applications.

Dataforce (UK) Limited,
68 Alma Road, Clifton,,
Bristol BS8 2DJ.
Tel: (0272) 314496

Data force

Write Now for our Software Catalogue

● Circle No. 242

CP/M	Interface Computer Services	£350	varies
CP/M	Selven Systems	£600	500 suppliers 5,000 trans
CP/M North Star	Benchmark CS Ltd	£250	100 a/c 300 trans
Durango F-85	Kesho Systems	£500	
Exidy Sorcerer	Basic Computing	£125	See also Micropute
Horizon	Claisse Allen Computing	£500	800 a/c 2,000 trans
Ohio Scientific	Stratheden Ltd	£500	varies
Tandy Models 1 & 2	Chess Consultancies Ltd	£250	300-500 a/c
Tandy TRS-80	FIBS	£750	part of integrated system
Tandy TRS-80	Tridata Micros Ltd	£225	125 a/c 1,000 trans
Zilog MCZ range	Microbits Ltd	£500	400 suppliers 1,000 trans
Z-80	Liveport Ltd		
Z80/8080	Solitaire	£500	200 by 26 a/c

Sales Ledger

Machine type	Supplier name	Price	Capacity
Apple II	Computech Systems	£295	500 a/c 1,600 trans
Apple II	Dataforce (U.K.) Ltd	£315	200 a/c 1,000 trans
Apple II	Logic Box Ltd	£490	300 a/c 1,300 trans
Apple II	Deltic Computing Ltd	£250	1,000 a/c
Apple II/ITT	Padmede Computer Services	£300	900 a/c 4,500 trans/disc
Apple II/ITT	Guestel Ltd	£300	200 a/c
Apple II/ITT	Systematics International Ltd		
Apple	Style Systems Ltd	£250	650 a/c 2,500 trans
Commodore 3000/8	Anagram Systems	£299	250-2,000 a/c 500-10,000 trans
Commodore 3000/8	CSM Ltd	£550 and £650	1,000-2,000 a/c 6,000-10,000 trans
Commodore 3032	ACT (Petsoft) Ltd	£120	200 a/c 700 trans
Commodore 8000	Commodore BM (U.K.) Ltd	£300	600 a/c 4,500 trans
CP/M	Bytesoft	£400	varies
CP/M	PCL Software Ltd	£475	950 a/c
CP/M	Great Northern CS Ltd	£415	500 a/c
CP/M	Haywood Associates Ltd	£350	
CP/M	Median-Tec Ltd	£500	500 a/c 5,000 trans
CP/M	Ludhouse Ltd	£500	2,000 a/c 8,000 trans
CP/M	Graffcom Systems Ltd	£450	540-7,000
CP/M	Computerstore Ltd	£400	500 a/c 3,500 trans
CP/M	Salmon Microcomputing	£350	1,000 a/c 24,000 trans
CP/M	Selven Systems	£600	500 a/c 5,000 trans
CP/M	Map Computer Systems Ltd	£300	400-96,000 a/c
CP/M	Daman Computer Services	£900	1,500 a/c 500 trans
CP/M	PR Daly & Co Ltd	£350	
CP/M	Interface Computer Services	£350	varies
CP/M North Star	Benchmark CS Ltd	£250	200 a/c 500 trans
Durango F-85	Kesho Systems	£500	
Exidy Sorcerer	Basic Computing	£125	See also Micropute
Horizon	Claisse-Allen Computing	£500	800 a/c 2,000 trans
Tandy Models 1 & 2	Chess Consultancies Ltd	£250	300 a/c
Tandy TRS-80	Tridata Micros Ltd	£225	175 a/c 1,350 trans
Tecs	Jar Software Systems	£550	500 a/c
Z-80	Liveport Ltd		

Stock Systems

Machine type	Supplier name	Price	Capacity
Apple II	Logic Box Ltd	£490	1,200 items
Apple II	Vlasak Electronics Ltd	£150	7,000 items
Apple II	Dataforce (U.K.) Ltd	£200	850 items
Apple II	U-Microcomputers Ltd	£199	
Apple II	Microsense Computers Ltd	£100	
Apple II	Informex London Ltd	£198	
Apple	Style Systems Ltd	£250	900-80,000 items
Apple II/ITT	Microdigital Ltd	£225	625 items
Apple II/ITT	Vlasak Electronics Ltd	£285	500 items
Apple II/ITT	Systematics International Ltd	£500	200-2,500 items
Apple II/ITT	Guestel Ltd	£300	

Sharp MZ-80	Tridata Micros Ltd	£250	400 employees
Tandy TRS-80	A J Harding (Molimerx)	£120	
Tandy TRS-80	Chess Consultancies	£400	400 employees
Tandy TRS-80	FIBS	£429	
Tandy Model 2	P J Norris	£500	1,000 per disk
Tandy TRS-80	Tridata Micros Ltd	£218	400 employees
Tandy TRS-80	3-line Computing	£140	
Tecs	Jar Software Systems	£250	300 employees
Z-80/8080	Liveport Ltd	£250	500 employees
Z-80/8080	Solitaire	£500	200 employees
Zilog MCZ range	Microbits	£500	300 employees

Personnel and Administration

Machine type	Supplier name	Price	Application
Apple II	Informex Logic	£198	Personnel records
Apple II	Informex Logic	£298	Staff selection tests
Apple II/ITT	Informex Logic	£298	Employment agency system
Apple II/ITT	Informex Logic	£198	Medical records
Apple II/ITT	Informex Logic	£198	Hospital administration
Commodore 3000	Intex Datalog Ltd	£100	Hospital administration
CP/M	Median-Tec Ltd	£1,500	Employment agency system
CP/M North Star	Micromedia	£595	Personnel records
CP/M Vector	Taylor Microsystems	£390	Piece work
Z-80/8080	Intereurope	£500	Personnel records

Property Management

Machine type	Supplier name	Price	Capacity
Apple II/ITT	Cyderpress Ltd	£650	
Apple II/ITT	Informex London Ltd	£298	300 entries
Apple II/ITT	Cyderpress Ltd	£650	500 properties
Apple II/ITT	Algobel Computers Ltd	£650	400 properties
Commodore 3032/8	Compsoft Ltd	£190	13,000
CP/M	Compsoft Ltd	£400	27,000
CP/M	Algobel Computers Ltd	£650	2,000 trans
CP/M	Salmon Microcomputing	£900	
Z-80/8080	Graham Dorian Software	£325	varies

Purchase Ledger

Machine type	Supplier name	Price	Capacity
Apple II	Dataforce (U.K.) Ltd	£315	200 a/c 1,000 trans
Apple II	Logic Box Ltd	£490	400 a/c 1,000 trans
Apple II	Deltic Computing Ltd	£250	1,000 trans
Apple II	Computech Systems	£295	500 a/c 1,600 trans
Apple II/ITT	Systematics International Ltd		
Apple II/ITT	Padmede Computer Services	£300	900 a/c 4,500 trans/ disc
Apple	Style Systems Ltd	£250	650 a/c 1,750 trans
Apple II/ITT	Guestel Ltd	£300	200 a/c
Commodore 3000/8	CSM Ltd	£550	1,000-2,000 a/c 6,000-10,000 trans
Commodore 3000/8	Anagram Systems	£399	200-2,000 a/c 800-16,000 trans
Commodore 3032	ACT (Petsoft) Ltd	£120	200 a/c 700 trans
Commodore 3032	Compfer Ltd	£300	1,000 trans 7,000 entries
Commodore 8000	Commodore BM Ltd	£300	600 a/c 4,500 trans
CP/M	Bytesoft	£400	varies
CP/M	Business Solutions Ltd	£390	varies
CP/M	Median-Tec Ltd	£500	500 a/c 5,000 trans
CP/M	Ludhouse Ltd	£500	500 a/c 5,000 trans
CP/M	Great Northern CS Ltd	£315	500 a/c
CP/M	Structured Systems Ltd	£460	varies
CP/M	Selven Ltd	£600	1,000 a/c 2,000 trans
CP/M	Salmon Microcomputing	£350	1,000 a/c 24,000 trans
CP/M	Map Computer Systems Ltd	£300	400-96,000 a/c
CP/M	Microbits	£500	varies
CP/M	PR Daly & Co Ltd	£350	
CP/M	Computastore Ltd	£400	500 a/c 3,100 trans
CP/M	Haywood Associates	£350	

TRS-80 Compiler Work-Station

Model I and III, and Video Genie

Speed up your Basic Program Development

EDIT – Full-screen BASIC editor with floating cursor and auto repeat. 30 commands and functions let you find, change, insert, delete, replicate, copy, or move BASIC text at the character, string, line, or block level. Improved program visibility, fewer errors. £17.50

EXEC – Command-list processor. Speeds up and simplifies repetitive procedures such as power-up, file reorganisation. £9.50

Speed up your Basic Program Execution

ACCEL2 – Compiler for Model I and III BASIC (disk and non-disk). Execution speed-ups of 20-30 times for integer operations, 5-7 times for string handling, less if I/O limited. Very easy to use. Professionals note: Full instructions for selling derived code on tape or disk. No royalties! Ask for more details. £39.95

TSAVE – Writes compiled code to SYSTEM tape. Makes core-image backups of any machine-language programs. £4.95

southern software

PO Box 39, Eastleigh, Hants, England, SO5 5WQ

● Circle No. 237

STOKE on TRENT

for
TUSCAN
and
TANGERINE
and
VIDEO GENIE + SOFTWARE
and
BOOKS

MICRO–PRINT Ltd.,
59, Church Street, Stoke on Trent.
(0782) 48348. Barclaycard and Access

● Circle No. 238

THE POWER BANK

Plug your micro computer video unit and Printer into the POWER BANK and forget about a disabling break in the electricity supply. This unit will continue to run your system for up to one hour in the event of a mains failure . . . **WITH NO INTERUPTION TO YOUR WORK!**



Batteries included

Vital when running business systems. This unit will of course suppress **MAINS SPIKES** and **SURGES.**
SIGNWAVE OUTPUT

Retail price **£320** + VAT
Weight 13Kgms Size 43cms × 20cms × 9cms

POWER TESTING LTD
1 St Mary's Lane, Upminster
Tel: Upminster 26938

● Circle No. 239

'SIMPLY WRITE'

Super word processor at a silly price!

FOR PET

All you'd expect for ten times the price, PLUS re-define keyboard, graphics printing, tape or disk files, old or new ROMs, PET or ASCII printers, AND 40 or 80 column (same tape or disk). We didn't believe it either! £37 tape (can save to disk); £40 disk (sample files etc). Manual £1 refundable. Specify drive.

and now. . .
'SIMPLY FILE': information manager (DBMS) to match!

Robust, versatile, self-calculating, economic back-up. £65 disk only, with manual. Manual £1 refundable. Specify drive.

LIGHT PEN + SOFTWARE — plug in & go. £22

PROGRAMMER'S TOOLKIT — makes programming less like work! 3.0: £28. 4.0 (incl 80): £30.

ADVENTURE 1 & 2: authentic Scott Adams 24K classic games. Each £7 (both, £13)

NEW! ASTEROIDS-81 — fast action. £6

Add VAT to all prices please, but post/insurance included. Unconditional Instant Refund Guarantee on hardware, also software if not up to description. Write for more details, more items, newsletter.

SIMPLE SOFTWARE LTD.,
15 Havelock Road,
Brighton, Sussex BN1 6GL
(0273) 504879

Buy it with Access

● Circle No. 234

VISITERM
Let your APPLE talk to the WORLD.

Yes. Your 48K Apple can communicate with almost any mainframe computer whether your own or a time-sharing service. Even another APPLE. Full kit including software, communication card and cables cost's just £195 (excluding acoustic coupler, VAT and delivery).
For further details of this new dimension to Apple micros and of our other 500 APPLE products send to

ANDERLEE COMPUTER SERVICES,
17 Adelphi Crescent,
Hayes Park,
Hayes, Middx.
or telephone 01-841 1507
(24 hour answer service)

● Circle No. 235

Computer Junk Shop

We Buy, Sell, Break Computers and Peripherals

Surplus Stock

New and Used Power Supplies To Most Specifications Always Available

10, Waterloo Road,
Widnes, Halton, Cheshire. WA8 0PY
Telephone : 051 420 4590

● Circle No. 236

Apple II/ITT	The Software House	£57	750 names and addresses
Apple II/ITT	Personal Computers Ltd	£50	400 entries
Commodore 3000/8	Amplicon MS Ltd	£145	1,500-4,000 records
Commodore 3032	MMS Computer Systems	£250	3,000 records
Commodore 3032	Stage One Computers	£100	325 records
Commodore 3032/8	Compsoft Ltd	£190	13,000
CP/M	Compsoft Ltd	£400	27,000
CP/M	Structured Systems Group	£50	varies
CP/M	Graffcom Systems Ltd	£250	800-5,000 records
CP/M	Median-Tec Ltd	£500	
CP/M	Microbits	£230	varies
CP/M	Interface Computer Services	£200	varies
CP/M Horizon	Microtek Computer Services	£250	varies
CP/M North Star	Intelligent Artifacts	£250	
CP/M North Star	Micromedia Systems	£195	
CP/M Vector	Taylor Microsystems	£375	
North Star	Intelligent Artifacts	£250	
Tandy TRS-80	A J Harding (Molimerx)	£55	600-3,750 records
Tandy TRS-80	Comput-A-Crop	£78	varies
Z-80/8080	Intereurope SD Ltd	£200	30,000 entries
Z-80/8080	Micro Focus	£90	varies

Order Entry/Invoicing

Machine type	Supplier name	Price	Notes
Apple II	Informex	£198	Invoicing system
Commodore 3032	MMS Computers	£250	Order control
CP/M	PR Daly & Co	£200	Invoicing
CP/M	Graffcom Systems	£350	Order entry/invoicing
CP/M	Interface Ltd	£250	Invoicing
CP/M	Median-Tec		Invoicing
Tandy TRS-80	Tridata Micros	£75	Invoicing
Z-80/MCZ	Software Architects	£600	Order entry/invoicing

Payroll

Machine type	Supplier name	Price	Capacity
Apple II	Dataforce (U.K.) Ltd	£375	
Apple II/ITT	TW Computers Ltd	£145	
Apple II/ITT	Informex London Ltd	£298	
Apple II/ITT	Algobel Computers	£295	500 employees
Apple II/ITT	Vlasak Electronics Ltd	£375	200 employees
Apple II/ITT	Computech Systems	£379	300 employees
Apple	Style Systems Ltd	£350	450 employees
Apple II/ITT	Tabs Ltd	£99	50 weekly 100 monthly
Commodore 3000/8	Commodore BM (U.K.) Ltd	£150	200-600 employees
Commodore 3000/8	Landsler Software	£150	200-500 employees
Commodore 3032	Analog Electronics	£90	
Commodore 3032	L & J Computers	£220	
Commodore 3032	Intex Datalog Ltd	£195	200 employees
Commodore 3032	Computastore Ltd	£75	483 employees
Commodore 3032	ACT (Petsoft) Ltd	£195	600 employees
CP/M	Benchmark CS Ltd	£350	300 employees, 50 departments
CP/M	Haywood Associates Ltd	£350	
CP/M	Median-Tec	£500	1,000 employees
CP/M	Salmon-Microcomputing	£300	500 employees
CP/M	Map Computer Systems	£350	300-96,000 employees
CP/M	Daman Computer Services	£900	1,000 employees/ Mbyte
CP/M	Selven Ltd	£500	400 employees
CP/M	PR Daly & Co Ltd	£350	
CP/M	Graffcom Systems Ltd	£500	500 employees
CP/M	Horizon Software Ltd	£500	
CP/M	PCL Software Ltd	£495	1,200 employees
CP/M	Ludhouse Ltd	£450	300 employees
CP/M	Comput-A-Crop	£495	175 employees
CP/M	Microbits	£500	varies
CP/M Horizon	Microtek Computer Services	Lease	varies
CP/M North Star	Micromedia Systems	£495	350 employees
CP/M North Star	Intelligent Artefacts	£52	100 employees
CP/M Vector	Taylor Micro Systems	£490	
Durango F-85	Kesho Systems	£500	
Horizon	Claisse-Allen Computing	£500	250 employees
Ohio Scientific	Stratheden Ltd	£750	varies

CP/M	Ludhouse Ltd	£500	200 a/c 5,000 trans
CP/M	Computastore Ltd	£500	999 a/c 99 centres nine computers
CP/M	Great Northern CS	£345	250 a/c
CP/M	Selven Ltd	£400	1,000 a/c 3,000 trans
CP/M	Interface Computer Services	£350	varies
CP/M	Microbits Ltd	£500	varies
CP/M	Map Computer Systems	£300	250 a/c 3,500 + trans
CP/M North Star	Benchmark CS Ltd	£250	150 a/c 500 trans
Horizon	Claisse-Allen Computing	£500	999 a/c 99 entries, nine computers
North Star DOS	Intelligent Artefacts Ltd	£295	1,500 a/c 5,000 trans
Ohio Scientific	Stratheden Ltd	£500	varies
Tandy Model 2	Chess Consultancies Ltd	£400	1,000 a/c
Tandy TRS-80	Tridata Micros Ltd	£225	500 a/c 1,800 trans
Z-80	Liveport Ltd		
Z80/8080	Solitaire	£500	Up to 26 by 400 a/c
Zilog MCZ range	Microbits	£500	100 a/c 5,000 trans

Hotel and Travel Packages

Machine type	Supplier name	Price	Notes
Apple II	Dataforce	£525	Hotel management
Apple II	Informex Logic	£298	Travel agents' system
Apple II	Informex Logic	£298	Hotel administration system
Apple II/ITT	Guestel Ltd	£500	Hotel billing
Apple II	Diskwise Ltd	£695	Hotel reservation and guest billing
Commodore 3000	Landsler Software	£350	Hotel guest billing

Incomplete Records

Machine type	Supplier name	Price	Capacity
Apple II/ITT	Padmede Computer Services	£450	900 a/c 2,000 trans/disc
Commodore 3000/8	CSM Ltd	£1,200 +	250 a/c 3,000-4,000 trans
Commodore 3032	Stage One Computers	£750	500 centres 2,300 a/c
Commodore 3032	Micro Computation	£555	120 a/c 5,000 trans
CP/M	Benchmark Ltd	£975	
CP/M	Bytesoft	£250	3,000 trans
CP/M	Criterion Business Systems	£375	2,500 entries
CP/M	Ludhouse Ltd	£1,000	variable
CP/M	Salmon Microcomputing	£950	5,000 entries
CP/M	Map Computer Systems	£550	
Durango F-85	Kesho Systems	£1,000	
Exidy Sorcerer	Basic Computing	£350	See also Micropute
Tandy Model 1	A J Harding (Molimerx)	£150	1,200
Tandy Model 1	Quickmet	£785	300 a/c 2,000 trans

Job Costing/Billing

Machine type	Supplier name	Price	Capacity
Apple II	Informex London	£498	1,000 emp-pro-exp codes
Apple II	Deltic Computing Ltd	£250	
Apple II/ITT	Padmede Computer Services	£300	999 clients 99 rates
Apple II/ITT	TABS Ltd	£99	100 jobs 3,000 trans
Commodore 3032	CSM Ltd	£600	1,000 jobs 100 people
Commodore 3032	Stage One Computers	£100	300 appointments
CP/M	Business Solutions Ltd	£190	varies
CP/M	Map Computer Systems Ltd	£550	400-96,000 jobs
CP/M	Graffcom Systems Ltd	£400	varies
CP/M	Ludhouse Ltd	£1,000	1,000 jobs 35 codes
CP/M	Microtek Computer Services	£1,000	
CP/M	Great Northern CS Ltd	£455	300 clients
CP/M	Salmon Microcomputing	£300	225 codes
CP/M Cromemco	Sheffield Micro Information Ltd	£1,500	20 operations
CP/M North Star	Intelligent Artefacts	£275	

Mailing Systems

Machine type	Supplier name	Price	Capacity
Apple II	Keen Computers Ltd	£300	500 addresses
Apple II	SBD Consultants Ltd	£55	
Apple II	Microsense Computers Ltd	£70	
Apple II	Informex London Ltd	£198	
Apple II	Atlanta	£55	1,000 names and addresses
Apple II/ITT	Systematics International Ltd	£300	500 addresses

SHOPWINDOW

TRS 80 MODEL 1

BARGAIN Super Mods:

Improved Power Supply designed to run cooler with inbuilt fuse.	£ 8.00
50% Speed Upgrade Kit (Simple to fit) — Switch selectable — increases clock speed from standard 1.77MHZ to 2.66MHZ	£ 9.00
TRS 80 to Centronics/Anadex Interfaces (from Keyboard)	£20.00
TRS 80 to RS232C Serial Interfaces (from Keyboard)	£20.00
Disk Cables 1/2/3/4 way respectively	£3/5/7/9.00
TRS 80 to Centronics Printer Cable (6 ft approx) (from Expansion Interface)	£5.00

ABOVE PRICES INCLUDE VAT AND POSTAGE/PACKING

Telephone orders accepted – VISA, ACCESS

JOHNSON MICROCOMPUTERS,
75/79 PARK STREET, CAMBERLEY, SURREY
Telephone: Camberley (0276) 20446

● Circle No. 230

TEST ★ SERVICE ★ REPAIR

★ MICROCOMPUTERS
★ PERIPHERALS
★ FLOPPY DISC DRIVES
★ MEMORY BOARDS
★ INTERFACE BOARDS
★ ASSEMBLY/TEST OF COMPUTER KITS
★ MICRO UPGRADES: MEMORY, DISCS, PRINTERS, MONITORS.

Fast, professional service, carried out by experienced computer engineers. Very competitive prices.

A. N. ELECTRONIC & COMPUTER SERVICES LTD
211 Park Barn Drive, Guildford, Surrey
Tel: Guildford 504897

● Circle No. 231

CAN YOU WRITE?

We are a major British publisher, and we are looking for authors to help us with our computing books. We're specially interested in material for ATARI, VIC, ZX81, BBC/ACORN and APPLE.

If you think you can help, write to us at

BOX 322

● Circle No. 232

SUSSEX

SUPERBRAIN FROM £1550*
NEW TELEVIDEO SYSTEMS multi-user, multi-tasking and communications
RANGE OF CP/M SOFTWARE
PRINTERS FROM EPSOM TO SANDERS
WE ARE ALSO A WORD PROCESSING BUREAU
** Subject to $ surcharge*

THE ELECTRONIC OFFICE
Phoenix Buildings
Regency Road ● 32 West Street
Brighton ● Tel: Brighton (0273) 722248/9

● Circle No. 233

OSI/UK User Group
Support for
UK101 Superboard
and all OSI-based systems
professionally produced
A5-format bi-monthly Newsletter
development and documentation
and much more!
£10.00
for six-issue membership/subscription
contact: *George Chkiantz*
12 Bennerley Road, London SW11

● Circle No. 226

ALL MICRO DEALERS
£££ NEW SALES OPPORTUNITY £££
INSURANCE BROKER SYSTEM
— Runs on any micro under CP/M & MP/M
— Fully operational for past 12 months
— Numerous systems already installed
— Suitable for all High Street brokers
FOR SALE COMPLETE WITH:—
— Design & Specification
— COBOL Source
— Full Documentation
— Marketing rights
TASK FORCE TONY MARTIN 0702 615551

● Circle No. 227

SALE
Paper Tape Punches and Readers, Cassette Drives, Printers, Voltage Stabilisers, VDUs, PDP8M, PDP8E, Memory and Modules.
Send S.A.E. for list or call and see.
GILINSKY
15 Thornhill Park,
Sunderland SR2 7LA
0783 44770

● Circle No. 228

BOOK-KEEPING for ACCOUNTANTS & TRADERS
Purchases Day Book, Sales & VAT to run on a 32K PET.
Neat, Clear and Comprehensive Print-outs. Error-proof, Fast & Easy to operate.
Computes all NINE Retailer Special VAT Schemes.
Box 11 & 12 amounts and End of Year adjustments, etc.
100 Expense analysis + Goods at Zero and Std Rates.
100 Supplier analysis.
Approved by Customs and Excise.
Only £97.75 *inc VAT. C.W.O.*
Or for further details contact
E. Stanton MBIM, 86 Bracken Drive, CHIGWELL, Essex IG7 5RD.
Tel: 01-500 4318 or 01-505 7830

● Circle No. 229

Tandy TRS-80	Chess Consultancies	£450	Production planning
Tandy TRS-80	P J Norris	£1,500	Estimating steel frame buildings
Tecs	Jar Software	£600	Production analysis

Estate Agents' Systems

Machine type	Supplier name	Price	Notes
Apple II	Atlanta	£750	
Apple II	Microsense	£500	
Apple II/ITT	Cyderpress	£650	
Apple II/ITT	Systematic	£850	
Commodore 3032	Stage One Computers	£250	
Compucorp	Verwood systems	£700	Estate sales
Compucorp	Verwood systems	£1,200	Estate management
CP/M	Selven Ltd		Estate agents' sales and selection

Financial Systems

Machine type	Supplier name	Price	Notes
Apple II	Microdigital	£200	Sales analysis
Apple II	Microdigital	£130	Credit control
Apple II	Microsense	£194	Cashier retail/ wholesale
Apple II	PK Microsystems		Solicitors' accounts
Apple II	Dataforce	£80	Cashflow projection
Apple II	Informex	£98	VAT system
Apple II/ITT	Microsense	£125	VisiCalc
Apple II/ITT	Systematics	£295	Financial planning
Apple II/ITT	Systematics	£1,000	Financial controller
Apple II/ITT	Microsense	£75	Modelling desktop plan
Commodore 3000	Stage One Computers	£250	Financial acounts package
Commodore 3000/8	ACT Microsoft	£125	Financial modelling
Commodore 3032	Stage One Computers	£100	Quote processing
Commodore 3032	CPS	£575	Invoice-costing/ jewellers
Commodore 3032	L & J Computers	£90	Cash book
Commodore 3032	ACT (Petsoft)	£150	Financial planning
Commodore 3032	Stage One Computers	£100	Bank a/c reconcile
Commodore 3032	Logma Systems	£600	Sales/analysis
CP/M	Bytesoft	£95	Financial modelling
CP/M	Micromedia	£1,000	Invoice disc factoring
CP/M	Graffcom System	£400	Hire-purchase system
CP/M	MAP Computers	£550	Financing system
CP/M	Microtek	£500	Accounting
CP/M	Microtek	£750	Budget control
CP/M	Median-Tec	£500	Financial analysis
CP/M	Graffcom Systems	£450	Purchasing system
CP/M Vector	Taylor Microsystems	£390	Cashflow forecasting
Durango F-85	Kesho Systems	£1,000	Time recording/ ledger
Superbrain	Alan Pearman Ltd	£315	Financial planning
Tandy TRS-80	Chess Consultancies	£800	Sales statistics
Tandy TRS-80	A J Harding	£125	Financial balancing
Z-80/8080	Intereurope	£500	Financial modelling
Z-80/8080	Graham Dorian	£325	Sales analysis retail

General Ledger

Machine type	Supplier name	Price	Capacity
Apple II	Computech Systems	£295	500 a/c 1,700 trans
Apple II	Dataforce (U.K.) Ltd	£225	200 a/c 1,000 trans
Apple	Style Systems Ltd	£250	1,000 a/c, 2,000 postings
Apple II/ITT	Systematics International Ltd		
Apple II/ITT	Guestel Ltd	£300	200 a/c
Commodore 3032	Bristol Software Factory	£300	1,000 a/c 6,000 trans
Commodore 3032	Analog Electronics	£450	
Commodore 8000	Commodore BM (U.K.) Ltd	£300	600 a/c 3,000 trans
CP/M	Business Solutions Ltd	£390	varies
CP/M	Bytesoft	£690	varies
CP/M	PR Daly & Co Ltd	£500	
CP/M	Haywood Associates Ltd	£500	
CP/M	Median-Tec Ltd	£500	500 a/c 5,000 trans

CP/M	Interface Computer Services	£350	
CP/M	Minicomputer CS Ltd	£1,250	varies
CP/M	Salmon Microcomputing	£750	1,600 items 1,000 trans
CP/M	Selven Ltd	£1,500	3K a/c 7K trans
CP/M	Map Computer Systems	£1,000	varies
CP/M North Star	Instar Business Systems	£999	600-2,900
CP/M North Star	Criterion Business Systems		
North Star DOS	Inteligent Artefacts	£510	1,500 a/c 5K trans
Ohio Scientific	Microcomputer BM	£656	
Ohio Scientific	Stratheden Ltd		
Tandy Model 2	Chess Consultancies	£1,200	
Tandy Model 2	Chess Consultancies	£995	5,000 items 1,500 a/c
Tandy TRS-80	Microcomputer Applications	£90	
Tecs	Jar Software Systems	£650	500 a/c 300 nom. a/c

Database Managers

Machine type	Supplier name	Price	Capacity
Apple II	ACT Microsoft Ltd	£75	
Apple II	Courtman Micro Systems	£106	100K characters
Apple II/ITT	Systematics International Ltd	£72	
Apple II/ITT	Diskdean Ltd	£120	varies
Apple II/ITT	Systematics International Ltd	£125	1,000 references
Apple II/ITT	Informex London Ltd	£198	500-1,200 records
Apple II/ITT	The Software House	£140	900 records
Commodore 3000/8	Stage One Computers	£45-£250	650-2,400 records
Commodore 3000/8 records	Commodore BM (U.K.) Ltd	£150-£300	650-1,400-64,000 records
Commodore 3032	CPS (Data Systems) Ltd	£200	varies
Commodore 3032/8	Compsoft Ltd	£190	600-5,000 records
CP/M	Compsoft Ltd	£400	30,000 records
CP/M	Great Northern CS Ltd	£110-£210	and varies
CP/M	Microtek Computer Services	£250-£500	
CP/M	Cleno Computing Services	£90-£325	varies
CP/M	Interface Ltd	£200	varies
CP/M	Median-Tec Ltd	£500	
CP/M	Microbits	£145	varies
CP/M	Southdata Ltd	£650	up to 8Mbytes
CP/M SWTPC	Verwood Systems		
Metrotech System	Metrotech	£200-£1,000	
Ohio Challenger	U-Microcomputers Ltd	£175⅛	
Ohio Scientific	Microcomputer BM	£175+	
Superbrain	Alan Pearman Ltd	£295	varies
SWTPC	SWTPC	£100	
Tandy TRS-80	Cleartone ADP	£75	varies
Tandy TRS-80	ACT Microsoft Ltd	£75	
Z-80/8080	Structured Systems Group	£135	varies
Z-80/Cromemco	Xitan Systems Ltd	£850	4,000 records/disc

Engineering Design Systems

Machine type	Supplier name	Price	Notes
Apple II	Haden Young Ltd	From £50	Provide a comprehensive series of software for building/engineering
Apple II	James C Steadman	£200	Erect concrete columns
Apple II	James C Steadman	£250	Multibay frames
Apple II/ITT	Aerco-Gemsoft	£175	Pipeline engineering
Commodore 3032	Micro Computation	£300	Building-conversion specification
Commodore 3032	The Alphabet Co	£75	Time study and analysis
Commodore 3032	Comac Systems	£400	Asset register
Commodore 3032/8	Comac Systems	£400	Maintenance plan
Commodore 3032/8	Comac Systems	£400	Work orders
Commodore 3032/8	Comac Systems	£400	Plant history
Commodore 3032/8	Comac Systems	£400	Manpower analysis
CP/M	Median-Tec	£500	Plastic portal frames
CP/M	Median-Tec	£1,500	Finite element analysis
CP/M	Median-Tec	£500	Slope-stability analysis
CP/M	Median-Tec	£500	Retaining wall design
CP/M	Median-Tec	£1,500	Concrete design
Equinox	Equinox	£500	Civil/structural engineering design

FORTH

The small computer language of the eighties!

xForth
Our superb Z80/8080 implementation of the FORTH-79 standard, with virtual memory, screen editor, and many other facilities. Fully integrated with CM/M2.2. Also available for North Star DOS.

Special offer **£30**
We have many other Forth products at low prices, including a resident assembler, and Cassady's Meta system that lets you generate ROMable code and cross-compile for your own or other machines or even other operating systems.

Amethyst
Write and find out why this is the best word processing system available! Price, including the BDS C-compiler so you can personalise the system if you like, is **£250** (inc. VAT). Without the BDS C-compiler **£200** (inc. VAT).

Add £3 p&p to all orders. Add £5 for disk formats other than North Star.
Send S.A.E. for more details on these and other products.

A.I.M. Research,
20 Montague Road, Cambridge CB4 1BX.

● Circle No. 222

GRAPHICS for the
ZX80 and ZX81

1k GRAPHICS for the ZX81 — four programs — Kaleidoscope, Large Print, Medium Print, Draw A Picture. 10 page illustrated manual gives listings (without errors!) instructions for use, ideas for variations to programs, detailed technical notes including explanation of ZX81 character generator (not in Sinclair manual) etc.
C12 cassette & instructions (no manual) **£2.50**
Illustrated 1k Graphics Manual **£2.50**
Graphics Package (cassette and Manual) **£4.00**
16k Graphics for the ZX80 enables you to draw on screen almost as your would draw with a pencil. Provides over 30 functions enabling you to PLOT, UNPLOT, DRAW, UNDRAW etc. similar to much more expensive computers. Drawings may be SAVEd on tape. C12 cassette and instruction leaflet **£4.00**
** More ZX81 programs coming soon **
** Other ZX80 software now HALF PRICE **
Send s.a.e. for details *(Mail Order Only)*

BRIDGE SOFTWARE (P)
36 Fernwood, Marple Bridge, STOCKPORT, Ches SK6 5BE

● Circle No. 223

TEACHING CP/M?
LEARNING CP/M?

A frustrating business — even for the professional let alone the poor user!

NOW for the FIRST time a truly self-teaching course designed for the first time user.

The CP/M TUTOR is available on floppy disk for the SUPERBRAIN at only £256 (incl VAT and Manual).

SYNTAX SOFTWARE LIMITED
16 Leyland Avenue, Enfield, Middlesex. Phone: 01-804 5817.

● Circle No. 224

5 DAY MICROCOMPUTER PROGRAMMING COURSES START EVERY MONDAY INCLUSIVE COST £170
Part-time courses seven days a week
MICROTEACH
160 Edmund Street, Birmingham
Tel: 021-236 4322

● Circle No. 225

Call COMPUTALINE on (01) 840 1177/3444

For Printers eg Oki matrix from £245
Daisywheel from £730
For Computers eg Superbrain* from £1910
Apple* £Call

For Value, whether you need hardware, software or full systems, call

COMPUTALINE

St James' House, 105-113 The Broadway, Ealing, London W13 9BL

● Circle No. 218

PARTRIDGE & MAY LTD
COMPUTER SERVICES

PRINTER STATIONERY
Standard 9½" x 11" with sprocket holes. Box of 2,000 sheets, plain or striped, £12.65 incl VAT (local) cwo. Self-adhesive labels 4" x 1½" x 1,000, £7.50 incl VAT (local) cwo. Postage UK mainland £1.50.

Stockists of Verbatim/Shugart diskettes, printer ribbons and wide selection of printers and Acorn Atom — Further details on request.

Hardware & Software Consultants.
0268-781017.

7, MANNS WAY, RAYLEIGH, ESSEX SS6 9QB.

● Circle No. 219

TRS80 HARDWARE (MODEL 1)

A/D CONVERTER.
4 Analogue inputs, 2 Flag inputs, Analogue output plugs into keyboard. Software included.
Board only: £48.00. Complete in case: £60.00. P&P £1.50.

JOYSTICK CONTROLLED.
Uses Atari Joystick, plugs into keyboard. Software included.
£24.00. P&P £1.00.

I/O PORT.
6 solid state and 2 Relay contact outputs. 8 T.T.L. Inputs. LED indication of outputs.
£72.00. P&P £2.00.

LIGHT PEN.
Plugs into Cassette socket. BUILT IN AMPLIFIER. Software included.
£22.00. P&P £1.00.

All prices include VAT.

T. GARLAND & SON LTD.
14A Kenworthy Lane,
Northenden, Manchester M22 4EJ
Phone: 061 998 4207.

● Circle No. 220

SPORTING FORECASTS

Professor Frank George's well-known Football Pools Forecasting program is now available on the:

SINCLAIR ZX81 16K

as well as **Apple, Pet** and **Sharp.** Versions soon for TRS-80, Video Genie, TI 99/4, BBC-micro.

Write to:

Professor F. H. George
Bureau of Information Science
Commerce House, High Street
Chalfont St. Giles, Bucks.

Horse race Forecast Program soon.

● Circle No. 221

BUYERS' GUIDE

SOFTWARE

Software packages are listed by application, in alphabetical order, with the systems on which each package will run also listed alphabetically. The guide is not exclusively for business applications: if your company is the source or dealer for a package with a more unusual application, send us the details and we will create a new category.

The usual criteria have been applied. The minimum configuration is 32K of RAM, a disc and a printer; the price of the package must lie between £50 and £1,000; the companies listed are the source of the software or the main dealers in the U.K., and the capacity quoted is per disc or drive.

Machine type by application

Combined Ledger/Stock/Invoicing

Machine type	Supplier name	Price	Capacity
Apple II	Vlasak Electronics Ltd	£855	1,500 a/c 5,000 trans
Apple II	Dataforce (U.K.) Ltd	£855	
Apple II	Microsense Computers Ltd	£340	
Apple II/ITT	Informex London Ltd	£298	500 a/c
Apple II	Star Systems Ltd	£750	2,000 a/c 6,000 trans
Commodore 3000/8	Commodore BM (U.K.) Ltd	£1,100	200-600 a/c 2,000-6,000 trans
Commodore 3032	Compfer Ltd	£400	varies
Commodore 3032	Analog Electronics	£550	
Commodore 3032	Logma Systems Design	£600	1-6 shops
Commodore 3032	Grama (Winter) Ltd	£475	varies
Commodore 3032	Bristol Software Factory	£300	1,000 a/c 6,000 trans
Commodore 3032	Compfer Ltd	£600	500 a/c 1,000 items
Commodore 3032	HB Computers	£695	500 a/c 2,500 trans
CP/M	Graffcom Systems Ltd	£400	varies
CP/M	Benchmark CS Ltd	£950	varies
CP/M	Computastore Ltd	£1,000	

gram code, lines 605 to 750. Data to be transferred to the mainframe is held in the memory array L$. Once the mainframe file has been created, or its existence confirmed, data is transferred to it from L$ one element at a time. Each element of L$ corresponds to a record to be stored in the remote file.

Records are transmitted over the communication link only when this is requested by the host computer. It does this by issuing an appropriate prompt character, ASCII 62, as is implied by the code contained in lines 790 and 830 of the listing. Once all the non-null elements of L$ have been transferred to the distant machine the local program transmits an end-of-file message which causes the file to be closed.

Inherent in the implementation of the algorithm is the assumption that the transfer loop will be terminated by a null element within L$. If this condition is not met, the program is likely to abort with an index error once the upper bound of L$ is exceeded. If this happens the terminal user has to close the remote file manually. This limitation could easily be overcome by including some extra statements at line 806:

```
806 IF K=N+1 THEN GOTO 820
```

where N represents the upper bound of L$. The calling routine then has to set the value of N prior to invoking the file-transfer subroutine.

Because the data link operates in full duplex mode, data received by the mainframe would normally be echoed back to the terminal. To prevent this happening during file transfer, the data-echoing process is disabled by statements 760 to 775. The argument of the print statement in line 760 is a special message that instructs the remote mainframe not to echo back the data characters it receives. As soon as file transmission is complete the echo-back feature must be reinstated to enable the normal terminal mode of operation of the microcomputer. Lines 855 to 865 of the listing are responsible for this.

Line 780 allows for a file in the mainframe to be extended. As a result of the value of Z$ being previously set to "(LAST+1)". This ensures that the host operating system always appends the contents of the L$ array to the end of the remote file, commencing at the (LAST+1)th record.

It now becomes an easy matter to overcome any limitations imposed by the size of L$, and transfer secondary storage files of any size. Either of these goals may be achieved by simply applying the transfer subroutine repetitively, via a secondary entry point such as Gosub 755 if need be, or by adding modifications to enable the code between lines 780 and 840 to be re-executed within a loop that could be terminated by an out-of-data condition arising on the local microcomputer.

An illustration of this approach is contained in the skeleton algorithm for primary memory space transfer — see figure 4. It is based upon multiple invocations of the file-transfer routine contained in figure 3 and listing 3.

In step 5, the value of R specifies the size of the records that are to be transmitted; it will depend upon the record structure used and the way in which the information the records contain is organised. Invocation of the file-transfer routine at the primary entry point is necessary to perform the file-creation/checking procedures and the dispatch of the first memory block. Subsequent invocations of the routine reference its secondary entry point thereby avoiding the initial file-creation steps. An analogous algorithm could be formulated for the transfer of files from the secondary storage space of the microcomputer.

Figure 3. Algorithm formulation for file transfer from micro to mainframe.

1. Get file name from user.
2. Does the file exist?
   - YES → step 3
   - NO → Create it and go to step 6.
3. Is the file to be over-written?
   - NO → step 4
   - YES → Empty it and go to step 6.
4. Is the file to be extended?
   - NO → step 5
   - YES → Go to step 6.
5. Assume a new file is required and go to step 1.
6. I ← 1
7. Send Ith record to mainframe.
8. Wait for answer-back prompt from mainframe.
9. I ← I+1
10. All records sent?
    - YES → step 11
    - NO → Go to step 7.
11. Close mainframe file.
12. Exit.

P G Barker, *Using a Microcomputer as an Interactive Terminal,* Interactive Systems Research Group Working Paper, April 1981.

P G Barker, *Algorithms for Intelligent Terminal Operation,* Interactive Systems Research Group Working Paper, July 1981.

C S Donahue and J K Enger, *Pet/CBM Personal Computer Guide,* Osborne/McGraw-Hill, 1980, ISBN 0 931988 30 6.

P G Barker, *Program Exchange via the Public Switched Network,* Interactive Systems Research Group Working Paper, July 1981.

SHOPWINDOW

BUDGET COMPUTER SALES
in
WEST YORKSHIRE

	£
TRS80 Model III with built in drives	1384.00
Twin TEAC drives	390.00
Single TEAC drives	236.00
Teac Scripta KSR	£798
Epson MX100	550.00
Diskettes	from 1.55

12 Month Warranty
Prices Exclude VAT

AMBASSADOR BUSINESS COMPUTERS
For Sales, Service, Help
ASHLEY LANE WORKS, SHIPLEY, BD17 7SL. Tel: (0274) 595941

● Circle No. 215

MICROCOMPUTER CONSULTANCY

For businessmen in the N.W. we provide a full professional service.

— consultancy
— system design
— bespoke programming

First consultation free with no obligation.
NOTE we are not dealers.

MC SYSTEMS
44 Byrons Lane, Macclesfield.
TEL: (0625) 21370

● Circle No. 216

PET and VIC
Southampton

HIRE Commodore equipment by the week, all including manuals, cassette deck, media etc.
16K £20, 32K £25, Disk or Printer £25, VIC 20 £9
Ex hire equipment with guarantee usually available; 32K from £425. Part exchange your old 8K PET.
NOW LOWEST EVER PRICES FOR NEW PRODUCTS

4016N	12" screen	£455.00
4032N	12" screen	£555.00
8032N	80 columns	£795.00
4040	Dual Disk	£625.00
2031	Single Disk	£355.00
4022	Printer	£355.00
C2N	Cassette Deck	£ 44.95 (inc VAT)
VIC 20	Colour Computer	£189.95 (inc VAT)

Large range of software, books etc stocked
TOOLKIT BASIC 4 £30.00
6550 RAMs £12.00
All prices are cash-and-carry and exclude VAT
OFFICIAL COMMODORE DEALER

SUPER-VISION
13 St James Road, Shirley, Southampton
Telephone (0703) 774023
After hours (0703) 554488

● Circle No. 217

SHOPWINDOW

WESTERN
Western Computers Limited
apple
comart
North Star Horizon
Cromemco
PLEASE CONTACT US FOR DETAILS
Blackpool Airport,
Blackpool, Lancs.
Phone Blackpool 404676/42660

● Circle No. 212

NASPRINT for NASCOM II
A powerful companion to your NASPEN text processor.
Features:
- Mail merge
- Option to merge a heading onto each page
- Page numbering from 1 to 99 by single text character
- User set margin size
- User set paper size for software form feed after printing a NASPEN page
- Software form feed by single text character
- Option to stop print after each page
- User set Newline flyback time count
- Relocatable machine code program includes useful screen processing routine.

All this only £11.50 inclusive.
Available for NAS-SYS 1 and 3 on 300 bps cassette.
Mail order only please to:-
Zenthor Systems Limited
5 Chalkpit Lane, Oxted, Surrey RH8 ONF.

● Circle No. 213

TRS-80 LEVEL 2 SOFTWARE
GAMES
SPACE TREK
Pilot your own fighter in a space attack on a death star 7.00
ALIEN ATTACK FORCE
Good old space invaders game, save Earth from attack 9.00
AIR FLIGHT SIMULATION
Pilot your own aircraft, all controls are yours, i.e. flaps, on board computer 9.00
WORDWATCH
Combine education with entertainment with 4 programs 7.00
USEFUL PROGRAMS
PERSONAL BILL PAYING
Keep track of those bills and current accounts. Good value. 7.00
UTILITY
Two useful programs, CFETCH, allows merging of Basic programs. CWRITE, combines subroutines that work in different memory locations 9.00
All prices include P&P. SEND TODAY.
Many more programs available, send for lists!
PLYMPTON COMPUTER SERVICES, 5 TURBILL GARDENS, PLYMPTON, PLYMOUTH PL7 3XF.
Tel: (0752) 330176.

● Circle No. 214

(continued from previous page)

contain mechanisms which can accommodate any major differences in transmission protocol resulting from data-flow reversal.

As before, when file transfer takes place, two situations must be taken into account:

- transfer of a section of the memory space of the microsystem to the mainframe.
- transmission of one of the micro's local secondary storage files to the mainframe.

An outline algorithm for file transfer to a remote machine is shown in figure 3. The program that implements the algorithm is assigned the task of creating a file in the file store of the host computer, if one does not already exist, represented by steps 1 to 5. Successful file creation is followed by a loop that transmits the file of data on a record-by-record basis, steps 6 to 12.

File-creation and validation activity accounts for the larger part of the pro-

Listing 3. The implementation of figure 3.

```
600   REM FILE TRANSFER TO MAINFRAME
605   N=4
610   DIM R$(10)
615   INPUT "(cursor home,down * 4) FILE NAME"; X$
620   FOR I=1 TO 10 : R$(I)="": NEXT I
625   Y$="$CREATE"+X$
630   PRINT#1,Y$ :K=1
635   GET#2,I$ :IF ST=2 OR I$="" THEN 635
640   REM PRINT I$;
645   IF I$= "#" AND K=N THEN 660
650   IF ASC(I$)<>13 THEN R$(K)=R$(K)+I$ : GOTO 635
655   K=K+1 : GOTO 635
660   IF MID$(R$(N-1),2,5)="#FIL" THEN 750
665   PRINT "FILE"+X$+" ALREADY EXISTS"
670   PRINT "(cursor down) DO YOU WANT TO"
675   PRINT"     1. OVERWRITE ITS CONTENTS?"
680   PRINT"     2. CREATE A NEW FILE?"
685   PRINT"     3. EXTEND THE FILE"
690   PRINT"(cursor down * 2) ENTER 1,2 OR 3"
695   GET I$ : IF I$="" THEN 695
700   IF I$="1" OR I$="2" OR I$="3" THEN 710
705   GOTO 695
710   IF I$="1" THEN 725
715   IF I$="3" THEN 755
720   N=3 : GOTO 615
725   PRINT#1,"$EMPTY"+X$+" OK" : K=0
730   GET#2,I$  : IF ST=2 OR I$="" THEN 730
735   PRINT I$; : IF I$="#" AND K=2 THEN 755
740   IF ASC(I$)<>13 THEN R$(K)=R$(K)+I$ : GOTO 730
745   K=K+1  :  GOTO 730
750   PRINT "FILE"+X$+"HAS BEEN CREATED"
755   REM NOW TRANSFER THE L$ ARRAY TO MAINFRAME
760   PRINT#1, "%ECHO=OFF"  : Z$="(LAST+1)"
765   GET#2,I$  : IF ST=2 OR I$="" THEN 765
770   PRINT I$; : IF I$="#" THEN 780
775   GOTO 765
780   PRINT#1, "$COPY *SOURCE* TO "+X$+Z$ : K=1
785   GET#2,I$ : IF ST=2 OR  I$="" THEN 785
790   PRINT I$; : IF I$=">" THEN 800
795   GOTO 785
800   PRINT#1,L$(K)
805   PRINT "RECORD",K :K=K+1
810   IF L$(K)="" THEN 820
815   GOTO 785
820   Y$="$ENDFILE"
825   GET#2,I$ : IF ST=2 OR I$="" THEN 825
830   PRINT I$; : IF I$=">" THEN 840
835   GOTO 825
840   PRINT#1, Y$
845   GET#2,I$ : IF ST=2 OR I$="" THEN 845
850   PRINT I$; : IF I$<>"#" THEN 845
855   PRINT#1,"%ECHO=ON"
860   GET#2,I$ : IF ST=2 OR I$="" THEN 860
865   PRINT I$;: IF I$<>"#" THEN 860
870   PRINT "TRANSFER COMPLETE"  : RETURN
```

must be stored in an appropriate position within the memory space.

The various steps that are involved are depicted in the algorithm shown in figure 1 and its implementation is presented in listing 1. Certain basic assumptions have been made:

- It has been assumed that the file to be copied exists and that the terminal user has access to it.
- Because of memory-space limitations there are certain restrictions placed upon the size of the file that is to be copied — the file must not contain more than 100 records of length 255 bytes or less.
- For simplicity, it has been assumed that records will be transferred over the communication link without any perturbation.

Lines 10 to 330 are responsible for operating the microcomputer as a terminal device. The subroutine defined in lines 500 to 570 is responsible for the file transfer. The name of the file to be transferred is input at statement 505 and the copy process is initiated by the command message sent to the mainframe via the print statement in line 525. Each record transmitted to the microcomputer is preceded by a start-of-record character, ASCII 62, and terminated by a carriage-return / line-feed combination, ASCII 13 and 10.

The simplest strategy for transferring a file to secondary storage involves a block-by-block transfer mechanism. Such a scheme is embodied in the algorithm in figure 2. The transfer loop involves two basic steps. First, a block of records is transmitted to the micro; then, when the block is complete and error-free it is transferred to the local storage device. Listing 2 shows a minimal implementation of the algorithm.

The underlying principle upon which the subroutine depends is the same as that which was employed in the implementation of the previous file-transfer process. However, instead of sending a single copy message to the mainframe, to initiate the transfer of the whole file, a sequence of messages of the form

COPY file name (S,F)

is used. Each of these, with the possible exception of the last, copies across a segment of the file containing M records, where

$$M = F - S + 1$$

In this expression, S and F represent the start and finish record numbers within a segment. Their values depend upon the block size, M, and assume that the records in the original file are numbered sequentially starting from unity. The series of values of S and F are thus,

$$S_i = 1, M + 1, 2M + 1, 3M + 1,$$
$$F_i = M, 2M, 3M, 4M,$$

The code shown in the listing performs no error checking, neither of transmitted data nor of user input from the terminal; these refinements could be added in a more detailed implementation. The subroutine depends upon the provision of appropriate peripheral support routines


1. Obtain address of starting location (S).
2. Is this valid?
YES
NO
Issue error message and exit.
3. Obtain address of end location (F).
4. Is this valid?
YES
NO
Issue error message and exit.
5. Compute number of records to be transferred:
N = CEIL((F-S(/R)
6. Compute number of passes required.
7. Transfer first memory block to L$ array.
8. Invoke file transfer routine at its primary entry point.
9. I←2
10. Goto step 14.
11. Transfer Ith block of memory to the L$ array.
12. Invoke file transfer routine at its secondary entry point.
13. I←I+1
14. Is another pass required?
NO
YES
Go to step 11.
15. Exit.

Figure 4. The algorithm for memory transfer to microcomputer secondary source.

to handle the secondary storage devices to which a file is being transferred.

The first of these subroutines — line 455, Gosub 1000 — is responsible for opening the local file on the external device. The second — line 585, Gosub 1100 — is delegated the task of writing the data blocks on to the chosen peripheral; while the third — line 630, Gosub 1200 — performs all the housekeeping activities associated with closing the local file when transfer is complete. The subroutine shown in the listing has been used to transfer mainframe files across to both tape cassette and flexible disc — using a standard Commodore 3040 twin-disc unit.

In principle, the transfer of files from an intelligent terminal might be expected to require similar software, though data flow is in the opposite direction. Because the system is not totally symmetrical, the principle of reversibility cannot be fully employed, and the new algorithms and programs that are developed will need to

(continued on next page)

SHOPWINDOW

ROTTEN APPLE?

Anita Electronic Services (London) Ltd are specialists in the repair and service of the Apple II Micro Computer, Apple Disk Drive and associated printers including Apple Silent Type, Centronic, Anadex, NEC, Qume, Ricoh and Empson.

We offer a fast on-site service or alternatively repairs can be carried out at our workshops should you wish to bring in your Apple.

Apple Maintenance Contracts are available at very competitive prices. Trade enquiries welcome.

For further information telephone or write to:—

MR E. J. HALPIN
Anita Electronic Services Ltd.,
15 Clerkenwell Close,
London E.C.1.
01-253 2444

● Circle No. 209

TRS80 ● GENIE

Fed up with paying £10+ for a games program which after a few weeks you seldom play?

Why not rent your tapes for a month for under £2, all inclusive?

Send 9" × 4" SAE for full details to

RENT-A-PROG

5 Honeysuckle Close, Upper Tean, Stoke-on-Trent, ST10 4LZ

PROGRAM RENTAL

● Circle No. 210

PET SOFTWARE SALE!

PETSOFT software cassettes in stock at 50% off normal retail prices (Ask for list)

DISK SOFTWARE

CBM 3000/4000 Series

COMSTOCK — Stock Control	£49.00
COMPLANNER — Business Diary System	£89.00
LISP — Complete Package	£75.00
COMACCOUNTS — Sales/Purchase/ Nominal Ledger Suite	£199.00
COMLEDGER — Sales/Purchase/Nominal Individual Ledgers all	£99.00

CBM 8000 Series Modules

ACCOUNTANT Suite: Sales/Purchase/Budget Controller Individual Ledgers all	£49.00
Account Link (to integrate above)	£79.00
PAYMASTER	£24.00

PET INTERFACE SALE!

PETSET 1 — Analogue to Digital	£99.00
SKYLES — Regent System Multi-User System for Pet	£349.00
ADA 1200 — IEEE to RS232C Interfaced	£79.00
PET to Centronics — Interface	£24.00

ALL PRICES ARE EX-VAT

VISA/ACCESS orders accepted

Telephone Orders accepted

JOHNSON MICROCOMPUTERS,
75/79 PARK STREET, CAMBERLEY, SURREY.
Telephone: Camberley (0276) 20446

● Circle No. 211

SHOPWINDOW

Acorn Atom
CHESS

THE PROGRAM YOU'VE BEEN WAITING FOR!

Fantastic machine code chess game for the 12K Atom. Features include: split screen (high res. + alpha-numerics); many levels of play; castling & en passant; computer plays black or white.
Supplied on cassette with instructions. PRICE ONLY £9.00.
DON'T FORGET — OUR PRICES INCLUDE VAT & POSTAGE.

BUG-BYTE

98-100 THE ALBANY, OLD HALL STREET, LIVERPOOL L3 9EP.

● Circle No. 206

BIG EARS STOP! GO! LEFT! RIGHT!

SPEECH INPUT FOR ANY COMPUTER

Hugely successful Speech Recognition System, complete with microphone, software and full instructions.
BUILT TESTED & GUARANTEED ONLY £49
PLEASE STATE COMPUTER: UK101, SUPERBOARD, NASCOM2, ZX80/81, PET, TRS80, MZ80K, APPLE II

ZX80 ZX81
MUSIC SYNTHESISER
+16 LINE CONTROL PORT

Play 3-part music, sound effects, drums etc. Full control of attack, decay and frequency. Input/Output lines provide control and monitor facility for Home Security, Robot Control, Model Railway, etc. etc. Works with or without 16K RAM.
Add keyboard to make a live performance polyphonic synthesiser! Full instructions/software included.
AMAZING VALUE AT ONLY £19.50 (KIT) £25.00 (BUILT)

COLOUR MODULATOR — RGB in, PAL/UHF out — KIT £12 BUILT £18
UK101/NASCOM COLOUR GRAPHICS — Inc. Modulator. Still the best selling system! — KIT £45 BUILT £60
Please add VAT at 15% to all prices.
Barclay/Access orders accepted by telephone

WILLIAM STUART SYSTEMS Ltd
Dower House, Billericay Road, Herongate, Brentwood, Essex CM13 3SD
Telephone: Brentwood (0277) 810244

● Circle No. 207

UK101 SOFTWARE ON TAPE
from the guy who wrote "La Passe Temps"

GALACTIC HITCHHIKER (8K) An Adventure, all in machine code. A beauty! (£7.00)
SUPERTREK (8K) Sail boldly through the universe zapping moving Klingons in real time. Superb graphics. (£7.00)
LUNAR LANDER A real challenge. You won't get down in less than three hours. (£3.00)
LE-PASS-TEMPS This is what a computer game SHOULD be like (£3.00)
STARTREK (8K) The old favourite, beautifully presented. Not real time but great graphics nonetheless (£6.00)

* NEW *

Please phone for details of the exciting range of TAQWA ADD ONS:
Others available include a BASIC TUTOR (8 × 4K Programs) £12.00 and lots more games.
Each program comes on its own cassette by return 1st Class Mail. Available for 16 × 48 or 32 × 48 display and compatible all monitor ROMs. All inclusive from:

A. KNIGHT (DEPT PC)
28 SIMONSIDE WALK, ORMESBY, CLEVELAND
Tel: (0642) 321266

● Circle No. 208

(continued from previous page)

Notice that the Ceil function is defined in such a way that the value of Ceil(A) is equal to A if A is an integer; otherwise, it is equal to the smallest integer that is larger than A.

Depending upon the memory size of the micro there would be a limit placed on the number of records that could be accommodated. Based upon the way in which character-string arrays are stored in the Pet, it can be shown that, for a one-dimensional array of K elements the memory space required is

$$M = 7 + (K+1)\times 3 + \sum_{I=1}^{K} \text{LEN}(L\$(I))$$

Assuming that all records are 255 bytes long, the memory space available on a 32K Pet limits the value of K to about 120. However, for many applications the record lengths are unlikely to exceed 80 characters, increasing the number of records that could be handled to about 370. Larger files need to be off-loaded to disc or tape storage. In this article, all transfers to or from the mainframe take place via a one-dimensional character string array L$ created by a Basic program running on the Pet.

When transferring data from a mainframe file system to a target micro there are two general cases to consider, which differ according to whether the information that is transferred to the micro is

- retained in its primary memory area, or,
- transferred to its secondary storage system.

When a file is to be transferred to the micro, the software that it contains has to perform three basic operations. First, it must send an appropriate message to the mainframe in order to initiate file transfer. Then, as records are received, it must validate them, and request re-transmission if they are found to contain any errors. Finally, each error-free record


1. Get mainframe file name from user.
2. Get local file name from user.
3. Get block size from user.
4. I←1
5. Get Ith block from mainframe.
6. Write Ith block to secondary storage on microcomputer
7. I←I+1
8. Is file transfer complete?
YES
NO
Go to step 5.
9. Close local file.
10. Exit.

Figure 2, above, is the algorithm formulation for file transfer to microcomputer secondary stage. Listing 2, below, is the implementation.

```
1     DIM L$(100)    : REM BUFFER STORAGE
2     GOSUB 100 :      REM CONFIGURE INTERFACE
3     GOSUB 400 :      REM PERFORM FILE TRANSFER
4     STOP
10    REM  : PET AS A REMOTE TERMINAL
20    GOSUB 100:       REM SET UP MODEM
                       o
                       o
                       o
400   REM FILE TRANSFER TO PET WITH
410   REM OUTPUT TO SECONDARY STORAGE
420   INPUT"(cursor home, down * 4) FILE TO BE TRANSFERRED"; X$
430   INPUT"(cursor down * 3) LOCAL FILE NAME"; Z$
440   INPUT"(cursor down * 3) BLOCKSIZE";M
450   IF M>100 THEN PRINT"(cursor down)BLOCKSIZE TOO BIG" : GOTO 440
455   GOSUB 1000 : REM OPEN FILE ON SECONDARY STORAGE DEVICE
460   S%=1  : F%=M: N=0
465   K=0
466   FOR I=1 TO M : L$(I)="" :  NEXT I
470   S$=MID$(STR$(S%),2)
475   F$=MID$(STR$(F%),2)
480   Y$="$COPY"+X$+"("+S$+","+F$+")"
490   PRINT #1,Y$
500   GET#2,I$ : IF ST=2 OR I$="" THEN 500
510   IF ASC(I$)=62 THEN 530
520   PRINT I$; : GOTO 500
530   N=N+1 : K=K+1 : PRINT "RECORD",N
540   GET#2,I$ : IF ST=2 OR I$="" THEN 540
550   IF ASC(I$)<>13 THEN L$(K)=L$(K)+I$ :GOTO 540
560   GET#2,I$ : IF F ST=2 OR I$="" THEN 560
570   IF ASC(I$)=10 THEN 560
580   IF ASC(I$)=62 THEN 530
585   GOSUB 1100  : REM WRITE BLOCK TO SECONDARY STORE
590   IF K<M THEN 620
600   S%=S%+M : F%=F%+M
610   GOTO 465
620   PRINT "TRANSFER COMPLETE"
630   GOSUB 1200  : REM CLOSE LOCAL FILE
640   RETURN
1000
1010 Support routines for secondary storage devices etc.
```

between their attached storage peripherals, the algorithms may need to incorporate suitable conversion rules. The complexity of these will depend upon the nature of both the intelligent terminal and the host system.

Consider the process of file transfer in a system in which a mainframe computer, acting as a host, services the file-transfer activity associated with an intelligent terminal device. For the purpose of illustration a 32K Commodore Pet is used as the intelligent terminal. It communicates with a remote IBM-370/168 over the public switched network — see *Practical Computer*, January 1982.

All algorithms have been implemented in Basic, though in those situations where speed improvement is required, the use of machine code would be more desirable. Before discussing the details of the algorithms a brief description of the file structure used on the mainframe and the microcomputer is necessary.

Files resident on the mainframe may be regarded as collections of records each of which consists of contiguous eight-bit bytes. Individual files may contain records of fixed or variable length. They may be of any non-zero length up to a maximum of 32,767 bytes. Particular records within a file may be uniquely identified by means of their associated record number, which lies in the range — 99,999,999 to 99,999,999.

This mainframe file structure may be easily modelled on the microcomputer by means of a Basic character-string array. Essentially, each mainframe record is represented by one or more elements of the array. Storage for a file can thus be allocated by a statement of the form

```
10 DIM L$ (100)
```

which reserves memory storage for a file containing 100 records. These records cannot exceed 255 bytes; records longer than this have to be modelled by a two-dimensional character array. Thus, a record of L bytes could be segmented into Ceil(L/255) sub-records of maximum length 255. They could then be stored in such a way that one of the subscripts of an array reference identifies a particular record while the other identifies the required segment within that record: e.g., L$(2,4) references the second 255-byte segment of the fourth record in the file.

(continued on next page)

Listing 1.

```
1     DIM L$(100)
2     GOSUB 100  :  GOSUB 500  :  STOP
10    REM - PET AS A REMOTE TERMINAL
20    GOSUB 100  :  REM SET UP MODEM
30    GOSUB 200  :  REM GET  KEYBOARD CHARACTER
40    GOSUB 300  :  REM GET MAINFRAME CHARACTER
50    GOTO 30
100   REM *** CONFIGURE INTERFACE ***
110   OPEN 1,4    : REM OUTPUT CHANNEL
120   OPEN 2,6    : REM INPUT CHANNEL
130   PRINT#1,CHR$(255);"FXXGA"
140   RETURN
200   REM *** GET KEYBOARD CHARACTER ***
210   GET A$ : IF A$="" THEN : RETURN
220   PRINT#1, A$;
230   RETURN
300   REM *** GET MAINFRAME CHARACTER  ***
310   GET#2,A$ : IF ST=2 THEN : RETURN
320   PRINT A$;
330   RETURN
500   REM *** FILE TRANSFER TO PET ***
505   INPUT"(cursor return, down x 4) FILE NAME";X$
515   Y$="$COPY"+X$
520   FOR I=1 TO 100 : L$(I)="" : NEXT I
525   PRINT#1,Y$ : K=0
530   GET#2,I$ : IF ST=2 OR I$="" THEN 530
535   IF ASC(I$)=62 THEN 545
536   PRINT I$;
540   GOTO 530
545   K=K+1 : PRINT "RECORD",K
550   GET#2,I$ : IF ST=2 OR I="" THEN 550
555   IF ASC(I$)<>13 THEN L$(K)=L$(K)+I$: GOTO 550
560   GET#2,I$ : IF ST=2 OR I$="" THEN 560
564   IF ASC(I$)=10 THEN 560
565   IF ASC(I$)=62 THEN 545
570   PRINT "TRANSFER COMPLETE" : RETURN
```


SHOPWINDOW

RADEC

Professional Products for Practical People

ASCII Keyboards



- Upper & Lower Case plus Control
- Low Power Consumption
- Shift & Alpha Lock
- Autorepeat (Model 777)
- Parallel Data Output
- Metal Mounting Frame
- Suitable for Tuscan, Tangerine etc.

Model	KB756A	56 key	£39.50
	KB710	Numeric Pad	£ 7.50
	KB771	72 key	£55.00
	KB777	77 key	£62.50

Accessories available include:-

Metal Case	£12.95
Edge Connector	£ 1.95
DC to DC Convertor (for operation off single 5V supply)	£ 5.00

High Resolution Computer Monitor



- 12" Green P31 Phosphor
- 80 Character Line Capability
- 22 MHz Video Bandwidth
- 240V AC Input
- Toroidal Transformer
- Composite Video Input
- Ideal for Apple, Gemini, Nascom, Tuscan etc.

MODEL 101 £129.50

U.K. Orders add 15% VAT on order total
Orders under £15 add £1.50 p&p. plus VAT
Overseas orders add £2.50 p&p
FULL DATA SHEETS ON REQUEST

Citadel Products Ltd
Dept. P.C. 50 High Street Edgware
Middlesex HA8 7EP Tel:01-951 1848

SHOPWINDOW

SURPLUS STOCK

Superbrain QD 64K/700K £1,895
MP1 Matrix Printer 88G £375
Disks — Maxell MD1 (SS/SD) £18 for 10
MD2 (DD/DS) £25 for 10
Major Brand Software:
Sales Ledger; Purchase Ledger; Nominal Ledger; Wages; Stock Control £285 each, £775 for 3 / £995 for 4 / £1,235 for 5.
QD Superbrain plus 3 programs, £2,525
QD Superbrain plus 3 programs, plus MPI printer £2,850

Weekday evenings (0742) 682107.

● Circle No. 202

PET and VIC Southampton

HIRE Commodore equipment by the week, all including manuals, cassette deck, media etc.
16K £20, 32K £25, Disk or Printer £25, VIC 20 £9
Ex hire equipment with guarantee usually available; 32K from £425. Part exchange your old 8K PET.

NOW LOWEST EVER PRICES FOR NEW PRODUCTS

4016N	12" screen	£455.00
4032N	12" screen	£555.00
8032N	80 columns	£795.00
4040	Dual Disk	£625.00
2031	Single Disk	£355.00
4022	Printer	£355.00
C2N	Cassette Deck	£ 44.95 (inc VAT)
VIC 20	Colour Computer	£189.95 (inc VAT)

Large range of software, books etc stocked
TOOLKIT BASIC 4 £30.00
6550 RAMs £12.00
All prices are cash-and-carry and exclude VAT
OFFICIAL COMMODORE DEALER

SUPER-VISION
13 St James Road, Shirley, Southampton
Telephone (0703) 774023
After hours (0703) 554488

● Circle No. 203

ADVENTURE GAMES
MACHINE CODE PROGRAMS FOR THE UK101 OR SUPERBOARD WITH ANY MONITOR

1. NEW YORK SUBWAY/TROLL'S TUNNEL (£5.50)
Overcome the trolls, stone giant, and many other monsters to escape from an underground prison.
2. ZOMBIE FOREST/VAMPIRE CASTLE (£5.50)
Survive the servants of the Evil One, and rid the forest of its dark curse.
3. KY, TEMPLE OF THE DRAGONKING (£5.50)
With strong shield and pulsating sword, slay the dragon and liberate your people.

EACH ABOVE PACK HAS TWO 8K PROGRAMS

4. ALIEN ADVENTURE 16K (£6.00)
Your spacecraft is stranded on an asteroid in deep space. Escape is possible, but not easy.

TWO OR MORE PACKS — LESS 20%

From Mr M Perkins, 290 Station Road, Stechford, Birmingham B33 8QR

● Circle No. 204

LISTING PAPER

2000 Sheets per Box

11"× 9½" ruled or plain **£16.00**
11"× 14½" ruled only **£17.00**

FULLY INCLUSIVE OF CARRIAGE AND VAT
UK MAINLAND ONLY CASH WITH ORDER

SS Scholarly Supplies
Woodlands Park Avenue
Woodlands Park, Maidenhead, Berks
Tel: Littlewick Green (062882) 3104

● Circle No. 205

In his second and concluding article on networking, Philip Barker outlines some of the techniques needed to use the Pet as an intelligent terminal involved in file-transfer operations.

File transfer on Pet terminal

INTEREST is growing in the use of microcomputer systems as intelligent terminal devices. Fundamental to this mode of operation are facilities that provide the micro with the capability of being attached to some other larger computer configuration called a host system. To achieve this type of interconnection suitable Modems and interfaces are necessary. Through these the microcomputer will be able to communicate with,

- a remote or local mainframe/minicomputer,
- a local network of other intelligent terminals, or,
- a generalised, geographically-distributed computer network.

In addition, the microcomputer may also be capable of acting as a host to other units that are able to interconnect with it in an appropriate way.

Once attached to a host system there are many ways in which an intelligent terminal can contribute to and utilise the available resources. Three of the more important of these are,

- the initiation of computational processes within the host system,
- the support of certain processes delegated to it by the host, and,
- participation in file-transfer activity.

As a consequence of these three basic operations, many new types of man-machine interaction become possible.

Much progress has been made recently in the development of geographically-distributed computer systems. Usually, these consist of a series of processing nodes interconnected by suitable communication links. Nodes in the network community are able to communicate with each other by means of a variety of message-passing techniques.

A message is essentially a contiguous sequence of symbols. When transmitted between one entity and another, messages usually invoke some form of action or response on the part of its recipient. The effect of a message depends upon both its information content and the rules of interpretation used by the entity that receives it. Messages usually have only a transient existence and are fairly short in duration.

In addition to message transfer, most distributed systems permit files of data or information to be transmitted between nodes. Like a message, a file may be regarded as a contiguous sequence of characters. However, a file is a much more complex entity than a message. Unlike a message, it is usually more highly structured, has a greater physical volume, contains far more information and has a much longer lifetime.

When transferring files of information between nodes in a network, several factors have to be considered:

- media considerations.
- direction of transfer,
- transfer time,
- error control, and,
- physical and logical file structure.

Algorithms and programs for file-transfer operations must take into account the effects of all of these factors. Furthermore, because of the intrinsic differences between network-processing nodes, and

Figure 1. Algorithm formulation for file transfer from mainframe to *microcomputer* memory.



```
10 REM E.S.P. TESTER
11 DIM X(1)
12 PRINT $12
15 A=0; B=0; %F=SQR(60/9)
30 PRINT "I AM THINKING"'
40 PRINT "OF A NUMBER FROM 1 TO 9."'
50 PRINT "YOU HAVE UP TO 9 GUESSES."'
55 PRINT "YOU SHOULD AVERAGE APPROX 5"'
60 PRINT "GUESSES IN THE LONG RUN."'
65 PRINT "IF YOU TAKE LESS ON AVERAGE,"'
70 PRINT "PERHAPS  YOU HAVE E.S.P. POWERS"''
75 FOR K=1 TO 1000
80 N=ABSRND%9+1;@=0
100 FOR G=0 TO 9; INPUT $%X
101 IF ?%<CH"1" OR ?%>CH"9" GOTO 100
102 IF ?% ="" GOTO 100
105 B=B+1
110 IF ?%=N+#30 GOTO 200
120 PRINT $11,?%-#30" IS WRONG "'
130 NEXT G
200 PRINT $7; WAIT ; PRINT $7; REM BELL
210 PRINT "......CORRECT......"'
310 A=A+1;%E=B/A
REMAINDER OF PROGRAM AS PROGRAM A
```

Program 2.

potential. Each guess is entered as an Input. When the correct digit is guessed it will be signalled by the computer, which also performs the necessary calculations. Pressing the Shift key starts another game. The cumulative performance is displayed after each game.

Suppose you have achieved an average of 4.00 guesses after playing 10 games. Should you tell it to the world? The standard error of estimate is given by

$$2.582 \div \sqrt{10} = 0.8165$$

At the 95 percent level, two standard errors of estimate are plus or minus 1.633. The result could lie between 3.367 and 6.333 by chance, and 4.00 is well within those limits. The answer is to keep on testing, as your result is not yet significant. You have played 27 games to be 95 percent sure, with an average of 4.00 guesses per game. If you needed to be sure at the 99.8 percent level, it would require 60 games. If you are averaging 4.50 guesses per game, you would have to play 107 games for the 95 percent level, and 240 games for the 99.8 percent level. Finding proof of ESP potential could be a slow job, unless you have real talent.

Should you discover from this program that you have ESP potential, there are several learned societies that would like to know about it, in order to carry out more controlled experiments. Write to them, not to us.

Figure 1.



SHOPWINDOW

ZX81 16K RAM
Expansion Card

Quite simply, good value for money at £34.50p, including VAT, plus £1.50p p&p.
Junior Maths Pack 1, to run on 1K RAM ZX81 — 5 helpful programs on cassette for £5.75 inc.

CEL CUSTOMISED ELECTRONICS LIMITED
WINKER GREEN MILLS
STANNINGLEY RD
ARMLEY, LEEDS LS12 3BB
Tel: 0532 792332
and 155 MARTON ROAD
MIDDLESBROUGH, CLEVELAND TS4 2EN
Tel: 0642 247727.

● Circle No. 198

ACORN ATOM ACCESSORIES

17K RAM CARD
Fills memory area 2800H to 8000H
Consumes 500 mA at 5 volts
Only one power supply required £75

EPROM Programmer
Programs 2716/2732 direct from Atom
Runs off on board software
Only requires 24 volt programming voltage £30

ROM Card
12K ROM expansion
Fits inside ATOM case £15

ATOM Joystick Controller
Play games with analogue inputs £25

For further details of these and other ATOM accessories contact:

KCS
20 Moorsfield Avenue, Audlem, Crewe, CW3 0LA.

● Circle No. 199

9900 FORTH
16-BIT SINGLE BOARD COMPUTER
TMS-9900 + 32K EPROM + 8K RAM + 2 serial/2 parallel ports + BASIC interpreter or monitor £385
FORTH in EPROM for above £50

9900/9995 DEVELOPMENT SYSTEMS
from £4,990
incl. BASIC/PASCAL/word processor etc.

FIG-FORTH installation manual and listings for 1802, 8080, 6800, 6809, 9900 each £9
Manual and one listing £17

MICROPROCESSOR ENGINEERING LTD
97 Wilton Cres., Southampton SO1 2QG.
Tel: 0703 775482 9am-10pm

● Circle No. 200

MR. RETAILER
POINT OF SALE PROGRAMME
THE END OF BOOK KEEPING

Put your computer on the counter. Enter your STOCK No. Book keeping finished.
Your Stock is immediately adjusted.

Enters the Sales: Deposit, Credit Account or Cash sale. AUTOMATICALLY keeps your STOCK, VAT and ALL BOOKS UP TO DATE. Records change given and permanently stores. Reminds you of lines due to re-order. In fact does all your book keeping automatically from Point of Sale. Just imagine, your STOCK and VAT details Automatically up-dated at time of sale!!! Now a reality!

Mr. RETAILER programme £975.00 + vat.

Complete System: Computer, Printer including Mr. RETAILER programme £3300.00 + vat.

Easier to use than an electronic cash register.
Dealerships available.

ACCESS COMPUTERS
2 Rose Yard, Maidstone, Kent.
Phone: (0622) 58356.

● Circle No. 201

NASCOM/SHARP MZ80K

Pascal for Nascoms and Sharp MZ80K

Hisoft offer a very fast 12K Pascal compiler producing Z80 object code directly i.e. no P-code.

STATEMENTS: CASE .. OF, IF .. THEN .. ELSE, REPEAT .. UNTIL, WHILE .. DO, BEGIN .. END

TYPES: INTEGER, REAL (7 sig. figs.), CHAR, BOOLEAN, ARRAY, SET, COLOUR.

Many standard procedures and functions are supported including trigonometric functions and all procedures and functions may be used fully recursively.
The object programs run very fast and require only the runtime routines (4K) to be present.

Price: Nascom Pascal £35
Sharp MZ80K Pascal £37

New Monitor for Nascoms

NASMON is a new 4K monitor incorporating a powerful 'front panel' display of memory, registers and flags together with an extended screen editor. We supply a range of software to run under NASMON; BAS12K, a 12K BASIC interpreter with 11 digit floating point arithmetic, NASGEN, a very fast Z80 assembler, NASNEM, a 2½K disassembler and NASPAS, the 12K Pascal compiler described above.

Prices: NASMON £30
NASGEN in EPROM £25
NASGEN on tape £15
BAS12K on tape £25
NASNEM in EPROM £15
NASNEM on tape £10

Z80 Development Package for Gemini G805 Disk Owners

The package comprises an extended screen editor, a fast Z80 assembler and a debugger with a 'front panel' mode and a Z80 disassembler. All supplied on one 5¼ inch diskette with full documentation.
Price £50.

All prices are fully inclusive.
Full details may be obtained from:

HISOFT
60 Hallam Moor, Liden,
SWINDON, SN3 6LS.
Tel: Swindon 26616
(answering machine service).

● Circle No. 195

ACORN ATOM UTILITY ROM

£29.90

The Willow Software 4K Utility ROM simply plugs into the spare utility ROM socket in your Atom and provides 18 powerful new commands and facilities including: Renumber, Range delete, Find, Auto line numbers, Program compression, Disassembler, True keyboard scanning, Memory dump, Variable dump, Register dump, Keyboard sounder, and much more. The Utilities make the Atom easier to use, and provide a 'toolkit' of facilities for program development in both Basic and Assembler. The ROM Utilities are professionally written and fully tested. All standard Atom facilities are unaffected and no textspace memory is used.

Due to increased demand, we are now able to offer the Utility ROM with full instruction manual at the reduced price of only £29.90 inclusive — post free. Send cheque/PO now for delivery by return of post, or write for further details. Official orders and Dealer enquiries welcome.

WILLOW SOFTWARE
PO Box 6, Crediton, Devon EX17 1DL

● Circle No. 196

Programmers and Analyst programmers required.

Knowledge of BASIC essential, CPM desirable.

Work in London — good salary.

Contact Geoff Planer:

BEYTS LOGIC LIMITED
WINDMILL RD, SUNBURY, MIDDX.
Tel: (09327) 86262.

● Circle No. 197

(continued from previous page)

expected from pure chance. If the generator really is truly random, it will generate each number once every nine tries, on average — see table 1.

Number generated	Deviation from average	Deviation²
1	–4	16
2	–3	9
3	–2	4
4	–1	1
5	0	0
6	1	1
7	2	4
8	3	9
9	4	16
	Total =	**60**

Table 1.

The total of 60 in the right-hand column is then divided by 9, the number of numbers generated, to give the value of 6.66666, which is called the variance. The standard deviation is the square root of the variance, 2.582 in this case.

The standard error of estimate gives an indication of how the expected deviation will decrease as more tries are made. It is equal to the standard deviation divided by the square root of the number of games played. You can be 95 percent certain that the result will lie within plus or minus two standard errors of estimate of the actual average, so you should only be expected to achieve this "significant" average by chance once in 20 tries. You can be 99.8 percent certain that the result will lie within plus or minus three standard errors of estimate of the actual average, so you should only be expected to achieve this "highly significant" average by chance once in 500 tries. The possible deviations around the average due to chance are shown in figure 1.

Program A tests the Acorn Atom to see if the average achieved lies within these limits. The random-number generator selects a number, and then the Atom will count up to that number before selecting the next. Every 50 games the program will stop, and the following information will be presented:

- number of games played
- number of guesses made
- average guesses per game
- the value of two standard errors of estimate for games played
- the value of three standard errors of estimate for games played
- the 95 percent and 99.8 percent limits that could be achieved by chance, that is, the average guesses per game plus the appropriate number of standard errors of estimate
- whether the result is significant in demonstrating a "real" difference. The program, as written, is looking for averages which are less than five.

On pressing the Shift key, another 50 games will be played, and so on. Up to 2,000 games have been played with this program, and at all times the results displayed have been within plus or minus three standard errors, which indicates that the Atom random-number generator is probably good enough for this experiment. As you will see later, you may have to play over 200 games to obtain a significant result, and the generator will certainly perform well enough with that number.

Program 2 is designed to test your ESP

Program 1.

```
10    REM E.S.P. TESTER
12    PRINT $12; REM CLEAR SCREEN
15    A=0;B=0;F=SQR(60/9)
75    FOR K=1 to 1000
80    N=ABSRND%9+1;@=0
100   FOR G=1 TO 9; X=G
110   IF X=N GOTO 205
120   PRINT X" IS WRONG"'
125   B=B+1
130   NEXT G
205   B=B+1
210   PRINT N" IS CORRECT"'
220   A=A+1; IF A%50=0 GOTO 310
230   NEXT K
310   %E=B/A
390   PRINT'"GAMES PLAYED = "A'
400   PRINT'"NO. OF GUESSES = "B'
420   FPRINT'"AVERAGE GUESSES ="%E''
425   %Q=3*%F/(SQR A); %R=2*%F/(SQR A)
430   FPRINT"95.0% LIMITS = +/-"%R'
435   FPRINT"99.8% LIMITS = +/-"%Q'
440   %J=%E+%Q;%K=%E+%R
441   FPRINT"99.8% UPPER LIMIT ="%J'
442   FPRINT "95% UPPER LIMIT ="%K'
443   FIF %K>5 FPRINT'"NOT YET SIGNIFICANT"';GOTO 480
445   FIF %K<5 FPRINT'"SIGNIFICANT AT 95% LEVEL"'
450   FIF %J<5 FPRINT '"SIGNIFICANT AT 99.8% LEVEL"'
480   PRINT"PRESS SHIFT KEY TO CONTINUE"''
490   DO; WAIT; UNTIL ?#B001<>#FF
500   NEXT K
999   END
```

Extra-sensory exercises

Extra-sensory perception has had the attention of a number of serious investigators. This game, written by Tony Capper for the Acorn Atom and based on simple statistical principles, tests the possibility of paranormal communication between you and your machine.

THE COMPUTER selects a random number in the range one to nine and the player then has several attempts at guessing the number. Anyone who plays this game may soon convince themselves that they possess ESP talent if they can find the correct number in less than an average of five guesses. However, a careful statistical study of the results is needed to be sure that it was not just a fluke.

The mathematics are not very complicated, and have been built into these programs, which are written for the Acorn Atom with floating point. The programs can be modified to work with integer maths using a suitable scaling factor.

It is worth examining the numbers provided by the Atom random-number generator, to see how good it is at producing truly random numbers. It chooses a number between one and nine, so the average number expected is five. The greater the number of tries, the nearer the average will be to five, but there can be big deviations from this average when only a few tries have been made.

So how do you tell if it has a good random-number generator? First, you must calculate the standard deviation, from which you can estimate the deviations from the average that can be

(continued on next page)



SHOPWINDOW

Brilliantly simple

On our launch we are pleased to offer you

£1350 OF FREE MICROCOMPUTER

software and services which includes: Incomplete Record/ Book-keeping/Financial Accounting and Payroll, General Data Management, Invoicing, Letter Writing or Word Processing systems and one day training with first 50 ADLER-ALPHATRONIC MICROCOMPUTERS sold at £2,345 each, leasing from £15.60 a week excluding VAT.

Please telephone for a demonstration to **Watford 48580.**

OVERSEAS COMPUTER SYSTEMS CONSULTANTS

182a, Queens Road, Watford.

● Circle No. 193

RAM BARGAINS

4116-200ns.	80p each
100+	68p each
2114-200ns.	80p each
100+	75p each
2114-450ns.	75p each
100+	70p each

Other IC's available.
Plus 50p P&P + VAT at 15%.

ATHANA FLOPPIES

Minis with free plastic library case

S/S-S/D	£19.95 for 10
D/S-D/D	£25.50 for 10
S/S-Quad.D.	£28.50 for 10

All with hub rings. 8" discs.

S/S-D/D	£26.50 for 10
D/S-D/D	£27.50 for 10

Add 85p P&P + VAT at 15%.
Computer Desk £49.80
Computer Desk with shelf for disc drives/ printer feed £59.90.
Add carr + VAT at 15%.

OPUS SUPPLIES

10 BECKENHAM GROVE, SHORTLANDS, KENT.

RING: 01-464 5040 or 01-467 9309 for further details and quantity discounts.

● Circle No. 194

THE REAL COST OF A SHARP COMPUTER SYSTEM

We could simply scream at you 'Get a Sharp MZ-80K personal computer for only £399!'

But you know, and we know, that there's more to it than that. As your interest increases or your business grows, you will want to exploit the unique versatility of your Sharp system – MZ-80K, MZ-80B or PC-3201.

So we thought we would set your mind at rest about the cost of expansion. We print here *all* the prices relevant to system expansion on these three popular and widely recognised computers.

If you think this demonstrates a straightforward and workmanlike attitude on our part, just look at the prices. You will see that they are just as down-to-earth as the rest of our approach.

Butel-Comco support for Sharp users is *complete*. Advice is freely available. Maintenance contracts can be arranged. A wide range of supplies and software can be supplied.

THE BUTEL PRICE GUIDE

Sharp MZ-80K Personal Computer	MZ-80K	Computer 20K. 25cm CRT. Tape cassette. ASCII keyboard.	£399.00
	MZ-80K	Computer 48K.	£460.00
	MZ-U/G	28K upgrade.	£80.00
	MZ-80 I/O	Interface unit.	£82.00
	MZ-80FD	Dual disk drive.	£693.00
	MZ-80FDK	Additional dual disk drive.	£616.00
	MZ-80	RS232 interface.	£110.00
	MZ-80P3	Matrix printer.	£395.00
	CP/M	Operating system.	£196.00
	MZ-80 I/O-1	Universal interface card.	£50.00
	MZ-80BM	BASIC manual.	£7.00
	MZ-80T10B	BASIC tape.	£9.00
	MZ-80T20C	Machine language tape and manual.	£19.00
	MZ-80TU	Assembler tape and manual (System Program).	£38.00
	MZ-80T40E	PASCAL interpreter manual and application tape.	£50.00
Sharp MZ-80B Personal Computer	MZ-80B	Computer 64K. 23cm CRT. Tape cassette. ASCII keyboard.	£1095.00
	MZ-80FD	Twin floppy disk unit.	£590.00
	MZ-80FDK	Additional twin floppy disk unit.	£590.00
	MZ-80P5	Matrix printer, 80cps. 80col.	£415.00
	MZ-80FI	Floppy disk interface card.	£100.00
	MZ-80MDB	Master diskette and manual.	£31.00
	MZ-80F15	Cable for MZ-80FD.	£9.00
	MZ-FO5	Cable for MZ-80FDK.	£7.00
	MZ-BCJ	Floppy disk cable jointer.	£15.00
	MZ-80EU	Expansion unit.	£50.00
	MZ-80GMK	Graphic RAM-II option.	£120.00
	MZ-80 I/O-2	Universal interface card.	£45.00
	MZ-80T10C	MZ-80K to MZ-80B converter tape.	£7.00
	CP/M.	Operating system.	£65.00
Sharp PC3201 Business Computer	PC-3201	Computer 64K. ASCII keyboard.	£1500.00
	CE-320C	80x25-character display terminal.	£250.00
	CE-332P	80cps, 80/132col matrix printer.	£450.00
	RP-1600/5	60cps, 132col daisywheel High-Q printer.	£1495.00
	CE-331M	Twin floppy diskette unit.	£670.00
	CE-341M	Floppy diskette interface.	£125.00
	CE-350L	Additional diskette drive cable.	£30.00
	CE-332A	48K RAM upgrade.	£150.00
	CE-340R	RS232 interface card.	£150.00
	CE-340G	General purpose I/O parallel interface card.	£145.00
	CE-350R	Printer ribbon for 332P.	£8.00
		10x5¼in diskettes.	£30.00
	CE-330G	Direct program generator.	£120.00
		Sales Ledger program and manual.	£300.00
		Purchase Ledger program and manual.	£300.00
		Nominal Ledger program and manual.	£450.00
		Invoicing System program and manual.	£300.00
		Stock Control program and manual.	£300.00



Note: All prices quoted exclude VAT, freight costs and insurance.

All items are available through our fast and efficient Mail Order Service or come and collect it from our 'computer centre' counter. We accept Access and Barclaycard and can arrange Citibank hire purchase. Simply ask for a quotation.

Hours of business:
Mon-Fri 9:30-5:30 and Saturdays from 9:30 until 1:00.
All prices are correct at time of going to press.

Call, telephone or write to:
Butel-Comco Limited,
Garrick Industrial Centre
Garrick Road, Hendon,
London NW9 6AQ.
Telephone: 01-202 0262.

BUTEL
Technology for business

● **Circle No. 192**

(continued from page 149)

calculate the lengths of time — and therefore the number of pulses — required for it to reach its new position.

If you read last month's article, you might be wondering how Thezeus managed to get anywhere at all when driven by a servo that can only rotate through 90°. The answer is to build a servo with an output shaft which rotates continuously.

Mouse weekend

Having sawn off inconvenient limit stops, etc., you then have to fool the electronics. To do this you disconnect the internal variable register on the output shaft and replace it with a fixed register with a value in the middle of the range of the variable register. A continuous stream of short pulses should now cause continuous rotation in one direction, long pulses the other. Stopping the pulses stops the servo.

Everything, including the ZX-80, the motor and the servos, can be powered by four high-discharge AA-size ni-cad cells which produce 4.8 volts. A smoothing capacitor must be fitted across the power lines near the ZX-80; 1,000μF to 2,200μF electrolytic should do.

The code shown in table 1 generates the pulses and time delays

Alan Dibley makes no claim to elegance, and he has used the chips and other components which he found to hand. If you can do better, write to the Micromouse page.

At the bottom of his garden, Dibley has an 11-by-11 square maze. If you are interested in another Mouse weekend, please phone him at 0934 742360.



Figure 2. Basic circuit for Son of Thezeus' motor control.

Figure 3. Pulses for servo control.



Table 1. Code for servo-control pulses.

Hex code	Pseudomnemonic	
Short		
06XX	B — XX	adjust XXfor time
10FE	DJN,-Z	count B down to zero
Long		
210000	HL — 0000	fine adjustment
23	inc HL	
CB 5C	BIT H3	coarse adjustment
28 FB	JRZ, -5	repeat if bit tested to zero.

TECPACS

The reliable technical programs for desktop computers

TECPACS are high-quality, technical software packages, written and tested by professionals for professionals. They can be used in your office, no large centralised computing facilities are needed, and computing experience is unnecessary. With TECPACS, designers and engineers can explore design alternatives with ease and confidence.

TECPACS offer such features as

☐ Built-in high technical standard
☐ Easy to use, friendly style
☐ Data checking facilities
☐ Trend facilities
☐ Choice of units
☐ High-quality presentation of results

Typical TECPACS available

☐ GRAPHKIT, graph plotting, curve fitting, non-linear regression £80
☐ HISTOKIT, high resolution histograms, univariate statistics £80
☐ MULTIVAR, multiple linear regression analysis £100
☐ FLANGE-5500, flange design to BS 5500, £350
☐ GEARS-1, gear design to Gleeson standards, spur and helical £100

TECPACS add another professional to your team. In your office, or in the design office, just switch on, select your TECPAC program disk, and in minutes you have the answers you need.

For further details, of TECPACS available contact the:
Technical Software Centre
BHRA Fluid Engineering
Cranfield, Bedford MK43 0AJ
England
or telephone Rita Chandler on
0234 750 102

Technical Software Centre
tecpac

For use with PETS and APPLES

● Circle No. 191

MEMOTECH

48K memory extension for the ZX81



The MEMOTECH memory extension board will allow the ZX81 to run 48K BASIC programs which may include up to 16K of assembly code.
The unit contains a genuine 48K of user transparent RAM, and accepts such BASIC commands as:
10 DIM A(9000).
A range of I/O Port boards and A/D, D/A convertors is available. The unit is compatible with the ZX Printer, and RS232 interface will be available soon.
The MEMOTECH memory has a fully buffered control-data-address bus with PCB 40 way header plug.
The ZX81 sits on a custom built case which contains the **MEMOTECH** memory and a power supply which not only powers the **MEMOTECH** memory, but also the ZX81.
All Leads are provided. The **MEMOTECH** memory extension board costs: £109.00 + VAT in kit form, £129.00 + VAT assembled. 15% Educational user discounts are available.

Please make cheques payable to:

MEMOTECH

(Sales Dept.) 103, Walton Street, Oxford. OX2 6EB.

What makes Thezeus run

Nick Smith continues his account of Alan Dibley's successful mice, Thezeus and Son of Thezeus. Here he reports on how their Sinclair ZX-80 brains are interfaced to the steering and mechanics.

STARTING FROM the back of the ZX-80, Alan Dibley has created the four-bit output port shown in figure 1. A15 is not used in the ZX-80, although it would not matter as long as it was only used for memory addressing. The combination of A15, write and IORQ — input/output required — is output and connected to the clock input of the latches. The bottom four bits of the data bus are connected to the data inputs of the latches.

The latches therefore remember and output what was on the data bus at the time of the last clock pulse. All this is taken care of by one machine-code instruction.

Breaks every rule

The methods Dibley uses to build these interfaces breaks every rule in the book: the chips are glued to a convenient point on the chassis with their legs in the air. Connections are then made by soldering wires directly to the pins. The control-signal wires are soldered directly to the ZX-80 printed-circuit board.

All the electrical leads have connectors in them so that the mice can be taken apart easily, and quickly reassembled.

The machine-code instruction he uses is

OUT (C),H

which sends the C register to address bits A0 to A7, the B register to address bits A8 to A15 and the contents of the H register to the data bus. According to Zilog, address bits A0 to A7 are supposed to be the port address, but this does not seem to matter. To set all the latch outputs to 0 you need the subroutine:

Son of Thezeus ready to go, including sawn-off ZX-80 and 4K RAM pack.

2600	H ← 00	data for latches
0680	B ← 80	return address bit 15
0E00	C ← 00	
ED61	OUT (C),H	do the work
C9	Return	

It should be Poked into memory, and called a USR () statement. To set one or more of the latch outputs to 1, first change the value register H initialised to in the first line.

The other major circuit is used to control the drive motor of Son of Thezeus, and is shown in figure 2. The variable resistor in the input limits the current the motor can draw, and thus its acceleration. The resistor across the motor introduces an element of dynamic braking when the transistor is off. The capacitor protects the transistor from current surges and reduces noise from the motor. Any npn power transistor should do, such as an AC-141, but it might need a heat sink.

Everything else on both mice is driven by radio-control servos. Believe it or not, the latch outputs can be connected directly to the servo inputs.

Figure 1. Circuit for Thezeus' output port.



Pulse control

A servo is controlled by a stream of input pulses. The gap between these pulses is not critical, and anything between approximatly 10 and 30ms. should do — 20ms. is a safe value. If you do not send or stop sending the servo pulses, the output stops immediately wherever it is.

The position the shaft stops at, within 90° of travel, depends on the length of the input pulses. Typical values are

1ms.; hard left
1.5ms.; centre
2ms. hard right.

These durations are critical and vary from servo to servo so some experimenting with each particular servo is required.

Suppose the servo is set hard left and you send a stream of 1.5ms. pulses at 20ms. intervals. The output shaft will turn until it reaches the middle, where it will stop. If you do not send enough pulses the shaft will stop before it gets to the middle, but too many pulses do not move it beyond the middle. A servo takes about 0.5 seconds to rotate 90°, so a string of pulses lasting one second should be enough. If you wish you can keep track of the current position of the servo and thus

(continued on page 151)

Number bees

by Tony Roberts

THIS HONEYCOMB is the home of the numerical bees. Rather than producing honey, the bees of this hive produce numbers. However, they are not just produced at random; an ancient and mystic set of rules governs the numbers that appear in each cell. In fact there is just one set of numbers that fit.

The hive's new Bee Bee Cee computer has not yet arrived, so can you help them out?



Clues

Across →

1. The product of two primes.
2. Half of the product of two across and two up.
4. The product of a square and two up.
5. A prime number.
6. A prime number.

Up ↗

2. One less than the difference between five up and five down.
4. The square of six across.
5. The product of one across and the difference between one across and six across.
6. Six times the difference between seven up and two up.
7. One-ninth of the sum of one across, six across and four up.

Down ↓

1. The cube of six across.
2. A cube.
3. The cube of one across, with digits reversed.

Solution to December puzzle

THE SMALLEST sum possible from the Knight's gambit puzzle is zero. It can be achieved by the following sequence of moves:

6 x 3 + 2 ÷ 5 x 1 ÷ 4 + 7 − 8 = 0

CITY MICROSYSTEMS LIMITED

65 LONDON WALL, LONDON EC2M 5TU
01-588 7272

SUPERBRAIN

320K, 680K and 1.5MB Diskdrives.
Full graphics available.
Wide range of standard packages.

TELEVIDEO SYSTEMS



Multi-user, multi-task, multi-processor, televideo reliability with complete expandability.
One to sixteen users.

VIDEO GENIE
with VISICALC



Complete system £1275, inc. Computer, Monitor, Expander, 1-disk drive printer and Software.
Vast library of standard software.

Complete business accounting systems from £2000. Word processors from £1420

ADVICE, TRAINING AND MAINTENANCE

ALL YOUR COMPUTER REQUIREMENTS READILY AVAILABLE

IN THE CENTRE OF THE CITY — LONDON EC2

VISITORS TO OUR OFFICES MOST WELCOME 10.30am-4.30pm

The Basic handbook

Second edition by David Lien. Published by Compusoft Publishing at $19.95.

ONCE EVERY few years a book is published which just cannot be ignored: the first edition of *The Basic handbook* was just such a book. Three years later David Lien has produced a much expanded second edition which retains the original format.

All the keywords are described using a standard form of presentation which is clear and comprehensive. As well as a description of the instructions' function, a test routine is provided to allow the reader to check whether his compiler or interpreter supports the keyword or its alternative spellings.

Where it does not, *The Basic handbook* provides other ways of achieving the same results by means of other instructions. Known variations in the use of the word are also catalogued.

Many people regard Basic as a restricted and restrictive language — a quick glance at this book will soon put the lie to such thoughts. Basic has developed a good deal, since it was conceived at Dartmouth College. It is now a full-blown language with versions suitable for all data-processing problems, even teaching, and many are covered by this one book.

This edition covers almost twice the number of words included in the original edition — it now describes over 500 words. At that rate the third edition will be in two volumes.

For any user of Basic who has to convert programs written for other machines for his own, this book will prove essential. It will certainly prove cheaper than collecting the appropriate manuals. There is a sensible, well-written guide to program conversion and a section providing an overview of some of the more unusual implementations of the language.

If this book has any failing it is in its coverage of disc and print-file handling. The short chapter covering these subjects does not pretend to be comprehensive. The author points out that there is little standardisation in this area and a more comprehensive treatment using the approach of the main body of the text will have to wait until there is more stability.

Conclusions

- **Most microcomputer users need at some time to convert programs written in one of the multitude of Basic dialects: this book is an invaluable tool for such a task.**
- **Although not a substitute for the language reference manual, this work provides an encyclopaedic reference to all the major versions of Basic. It should be on all Basic programmers' bookshelves.**
- **David Lien is to be congratulated on his dedication to the documentation of the Basic language — at the current rate, the third edition will be spectacular.**

Martin Wilson

DON'T (or How to Care For Your Computer)

By Rodney Zaks. Published by Sybex. 217 pages. Paperback. ISBN 0 89588 065 2

YET ANOTHER publication from one of the computer world's most prolific authors. It is unlikely to set the world on fire but nevertheless contains a large quantity of useful information.

The 13 chapters cover hardware, software, peripherals, documentation, discs and tapes, security and maintenance. Zaks' main proposition in *Don't* is that today's hardware is generally reliable; it is usually the operator who is likely to cause problems.

The book explains that many faults only emerge some time after the cause, which is usually consequently difficult to trace since the offender is either not around when the problem emerges or cannot remember not following the correct procedures. Zaks calls this the "time-bomb effect", which is often further complicated by the "pointed-index syndrome" — hardware and software suppliers who are unable to discover the cause end up pointing an accusing finger at each other.

The user is left with no remedy and, worse, not knowing how to prevent a recurrence. Zaks claims that by following the procedures in this book many problems can be avoided or reduced.

Many computer users will be aware of some of the Dos and Don'ts of handling equipment through experience or common sense. However, there are many causes of loss or damage to data or equipment which are not common knowledge, and most such pitfalls are covered in this book.

Such a thorough and detailed explanation of technical problems could become dull and boring reading, but Zaks has managed to present his book in a clear and interesting manner. The text is sensible, no-nonsense stuff and is interspersed with amusing cartoons to reinforce the points being made. Each section contains examples of what can go wrong in the form of typical horror stories, which serve to further illustrate the need for care.

Apart from describing typical problems, *Don't* provides useful information on the proper procedures for handling, storage and siting of equipment, provision of a clean power supply and some advice on helping to prevent computer fraud. Despite being an American publication, much of the information is directly transferable to the British user, with the exception of the wire coding and power-supply voltage information.

Conclusions

- **Essential reading for the new business and education user.**
- **A useful reference book for computer-studies teachers.**

Michael Trott

More TRS-80 Basic — A Self-Teaching Guide

By Inman, Zamora and Albrecht. Published by Wiley.

THIS BOOK CONTINUES where the author's previous book *TRS-80* left off and adopts the same format. As the title suggests, it assumes some familiarity with Basic programming.

Although prior knowledge is assumed, an extensive introduction reviews the level II Basic instructions that were covered by the previous book. In addition there is a glossary of frequently-used terms, and guidance on using the book to gain maximum benefit from it. The text then moves steadily through the structure of the memory, how it is utilised by the machine itself, and how it may be modified by the programs using Peek and Poke.

After a brief summary and a self-test quiz with answers, the book continues logically with a chapter about graphics. This provides a comprehensive guide to the topic, including comparison of the speed of different techniques — important for moving displays.

The next four chapters cover files both on cassette and disc. These chapters are thorough — although they may be a little slow for some people — but for the readers that this book is aimed at it is probably the best approach for avoiding misunderstanding. These chapters are far more comprehensive than most of the general introductions to Basic provide, and as a result the reader of this book should rapidly become able to make effective use of files for data storage.

The rest of the book is mainly concerned with more detailed aspects of earlier topics, especially graphics, but there is a chapter on sound and music production using optional hard- and software. There is a useful section which explains the storage requirements of various data types and precisions, invaluable when trying to squeeze a large program into a small machine.

Surprisingly, arithmetic functions are not discussed until the penultimate chapter. However, the descriptions are clear and easily understood. There is a first-class index which many books of this type lack.

Conclusions

- **A very friendly book that a TRS-80 user with limited experience will find useful. All explanations are both comprehensive and clearly written so misunderstandings should be rare.**
- **A more experienced reader will find valuable information in this book but may well be irritated by its slow pace.**
- **Elementary programming skills are assumed, and are required to make the most of the book, but the level needed is not high.**

Martin Wilson

INNOVATIVE
TRS 80-GENIE SOFTWARE
from the professionals

....a new, simple to use, moderately priced word processor

The introduction of a brand new word processor is a major event and AJEDIT is without doubt a major program. There are, however, quite a few Word Processors around and most of them are extremely good ones - why, therefore, another? The question is even more pertinent when it is known that we specifically commissioned the writing of it from an author of the status of Denville Longhurst of Enhanced Basic fame. The answer is that user feedback shows that a large number of customers do not need or want word processor programs which require a quantity of training before use. Scripsit, for instance, is an excellent program, but is complex to use; it even comes with a training course on tape. If one operator is dedicated to using the word processor then it makes sense to have her trained, and the more complex the program (so long as the complexity is accompanied by more and bigger functions) the better.

AJEDIT has been written for the user who needs a word processor intermittently, say three or four times a week. Its prime design criteria was ease of use - and just as importantly - ease of recollection of its commands. Take, for instance, the text editing commands - they are as close to the Basic Edit commands as possible, so that the user will remember them: To insert type I, to delete D, to take out three letters type 3D and so on.

Furthermore, AJEDIT has benefited from being written after a number of other word processors. The deficiencies in its predecessors are corrected in AJEDIT. For instance, any control characters can be outputted so that full advantage can be taken of the features of the particular printer being used. Disk directory access is available from within AJEDIT as is the killing of files on the disk. The FREE command and a number of other DOS commands can be carried out from within the program with a return to AJEDIT - with its text intact.

AJEDIT contains close to one hundred commands covering most word processor requirements. Dedicated printer commands for the Epson MX series and the Centronics 737 are included - again for ease of use of these two popular printers.

One of the big features of AJEDIT is the ability to "mail-merge". The facility is available whereby two special files are created, one containing names and addresses and a salutation, the other a standard letter or form. AJEDIT will call the address and salutation from one file and the letter from the other and thereby compile personalised letters. The salutation may be repeated in the body of the letter.

AJEDIT needs 48K and one disk minimum and is suitable for the TRS-80 Models I and III and the Video Genie Models I and II.

AJEDIT **£49.95**
Inclusive of V.A.T. and P. & P.

MOLIMERX LTD
A J HARDING (MOLIMERX)

1 BUCKHURST ROAD, TOWN HALL SQUARE, BEXHILL-ON-SEA, EAST SUSSEX.

TEL: [0424] 220391/223636

TELEX 86736 SOTEX G

TRS-80 & VIDEO GENIE SOFTWARE CATALOGUE £1.00 [**refundable**] plus 50p postage.

AMERICAN EXPRESS Cards Welcome

BARCLAYCARD VISA Buy it with Access

● **Circle No. 188**

BLYTH COMPUTERS BLYTH COMPUTERS BLYTH COMPUTERS

NOW YOU HAVE AN APPLE MICROCOMPUTER YOU'LL NEED

NEW

OMNIS®

All you've ever wished for in an information management system.

OMNIS sets new standards in database programs and levels of performance that you never believed were possible on a microcomputer.

- **OMNIS** is written in UCSD Pascal+, this means a better structured, faster running set of programs than could ever be possible using Basic — We believe that UCSD Pascal+ is the best microcomputer language available — OMNIS proves it —
- **OMNIS** is structured around powerful file handling modules. These modules give you the flexibility to store and retrieve your information in the way that you want. Full multi-key indexed access is available to all your database files, you say what you want — OMNIS does the rest.
- **OMNIS** provides you with a versatile report generating module that enables you to define your own reports, lists, mailing labels etc.
- **OMNIS** has unparalleled search facilities to allow you to be selective. Those hours of fruitless searching through rows of card indexes becomes a thing of the past.
- **OMNIS** lets you design your own screen layouts for data entry and inspection — you may have up to 10 screens per file.

OMNIS has an application waiting for it in every business, school and laboratory and workshop. Wherever information needs to be stored and retrieved. OMNIS is available for both APPLE II and APPLE ///. We can also supply OMNIS for use on APPLE microcomputer networks (yes, with true multi-user record locking). Trade enquiries welcome.

All registered users of OMNIS will be sent **FREE BACKUP** disc and you will be kept informed of all updates and upgrades. Free help will be given to all registered users via an OMNIS hotline.

OMNIS — All you ever wanted

APPLE II* version - £174.00 (incl VAT & pp)

APPLE ///* version - £225.75 (incl VAT & pp)

BLYTH COMPUTERS LIMITED
Wenhaston, Halesworth, Suffolk
IP19 9DH

050 270 565

24 hour phone service

*trademarks of APPLE Computer Inc
+trademark of the Regents of the University of California, San Diego

We welcome Access

BARCLAYCARD VISA

* Registered Trade Mark

To: Blyth Computers Ltd., Wenhaston, Halesworth, Suffolk IP19 9DH
PLEASE SEND ME ☐ APPLE II VERSION ☐ APPLE III VERSION
Cheque enclosed or please charge my Access*/Barclaycard no.:
*Delete as Applic. able
Name (Block Capitals)
Address
Tel. No

PC 2

● Circle No. 187

A visit to Microsystems '82 is a unique opportunity to examine and discuss a completely comprehensive range of microprocessors, peripherals, memory products and small business systems, together with software programs and products.

As a user, specifier or buyer of microelectronic products, Microsystems '82 is an important date in your diary.

Admission to the exhibition is by business registration and costs just £1.00 at the door.

MICROSYSTEMS '82

West Centre Hotel
Lillie Road, London
SW6

A VISIT IS WORTH YOUR WHILE

Wednesday, February 24: 9.30 — 6.00
Thursday, February 25: 9.30 — 6.00
Friday, February 26: 9.30 — 6.00

For more information, telephone or write to:
The Exhibition Manager, Microsystems '82,
IPC Exhibitions Ltd, Surrey House, 1 Throwley Way,
Sutton, Surrey. SM1 4QQ. Tel: 01 643 8040

MARK YOUR DIARY NOW!

(continued from page 141)
count looping back until the end of a line is reached, and then checks that all the lines have been printed by decrementing the counter held in $21 and testing for zero. The program loops back if there are any lines left to print.

The next program section sends the form-feed command, restores the screen as the output device and continues the interrupt. The final section is the routine to reset the interrupt for in/out work.

This routine does not use the bi-directional printing facility available on the Spinwriter. It would be an unnecessary complication, and without it the routine should be usable with most ASCII printers linked to an 8032.

Character call

HERE IS a short program which Pet users should find useful, writes Paul Bradshaw of Sunderland, Tyne and Wear. It Pokes a short machine-code routine into the second cassette buffer, which instantly fills the screen with any character desired by the user. The routine is called from Basic by the USR function.

After typing in the routine, the command Run will install the machine code in the second cassette buffer and set the USR vector. Now, to fill the screen instantly with the character whose Poke code is X, use the instruction Q=USR(X). For example, to fill the screen with As, use the instruction Q=USR(1), since 1 is the Poke code for A.

The routine is useful for games programs, or any application where the program has to attract the operator's attention — e.g. industrial control.

Screen print program.

```
100 printchr$(147):printtab(20)"Screen print for 8032 & ASCII printer"
110 print:print:printtab(25)"by M.I.Constantine 20/10/81"
120 for i=634 to 760 :read j :poke i,j :next
130 sys634:print:print:printtab(25)"press shift & esc to print"
140 print:print:printtab(30)"sys 634 to enable"
150 print:print:printtab(23)"sys 750 to disable before load"
160 poke151,155:poke152,1
200 data 120,169,2,133,145,169,133
210 data 133,144,88,96,165,151,201
220 data 155,208,96,165,152,201,1
230 data 208,90,169,128,133,32,169
240 data 0,133,31,169,4,133,176
250 data 133,212,32,213,240,32,72
260 data 241,169,25,133,33,169,13
270 data 32,210,255,169,10,32,210
280 data 255,32,210,255,160,0,177
290 data 31,41,127,208,4,105,64
300 data 16,6,201,32,16,2,105
310 data 96,32,210,255,200,192,80
320 data 144,232,165,31,105,79,133
330 data 31,144,2,230,32,198,33
340 data 208,203,169,13,32,210,255
350 data 169,12,32,210,255,32,204
360 data 255,76,85,228,120,169,228
370 data 133,145,169,85,133,144,88
380 data 96
```

Hex dump.

```
.:  027A 78 A9 02 85 91 A9 85 85
.:  0282 90 58 60 A5 97 C9 9B D0
.:  028A 60 A5 98 C9 01 D0 5A A9
.:  0292 80 85 20 A9 00 85 1F A9
.:  029A 04 85 B0 85 D4 20 D5 F0
.:  02A2 20 48 F1 A9 19 85 21 A9
.:  02AA 0D 20 D2 FF A9 0A 20 D2
.:  02B2 FF 20 D2 FF A0 00 B1 1F
.:  02BA 29 7F D0 04 69 40 10 06
.:  02C2 C9 20 10 02 69 60 20 D2
.:  02CA FF C8 C0 50 90 E8 A5 1F
.:  02D2 69 4F 85 1F 90 02 E6 20
.:  02DA C6 21 D0 CB A9 0D 20 D2
.:  02E2 FF A9 0C 20 D2 FF 20 CC
.:  02EA FF 4C 55 E4 78 A9 E4 85
.:  02F2 91 A9 55 85 90 58 60 43
```

Machine code.

```
027A 78        SEI
027B A9 02     LDA £$02
027D 85 91     STA $91
027F A9 85     LDA £$85
0281 85 90     STA $90
0283 58        CLI
0284 60        RTS
0285 A5 97     LDA $97
0287 C9 9B     CMP £$9B
0289 D0 60     BNE $02EB
028B A5 98     LDA $98
028D C9 01     CMP £$01
028F D0 5A     BNE $02EB
0291 A9 80     LDA £$80
0293 85 20     STA $20
0295 A9 00     LDA £$00
0297 85 1F     STA $1F
0299 A9 04     LDA £$04
029B 85 B0     STA $B0
029D 85 D4     STA $D4
029F 20 D5 F0  JSR $F0D5
02A2 20 48 F1  JSR $F148
02A5 A9 19     LDA £$19
02A7 85 21     STA $21
02A9 A9 0D     LDA £$0D
02AB 20 D2 FF  JSR $FFD2
02AE A9 0A     LDA £$0A
02B0 20 D2 FF  JSR $FFD2
02B3 20 D2 FF  JSR $FFD2
02B6 A0 00     LDY £$00
02B8 B1 1F     LDA ($1F),Y
02BA 29 7F     AND £$7F
02BC D0 04     BNE $02C2
02BE 69 40     ADC £$40
02C0 10 06     BPL $02C8
02C2 C9 20     CMP £$20
02C4 10 02     BPL $02C8
02C6 69 60     ADC £$60
02C8 20 D2 FF  JSR $FFD2
02CB C8        INY
02CC C0 50     CPY £$50
02CE 90 E8     BCC $02B8
02D0 A5 1F     LDA $1F
02D2 69 4F     ADC £$4F
02D4 85 1F     STA $1F
02D6 90 02     BCC $02DA
02D8 E6 20     INC $20
02DA C6 21     DEC $21
02DC D0 CB     BNE $02A9
02DE A9 0D     LDA £$0D
02E0 20 D2 FF  JSR $FFD2
02E3 A9 0C     LDA £$0C
02E5 20 D2 FF  JSR $FFD2
02E8 20 CC FF  JSR $FFCC
02EB 4C 55 E4  JMP $E455
02EE 78        SEI
02EF A9 E4     LDA £$E4
02F1 85 91     STA $91
02F3 A9 55     LDA £$55
02F5 85 90     STA $90
02F7 58        CLI
02F8 60        RTS
```

Character call.

```
10    DATA 32,210,214,162,0,165,17,76,72,226
20    FOR J=826 TO 835:READ X:POKE J,X:NEXT
30    POKE 0,76:POKE 1,58:POKE 2,3
```

Neat layout

I THINK I CAN help W V Legge — Feedback, October 1981 — over his problem with the Tab(X) function when outputting from the Pet to his 4022 printer, writes Bruce Humphries of Epsom, Surrey. As he explained, this function acts in an identical manner to SPC(X), i.e. tabs from the last printed character, not the left-hand margin. A very simple way to overcome the lack of a true Tab function is to force a carriage return without line feed after each printed string:

```
10   REM ** SIMPLE TABULATING ROUTINE
20   PRINT#2,SPC (X);A$;CHR$(141);
```

where A $ is the character or string to be printed.

The problem with this method is that it is very slow and results in undue wear to the printer, particularly when plotting, because of the large number of carriage return/tab operations.

When formatting tables, I use a short routine — listing 1 — to left-justify into neat columns. The method works out the length of the string just printed (AL), subtracts it from the column width (WC), and then prints that number of trailing spaces — SP$ is a string of, say, 60 spaces. If necessary, the routine can be easily converted to print, say, dots instead of spaces, which in some circumstances can improve clarity.

The same idea can be used to right-justify columns, e.g., to align units, tens, hundreds, etc., on integer numeric printout, by printing spaces before, instead of after the string representation of the number. To handle floating-point numbers, however, requires a slightly more complex technique — see listing 2.

In this routine, WC is the column width, TT is the number of characters from the left of the column to the decimal point, and SP$ again is 60 spaces. All these variables must be initially declared. The routine aligns all decimal points, handles integers and negative values, and I have found it most useful when printing multiple columns of figures.

Layout — listing 1.

```
10   REM **PRINT ALPHA COLUMN
20   AL=LEN(A$) :IFAL=>WCTHENA$=A$+LEFT$(SP$,WC-AL+1):GOTO40
30   A$=LEFT$(A$,WC)+LEFT$(SP$,1)
40   PRINT#2,A$;
```

Listing 2.

```
10   REM** PRINT DECIMAL COLUMN
20   A$=STR$(A)
30   A=INT(A):LD=LEN(STR$(A))-1
40   IFLD>=TTTHEN60
50   A$=LEFT$(SP$,TT-LD)+A$
60   A$=A$+LEFT$(SP$,WC-LEN(A$)+1)
70   PRINT#2,A$;
```

SuperCalc™

SuperCalc has a direct positive effect on your business profits, making optimum use of your time and energy. Using SuperCalc decision makers can manipulate data quickly and accurately for in-depth analysis. Accountants, Planners, Engineers and Businessmen have found SuperCalc invaluable.

SuperCalc really is easy to use, it only takes a second to alter figures – SuperCalc automatically calculates the rest of the Spreadsheet. It's self explanatory: just press the ? key if you need assistance.

SuperCalc's editing capabilities are more powerful than other packages, you can edit entire commands, not just one letter at a time. You can plug in a repeating formula simply by typing a one letter command and telling SuperCalc which entries are affected. Unlike other packages SuperCalc shows the user exactly where an error has occurred. And to prevent accidents all data can be protected from new manipulations.

Find out more about SuperCalc, send your Company order or telephone us now.

Superior easy to use CP/M* spreadsheet Simulator from LSI

* CP/M is a registered trade mark of Digital Research

£190 +VAT

Post and Package Extra

LSI COMPUTERS

Copse Road, St Johns, Woking, Surrey GU21 1SX Tel: (04862) 23411 Telex: 859592

DISTRIBUTORS
LSI Computers (Manchester), Genesis, Birchwood Science Park, Risley, **WARRINGTON,** Cheshire WA3 7BH. Tel: Padgate (0925) 824660.
LSI Computers (Croydon), Restmor Way, Hackbridge Road, **HACKBRIDGE,** Surrey SM6 7AG. Tel: 01-773 0917.
LSI Computers (South East), 4 Springfield Road, **HORSHAM,** West Sussex RH12 2PN. Tel: Horsham (0403) 64363.
LSI Computers (South West), West House, Stawell, **BRIDGWATER,** Somerset TA7 9AA. Tel: 0278 722073.
Encotel Systems Ltd., 530-539 Purley Way, **CROYDON,** Surrey. Tel: 01-686 9687.
Roundhill Computer Systems Ltd., Axholme, London Road, **MARLBOROUGH,** Wiltshire SN8 1LR. Tel: Marlborough (0672) 54675 Telex: 444453 Aware G.
KGB Micros Limited, 14 Windsor Road, **SLOUGH,** Berks SL1 1EL. Tel: Slough 38581/38310 Telex: 847777 Delray G Attn KMICRO

* I enclose my order for.....SuperCalc Spreadsheet Simulator System(s) price £190.00 plus VAT. * Contact me with full details of new Superior SuperCalc

Name

Address

Company

Tel

System

* Delete which ever not necessary.

● Circle No. 185

Trace routine

JOHNATHAN Turpin of Stanford-le-Hope in Essex sends this trace routine for the Pet. The machine code is loaded from Basic by the loop in lines 100 to 130, and then entered in line 150.

```
100 FORI=546TO668
110 READA
120 POKEI,A
130 NEXTI
140 POKE11,125:POKE12,2
150 X=USR(X)
160 END
170 DATA  165,136,201,255,208,1,96,169
180 DATA  0,133,14,96,135,197,232,240
190 DATA  26,133,232,165,136,133,233,169
200 DATA  222,205,12,223,240,251,169,60
210 DATA  32,229,168,32,90,185,169,62
220 DATA  32,229,168,165,136,197,233,208
230 DATA  228,96,72,169,99,141,24,2
240 DATA  169,2,141,25,2,104,76,116
250 DATA  162,32,186,255,201,20,240,1
260 DATA  96,152,72,169,165,172,45,2
270 DATA  141,45,2,140,110,2,104,168
280 DATA  76,99,2,160,4,185,152,2
290 DATA  153,189,0,136,208,247,169,84
300 DATA  133,1,169,2,133,2,141,25
310 DATA  2,169,99,141,24,2,96,32
320 DATA  34,2,234
```

Note writer

MY PROGRAM is called Note Writer, writes Steve Skipp of Tyseley, Birmingham. It is a short and simple Basic program designed for those with disc and printer. It gives a simple form of word processing — in upper case only. You can write letters and memos — but you cannot use a colon or comma in your notes. These will terminate the input line.

Each line of data must start with a one-digit code which will be used to control the printer, control the line spacing and to mark the end of the data file. The following codes are used:

0 for head of form
1 to space 1 line
2 to space 2 lines
3 to space 3 lines
4 to space 4 lines
* to mark end of file
" to print this line of data on the current print line.

If you enter an up arrow as the first character of a new line it will allow you to go back one line so that you may amend it.

During the copy phase the following keys are used:

Space bar — to pass the current line for printing
– sign — to delete the current line
+ sign — to insert before the current line
Other keys — to amend the current line.

Improved screen print

PUBLISHED SCREEN-PRINT programs do not always produce the desired result on the system that I use, comments M I Constantine of East Grinstead, West Sussex. My system comprises a Commodore 8032 with 4040 discs and an NEC Spinwriter with serial interface. I have encountered the following problems:

- The control characters — Sys 0 or perhaps @ P — are printed along with the screen information.
- Programs using Basic 2 do not work with Basic 4, which itself does not send a line feed with file numbers of less than 128.
- Attempting to print graphic and reverse-field characters on an ASCII-only printer produces strange results. For the purpose of this program I have converted them to their equivalent keyboard characters, and the alternative character set is treated as if it were the standard one.
- Some routines are located in the second cassette buffer which is used on the 8032 for disc in/out jobs.
- Printing is often crammed on to the first 25 lines of a sheet of paper and no "top of form" command is given at the end of the print.
- Other Pet systems print only the top half of the 8032 screen, splitting each screen line into two print lines.
- Programs that redirect the interrupt do not always provide a means of resetting it for loading other programs.

My screen-print program gets round all of these problems. It is presented in three forms: as Basic loader; by disassembler; and hex dump. Instructions for its use are included in the Basic form which is recommended for those not familiar with machine code.

To use the routine from a Basic program, load this one first and run it followed by Sys 750. Then load the Basic program, which should implement Sys 634, and then Poke 151,155: Poke 152,1 for each time a screen print is required.

The disassembler listing shows how the program works. It has six sections. The first section, from $027A to $0284, changes the course of the interrupt through the "decision" section which checks that the Escape and Shift keys are both depressed, and jumps to the exit point if not.

The printing routine follows, and can be split into three parts; $0291 to $02A8 sets up the screen-start address and line counter into zero-page locations. The second part does most of the work converting the screen codes to ASCII and sending them to the printer. This part is located between $02A9 and $02CA. The third part of the printing section which ends at $02DB, increments the screen-

(continued on page 143)

Note Writer

```
2 REM ******************************
3 REM S.SKIPP             NOTE WRITER
4 REM ******************************
5 REM (C) COPYRIGHT               1981
6 REM ******************************
8 OPEN 15,8,15
10 F$="
15 DIM A$(500)
20 G$=F$+F$
30 INPUT"COPY OR NEW  (C/N) ";J$
32 IFJ$="N"THEN50
36 Y=0
38 INPUT"FILE NAME : ";B$
40 OPEN 2,8,2,"0:"+B$+",S,R"
42 INPUT£15,EA$,EB$:IFEA$<>"00"THENPRINT"FILE NOT THERE":GOTO38
44 Y=Y+1:INPUT£2,J$
45 GOSUB600
46 A$(Y)=J$
47 IFLEFT$(J$,1)="*"THEN49
48 GOTO44
49 CLOSE 2:GOTO300
50 PRINT"G♥"
70 Z=0:Y=0
80 FORZ=0TO500:A$(Z)="":NEXT
110 Y=Y+1
120 PRINTG$"G●G●"
130 INPUT".G|G|G|";J$
140 IFLEFT$(J$,1)="."THEN190
141 IFLEFT$(J$,1)="1"THEN190
142 IFLEFT$(J$,1)="2"THEN190
143 IFLEFT$(J$,1)="3"THEN190
144 IFLEFT$(J$,1)="4"THEN190
145 IFLEFT$(J$,1)="0"THEN190
146 IFLEFT$(J$,1)="*"THENA$(Y)=J$:GOTO300
148 IFLEFT$(J$,1)="^"THENY=Y-1:PRINTA$(Y)"G●G●":GOTO130
149 PRINT"ERROR-TRY AGAIN":GOTO120
190 A$(Y)=J$
200 GOTO110
300 INPUT"DO YOU WANT TO PRINT (YES OR NO) :";J$
302 IFJ$="NO" OR J$="N"THEN450
306 PRINT"HIT ANY KEY FOR PRINTER"
308 GETJ$:IFJ$=""THEN308
310 OPEN 4,4
312 CMD4
320 FORZ=1TOY
330 IFLEFT$(A$(Z),1)="0"THENPRINTCHR$(12):GOTO400
332 IFLEFT$(A$(Z),1)="."THEN398
334 IFLEFT$(A$(Z),1)="1"THEN396
336 IFLEFT$(A$(Z),1)="2"THEN394
338 IFLEFT$(A$(Z),1)="3"THEN392
340 IFLEFT$(A$(Z),1)="4"THEN390
342 IFLEFT$(A$(Z),1)="*"THENZ=Y:GOTO400
390 PRINT
392 PRINT
394 PRINT
396 PRINT
397 GOTO400
398 PRINTMID$(A$(Z),2,78)
400 NEXT
410 PRINT£4:CLOSE 4
420 PRINT"RUN COMPLETED"
450 INPUT"SAVE ON DISC ??  (Y/N) ";J$
452 IFJ$="N" OR J$="NO"THEN END
454 INPUT"NAME OF FILE : ";J$
456 OPEN 3,8,3,"@0:"+J$+",S,W"
458 FORX=1TOY:PRINT£3,A$(X);CHR$(13);
460 NEXT:PRINT£3,"****";CHR$(13);
462 CLOSE 3
470 PRINT"COPY OVER."
472 END
600 J$=LEFT$(J$+G$,78)
605 PRINT">>>"J$"<<<"
610 GETA$:IFA$=""THEN610
619 IFA$="  "THENRETURN
620 IFA$="-"THEN625
621 IFA$<>"+"THEN630
622 K$=J$:J$=G$:GOSUB630
623 A$(Y)=J$:Y=Y+1:J$=K$:GOTO600
625 Y=Y-1:J$=A$(Y):GOTO600
630 PRINTJ$:INPUT"G●G●G|G|";A$
640 IFLEFT$(A$,1)="."THEN680
641 IFLEFT$(A$,1)="1"THEN680
642 IFLEFT$(A$,1)="2"THEN680
643 IFLEFT$(A$,1)="3"THEN680
644 IFLEFT$(A$,1)="4"THEN680
645 IFLEFT$(A$,1)="0"THEN680
646 IFLEFT$(A$,1)="*"THEN680
650 PRINT"TRY AGAIN":GOTO630
680 J$=A$:RETURN
```

◀● Circle No. 184

The Consummate Compact Computer.

You'll love the Black Box 3/30. It's everything you've ever wanted in a desktop computer. Including a very attractive price tag.

Take a look inside its modest enclosure. And you'll find an advanced 5-Mbyte micro-Winchester for fast-access, high-capacity storage. Plus a dual-sided, double-density floppy for backup.



The Black Box 3/30 gives you the ultimate in memory management and I/O flexibility. You can expand from 64k right up to ½-Mbyte of addressable RAM. And there are 16 programmable I/O ports along with an IEEE 488 bus that support VDUs, printers, other peripherals — and datacomm.

When it comes to software support, there's simply none better. Our single-user, multi-user and network operating systems let you configure the Black Box 3/30 to meet the widest range of tasks. For applications and development, you have a choice of BASIC, PL/1, PASCAL, FORTRAN, and COBOL languages.

The Black Box 3/30. Field-proven microcomputer technology perfectly packaged. And backed by powerful software. For complete details on the Black Box 3/30, call or write the RAIR dealer nearest you. Be sure to ask about the RAIR Rental Plan with purchase option.

UK Black Box Dealers

T & V Johnson (Microcomputers) Ltd Steve Johnson, Johnson House, 75-79 Park Street, **Camberley,** Surrey Tel: 0276 20446 **also** Howard Johnson, 48 Gloucester Road, **Bristol** Tel: 0272 422061 **and** Ian Kitching, 148 Cowley Road, **Oxford** Tel: 0865 721461
Holdene Ltd– Manuel Comarcho, Microcomputer Systems, Manchester Unity House, 11-12 Rampart Street, **Leeds** LS6 2NU Tel: 0532 459459
Arden Data Processing John Wright, 44-46 Bridge Street, **Peterborough** PE1 1DH Tel: 0733 49577 **and** David Hollis, Municipal Buildings, Charles Street, **Leicester** Tel: 0533 22255
Healey Office Equipment Ltd Alby Healey, Unit 7 Westfield Industrial Estate, Portsmouth Road, **Horndean,** Hants Tel: 0705 597555
GMS Computing Ltd Ken Jones, Smithfield House, Blonk Street, **Sheffield** S1 5BU Tel: 0742 730191
Rockmain Ltd Vincent Spain, Anzeec House, 6 Stour Street, **Canterbury** CT1 2NR Tel: 0227 61218 **and** Dan Reid, 21 Bloomsbury Way, **London** WC1A 2TH Tel: 01-404 5958
Lion Microcomputers Ltd Andrew Margolis, 227 Tottenham Court Road, **London** W1P 0HX Tel: 01-637 1601
NSC Computer Shop Ltd Adam Wiseberg, 29 Hanging Ditch, **Manchester** ME4 3ES Tel: 061 832 2269
Digitus Limited Suren Patel, 9 Macklin Street, **London** WC2 Tel: 01-405 6761
Omega Electric Ltd Flaxley Mill, Flaxley Road, **Mitcheldene** Gloucestershire Tel: 0452 76532
Bell Business Services 8th Floor, Unicentre, **Preston,** Lancashire Tel: 0772 600813

Rair Limited, 6-9 Upper St. Martin's Lane, London WC2H 9EQ Tel: 01-836 6921

RAIR

KONTRON:

Just solving today's problems isn't enough.

LOOK TO TOMORROW

with the PSIΨ80 Microcomputer Series.

The PSIΨ80 is the perfect choice for the OEM because of its extraordinary flexibility and long history of proven performance. Thousands of PSIΨ80's are now working worldwide, providing solutions to engineering, science, medical and business problems. And, thanks to our continuing efforts to add more capability to the PSIΨ80, these systems will be able to solve tomorrow's problems as well for their present users. Kontron backs the PSIΨ80 with a broad spectrum of high level languages and expansion in a multitude of directions.

It will pay you in more ways than one to choose the PSIΨ80. Kontron's OEM pricing is well below what it would cost you to develop your own system. Let us show you how Kontron's PSIΨ80 can address your application as we've done for so many others.

KONTRON COMPUTERS
ADVANCED MICROCOMPUTER SYSTEMS

PO Box 183, 11 Greenhill Crescent,
Holywell Industrial Estate,
Watford, Herts. WD1 8RN
Tel: (0923) 45991

In Europe:
Kontron Mikrocomputer GMBH
Breslauer Str. 2
8057 Eching, W. Germany
Telephone: (089) 3 19 01-1
Telex: 05 22 122

Model shown:
PSIΨ80 with integral
5 megabyte Winchester disk
and floppy disk

● **Circle No. 183**

Add mass storage to Apple and the sky's the limit . . .

. . . but we can keep the price right down to earth!

Apple and Mass Storage – the REAL* partnership

TECHNICAL DATA

- 5¼ inch Winchester disk drive
- 3, 6, 9 and 12 Mbyte capacities
- Compact design
- Variable configuration – hard disk or hard+ std. Apple 5¼" floppy drive
- Whisper quiet
- Apple support software for DOS 3.3, CP/M and Apple Pascal

REAL

Products and Systems available only from:-

Prices from £1800

COMPUTERFACTS (U.K) LTD

83 LALEHAM ROAD, STAINES, MIDDLESEX. TEL. STAINES 62501

● Circle No. 182

COMBINED FORCES!

South East Computers PLUS Castle Electronics can now offer you Unequalled

Service – at Supermarket Prices!

VIC 20 COLOUR COMPUTER

●Graphics character set ●Plug-in programme/memory cartridges ●Colour ●Sound ●Programmable function keys ●5K memory expandable to 32K ●Standard PETBASIC ●Full-size typewriter keyboard ●Low-priced peripherals ●Joystick/paddles/lightpen ●Self teaching materials ●**Cassette Deck now available £44.95**

Only £189-95 INC. VAT

You won't find a Better Deal Anywhere in the South

BBC MICRO-COMPUTER NOW IN STOCK PLUS FULL RANGE OF ACCESSORIES



Acorn Atom BRITISH DESIGNED PERSONAL COMPUTER

8K ROM + 2K RAM kit	£140.00	4K Floating Point ROM	£ 23.00
8K ROM + 2K RAM Ass.	£174.50	Colour Encoder	£ 21.85
12K ROM + 12K RAM kit	£255.00	Mains Power Supply	£ 9.20
12K ROM + 12K RAM Ass.	£289.50		

TANGERINE microtan

Microtan 65 Kit	£79.35
Microtan 65 Built	£90.85
Tanex Min. Config. Kit	£49.45
20 way Keypad	£11.50

TANTEL PRESTEL ADAPTER – £199.00

We hold a complete stock of all the Tangerine equipment. Send SAE or Phone for details.

ALL PRODUCTS ARE FULLY GUARANTEED BUY WITH CONFIDENCE

ALL PRICES INCLUDE VAT

ATARI COMPUTERS FOR PEOPLE

FROM £345.00
Plus All Accessories Available!

Model 400 16K	£345.00
Model 800 16K	£645.00
Cassete	£ 50.00
Disk Drive	£345.00
80 Col. Printer	£550.00

COMMODORE PET

8K PET	£458.85
16K PET	£550.00
32K PET	£699.00
Dual Disk Drive	£799.00
Printer	£454.25
External Cassette	£ 44.95

Complete range of PET equipment in Stock

CASSETTE SOFTWARE: Strathclyde Basic Course, Basic Basic Course, Invaders, Treasure Trove of Games 1 to 10 (10 Selections of games), Basic Maths, Algebra, Statistical Packs and lots more!

Special Offer!

sinclair ZX81
FOR IMMEDIATE DESPATCH
£69.99

apple

BUILT-IN SOUND– HIGH RES. GRAPHICS'

Apple II Plus 48K	£790.00
Disk Drive + Controller	£383.00
D.D. without Cntrller	£303.00
Pascal Card	£264.00
Eurocolour Card	£73.00
Hitachi 9" Monitor	£146.00

We Stock All the Goodies for Apple!

ALL PRICES INCLUDE VAT : ACCESS & BARCLAYCARD WELCOME
ORDERS NORMALLY DESPATCHED DAY OF RECEIPT

WE SPECIALISE IN COST EFFECTIVE SYSTEMS FOR SMALLER BUSINESSES

MicroComputers for Business

ASK FOR DETAILS OF OUR TOTAL SUPPORT OPTION

From Only £19 per week

Package A

SILICON OFFICE SYSTEM

1 x CBM 8096 Computer
1 x CBM 8050 Dual Disk Drive
1 x CBM 8023 Matrix Printer
Connecting cables, plus Silicon Software

From Only £43 per week

Package B

ALTOS MULTI-USER HARD DISK SYSTEM

1 x ALTOS 8000/10 Computer with
10 Mbyte Hard Disk
208Kbyte Memory (4 users)
500Kbyte Floppy Disk Drive
2 x TVI 912C VDU's
1 x OKI Microline 83A Printer

ALL PERSONAL COMPUTER ENQUIRIES:– Contact Paul Brown or Sam Wright on Hastings (0424) 437875 (Formerly Castle Electronics)

FOR ALL BUSINESS SYSTEMS ENQUIRIES:– Phone Nick Rosenberg on Hastings (0424) 426844

SEC BUSINESS SYSTEMS SUPPLY A WIDE RANGE OF EASY-TO-OPERATE SYSTEMS AND PROGRAMMES TO MEET ALL OF TODAYS BUSINESS NEEDS + FULL RANGE OF COMPUTER RELATED PRODUCTS + LEASING AGREEMENTS + FULL AFTER SALES SERVICE

SEC *The Complete Computer Service!*

15 CASTLE STREET, HASTINGS, EAST SUSSEX TN34 3DY DEPT. PC1

● Circle No. 181

(listing continued from previous page)

```
160  NORMAL : SPEED= 255
170  PRINT : HTAB 13: PRINT "BY ADAM BROUN"
180  VTAB 10
190  POKE 33,35: POKE 32,5
200  PRINT
210  PRINT "1. DRAW CHART WITH PADDLE"
220  PRINT : PRINT "2. COMPUTE & DRAW"
230  PRINT : PRINT "3. LOAD CHART FROM DISK"
240  PRINT : PRINT "4. EXIT"
250  POKE 32,0: POKE 33,40
260  PRINT
270  VTAB 20: PRINT "PLEASE SELECT OPTION"
280  GET A$:Q =  VAL (A$)
290  IF Q > 0 AND Q < 5 THEN 310
300  INVERSE : PRINT : PRINT "ERROR- ENTER 1,2,3 OR 4": NORMAL : GOTO 270
310  ON Q GOTO 330,940,1260,1360
320  END
330  HOME : PRINT "OPTION 1 - DRAW CHART WITH PADDLE."
340  PRINT : PRINT : PRINT "WHEN THE CIRCLE HAS BEEN DRAWN,"
350  PRINT : PRINT "USE THE PADDLE TO MOVE THE BAR."
360  PRINT : PRINT "WHEN YOU PRESS THE PADDLE BUTTON,"
370  PRINT : PRINT "THE CIRCLE WILL FILL IN ANTICLOCKWISE"
380  PRINT : PRINT "FROM THE BOTTOM."
390  PRINT : PRINT "YOU WILL THEN HAVE THE CHOICE OF "
400  PRINT : PRINT "SAVING THE CHART ONTO DISK"
410  PRINT : PRINT : PRINT "HIT ANY KEY TO START": GET A$
420  HGR : HCOLOR= 7
430  HPLOT 125 - 80 *  SIN (N / 24 * 3.14),75 + 75 *  COS (N / 24 * 3.14)
440  FOR N = 0 TO 50 STEP .5
450  HPLOT  TO 125 - 80 *  SIN (N / 24 * 3.14),75 + 75 *  COS (N / 24 * 3.14)
460  NEXT
470 N =  PDL (0) / 5
480  HCOLOR= 7: GOSUB 510: HCOLOR= 0: GOSUB 510
490  IF  PEEK ( - 16287) > 127 THEN 530
500  GOTO 470
510  HPLOT 125,75 TO 125 + 80 *  SIN (N / 24 * 3.14),75 + 75 *  COS (N / 24 * 3.14)
520  RETURN
530  FOR I = 0 TO N STEP .1
540  HCOLOR= 7
550  HPLOT 125,75 TO 125 + 80 *  SIN (I / 24 * 3.14),75 + 75 *  COS (I / 24 * 3.14)
560  NEXT
570  HOME : VTAB 22
580  PRINT "DO YOU WANT TO SAVE THIS ONTO DISK (Y/N)"
590  GET A$
600  IF A$ <  > "Y" AND A$ <  > "N" THEN  PRINT "": GOTO 570
610  IF A$ = "N" THEN 690
620  HOME
630  VTAB 22: PRINT "WHAT FILE NAME DO YOU WANT ?"
640  INPUT "";NA$
650  IF NA$ = "" THEN 630
660  IF  ASC (NA$) < 65 OR  ASC (NA$) > 90 THEN  INVERSE : PRINT : PRINT "INVALID FILE NAM
E": NORMAL : GOTO 630
670  IF  LEN (NA$) > 30 THEN  INVERSE : PRINT : PRINT "FILE NAME TOO LONG.": NORMAL : GOTO
 630
680  PRINT  CHR$ (4);"BSAVE ";NA$;",A 8192,L8192"
690  TEXT : PRINT "GET PRINTER READY, THEN HIT ANY KEY": GET X$
700 D$ = "": FOR I = 1 TO 8:D$ = D$ +  CHR$ ( PEEK (I + 767))
710  NEXT
720  PR# 1
730  PRINT "  ";: PRINT
740  PRINT "DATE:-";D$
750  IF A$ = "Y" THEN  PRINT : PRINT "TITLE:-",NA$
760  PRINT "SECTOR NO.       NAME          AMOUNT"
770  PRINT "-----------------------------------"
780  FOR I = 1 TO NO
790  PRINT "    ";1,Z$(I),S(I);"%"
800  NEXT
810  PRINT "-----------------------------------"
820  PRINT ,"TOTAL:-",Q;"%"
830  PRINT "-----------------------------------"
840  PRINT : PRINT : PRINT
850  PRINT  SPC( 15);"0....!....!....!....!....!....100"
870  FOR I = 1 TO NO
880  PRINT Z$(I);: HTAB 14: PRINT " :";
890  FOR J = 0 TO  INT (S(I) / 4): PRINT "*";: NEXT : PRINT : NEXT
900  PR# 0
910  IF A$ = "Y" THEN  PRINT  CHR$ (4);"LOCK ";NA$
920  GOTO 70
930  REM
940  HOME : PRINT "OPTION 2 - COMPUTE AND DRAW"
950  PRINT : PRINT : PRINT "WITH THIS OPTION,YOU SPECIFY THE        PERCENTAGE OF CIRCLE T
O BE FILLED IN"
960  PRINT : PRINT "YOU THEN HAVE THE OPTION OF SAVING THE"
970  PRINT : PRINT "CHART ONTO DISK."
980  CLEAR
990  PRINT : PRINT : INPUT "HOW MANY SEGMENTS DO YOU WANT?";NO$:NO =  VAL (NO$)
1000  IF NO < 1 THEN  PRINT "": GOTO 990
1010  DIM S(NO),S$(NO),Z$(NO)
1040  FOR I = 1 TO NO
1050  PRINT "ENTER PERCENT FOR SECTOR #";I: INPUT S$(I):S(I) =  VAL (S$(I))
1060  PRINT "ENTER NAME FOR SECTOR #";I;: INPUT Z$(I)
1070 Q = Q + S(I): IF Q > 100 THEN  PRINT "TOO LARGE A TOTAL": GOTO 980
1080  NEXT
1090  HGR : HCOLOR= 7
1100  HPLOT 125 - 80 *  SIN (N / 24 * 3.14),75 + 75 *  COS (N / 24 * 3.14)
1110  FOR N = 0 TO 50 STEP .5
1120  HPLOT  TO 125 - 80 *  SIN (N / 24 * 3.14),75 + 75 *  COS (N / 24 * 3.14)
1130  NEXT
1140 C = 7
1150 X = 0
1160  FOR J = 1 TO NO
1170  HCOLOR= C
1180  HOME
1190  VTAB 22: PRINT "SECTOR NO.";J;"    NAME:";Z$(J);"   AMOUNT:";S(J);"%"
1200  FOR N = X TO (S(J) / (100 / 48)) + X STEP .1
1210  HPLOT 125,75 TO 125 - 80 *  SIN (N / 24 * 3.14),75 + 75 *  COS (N / 24 * 3.14)
1220  NEXT :X = (S(J) / (100 / 48)) + X
1230 C = C + 5: IF C > 7 THEN C = 2
1240  NEXT
1250  GOTO 570
1260  HOME
1270  PRINT "WHAT FILE DO YOU WISH TO LOAD ?"
1280  INPUT "";NA$
1290  IF NA$ = "" THEN  PRINT "": GOTO 1260
1300 Q =  ASC (NA$)
1310  IF Q < 65 OR Q > 90 THEN  INVERSE : PRINT "INVALID FILE NAME": NORMAL : GOTO 1270
1320  IF  LEN (NA$) > 30 THEN  INVERSE : PRINT "FILE NAME TOO LONG": NORMAL : GOTO 1270
1330  HGR
1340  PRINT  CHR$ (4);"BLOAD ";NA$
1350  VTAB 24: PRINT "HIT ANY KEY TO RETURN TO MAIN MENU": GET A$: GOTO 100
1360  HOME : END
1370 ER =  PEEK (222)
1380  HOME
1390  FLASH : VTAB 24: PRINT ""
1400  IF ER = 4 THEN 1460
1410  IF ER = 6 THEN 1480
1420  IF ER = 9 THEN 1530
1430  IF ER = 10 THEN 1550
1440  IF ER = 13 THEN 1570
1450  PRINT "ERROR": NORMAL : END
1460  PRINT "DISK IS WRITE PROTECTED:-REMOVE TAB      BEFORE CONTINUING"
1470  NORMAL : GOTO 580
1480  PRINT "THIS FILE DOES NOT EXIST:-MAYBE YOU      MIS-SPELLED ITS NAME."
1490  PRINT "HERE ARE THE FILES ON THIS DISK": NORMAL
1500  TEXT
1510  PRINT  CHR$ (4);"CATALOG"
1520  PRINT "HIT ANY KEY TO CONTINUE": GET A$: GOTO 70
1530  PRINT "THE DISK IS FULL! CHANGE DISKS BEFORE   CONTINUING"
1540  NORMAL : GOTO 580
1550  PRINT "FILE ";NA$;" ALREADY EXISTS. TRY ANOTHER NAME."
1560  NORMAL : GOTO 580
1570  PRINT "FILE ";NA$;" IS NOT A 'PIE CHARTS' FILE"
1580  NORMAL : GOTO 70

]REM  NOW COMES THE VARIABLE CROSS-REF

]&X

A$     280, 410, 590, 600, 610, 750, 910, 1350, 1520
C      1140, 1170, 1230
D$     20, 30, 50, 700, 740
ER     1370, 1400, 1410, 1420, 1430, 1440
I      40, 50, 530, 550, 700, 780, 790, 870, 880, 890, 1040, 1050, 1060, 1070
J      890, 1160, 1190, 1200, 1220
N      430, 440, 450, 470, 510, 530, 1100, 1110, 1120, 1200, 1210
NA$    640, 650, 660, 670, 680, 750, 910, 1280, 1290, 1300, 1320, 1340, 1550, 1570
NO     780, 870, 990, 1000, 1010, 1040, 1160
NO$    990
Q      280, 290, 310, 820, 1070, 1300, 1310
S(     790, 890, 1010, 1050, 1070, 1190, 1200, 1220
S$(    1010, 1050
X      1150, 1200, 1220
X$     690
Z$(    790, 880, 1010, 1060, 1190
```

(continued from previous page)

sectors have been allocated data, the pie chart is drawn on the high-resolution screen, while data about the sector being drawn is displayed. When the chart is finished, the option is given of saving the chart on to disc.

- Load chart from disc. This option loads a named chart from disc for viewing on the screen.

The chart takes up 34 sectors under DOS 3.3. A hard copy of the data for the graph is then dumped on to the printer in slot 1. No graphics capabilities are necessary, and a horizontal bar chart is drawn of each sector.

The variable cross-reference list was produced using the Applesoft Program Assistant on the D.O.S. 3.3 Toolkit.

```
CMDTBL:  0860- 98 EF A6 A4 06 95 05 F0  ;  ?  V  -  +  M  <  L  W
         0868- 00 EB 93 A7 C6 99 9C 9E  ;  G  R  :  .  cr sp #  %
         0870- F3 9A A0 00 00 00 00 00  ;  Z  !  '
         0878- 00 00 00 00 00 00 00 00  ;.....rest of table empty
```

Table 3.

(continued from page 133)

on the screen, and also to set any other vectors which may require attention. The monitor has been written to run on page $08 and so if it is used in conjunction with Basic the Lomem vector will need to be raised by such a routine.

Listing 2 shows the main part of the monitor. CMDNUM is the number of commands in the command table and will require alteration if new commands are to be added. This routine makes much use of subroutines in the Autostart ROM.

The end of the routine jumps into the ROM, to finish the XToSub routine. This jumps to the subroutine whose address has just been pushed on to the stack by executing an RTS instruction.

The short section of code in listing 3 handles a break request, displaying the address of the break instruction, and the state of the registers at that time. When the 6502 executes a BRK instruction, it pushes the Program Counter + 2 on to the stack, so before displaying the program counter, this routine subtracts 2 from it. The original monitor simply displays the program counter as it is.

Table 3 shows the command characters, including the ASCII values of the command letter, XORed with $BO, and added to $89. This is just as in the original monitor's command table.

Table 4 contains the low-order byte of the address of the subroutine to be called by each command, with 1 subtracted from it. The high-order byte is $08.

As an example, if the ? command is used, the monitor searches the CMDTBL until it finds the value $98, in the first location of the table. Note that it searches the table from the last character up to the first.

It looks in the corresponding position in the XSUBTBL, finding the value $9F. Adding one gives $AO, so it then jumps to location $8AO, from where it jumps to the register-display routine REGZ.

In the original monitor, all the command subroutines are in ROM on page $FE. Obviously, any user-defined commands must be included in RAM, and thus will be on a different page. This new monitor overcomes the problem by jumping to a location on page $08, where there may be a short piece of code or a jump to a routine anywhere in memory. This routine may then read any parameters passed to it from page zero.

Table 4.

```
XSUBTBL: 0880- 9F A2 A5 A5 A8 AB AE B1
         0888- B4 B7 A5 A5 BA C2 C5 C8
         0890- CB CE D1 00 00 00 00 00
         0898- 00 00 00 00 00 00 00 00
```

To add new commands to the monitor do the following

- Choose a non-hexadecimal character as the command character. You are not restricted to letters: any symbol may be employed provided it is not already in use.
- Exclusive-Or the ASCII code for this character with $B0, and then add $89 to it.
- Place this result at the end of the CMDTBL, at location $873 for table 3.
- In the corresponding position in the XSUBTBL, place the low-order byte of an address on page $08 — 1. This address should be the next available on page $08 after the table of JMP commands, at location $8D5 for the program listed here.
- At this address on page $08 add a JMP instruction to your own machine-code subroutine, which must end in RTS.
- Add 1 to CMDNUM. This is used at only one point in the monitor, at location $82E.

A similar procedure may be adopted in reverse to delete commands from the monitor. The commands to write to a Teletype and to call a mini-assembler have been included as examples and may be deleted if you wish. The directions given assume that the monitor is on page $08. Use a different page if it has been moved elsewhere.

I have not included all the original monitor commands in the program, since a number of them are only rarely used. It is a simple matter to add them. In particular, the CTRL-Y function has been made redundant, since user-defined commands can easily be added to the monitor.

Listing 4.

```
080A- 4C BF FE          JMP REGZ       ;  ? display registers
08A3- 4C 36 FE          JMP VFY        ;  V verify
08A6- 4C 18 FE          JMP SETMODE    ;  - + : .
08A9- 4C 2C FE          JMP MOVE       ;  M
08AC- 4C 20 FE          JMP LT         ;  <
08AF- 4C 5E FE          JMP LIST       ;  L
08B2- 4C CD FE          JMP WRITE      ;  W
08B5- 4C B6 FE          JMP GO         ;  G call user subroutine
08B8- 4C FD FE          JMP READ       ;  R
08BB- 20 00 FE          JSR BL1        ;  cr  end of command line
08BE- 68                PLA
08BF- 68                PLA
08C0- 4C 1E 08          JMP XMONZ      ;      goto monitor
08C3- 4C 04 FE          JMP BLANK      ;  sp
08C6- 4C 6B 09          JMP SETTTY     ;  # all output to teletype
08C9- 4C 74 09          JMP SETSCRN    ;  % all output to screen
08CC- 4C 00 10          JMP ASSEMBLE   ;  Z call mini-assembler
08CF- 4C 07 10          JMP ASSEMBLE1  ;  ! assemble one line only
08D2- 4C 8E FD          JMP CROUT      ;  ' issue carriage return
```

Pie chart.

```
10  TEXT : HOME
20  VTAB 13: INPUT "ENTER DATE (DD/MM/YY)";D$
30  IF  LEN (D$) < 8 OR  LEN (D$) > 8 THEN  PRINT "": RUN
40  FOR I = 1 TO 8
50  POKE I + 767, ASC ( MID$ (D$,I,1))
60  NEXT
70  ONERR  GOTO 1370
80  TEXT : HOME
90  INVERSE
100 TEXT : HOME : INVERSE
110 PRINT "$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$"
120 PRINT "$                                           $"
130 PRINT "$                PIE CHARTS                 $"
140 PRINT "$                                           $"
150 PRINT "$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$$"
```

(listing continued on next page)

Pie charts

THIS APPLESOFT PROGRAM from Adam Broun of Bicester, Oxfordshire, draws pie charts. It runs on the Apple II+ machine.

At the start, the date must be Inputted using two digits to each section, e.g., 05/09/81. It is Poked into memory to avoid D$ being cleared if a mistake is made typing in data.

The options given on the main menu are as follows:

- Draw chart with paddle. A line is displayed inside a circle which can be moved round using a game paddle. The paddle button fills in the circle anticlockwise from the bottom.
- Compute and draw. Type in the number of sectors required followed by the percentage and name for each sector. When all

(continued on next page)



New from Sams
Six COMMODORE SUPERPET COMPUTERS Books Using Waterloo microSoftware

Available this month

F. D. Boswell, T. R. Grove, K. I. McPhee, J. B. Schueler and J. W. Welch

System Overview

This introduction to the Commodore SuperPET personal computing system provides an overview of the hardware and of the Waterloo microSoftware packages.

£4.15 672-21903-4

P. H. Dirksen and J. W. Welch

Waterloo microFORTRAN

Tutorial and Reference Manual

Waterloo microFORTRAN is a dialect of FORTRAN designed for use in educational and research environments. This book introduces the many features of Waterloo microFORTRAN step by step, placing emphasis on the detection and diagnosis of errors.

£7.65 672-21904-2

F. D. Boswell, T. R. Grove and J. W. Welch

Waterloo microPascal

Tutorial and Reference Manual

The Tutorial gives a quick introduction to Pascal while the Reference Manual provides a concise definition of the language. Waterloo microPascal is an interpretive implementation of Pascal. It is accompanied by Waterloo microEdit—a full-screen text editor.

£7.65 672-21905-0

Future titles

J. Wesley Graham and K. I. McPhee

Waterloo microBASIC

Tutorial and Reference Manual

£7.65 672-21906-9 March

D. D. Cowan and M. J. Shaw

Waterloo 6809 Assembler

Tutorial and Reference Manual

£7.65 672-21908-5 March

J. C. Wilson and T. A. Wilkinson

Waterloo MicroAPL

Tutorial and Reference Manual

£6.95 672-21907-7 April

Prices and publication dates are correct at the time of going to press but may be subject to change. All titles advertised are published as spiral-bound paperback books.

Dealer enquiries are welcome:

Please contact Roy Jones at the address below or telephone Hemel Hempstead (0442) 58531.

Prentice/Hall PHI International

66 Wood Lane End, Hemel Hempstead, Hertfordshire HP2 4RG, England.

Exclusive distributors of **Howard W. Sams books** in the UK and Europe.

Sams Books Stockists

Business and Electronic Machines
7 Castle Street
Edinburgh

Byteshop Computerland Ltd
P.O. Box 2
St Neots
Huntingdon
Cambridgeshire

Cambridge Computer Store
1 Emmanuel Street
Cambridge

Comprite Ltd
Thorite House
Laisterdyke
Bradford

Datron Micro Centre
Duckworth Square
Derby

Datron Micro Centre
2 Abbeydale Road
Sheffield 7

Micro-C
5-11 Martineau Way
Union Street, Birmingham

Micro-C
Unit 2, Channons Hill
Industrial Estate
Fishponds Bristol

Micro-C
57-59 Albion Street
Leeds

Micro-C
127 Charles Street
Leicester

Micro-C
Units 91-93,
Arndale Centre
Luton, Bedfordshire

Micro-C
19 Brown Street
Manchester

Micro-C
31-35 Blagdon Road
New Malden, Surrey

Micro-C
2 Wheeler Gate
Nottingham

Micro-C
10-11 Bargate
Southampton
Hampshire

Mid-Shires Computer Centre
68 Nantwich Road
Crewe, Cheshire

Newbear Computing Store
40 Bartholomew Street
Newbury
Berkshire

Silicon Centre
Pictaural Electronics Ltd
21 Comely Bank Road
Edinburgh 4

Software House
Horseshoe Yard
Brooke Street
London W1

Tomorrow's World
Grafton Arcade
Grafton Street
Dublin 2

● **Circle No. 180**

Speeding execution

SPEED OF ACCESS to information on a disc is sometimes limited by the speed at which the computer can process the incoming data, observes John Pennell of Bunwell, Norwich. If this processing results in the drive motor being switched off and then on again, a further reduction in speed occurs.

The drive motor can be kept running by Peeking the address 49385 and switched off by Peeking 49384. This can result in a time saving of 30 percent. For example this piece of coding takes 15.6 seconds to execute with the drive running, but 18.4 seconds if the drive is switching on and off.

```
10310  PRINT CD$;"OPEN"T$",D1"
10320  PRINT CD$;"READ"T$
10330  FOR I = 0 TO 43: FOR J = 0 TO 10: INPUT T$(I,J)
10335 SQ =  PEEK (SO)
10340  NEXT : IF A = 0 THEN  VTAB 3: PRINT "LAST DATE ENTERED WAS"; SPC(
     1)T$(0,1): PRINT : PRINT "LAST INVOICE NO WAS"; SPC( 5)T$(0,3): PRINT
     : PRINT "NO OF CUSTOMERS ON FILE"; SPC( 1)T$(0,4): VTAB 11
10350  IF I > 31 THEN  VTAB I - 22: PRINT  MID$ (X$,(I - 32) * 9 + 1,9);
     " ";T$(I,1); SPC( 7 -  LEN (T$(I,2)))T$(I,2); SPC( 7 -  LEN (T$(I,3
     )))T$(I,3); SPC( 7 -  LEN (T$(I,4)))T$(I,4)
10370  NEXT
10375  PRINT CD$;"CLOSE":SQ =  PEEK (SF)
```

Speeding execution.

Step and Trace

THE APPLE II microcomputer has a very powerful machine-code monitor, with commands to execute programs one instruction at a time, writes John Robson of Cambridge. It is very useful for debugging machine-code programs.

The Apple II+ contains the Autostart ROM, which does not have these debugging facilities. This ROM has many advantages, however, including automatic disc bootstrap on power-up, and automatically jumping into Applesoft Basic if no discs are connected. This makes the Apple II+ a very friendly machine for the Basic user, but less helpful to machine-code programmers.

This program was written in order to add machine-code Step and Trace commands to the Autostart ROM monitor, but it was quickly realised that any number of new commands could easily be added. The present program allows 32 new commands to be defined.

In order to create new commands, it is necessary to understand how the original monitor works. I recommend chapter 3 of the *Apple II Reference Manual*, and the machine-code listings at the back of that manual.

A monitor command consists of a number of hexadecimal addresses as parameters, separated by various delimiters, followed by a single non-hex character—except ‹and.—which specifies the required command. Up to three parameters can be passed to a command, and examples of their use are given in table 1.

In operation, the monitor scans a command line, storing all the parameters it finds on page zero. When it finds a non-hexadecimal character, it searches two tables to find the address of the machine-code subroutine which will carry out the requested command. It then calls this subroutine, which reads the parameters from page zero. These are always stored in the same locations, regardless of the command — see table 2.

As usual with the 6502 processor, the low-order byte of the two-byte address is stored first. If more than four digits are typed as a parameter, the monitor takes the last four as the actual parameter to be used.

The piece of code in listing 1 is executed only once, and sets the soft-entry vector so that pressing the Reset key will cause a return to the new monitor. It also sets the break vector so that executing a BRK instruction will cause a jump to the break-handling routine. This code runs straight into the monitor, so that the command 0800G will set the necessary vectors and transfer control to the monitor.

Space has been left to call a subroutine XTitle which may be used to print a title

(continued on page 135)

Table 1.

Number of parameters	Command Format	Example
0	{char}	I
1	{param-1} {char}	800G
2	{param-1} . {param-2} {char}	800.8FFW
3	{param-3} ‹ {param-1} . {param-2} {char}	2000 ‹1600 . 167FM

Table 2.

Parameter	Name in Apple II reference manual	Low-order byte address	High-order byte address
1	A1L and A1H	$3C	$3D
2	A2L and A2H	$3E	$3F
3	A4L and A4H	$42	$43

Listing 2.

```
081A- D8        XMON:   CLD          ; must use hex mode
081B- 20 3A FF          JSR BELL
081E- A9 BE     XMONZ:  LDA #$BE     ; '>' prompt character
0820- 85 33             STA PROMPT
0822- 20 67 FD          JSR GETLNZ   ; read a line
0825- 20 C7 FF          JSR ZMODE    ; clear monitor mode
0828- 20 A7 FF  NEXTITM: JSR GETNUM  ; get item, return with non-
082B- 84 34             STY YSAV     ;   hex char. in accumulator
082D- A0 13             LDY #CMDNUM  ; no. of commands in table
082F- 88        CMDSRCH: DEY
0830- 30 E8             BMI XMON     ; if command not found
0832- D9 60 08          CMP CMDTBL,Y ; find command char in table
0835- D0 F8             BNE CMDSRCH
0837- 20 3F 08          JSR XTOSUB   ; found, call its subroutine
083A- A4 34             LDY YSAV
083C- 4C 28 08          JMP NEXTITM
083F- A9 08     XTOSUB: LDA #PAGE    ; push high order subroutine
0841- 48                PHA          ;   address on stack
0842- B9 80 08          LDA XSUBTBL,Y ; push low order address on
0845- 4C C4 FF          JMP FINISH   ;  stack, finish in ROM. **
```

Listing 1.

```
0800- A9 1A     LDA #$1A
0802- 8D F2 03  STA SOFTEV   ; set soft entry vector
0805- A9 08     LDA #PAGE    ;   to start of monitor
0807- 8D F3 03  STA SOFTEV +1;       ( = $081A )
080A- 20 6F FB  JSR SETPWREC
080D- A9 48     LDA #$48
080F- 8D F0 03  STA BRKV     ; set new break vector
0812- A9 08     LDA #PAGE    ;       ( = $0848 )
0814- 8D F1 03  STA BRKV +1
0817- 20 3A FF  JSR XTITLE   ; rings bell in this case
```

Listing 3.

```
0848- A5 3A     XBREAK: LDA PCL      ; subtract 2 from program
084A- D0 02             BNE DEC1     ;   counter after a BRK ,
084C- C6 3B             DEC PCH      ;   to give exact address of
084E- C6 3A     DEC1:   DEC PCL      ;   break request.
0850- D0 02             BNE DEC2
0852- C6 3B             DEC PCH
0854- C6 3A     DEC2:   DEC PCL
0856- 20 82 F8          JSR INSDS1   ; print user program counter
0859- 20 DA FA          JSR RGDSP1   ;   and registers.
085C- 4C 1A 08          JMP XMON     ; goto monitor
```

◀ ● Circle No. 179



THE RICOH 1600S

If it's high performance you're looking for, the Ricoh 1600S is for you, offering an amazing 60 characters in just 1 second. An updated version of the tried-and-tested 1600, the new S model has been re-designed and fitted with all sorts of extras. Yet one thing hasn't changed — the price, making the 1600S cheaper than any equivalent model on the market. This superb performer incorporates the Z80 microprocessor, auto bidirectional printing and look-ahead logic, increasing speed and efficiency. Other capabilities include proportional spacing, graph plotting and word processing enhancements. The printer includes a standard centronics interface, and RS232 and 1EEE options are available.

The Ricoh 1600S is available only from Micropute and their authorised dealers, all backed up with a nationwide service network. If you're interested in the 1600S either as a customer or as a dealer, send the coupon now.

"Picture shows 1600s fitted with tractor feed option"

Please send me details on the Ricoh 1600S

Name

Position

Company

Address

Tel No

RICOH 1600S THE PERFORMANCE HAS RISEN — THE PRICE HASN'T

FEATURES	COMPETITORS				
	DIABLO 630	QUME SPRINT 5	SPIN-WRITER	RICOH RP.1600 (10 DATA)	**RICOH RP.1600S**
PRINT SPEED (CPS)	40	45/55	55	60	**60**
PRINT ELEMENT	DAISY-WHEEL	DAISY-WHEEL	THIMBLE	DOUBLE DAISY-WHEEL	**DOUBLE DAISY-WHEEL**
AUTO BIDIRECTIONAL	Yes	No	No	No	**Yes**
AUTO LOGIC SEEKING	Yes	No	Yes	No	**Yes**
PROPORTIONAL PRINT CAPABILITY	Yes	Yes	Yes	No	**Yes**
EXTENDED CHARACTER SET	No	No	Yes	Yes	**Yes**
LETTER QUALITY PRINT	Yes	Yes	Yes	Yes	**Yes**
CUSTOM INTER-FACE OPTION	No	No	No	No	**Yes**
PRICE	£1675	£1950	£1950	£1450	**£1450**

The above information was gathered from distributors and abstracted from their current literature. Prices shown are those advertised at the present time.

MICROPUTE
microcomputer systems

Catherine Street, Macclesfield, Cheshire.
SK11 6QY. Tel: Macclesfield 612759

The DAI Personal Computer is H

High Performance
High Value

Cash price
ONLY £595 + VAT
BEAT THAT FOR VALUE









Standard Features

- **24k Resident High-Speed Basic**
- **16 Colour High-Resolution Graphics (255 × 335)**
- **Scrolling Screen Editor**
- **Sound Commands for Music Generation**
- **Very High Speed Hardware Maths Option**
- **Resident Monitor for Machine Language Programming**
- **3 Programmable Parallel Ports**
- **Standard TV Interface via Aerial Socket**
- **RS232 Serial Port and Dual Cassette Interfaces**

Manufactured by:

DAI

THE MICROCOMPUTER ENGINEERING COMPANY
Brussels, Belgium.

Available from:

Data Applications (UK) Ltd.

Personal Computer Division
16b Dyer Street
Cirencester
Gloucestershire
GL7 2PF
Tel: Cirencester (0285) 61902

For further information please complete and post to: Data Applications (UK) Ltd, 16b Dyer Street, Cirencester, Glos GL7 2PF

PC2

NAME.

ADDRESS.

MY INTEREST IS:

● Circle No. 178

NEC PC 8000 PERSONAL COMPUTER.

"THE ELECTRONICS ARE EXCELLENT AND IT IS SUPERB VALUE FOR MONEY."

PERSONAL COMPUTER WORLD.

Eight colour graphics, ten programmable function keys, a full qwerty keyboard with numeric key pad, alternative graphic and character sets, and superb editing facilities including definable scroll area.

Now at last you can have all the features you want in one expandable system with memory from 32K up to 190K for user application and prototyping facilities for industrial and scientific use.

As well as powerful N-Basic by Microsoft, full CPM compatibility gives access to a large library of software including Wordstar and compilers for Fortran, Pascal, Cobol and Basic 80 languages.*

N-Basic packages are already available for sales, purchase and nominal ledgers, invoicing, stock control, payroll, information retrieval and word processing.

And when you consider the cost/performance ratio, NEC is even further ahead.

The NEC PC8000 Personal Computer is available through your local dealer now.

Complete the coupon or call the distributor IBR Microcomputers on Reading (0734) 664111 for the name of your nearest dealer.

**Microsoft is a trade mark.*

Please send me complete details on the NEC PC8000 series and the address of my local dealer.

Name

Company

Address

Tel.

● Circle No. 177

IBR

MICROCOMPUTERS

Suttons Industrial Park, London Road, Earley, Reading.
Tel: 0734 664111. Telex: 848215.

A MEMBER OF THE IBR ELECTRONICS GROUP.

Come to one of our
Free
Introductory
Seminars
at our Training
Centre in Andover.

...now on SUPERBRAIN

TABS unique business software is a flexible package designed to maximise business efficiency and profitability.

TABS is also **modular**. Each of 13 modules may be run individually or together. Modules include: Sales Ledger, Purchase Ledger, Sales Order Processing, Invoice Compiler, Fast Data Entry, Nominal Ledger, Management Accounts, Job Costing, Payroll, Bill of Materials, Stock Control, Word Processor, Mail List.

The system is **fully integrated** so that updated information on one module automatically updates information on a related module e.g. items entered on the Sales Ledger would deplete Stock Control.

Each module is **parameter driven** enabling end users to adapt each module to suit their unique accounting requirements.

The TABS system is **upgradeable**. It bridges the gap between micro and mini computers facilitating expansion from the single user system to the multi user system on SYSTIME and D.E.C.

Finally, TABS is **universal**. The modular system currently running on PET, Apple and Superbrain will shortly be available on most CPM microcomputers.

We would, however, like to add a word of caution to the end user. Naturally a package as flexible as this is a sophisticated product and although simple to operate we strongly advise professional help either from your Dealer or from TABS during its installation.

For more details about TABS software and hardware, please tick box(es) and return coupon to us. We are pleased to offer credit card facilities to our customers.

PC S

Dealer enquiry

☐ Please send me details of your Dealer Plan

User enquiry

☐ Please send me details about TABS accounting systems

☐ Please send me the TABS User Manual £20 inc p&p

I enclose cheque/postal order for £ _____

Signature _____

Name _____

Address _____

_____

Tel. No. _____

TABS Ltd, Sopers House, Chantry Way, Andover, Hants. SP10 1LU
Telephone: Andover (0264) 58933

Accounting Business Systems
TABS

(continued from previous page)

then the variable is listed again with its new subscript.

Line 63095 is where the additions to the string array begin to take place, using a third-level loop. The built-up string P$ is compared with existing strings in the array, and if there is a match, only the line number is added to the array. If there is no match, then P$ and its line number are added to the end of the array. Variable T holds the number of strings actually in the array, and is used at the end as part of the printing routine.

Lines 63110 and 63125 note the condition of the string-space pointers. When a string is added to the array, these pointers are adjusted downward automatically. S and Y hold these values and allow the string-building routine to overwrite its previous results, thus avoiding the garbage-collection bug problem. The values are reset by line 63130 whenever the outer loop creeps along.

Lines 63155 onwards do the printing. My printer is driven from the RS-232 serial port, and is set internally for 4,800baud. This rate is achieved by resetting the ACIA control register — address 61440 — by Poking a 3 into it, then following that by 16. This alters the clock-division rate in the ACIA chip so that the normal divide-by-16 count is altered to divide-by-one. If your printer is configured otherwise, then the Pokes to 61440 can all be dropped. The Poke to address 15 in line 63155 sets the terminal width, allowing the printer to cover most of the page while leaving some margin.

CHR$(12) in line 63170 is the Epson's form-feed code. The rest of the line switches off the Save flag, sets the terminal width to normal and restores the ACIA chip to normal 300baud operation.

To print to screen only, lines from 63155 could read:

```
63155 POKE11,0: POKE 12,253
63160 FORK=0TOT: IFASC (A$(K)) =
  34ANDY$ < "P"THEN63170
63165 PRINT: PRINTA$(K): IFK/4=
  INT(K/4) THENX=USR(X)
63170 NEXTK
```

Register exchange

WHILE WORKING through a program I found I required a subroutine which exchanged the contents of the accumulator with the Y register, without affecting the contents of other registers or memory locations, writes Andy Scott of Chapel-en-le-Frith, Cheshire. The program I came up with can be used on any 6502 machine — see listing 1.

Similar programs exchange the X and Y registers — listing 2 — and the X register with the accumulator — listing 3.

The stack is used for the various manipulations, as well as the X,Y register, stack pointer and the accumulator. After each subroutine the stack pointer and status registers resume their original states. The stack pointer is incremented by using the instructions PLA or PLP.

Listing 1 — accumulator/Y register exchange.

```
3000 08     PHP     Save Status Register
3001 48     PHA     Save Accumulator
3002 98     TYA     )
3003 48     PHA     )Save Y Register
3004 8A     TXA     )
3005 48     PHA     )Save X Register
3006 68     PLA     )
3007 68     PLA     )Increment stack pointer by 3
3008 68     PLA     )
3009 A8     TAY     Store old accumulator contents in Y
300A BA     TSX     )
300B CA     DEX     )
300C CA     DEX     ) Decrement stack pointer by 3
300D CA     DEX     )
300E 9A     TXS     )
300F 68     PLA     )
3010 AA     TAX     )Retrieve contents of X Register
3011 68     PLA     )Store old Y reg. contents in Accumulator
3012 28     PLP     )Increment stack pointer
3013 28     PLP     )Restore status register
3014 60     RTS
```

Listing 2 — X and Y register exchange.

```
3000 08     PHP     Save status register
3001 48     PHA     Save Accumulator
3002 98     TYA     )
3003 48     PHA     )Save Y Register
3004 8A     TXA     )
3005 48     PHA     )Save X Register
3006 68     PLA     )
3007 A8     TAY     )Save old X Reg. contents in Y Reg.
3008 68     PLA     )Save  old Y Reg. contents in X Reg.
3009 AA     TAX     )
300A 68     PLA     Retrieve Accumulator.
300B 28     PLP     Restore status Register
300C 60     RTS
```

Listing 3 — accumulator/X register exchange.

```
3000 08     PHP     Save status register
3001 48     PHA     Save Accumulator
3002 8A     TXA     )
3003 48     PHA     )Save X Register
3004 68     PLA     )
3005 68     PLA     )Get old Accumulator contents into Accumulator
3006 BA     TSX     )
3007 CA     DEX     )
3008 CA     DEX     )Decrement stack poiter by 2
3009 9A     TXS     )
300A AA     TAX     Store old Accumulator contents into X Register
300B 68     PLA     Store old X register contents in Accumulator.
300C 28     PLP     Increment stack pointer
300D 28     PLP     Restore status register
300E 60     RTS
```

OK not OK

ON THE SUPERBOARD, the usual Save:List command for saving programs on tape terminates with the OK message, writes J Pike of Bedford. This gives an annoying syntax-error message on reload.

The OK message can be suppressed with Poke 4,108, but it would be better to be able to terminate the save with a user-specified message such as Poke 515,0:Run, to turn off the load and run the program. A Basic program to achieve this appeared in the May 1981 6502 Special, but a much neater and more permanent solution is given by a 17-byte machine-code patch based on Steve Purdy's List solution — 6502 Special February 1981. This short patch enables

```
SAVE:LIST:? "Message":? "Message"
```

to print messages after the program.

The flexibility of the system is demonstrated by a simple file-handling technique using the messages

```
POKE 515,255 AND (PEEK(515)+1)
```

and New, when

```
LOAD:LOAD:LOAD
```

for example, will load the third program from the tape.

The patch also allows List to be used in a program without terminating execution. Like Clear, however, List cannot be used within For loops or subroutines because it corrupts the stack. I have been unable to understand these stack changes however, perhaps someone more familiar with operation of the stack could unravel them and circumvent this limitation.

OK-suppression and message patch.

```
5   L=232:REM Start Address of patch (user specified)
10  DATA 32,108,168,160,0,177,195,201,58,240,3,76,108,
    168,76,194,165
20  FOR I = L TO L + 16:READ P:POKE I,P:NEXT
30  POKE 4,L AND 255:POKE 5,L/256
```

● Circle No. 176 ▶

Character retrieval

ONE OF THE most annoying faults on the Superboard/Challenger is the loss of characters that occurs to the left and right of the screen, writes N A Cannon of Redhill, Surrey. The loss to the right is easily corrected by limiting the terminal width, but loss of characters to the left requires a machine-code program to correct. My routine resides in the spare page 2 space, $0222 to 02F0, and overcomes the problem.

The first — 0222 to 0230 — section is the main program. To activate it, the output vector should be changed to point to the routine, which could be done by Poking the vector 538 and 539 decimal. This means Poking after every warm start, and a better method is to have the vector automatically reset after every warm start, which is what the second section is for. All that is needed is to set the warm start vector — 0001 and 0002 — to point to the second section, 0233, via the monitor, or Poke 1,51 : Poke 2,2.

You should turn off the routine when saving programs, otherwise it inserts spaces at the start of every line. It can be turned off by changing the warm start back via the monitor — point it at A274 — or by Poke 1,116 : Poke 2,162.

Character retrieval.

```
0222    PHA         48
0223    LDA 0200    AD 00 02
0226    CMP#65      C9 65
0228    BNE 05      D0 05
022A    LDA#20      A9 20
022C    JSR FF69    20 69 FF
022F    PLA         68
0230    JMP FF69    4C 69 FF
0233    LDA#22      A9 22
0235    STA 021A    8D 1A 02
0238    LDA#02      A9 02
023A    STA 021B    8D 1B 02
023D    JMP A274    4C 74 A2
```

Data check

THE CHECK-SUM loader 0700 to 07FF at the beginning of the UK 101 extended monitor can be saved and used for other check-sum loading, writes Douglas Fyffe of Sutton, Surrey. Enter at .0705 G — or, if relocated, .1705 G.

Note that some of the bits are incremented during use and may corrupt the main program unless a correct start is made. Before use, the contents of the following addresses should be checked, and corrected if necessary. The original and (in brackets) relocated addresses are

0702 (1702) 00
0703 (1703) 80
0704 (1704) 00
073B (173B) 05
073C (173C) 10

A check-sum loader stored in RAM should not be used a second time without checking and correcting these addresses.

String list routine

VARLIST is a utility in Basic for UK 101 or Superboard that lists which variables and strings occur in a program and where these appear, writes Mitch Park of Havelock North, New Zealand. It can be useful for analysing programs and finding variables which might be reusable. Varlist does not give values for variables because it examines only Basic text or source code and does not consult the variable tables. In any case, Varlist destroys previous variable tables the instant it starts to run.

The program gives the choice of listing any strings that appear in the source code. However, it ignores Rems, whether strings are wanted or not. It then allows the choice of listing between selected line numbers, or in Auto mode, up to line 49999 — a common End line number.

It works by stepping through the source code line by line and adding new variables to a string array. The line numbers only are added to the appropriate string when a variable, or string, is encountered for the second and subsequent times. Only one occurrence is listed per line, no matter how many times the variable appears in that line. The string-array / garbage-collection bug is sidestepped, so the program will work on quite large subject programs.

Varlist is meant to bow out gracefully if there are too many variables or if a variable occurs so often that it exceeds the permitted string-length limit.

I use Varlist to drive an Epson MX-80 printer at 4,800baud, but the output section may be modified to print to screen or to whatever printer you use.

Line 63000 clears the variable tables, clears the screen and initialises some variables to gain some speed. CHR$(26) is the clear-screen command for Cegmon.

Line 63005 commences input and is not idiot-proofed, since the prompt calls for a Yes/No answer. Y$ is used as a flag later on.

Line 63010 prompts for starting line number and sets up some more variables. P is used at this stage to hold the start-of-text address but later changes its function.

Line 63015 demonstrates a technique to allow recognition of input even if it is abbreviated. There are several ways of doing the same thing.

Line 63020 asks for the end-line number and is goof-proofed to require a higher number.

Line 63025 searches for the starting line number and its address in RAM. P is used here to hold that address.

Line 63030 steps through the program to the selected final line to count the number of lines, held in M. The program allows for one new variable per line, which may be over-generous.

Line 63035 dimensions a string array to the value of M and creates a first string of blanks. The purpose here is to avoid listing short space-strings as the leading blanks of other strings.

Line 63040 changes the function of S to hold, with Y, the value of the bottom of string-space.

Line 63045 is where the fun really starts. The program steps through each line character by character, discarding values outside the desired range. The line number L is printed to screen as a reassurance that the program is actually doing something. P is now used to hold the contents of each address being inspected. It is tested for the Rem token, 142, for the double-quote mark, 34, and for validity as a variable-name or string character. Should P be a Rem then the rest of the line is ignored; if P is a quote then a string is built up until either another quote or the end-of-line marker is reached. If P is valid as a variable-name character, then the outer loop counter keeps a "finger in the page" and a second-level counter, J, builds up the string until it encounters invalid characters. As a result, subscribed variables are listed with the first index, and if the index changes,

(continued on next page)

Varlist.

```
63000 CLEAR:PRINTCHR$(26):K=0:J=0:I=0:S=1:Y=0
63005 PRINT:INPUT" IGNORE STRINGS IN TEXT";Y$
63010 INPUT" START LINE NO. OR 'AUTO'";P$:P=771:A=P:E=49999
63015 IFP$=LEFT$("AUTO",LEN(P$))THEN63030
63020 S=VAL(P$):INPUT" END LINE NO.";E:IFE<STHEN63020
63025 GOSUB63135:P=A:IFL<STHENA=N:GOTO63025
63030 GOSUB63135:M=M+1:IFL<ETHENA=N:GOTO63030
63035 PRINTCHR$(26):DIMA$(M):A=P:A$(0)=CHR$(34)+"    "
63040 S=PEEK(129):Y=PEEK(130)
63045 GOSUB63135:PRINTL:IFL>E-1THENPRINT" COMPLETE":GOTO63155
63050 FORI=A+2TON-3:P=PEEK(I):H=(P=34):IFHANDY$>"P"THEN63085
63055 IFP=142THENA=N:GOTO63045
63060 P$=CHR$(P):IFH=0AND(P<65ORP>127)THEN63130
63065 FORJ=I+1TON-3:P=PEEK(J):IFP=0ORP=34THEN63095
63070 IFHANDP>31ANDP<128THEN63080
63075 IFP<48ANDP<>36ANDP<>40ORP>57ANDP<65ORP>127THEN63095
63080 P$=P$+CHR$(P):NEXTJ:GOTO63125
63085 FORJ=I+1TON-3:P=PEEK(J):IFP=0ORP=34THEN63125
63090 NEXTJ
63095 FORK=0TOM:IFK=MORLEN(A$(K))>250THEN63145
63100 IFLEFT$(A$(K),LEN(P$))=P$THEN63115
63105 IFA$(K)=""THENA$(K)=P$+" "+STR$(L):T=T+1:K=M+1
63110 NEXTK:S=PEEK(129):Y=PEEK(130):GOTO63125
63115 IFRIGHT$(A$(K),LEN(STR$(L)))=STR$(L)THEN63125
63120 A$(K)=A$(K)+STR$(L)
63125 I=J:S=PEEK(129):Y=PEEK(130)
63130 POKE129,S:POKE130,Y:NEXTI:A=N:GOTO63045
63135 N=PEEK(A-1)*256+PEEK(A-2)+2
63140 L=PEEK(A+1)*256+PEEK(A):RETURN
63145 PRINT" OM ERROR IN"L
63150 PRINT" CHANGE 'M=' IN 63030 OR LIST SHORTER SECTIONS"
63155 SAVE:S=61440:POKE15,75:POKES,3:POKES,16
63160 FORK=-(Y$>"P")TOT:PRINT:PRINTA$(K):NEXTK
63165 PRINTCHR$(12):POKE517,0:POKE15,72:POKES,3:POKES,17
```

(continued from previous page)

```
7D69 5E      00820          LD   E,(HL)     ;LOAD DE WITH ADDRESS
7D6A 7B      00830          LD   A,E        ;OF DATA
7D6B CD6402  00840          CALL WBYTE      ;AND WRITE TO TAPE
7D6E 23      00850          INC  HL
7D6F 56      00860          LD   D,(HL)
7D70 82      00870          ADD  A,D        ;COMPUTE CHECKSUM
7D71 4F      00880          LD   C,A
7D72 7A      00890          LD   A,D
7D73 CD6402  00900          CALL WBYTE      ;WRITE CHECKSUM
7D76 1A      00910 WRDATA   LD   A,(DE)     ;WRITE DATA
7D77 CD6402  00920          CALL WBYTE
7D7A 81      00930          ADD  A,C
7D7B 4F      00940          LD   C,A
7D7C 13      00950          INC  DE
7D7D 10F7    00960          DJNZ WRDATA
7D7F 79      00970          LD   A,C
7D80 CD6402  00980          CALL WBYTE
7D83 C1      00990 ENDWR    POP  BC
7D84 EDA1    01000          CPI             ;IF NOT END OF TABLE
7D86 C5      01010          PUSH BC         ;OF ADDRESSES
7D87 EA597D  01020          JP   PE,WRHEAD  ;LOOP BACK TO HEADER
7D8A 3EFF    01030          LD   A,0FFH
7D8C CD6402  01040          CALL WBYTE
7D8F CDF801  01050          CALL 01F8H      ;SWITCH OFF CASSETTE
7D92 C1      01060          POP  BC
7D93 E1      01070          POP  HL
7D94 C39A0A  01080          JP   0A9AH      ;RETURN TO BASIC PROGRAM
7D97 CD6402  01090 WNULL    CALL WBYTE
7D9A 23      01100          INC  HL
7D9B 23      01110          INC  HL
7D9C C3837D  01120          JP   ENDWR
7D9F 01C17E  01130 WRERR    LD   BC,MWRERR
7DA2 CD6F7E  01140          CALL PRINT
7DA5 E1      01150          POP  HL
7DA6 C39A0A  01160          JP   0A9AH
7DA9 CD7F0A  01170 READ     CALL 0A7FH      ;STORE ARRAY ADDRESS IN HL
7DAC 019A7E  01180          LD   BC,MREADY
7DAF CD6F7E  01190          CALL PRINT
7DB2 CD4900  01200          CALL 49H        ;WAIT FOR KEY DEPRESSION
7DB5 2B      01210          DEC  HL
7DB6 2B      01220          DEC  HL
7DB7 4E      01230          LD   C,(HL)     ;LOAD DIMENSION
7DB8 23      01240          INC  HL         ;OF ARRAY
7DB9 46      01250          LD   B,(HL)
7DBA 23      01260          INC  HL
7DBB C5      01270          PUSH BC
7DBC AF      01280          XOR  A
7DBD CD1202  01290          CALL 0212H      ;SWITCH ON CASSETTE
7DC0 CD9602  01300          CALL RSYNC
7DC3 CD3502  01310          CALL RBYTE
7DC6 FE48    01320          CP   48H
7DC8 C2597E  01330          JP   NZ,CERR
7DCB CD3502  01340          CALL RBYTE      ;READ LABEL
7DCE 47      01350          LD   B,A
7DCF CD3502  01360          CALL RBYTE      ;AND DISPLAY
7DD2 CD7C7E  01370          CALL DISP       ;ON VIDEO
7DD5 10F8    01380          DJNZ $-6
7DD7 CD3502  01390          CALL RBYTE
7DDA 5F      01400          LD   E,A
7DDB E5      01410          PUSH HL
7DDC 2AD640  01420          LD   HL,(40D6H) ;TOP OF UNUSED STRING SPACE
7DDF CD3502  01430          CALL RBYTE
7DE2 57      01440          LD   D,A
7DE3 B7      01450          OR   A
7DE4 ED52    01460          SBC  HL,DE      ;SUBTRACT NUMBER OF CHARACTERS
7DE6 EB      01470          EX   DE,HL      ;TO BE LOADED
7DE7 2AA040  01480          LD   HL,(40A0H) ;BOTTEM OF STRING SPACE
7DEA B7      01490          OR   A
7DEB ED52    01500          SBC  HL,DE
7DED E1      01510          POP  HL
7DEE F2497E  01520          JP   P,STRSP
7DF1 ED53D640 01530         LD   (40D6H),DE ;NEW POINTER
7DF5 13      01540          INC  DE
7DF6 CD3502  01550 RHEAD    CALL RBYTE      ;READ HEADER
7DF9 FE3C    01560          CP   3CH
7DFB C2597E  01570          JP   NZ,CERR
7DFE CD3502  01580          CALL RBYTE
7E01 FE00    01590          CP   0
7E03 CA417E  01600          JP   Z,RNULL
7E06 47      01610          LD   B,A
7E07 70      01620          LD   (HL),B
7E08 23      01630          INC  HL
7E09 CD3502  01640          CALL RBYTE
7E0C 73      01650          LD   (HL),E
7E0D 23      01660          INC  HL
7E0E 4F      01670          LD   C,A
7E0F CD3502  01680          CALL RBYTE
7E12 72      01690          LD   (HL),D
7E13 81      01700          ADD  A,C
7E14 4F      01710          LD   C,A
7E15 CD3502  01720 RDATA    CALL RBYTE
7E18 12      01730          LD   (DE),A     ;READ DATA
7E19 81      01740          ADD  A,C
7E1A 4F      01750          LD   C,A
7E1B 13      01760          INC  DE
7E1C 10F7    01770          DJNZ RDATA
7E1E CD3502  01780          CALL RBYTE
7E21 B9      01790          CP   C
7E22 C2547E  01800          JP   NZ,CHKSM
7E25 C1      01810 ENDRD    POP  BC
7E26 EDA1    01820          CPI
7E28 C5      01830          PUSH BC
7E29 EAF67D  01840          JP   PE,RHEAD
7E2C D5      01850          PUSH DE
7E2D E1      01860          POP  HL
7E2E CDF801  01870          CALL 01F8H      ;SWITCH OFF CASSETTE
7E31 C1      01880          POP  BC
7E32 3E0D    01890          LD   A,0DH
7E34 CD7C7E  01900          CALL DISP
7E37 ED5BD640 01910         LD   DE,(40D6H)
7E3B B7      01920          OR   A
7E3C ED52    01930          SBC  HL,DE
7E3E C39A0A  01940          JP   0A9AH      ;RETURN TO BASIC PROG
7E41 77      01950 RNULL    LD   (HL),A
7E42 23      01960          INC  HL
7E43 77      01970          LD   (HL),A
7E44 23      01980          INC  HL
7E45 77      01990          LD   (HL),A
7E46 C3257E  02000          JP   ENDRD
7E49 01A97E  02010 STRSP    LD   BC,MSTRSP
7E4C 2AD640  02020          LD   HL,(40D6H)
7E4F B7      02030          OR   A
7E50 ED52    02040          SBC  HL,DE
7E52 180C    02050          JR   $+14
7E54 01B87E  02060 CHKSM    LD   BC,MCHKSM
7E57 1807    02070          JR   $+9
7E59 FEFF    02080 CERR     CP   0FFH
7E5B 280B    02090          JR   Z,$+13
7E5D 01807E  02100          LD   BC,MCERR
7E60 3E0D    02110          LD   A,0DH
7E62 CD7C7E  02120          CALL DISP
7E65 CD6F7E  02130          CALL PRINT
7E68 CDF801  02140          CALL 01F8H      ;SWITCH OFF CASSETTE
7E6B C1      02150          POP  BC
7E6C C39A0A  02160          JP   0A9AH      ;RETURN TO BASIC PROG
7E6F 0A      02170 PRINT    LD   A,(BC)
7E70 E67F    02180          AND  7FH        ;PRINT MESSAGE
7E72 CD7C7E  02190          CALL DISP       ;ON VIDEO
7E75 0A      02200          LD   A,(BC)
7E76 CB7F    02210          BIT  7,A
7E78 C0      02220          RET  NZ
7E79 03      02230          INC  BC
7E7A 18F3    02240          JR   PRINT
7E7C CD3300  02250 DISP     CALL 33H
7E7F C9      02260          RET
7E80 52      02270 MCERR    DEFM 'READ ERROR'
7E81 45
7E82 41
7E83 44
7E84 20
7E85 45
7E86 52
7E87 52
7E88 4F
7E89 52
7E8A 8D      02280          DEFB 8DH
7E8B 43      02290 MCHKSM   DEFM 'CHECKSUM ERROR'
7E8C 48
7E8D 45
7E8E 43
7E8F 4B
7E90 53
7E91 55
7E92 4D
7E93 20
7E94 45
7E95 52
7E96 52
7E97 4F
7E98 52
7E99 8D      02300          DEFB 8DH
7E9A 52      02310 MREADY   DEFM 'READY CASSETTE'
7E9B 45
7E9C 41
7E9D 44
7E9E 59
7E9F 20
7EA0 43
7EA1 41
7EA2 53
7EA3 53
7EA4 45
7EA5 54
7EA6 54
7EA7 45
7EA8 8D      02320          DEFB 8DH
7EA9 4E      02330 MSTRSP   DEFM 'NOT ENOUGH STRING SPACE'
7EAA 4F
7EAB 54
7EAC 20
7EAD 45
7EAE 4E
7EAF 4F
7EB0 55
7EB1 47
7EB2 48
7EB3 20
7EB4 53
7EB5 54
7EB6 52
7EB7 49
7EB8 4E
7EB9 47
7EBA 20
7EBB 53
7EBC 50
7EBD 41
7EBE 43
7EBF 45
7EC0 8D      02340          DEFB 8DH
7EC1 4E      02350 MWRERR   DEFM 'NO HEADER'
7EC2 4F
7EC3 20
7EC4 48
7EC5 45
7EC6 41
7EC7 44
7EC8 45
7EC9 52
7ECA 8D      02360          DEFB 8DH
7D00         02370          END  LOAD
00000 TOTAL ERRORS
```

Single-key save

SAVING STRING ARRAYS on cassette is a long and tedious business since the Basic Print# command can only be used to save 255 characters at a time, notes Kevin Upson of London N8. For each command the machine turns on the drive, writes 255 sync bytes and then the data.

My machine-code subroutine for the 16K Video Genie will save the whole array at one call in about one-quarter to one-half of the time taken by Print#.

It writes a tape in a similar format to system tapes with check-sum, but it also stores the Basic pointers to the array.

On loading the tape, the program checks that there is enough string space available for the array before it overwrites any store. It also displays element zero of the array on the video so that this element can be used to identify the array being read from tape.

If the tape being read is not in the correct format a read-error message will be displayed on the video.

To use the subroutine, protect memory at 32000, load the machine-language subroutine and key New to send then load the basic program. To call the subroutine from Basic use the statement:

USR(VARPTR(A$(0)))

where A$ is the name of the array to be saved. Enter the subroutine at address 32003 for loading array, i.e. use

POKE 16526,3:POKE 16527,125

Then enter at 32006 for writing array, making sure A$(0) has at least one character. After the promp "Ready Cassette", press any key except Break to start loading or writing.

On completion, the program will return the number of characters read or written. A Dimension statement must precede a call for a read as the subroutine only reads the number of elements which have been specified by it.

If the tape contains more elements they will be ignored. The amount of string space is checked assuming the whole tape array is to be loaded. If the tape contains fewer elements, the remaining elements of the array will contain the same data as they had before the call.

This Basic program illustrates the use of the subroutine and can be used to test it. The program reads data from the video for an array A$, which it then displays and writes to tape.

After the tape has been rewound it will read the tape and store the data in B$. Both A$ and B$ are displayed so they can be compared.

```
10 CLEAR1000:DIMA$(10),B$(10)
20 FORI=1TO10:INPUTA$(I):NEXT
30 INPUT"HEADER = ";A$(0)
32 REM
35 REM   *****    WRITE TO TAPE    *****
37 REM
40 POKE 16526,6:POKE 16527,125
50 B=USR(VARPTR(A$(0)))
60 FORI=0TO10:PRINTA$(0):NEXT
70 PRINT"CHARACTERS WRITTEN = ";B
80 INPUT"PRESS ENTER FOR READ";Z$
82 REM
85 REM   *****    READ   TAPE      *****
87 REM
90 POKE 16526,3:POKE 16527,125
100 B=USR(VARPTR(B$(0)))
110 FORI=0TO10:PRINTA$(I);" = ";B$(I):NEXT
120 PRINT"STRING SPACE NEEDED = ";B
```

If you do not have an editor-assembler, you should Poke the numbers listed into addresses 32000 to 32458 to enter the subroutine.

Numbers for use without editor-assembler.

```
195  25  26  195  169  125  205  127  10  229  1  154  126  205  111  126
205  73  0  43  43  78  35  70  35  175  190  202  159  125  197  95
87  134  35  35  48  1  20  237  161  234  33  125  95  193  225  213
197  229  213  175  205  18  2  205  135  2  62  72  205  100  2  70
120  205  100  2  35  94  35  86  26  205  100  2  19  16  249  209
225  123  205  100  2  122  205  100  2  62  60  205  100  2  70  175
184  202  151  125  120  205  100  2  35  94  123  205  100  2  35  86
130  79  122  205  100  2  26  205  100  2  129  79  19  16  247  121
205  100  2  193  237  161  197  234  89  125  62  255  205  100  2  205
248  1  193  225  195  154  10  205  100  2  35  35  195  131  125  1
193  126  205  111  126  225  195  154  10  205  127  10  1  154  126  205
111  126  205  73  0  43  43  78  35  70  35  197  175  205  18  2
205  150  2  205  53  2  254  72  194  89  126  205  53  2  71  205
53  2  205  124  126  16  248  205  53  2  95  229  42  214  64  205
53  2  87  183  237  82  235  42  160  64  183  237  82  225  242  73
126  237  83  214  64  19  205  53  2  254  60  194  89  126  205  53
2  254  0  202  65  126  71  112  35  205  53  2  115  35  79  205
53  2  114  129  79  205  53  2  18  129  79  19  16  247  205  53
2  185  194  84  126  193  237  161  197  234  246  125  213  225  205  248
1  193  62  13  205  124  126  237  91  214  64  183  237  82  195  154
10  119  35  119  35  119  195  37  126  1  169  126  42  214  64  183
237  82  24  12  1  139  126  24  7  254  255  40  11  1  128  126
62  13  205  124  126  205  111  126  205  248  1  193  195  154  10  10
230  127  205  124  126  10  203  127  192  3  24  243  205  51  0  201
82  69  65  68  32  69  82  82  79  82  141  67  72  69  67  75
83  85  77  32  69  82  82  79  82  141  82  69  65  68  89  32
67  65  83  83  69  84  84  69  141  78  79  84  32  69  78  79
85  71  72  32  83  84  82  73  78  71  32  83  80  65  67  69
141  78  79  32  72  69  65  68  69  82  141
```

Machine-code subroutine.

```
                00100 ;STRING ARRAY TAPE CREATE/LOAD
                00110 ;
                00120 ;
0235            00130 RBYTE   EQU  0235H      ;READ BYTE INTO A
0264            00140 WBYTE   EQU  0264H      ;WRITE BYTE IN A
0287            00150 WSYNC   EQU  0287H      ;WRITE SYNC CHARS
0296            00160 RSYNC   EQU  0296H      ;READ SYNC CHARS
7D00            00170         ORG  7D00H
7D00 C3191A     00180 LOAD    JP   1A19H      ;JUMP TO BASIC READY
7D03 C3A97D     00190         JP   READ
7D06 CD7F0A     00200 WRITE   CALL 0A7FH      ;STORE ARRAY ADDRESS IN HL
7D09 E5         00210         PUSH HL
7D0A 019A7E     00220         LD   BC,MREADY
7D0D CD6F7E     00230         CALL PRINT      ;DISPLAY MESSAGE
7D10 CD4900     00240         CALL 49H        ;WAIT FOR KEY DEPRESSION
7D13 2B         00250         DEC  HL
7D14 2B         00260         DEC  HL
7D15 4E         00270         LD   C,(HL)     ;LOAD DIMENSION
7D16 23         00280         INC  HL         ;OF ARRAY
7D17 46         00290         LD   B,(HL)
7D18 23         00300         INC  HL
7D19 AF         00310         XOR  A
7D1A BE         00320         CP   (HL)
7D1B CA9F7D     00330         JP   Z,WRERR
7D1E C5         00340         PUSH BC
7D1F 5F         00350         LD   E,A
7D20 57         00360         LD   D,A
7D21 86         00370 CALC    ADD  A,(HL)     ;CALCULATE TOTAL
7D22 23         00380         INC  HL         ;NUMBER OF
7D23 23         00390         INC  HL         ;CHARACTERS
7D24 3001       00400         JR   NC,$+3     ;IN THE ARRAY
7D26 14         00410         INC  D
7D27 EDA1       00420         CPI
7D29 EA217D     00430         JP   PE,CALC
7D2C 5F         00440         LD   E,A
7D2D C1         00450         POP  BC
7D2E E1         00460         POP  HL
7D2F D5         00470         PUSH DE
7D30 C5         00480         PUSH BC
7D31 E5         00490         PUSH HL
7D32 D5         00500         PUSH DE
7D33 AF         00510         XOR  A
7D34 CD1202     00520         CALL 0212H      ;SWITCH ON CASSETTE
7D37 CD8702     00530         CALL WSYNC
7D3A 3E48       00540         LD   A,48H
7D3C CD6402     00550         CALL WBYTE
7D3F 46         00560         LD   B,(HL)     ;LENGTH OF FIRST ELEMENT
7D40 78         00570         LD   A,B
7D41 CD6402     00580         CALL WBYTE
7D44 23         00590         INC  HL
7D45 5E         00600         LD   E,(HL)     ;LOAD ADDRESS OF DATA
7D46 23         00610         INC  HL         ;OF FIRST ELEMENT
7D47 56         00620         LD   D,(HL)
7D48 1A         00630 LABEL   LD   A,(DE)     ;WRITE LABEL
7D49 CD6402     00640         CALL WBYTE      ;FROM FIRST ELEMENT
7D4C 13         00650         INC  DE
7D4D 10F9       00660         DJNZ LABEL
7D4F D1         00670         POP  DE
7D50 E1         00680         POP  HL
7D51 7B         00690         LD   A,E        ;WRITE TOTAL
7D52 CD6402     00700         CALL WBYTE      ;NUMBER OF CHARS
7D55 7A         00710         LD   A,D
7D56 CD6402     00720         CALL WBYTE
7D59 3E3C       00730 WRHEAD  LD   A,3CH      ;WRITE HEADER
7D5B CD6402     00740         CALL WBYTE
7D5E 46         00750         LD   B,(HL)
7D5F AF         00760         XOR  A
7D60 B8         00770         CP   B          ;JUMP TO WNULL
7D61 CA977D     00780         JP   Z,WNULL    ;IF LENGTH = ZERO
7D64 78         00790         LD   A,B
7D65 CD6402     00800         CALL WBYTE
7D68 23         00810         INC  HL
```

(continued on next page)

◀ ● Circle No. 175

ANNOUNCING THE NEW SORCERER

1.2 Megabyte

ONLY £2,680
or £16 per week rental
(exclusive of VAT)

The VIDEO DISK UNIT can be linked with any printer and comes with a FULL YEAR'S guarantee from EMG

Dealers invited

Educational discounts

For Wordprocessing and Accountancy

DISTRIBUTED BY EMG AT EMG MICRO CENTRES

The LONDON MICRO CENTRE
47 Lower Belgrave Street
LONDON SW1
Telephone: 01-730 8791

The SOUTH LONDON MICRO CENTRE
30 Heathfield Road
CROYDON
Telephone: 01-688 0088

Contact us today for further information

An **EMG** Company

PROTECT YOUR SOFTWARE INVESTMENT

APPLE®
COPY II PLUS – the newest and fastest bit-copier
version 3.0

Apple Copy II Plus gives you the power to make back-up copies of nearly all the "protected" software packages currently available. Several thousand Apple users have already recouped their investment many times over with Copy II Plus.

RELAX
With the Apple Copy II Plus in your top drawer you can stop worrying about accidental damage to your valuable diskettes. The Copy II Plus allows you to make back-up copies for normal use, so you can keep your originals safely locked away – away from the dangers of spills or stray magnetic fields, or just the wear and tear of everyday usage.

EXTREMELY VERSATILE
Version 3.0 of Copy II Plus is an advanced bit-copier which can defeat nearly every protection system now in use. It will copy most DOS 3.2 and 3.3 diskettes including: Visicale 3.3, Desk Top Plan, Magic Window, DB Master (2.4) Dataplan, the Apple Special Delivery Software range and many, many more.

UNIQUE
- Copy II Plus is the *only* bit-copier that allows you to make back-up copies of itself – for complete peace of mind.
- Copy II Plus is the fastest bit-copier by far. It copies 5 tracks at a time and makes a complete disk copy in only 35 seconds, while ordinary bit copiers take 5–7 minutes!

FEATURES
- easy to use menu
- comprehensive instructions
- copy with 1 or 2 drives
- track-by-track copy program report
- copies half-track and irregular track spacing
- variable search parameters – for non-standard sync or header nibbles.
- "display" option shows data being copied.
- "examine buffer" option helps identification of protection system used.

HOW TO GET YOUR COPY II PLUS
Copy II Plus needs 48K DOS 3.3, and at least one disk drive.

Send £45.00 + VAT to:-
Apple Orchard Ltd
7a Church Lane
Loughton
Milton Keynes MK8 0AS
or: Phone 0908 53595 and quote your Access or Diners Club card to our 24-hour answerphone.
Please allow 7–14 days for delivery – or tell us to rush if that's too long.

apple orchard

Access

DINERS CLUB INTERNATIONAL

Apple is a registered trademark of Apple Computer Inc.
Desk Top Plan and Visicale are registered trademarks of Personic Software Computer Systems.
Dataplan is a registered trademark of Dataplan Ltd.
Magic Window is a registered trademark of Artic Ltd.
DB Master is a registered trademark of Stoneware Micro Computer Products Inc.
Copyright Apple Orchard Ltd. 1987

● Circle No. 173

SUPERBRAIN from SUN

MAJOR DISTRIBUTORS OF INTERTEC PRODUCTS IN THE UNITED KINGDOM

- BUSINESS ACCOUNTING PACKAGES
- WORD PROCESSING PACKAGES
- FINANCIAL MODELLING
- INVENTORY CONTROL
- OTHER *PACKAGES AVAILABLE*
- IN HOUSE SOFTWARE DIVISION
- 90 DAY ON SITE WARRANTY
- MAINTENANCE CONTRACTS

FROM THE FOLLOWING DEALERS:

DEACON HOARE & CO LTD, 27 Regent Street, Clifton, BRISTOL, BS8 4HR, 0272 312374.
EARLEYBRIDGE COMMUNICATIONS LTD, 3rd Floor, 2-4 Old Street, LONDON EC1V 9AA, 01-251 4452.
PETRI SYSTEMS LTD, 25 St. Georges Road, CHELTENHAM, G150 3DT, 0242 42466.
ROGER SALISBURY SMITH, Moonrakers, Wheatsheaf Enclosure, LIPHOOK, Hants, GU30 7EJ, 0428 722563.
BEAVER ELECTRONICS LTD, 12 Beach Road, LITTLEHAMPTON, West Sussex, BN17 5AP, 09064 22461.
SOLSTICE COMPUTERS, 1C Batholomews, BRIGHTON, Sussex, BN1 1HG, 0273 25177.
INTERLEX LTD, Imperial House, Lower Teddington Road, HAMPTON WICK, Kingston Upon Thames, KT1 4EP, 01-943 0968.
TESSAMARK LTD, The Manor, Abbey Green, BURTON-ON-TRENT, Staffs.
DATA MATTERS LTD, 53 Gildredge Road, EASTBOURNE, East Sussex.

OR .....

SUN COMPUTING SERVICES LTD

TRADEMARK INTERTEC

Sun Computing Services Ltd,
Concorde House,
St Anthonys Way, Feltham,
Middlesex TW14 0NH
Tel: 01-890 1440
Telex: 8954428

● Circle No. 174

Comart Approved Dealers

Aberdeen
MOM Offshore
21 Bon Accord Street
Tel: 0224 22863

Belfast
O & M Systems
95 Dublin Road
Tel: 0232 49440

Birmingham
Byteshop Computerland
94/96 Hurst Street
Tel: 021 622 7149

Bristol
Senton
27 Nicholas Street
Tel: 0272 276132

Cambridge
Toltec
24 Thompson Lane
Tel: 0223 312347

Cheshire
Holdene
82a Water Lane
Wilmslow
Tel: 0625 529486

Dublin
Lendac Data Systems
8 Dawson Street
Tel: 0001 372052

Edinburgh
Holdene Micro Systems
Bristo Street
Tel: 031 668 2727

Glasgow
Byteshop Computerland
61 Waterloo Street
Tel: 041 221 7409

Leeds
Holdene Micro Systems
11/12 Rampart Road
Tel: 0532 459459

London
Byteshop Computerland
324 Euston Road, W1
Tel: 01-387 0505

Digitus
9 Macklin Street, WC2
Tel: 01-405 6761

Jarogate
67 Tulsemere Road, SE17
Tel: 01-670 3674

Manchester
Byteshop Computerland
Piccadilly Station Approach
Tel: 061 236 4737

NSC Computers
29 Hanging Ditch
Tel: 061 832 2269

Newbury
Newbear Computing Store
40 Bartholomew Street
Tel: 0635 30505

Nottingham
Byteshop Computerland
92a Upper Parliament Street,
NG1 6LF
Tel: 0602 40576

Sheffield
Hallam Computer Systems
451 Eccleshall Road
Tel: 0742 663125

Southampton
Xitan Systems
23 Cumberland Place
Tel: 0703 38740

Suffolk
Eurotec Consultants
Little Waldingfield,
Sudbury
Tel: 0787 247959

Surrey
Gemlines
184 London Road, KT2 6QU
Tel: 01-546 9944

Warwicks
Business & Leisure
Microcomputers
Kenilworth
Tel: 0926 512127

Watford
Lux Computer Services
108 The Parade,
WD11 2AW
Tel: 0923 29513

Worthing
Ace Computing Services
1-11 Bridge Road
Tel: 0903 35411

Comart Ltd,
St. Neots, Cambs.
Tel (0480) 215005
Telex 32514 Comart G.

comart communicator

The clean simplicity outside...



NOW WITH 5 MEGABYTE HARD DISK DRIVE

...conceals the pedigree inside.

First came the Communicator CP100, a British designed, British made Microcomputer; Z80A processing power, Twin Floppy Disk Drives, S100Bus Construction, CP/M operating system, neat compact styling, and a standard of engineering reliability uncommon in such a new system.

In just a few short months Communicator was the focal point of a new range of Microcomputers.

It offered floppy disk drive options, double density, quad capacity, and 80 track quad capacity. It offered floppy disk and s100 bus expansions. It had a 20 Megabyte Hard Disk Sub System and Cassette Back up.

Now there is Communicator CP500, a dedicated system within a System. CP500 provides over 5 Megabytes of on-line data storage with its integral 5 MegaByte 5" Winchester Technology Hard Disk and very high capacity floppy disk drive.

To the user, CP500 means greatly improved utility. It will support larger scale computer operations at several times the speed and commence of the conventional floppy disk systems. And it offers greater application flexibility, with reduced operator involvement in diskette management routines.

Find out more about the Communicator range today.

comart

SPECIALISTS IN MICROCOMPUTERS

A member of the Comart Group of Companies.

● **Circle No. 172**

Double Anniversary for The Perfect Couple

megastor and apple*

1st Anniversary of the first MEGASTOR installation AUGUST 1980

2nd Anniversary of the first installation of Vlasak's specially-written Apple business-software AUGUST 1979

MEGASTOR consists of two very reliable 8-inch BASF drives, an integral power supply, and a controller card for Apple][.
In addition, we are able to offer a range of specially-developed user software – inventory, accounting, payroll, etc – to utilise MEGASTOR's large storage capacity.
Special software is available to convert Apple][DOS files to IBM 3741-formatted EBCDIC-encoded files, and to read IBM-formatted files.
MEGASTOR offers the user 1.1 or 2.2 Megabytes of storage power per dual-drive unit.

SOME OFTEN-ASKED QUESTIONS

Q: What drives?
A: BASF double-sided, double-density 8″ drives.

Q: How do I copy programs from 5¼″ to 8″ disks?
A: A utilities disk that provides a direct copy program for DOS 3.2 is supplied. DOS 3.3 files are transferred using FID (on the Apple System Master Disk). Pascal programs can be copied by using the Pascal Autoboot utility (£75).

Q: Is MEGASTOR any faster than 5¼″ disks?
A: Yes. A program will operate faster on MEGASTOR than on mini-disks.

Q: Can I run mini-disks and MEGASTOR together?
A: Yes. The MEGASTOR can be used stand-alone, or in combination with mini-disk drives.

MEGASTOR software available from VLASAK:

LEDGERS: fully-integrated, 1500 accounts, 6000 transactions/month, Open-Item, or Balance-Brought-Forward.

INVOICING: User-configured to produce invoices, credit notes, delivery notes, and picking notes. Automatically updates the Sales Ledger.

STOCK CONTROL (INVENTORY): 3000 to 6000 stock records on-line, with an average access time of 1 second.

PAYROLL: 400 employees (200 weekly, 200 monthly). All tax & NI contribution codes supported. 12 pre-tax payments, and 5 post-tax adjustments available.

Vlasak Computer Systems

Vlasak House, Stuart Road, High Wycombe, Bucks HP13 6AG
Telephone: High Wycombe (0494) 448633

DISTRIBUTORSHIP AND OVERSEAS ENQUIRIES WELCOMED

* Apple is a trade mark of Apple Computer Inc.



Monitor interface

(continued from previous page)

which selects the atomic structure of any element defined by its atomic number. Since this program was written I have transferred it to run on the Pet, which allows it to be used for small classes. For large classes the ZX-81 is better as it can output a display to a large-screen television.

The program has been used a number of times and has many advantages over previous systems. It also gives new and exciting visual impact to a piece of work usually dominated by the hard slog of "chalk and talk" as well as a more immediate means of teaching this important subject.

ZX-80 clock

THE FOLLOWING short program shows how simply the ZX-80 with 8K ROM can be used to produce a satisfactory digital clock, writes Robin Allott of Seaford, East Sussex. The flicker is reduced by making the clock time change only at 10-second intervals .

The time is reset simply by inputting H M and S at the appropriate values for the current hours, minutes and seconds. If you want to use the clock as a stopwatch, the Pause at line 20 should be reduced to 49, and line 30 should be altered to

LET S = S + 1.

The program runs with 1K RAM on the ZX-80 or the ZX-81. To save use Goto 60.

```
 1   LET H=0
 2   LET M=0
 3   LET S=0
 4   PRINT "*********DIGITAL CLOCK"
 5   PRINT "*******(TO RESET:H M S)"
10   PRINT AT 9,10;H;"H*";M;"M*";S;"S***"
20   PAUSE 490
21   POKE 16437,255
30   LET S=S+10
40   IF S=60 THEN LET M=M+1
41   IF S=60 THEN LET S=0
42   IF M=60 THEN LET H=H+1
43   IF M=60 THEN LET M=0
44   IF H>12 THEN LET H=1
50   GOTO 10
60   SAVE "DIGITAL"
70   GOTO   1
```

Monitor interface

MANY HOME COMPUTERS, and particularly those at the less-expensive end of the market, use the domestic TV set as a display. This can lead to a certain amount of conflict in the household during "Crossroads" or "Match of the Day". David Sinclair of Copthorne, Sussex has therefore devised a simple circuit to enable him to use his ZX-81 with a cheap TV monitor.

The main problem to be overcome is the conversion of the high-impedance video output of the Sinclair custom chip to a 50-ohm impedance suitable for driving a standard monitor. This is achieved with a conventional complementary push-pull output stage driven by the usual phase splitter.

The circuit can be built on Veroboard or tagstrip and can be attached by double-sided tape in the space under the ZX-81 keyboard. Current consumption is 10mA which may be taken from the internal ZX-81 5V regulated rail. Convenient take-off points are the channel-select tag connected to pin UK-1 on the modulator for 5V and the common printed-circuit board foil connecting all three jack plug connectors for 0V.

The circuit can supply enough output current to drive up to four monitors simultaneously, provided connecting cable lengths are not too long, and this feature could be useful in a classroom teaching environment. Omitting the UHF modulation and consequent demodulation process in the domestic TV removes the possibility of the video bandwidth of the ZX-81 signal being accidentally reduced. This set-up produced a slightly sharper display on a £60 monitor than on a £300 colour TV.

Energy management

THE PROGRAMS Electricity Management and Gas Management will be most useful to domestic owners of the ZX-81 with only 1K RAM, writes B J F Reilly of Leicester. You must number your last nine quarterly bills chronologically from 1 to 9. To run the appropriate program, enter the number of each bill and the meter reading. As each successive set of data is entered, a bar chart appears for each of the eight quarters in turn, together with a listing of the quantity of electricity or gas consumed in each quarter.

In both programs the constant S in line 20 varies the vertical scale of the bar-chart and should be about 1/35 of the expected maximum number of units used in a quarter.

In Gas Management, the constant value of 1.027 in line 80 converts cubic feet to therms.

Electricity Management.

```
10   LET D = 0
20   LET S = 20
30   PRINT AT 0,0; "INPUT NO. OF READING N/L","AND ACTUAL READING N/L"
40   INPUT A
50   INPUT B
60   IF A = 1 THEN GOTO 130
70   LET C = A*2
80   LET E = B-D
90   FOR N = 0 TO INT E/S
100  PLOT C+2,N
110  NEXT N
120  PRINT AT C,15;"UNITS IN Q.";A-1;"=";E
130  LET D=B
140  GOTO 30
```

Gas Management.

```
10    LET D=0
20    LET S=20
30    PRINT AT 0,0,"INPUT NO. OF READING N/L","AND ACTUAL READING N/L"
40    INPUT A
50    INPUT B
60    IF A=1 THEN GOTO 130
70    LET C=A*2
80    LET E=(B-D)*1.027
90    FOR N=0 TO INT E/S
100   PLOT C+2,N
110   NEXT N
120   PRINT AT C,14;   "THERMS IN Q."A-1;" = "; INT E
130   LET D=B
140   GOTO 30
```

● Circle No. 171▶

Atomic orbitals.

```
1     REM ATOMIC STRUCTURE ZX81
2     REM COPYRIGHT B.P.SMITH 1981
10    LET X$= "3G93039GJG9DHKNNKH9ED962E
      /;.2EHLNQRT9FTTSNKHD99FJNPRUWTXW2/
      +<>>W>+/,14WWUSPMJT5XXT>$<$SSZ#0-"
20     LET Y$="--20-?$?-08763,>#DDDAEADD
       >,36DB9752,FF->$E5722FFDB974,C6-7
       ES$>--,57ACD->#A571C@6D77DC6I9--1
       5"
30    CLS
40    FOR Y=1 TO 7
50    PRINT TAB 10;"ATOMIC STRUCTURE"
60    NEXT Y
70    PRINT
80    PAUSE 250
81    POKE 16437,255
90    PRINT "THIS PROGRAM SLOWLY BUILDS
      UP"
95    PRINT
100   PRINT "THE ATOMIC STRUCTURE OF ALL"
105   PRINT
110   PRINT "ATOMS FROM HYDROGEN TO
      URANIUM"
115   PRINT
120   PRINT TAB 5;"PRESS KEY ""S"" TO
      START"
123   PAUSE 1000
126   POKE 16437,255
130   IF INKEY$<>"S"THEN GOTO 120
140   CLS
185   FOR X= 1 TO 92
190   PRINT AT 0,0;N$(X)
200   PRINT AT 2,3 - LEN ( STR$ M(X));M(X
210   PRINT AT 3,3;S$(X)
220   PRINT AT 4,3-LEN(STR$X);X
310   PLOT CODE X$(X),CODE Y$(X)
320   IF X=24 THEN PLOT 27,12
330   IF X=24 THEN UNPLOT 42,41
340   IF X=29 THEN PLOT 34,35
350   IF X=29 THEN UNPLOT 42,41
360   IF X=41 THE PLOT 54,10
370   IF X=41 THEN UNPLOT 43,43
380   IF X=46 THEN PLOT 34,2
390   IF X=46 THEN UNPLOT 37,43
400   IF X=58 THEN PLOT 27,5
410   IF X=58 THEN UNPLOT 60,22
420   IF X=65 THEN PLOT 19,30
430   IF X=65 THEN UNPLOT 60,22
440   IF X=77 THEN PLOT 42,0
450   IF X=77 THEN PLOT 37,0
460   IF X=77 THEN UNPLOT 57,40
470   IF X=77 THEN UNPLOT 61,34
480   IF X=91 THEN PLOT 25,3
490   IF X=91 THEN UNPLOT 12,22
500   PRINT AT 10,17;M(X) - X;"N"
510   PRINT AT 11,17;X;"P"
520   PAUSE 3000
521   POKE 16437,255
530   NEXT X
540   PAUSE 5000
541   POKE 16437,255
550   GOTO 1
5000  DIM S$ (92,2)
5010  DIM N$(92,13)
5020  DIM M (92)
5030  PRINT AT 20,0; "NAME@@@@@@@@@@ SY @
      MASS
5040  FOR X=1 TO 92
5050  INPUT N$(X)
5060  PRINT N$(X);
5070  INPUT S$(X)
5080  PRINT S$ (X); "@";
5090  INPUT M (X)
5100  PRINT M(X)
5110  SCROLL
5120  NEXT X
5130  STOP
5140  SAVE "ATOMIC STRUC"
5150  GOTO 1
```

Key underlining — graphics on key shown

@ — space

— £

(continued from page 117)

its atomic number and atomic mass is as follows $^{12}_{6}$ carbon, $^{40}_{20}$ calcium.

A periodic table provides all the relevant information needed to determine electron structure of each element. For example, the subatomic structure for $^{12}_{6}$ carbon is: $1s^2$ $2s^2$ $2p^2$:6N:6P. For $^{40}_{20}$ calcium it is: $1s^2$ $2s^2$ $2p^6$ $3s^2$ $3p^6$ $4s^2$:20N:20P. With information the program can be designed.

The program was developed on a Sinclair ZX-80 with 8K Basic and 16K RAM. It should be easily transferable to other micro such as the TRS-80, Pet and the Video Genie.

X$ and Y$ hold the co-ordinates for each electron to be printed via the Plot instruction. Using strings allows the user to get around the ZX-81's lack of Data and Read statements. The co-ordinates are obtained from X$ and Y$ by using the Code statement which supplies the numerical value of the characters addressed by the variable X from within X$ and Y$, which are then used by the Plot instruction.

Lines 190 to 220 print the name, symbol, atomic mass, atomic number, number of protons and the number of neutrons in the same place so erasing the previous output without the need to clear the screen. Lines 320 to 490 deal with the dropping down of electrons into their lower orbits for chromium, copper, niobium, palladium, cerium, terbium, iridium and protactinium. This involves unplotting an electron and repositioning it to a lower orbit.

Lines 520 and 521 make the ZX-81 display the screen for 60 seconds; pressing any key, except Break, allows the user to move on to the next element. Lines 5000 to 5120 hold the input system for the element's name, symbol and atomic mass, the atomic number is not needed as it is supplied by X.

Lines 5140 and 5150 allows the program to be saved in such a way that it will run immediately after loading, this allows the element data entered not to be cleared when the program is run, so that they only need to be entered once.

The program is entered as shown in the listing. Run 5000 is then entered, which allows the element data to be entered in ascending order. Atomic mass must be whole numbers — you cannot have fractions of a neutron. After this has been completed Run and Clear must not be used, otherwise the data entered will be lost. The program is saved by entering Goto 5140, which will save the program plus the entered data. When loaded it will run automatically without erasing the entered data.

The program runs automatically and waits for a set time at each element. After all 92 have been displayed it will repeat the program over and over again. To end the program, press Break.

It is quite easy to amend the program to suit the user's needs. I have a number of variations of this program, such as one

(continued on next page)

The Essential Software Company

47 Brunswick Centre, London WC1N 1AF

ROBOT ATTACK

THE GAME THAT TALKS



TRS 80 Levels I & II 16 K Tape
Video Genie 16 K Tape

The Newest and Most Astounding Arcade Game that TALKS has just Reached Planet Earth. You can't help yourself. You have to stop them at all cost. Don't let up. Written especially for high quality graphics you'll simply be dazed and excited by the action.

TRS80 VIDEO GENIE

Attack Force



Dodge the alien Ramships and fire missiles to destroy them before they get you. The alien Flagship uses his deadly laser bolt to transform a Ramship into another Flagship or into your ship's double. Look out! Destroy your double and you could destroy yourself.

TRS 80 Level I & II 16K Tape
Video Genie EG3003 16K Tape

Galaxy Invasion



The newest and most exciting invaders type game yet! Cruel and crafty aliens attack Earth. You are the sole defender. As you fire your laser at the aliens they swoop down and bomb you. Exciting use of graphics! Must be seen.

TRS 80 Level I & II 16K Tape
Video Genie 16K Tape

GOBBLE MAN

Watch out behind you! As you hurry through the maze collecting modules you score points. But don't let the Gobblemen catch you. If you are crafty, sneek up behind them and neutralise them to gain extra points. Just keep a watch. When they attack you they come in fast. Just don't lose your nerve.

TRS 80 Levels I & II 16 K Tape
Video Genie 16 K Tape

Cosmic Fighter

Your fighter appears below a convoy of Aliens! If you destroy them another set appears who seem to be slightly cleverer than before! Soon your space station nears but before you can dock the station comes under attack! Survival is up to you! The excitement is just beginning!!

TRS 80 Levels I & II 16K Tape
Video Genie 16K Tape

SuperNOVA

Now the amazing ASTEROIDS arcade game for your TRS 80! Your ship is floating in the middle of an asteroid belt! Your only escape is to destroy them and the crafty alien spacecraft! Blast them with your laser, thrust, rotate or hit hyperspace to survive!



3D ADVENTURES



3-D means that as you wander through the mazes and buildings, full screen graphic display constantly shows your position in a perspective format as though you were actually there! This "rat's eye" view adds an entirely new dimension to adventure.

English language commands can be entered at any time to manipulate your environment.

The command sets are extensive and sophisticated. Dozens of objects are scattered throughout the mazes and buildings. You can pick them up, burn them, throw them, etc. You may need the sword to fight off an ugly little man. Or a steel rod to hold apart crushing walls. Deathmaze 5000 and Labyrinth allow the traditional one and two word commands.



Asylum incorporates our Advanced Language Interpreter which allows full sentence input

Deathmaze and Labyrinth over 550 locations!

Asylum 1200

All Tapes £10 ea

ASYLUM Tape £12

THE ESSENTIAL SOFTWARE COMPANY
(Viscounti Ltd.) 01-837 3154
47 Brunswick Centre, London WC1N 1AF

I have a ..... microcomputer.
☐ Please send me your software catalogue. I enclose a stamped self addressed envelope.
☐ Please send me .....
I enclose a cheque/postal order for £ .....
(plus 50p post & packing)

Signature .....
Name .....
Address .....
Postcode .....
My ACCESS No is .....

● Circle No. 170

Scrolling data

IF CONT upsets you when your ZX-81 screen is full then this simple method will produce scrolling data, writes R Hilditch of Bo'ness, West Lothian.

By Peeking location 16422, the line number of the print position can be determined. The top of the screen is line 24 and the bottom line 3, leaving two spaces at the bottom for editing. Hence if line 1 in any program is Scroll, then thereafter a simple,

IF PEEK (16422) <= 4 THEN SCROLL

will produce scrolling data from the bottom.

As a demonstration try:

```
 1 SCROLL
10 LET A$ = "123456789"
20 FOR X = 1 to LEN A$
30 PRINT A$ (X TO LEN A$)
40 IF PEEK (16442) <=4 THEN SCROLL
50 NEXT X
60 GO TO 20
```

Defective-ROM routine

THIS SUBROUTINE was written to circumvent the LN, SQR and ** functions on the ZX-81 keyboard and it may be helpful to users who are waiting for Sinclair to provide a replacement for the defective 8K ROM, explains R G Taylor of Portsmouth, Hampshire.

The algorithm used is based on the standard expression for the natural logarithm of a variable x:

$$\ln(x) = 2\left(\frac{(x-1)}{(x+1)} + \frac{1}{3}\frac{(x-1)^3}{(x+1)} + \frac{1}{5}\frac{(x-1)^5}{(x+1)} + \ldots\ldots\right)$$

A check is first made to ensure that the LN argument is positive, an error message being output if it is not. Lines 9040 to 9080 are initialisation to set up values for the iteration to be carried out by the For-Next loop in lines 9090 to 9130. This loop calculates the higher-order terms of the series in turn and forms the current sum. A check is made on the magnitude of the latest term LT and the summation is terminated by exit from the loop when LT becomes smaller than the limit specified in line 9120.

The series converges monotonically for positive x, that is, successive terms are always smaller than the previous term and, in theory, approach but never reach a value of zero. In practice, computers have a finite word length and a constant — zero — value is reached at some point. This condition is the criterion for terminating the series for x <1.

Some ZX-81s are different, as those who have a faulty ROM can demonstrate by altering the inequality in line 9120. As the program stands, a value of x=0.125 produces a logarithm of —2.0794 and an antilog of 0.125, which is correct. Changing the condition to

. . . <1.0 E-10

produces the incorrect result:

x=0.125; ln=1.9205; antilog= 6.8247.

This is also the result obtained from the keyboard function. The changeover from right to wrong occurs at about 2.3283 E−10.

SQR and ** functions are obtained from the relationship

$$y = n^{*}\ln(x)$$

where n takes the value 1/2 as a special case of ** for SQR.

The way to find out if a ZX-81 has a faulty ROM has not been too clearly described, and some users may be in doubt as to which type they have. The short program in listing 2 is a good test.

It calculates the log of a number sequence and prints out the numbers with the corresponding antilog — which ought to be the same, or virtually so. If it is not then the ROM is clearly faulty. My favourite is 2.4414E—4— 1/4,096 — which, after LN/EXP, is thought by my ZX-81 to be 2,169.46.

Listing 1 — LN subroutine.

```
9000  REM LN SUBROUTINE
9010  IF X > 0 THEN GOTO 9040
9020  PRINT "NEGATIVE OR ZERO ARGUMENT FOR LN"
9030  STOP
9040  LET SM=0
9050  LET A=(X-1)/(X+1)
9060  LET B=A*A
9070  LET LT=A*B/3
9080  LET SM=A+LT
9090  FOR I=5 STEP 2
9100  LET LT=LT*(I-2)/I
9110  LET SM=SM+LT
9120  IF ABS(LT) < 1.0E-9 THEN GOTO 9140
9130  NEXT I
9140  RETURN
```

ROM tester

```
1  LET N=1
2  LET A=0.5/N
3  LET B=LN(A)
4  LET B=EXP(B)
10 PRINT A,B
20 LET N=N*2
30 IF N>131072 THEN GOTO 50
40 GOTO 2
50 STOP
```

Atomic orbitals

IN PHYSICS and chemistry examination courses there is an area of overlap in the section relating to the arrangement of electrons, protons and neutrons within the 92 natural elements, writes Brian Smith of Keighley, West Yorkshire. This is usually taught by drawing the electronic configurations on the blackboard or by prepared overhead-projection transparencies.



Electron orbits.

It is only possible to draw up to the first 30 elements using these methods, due to the number of electrons to draw in. It is possible to construct displays using switches, but due to the complexity of the higher elements this would involve complex switching. The display itself would be so large as to prevent easy movement from laboratory to laboratory. The problem is to plot one to 92 electrons in a specific order in specific circular orbits and to plot the relevant number of protons and neutrons in the nucleus so that they are large enough to see and yet remain portable. This is a job the micro is easily capable of coping with.

Every atom has a central portion called the nucleus, which contains the neutrons and protons. Orbiting around the nucleus are the electrons, which revolve in a number of orbits, or shells, labelled 1 to 7.

Each of these orbits can only hold a specific number of electrons. To add to the problem, they are also divided up further. Each division can only hold so many electrons.

Orbit	1	2	3	4	5	6	7	Number of electrons
Suborbit	s	s	s	s	s	s	s	2
		p	p	p	p	p		6
			d	d	d	d		10
				f	f			14

To thoroughly confuse the issue, the orbitals do not fill up sequentially as you might expect. The order of filling the orbitals is: 1s, 2s, 2p, 3s, 3p, 4s, 4p, 5s, 4d, 5p, 6s, 4f, 5d, 6p, 7s, 5f, 6d, 7p. However, when one of the orbitals is nearly full, an electron can drop into that orbital from an outer one to fill it so as to increase the stability of the atom since full and half-full orbitals are very stable.

The number of electrons, protons and neutrons for each element is determined by the element's atomic number and atomic mass. For example, carbon has an atomic mass of 12 and an atomic number of six. The number of protons and electrons is equal to the atomic number and the number of neutrons is equal to the atomic mass minus the atomic number. In the case of carbon the number of neutrons is six, the number of protons is six and the number of electrons is six. The standard way of writing the element with

(continued on page 119)

First time on Earth.

Sharp bring you the MZ80B. A machine that offers you functions previously only associated with more powerful, more expensive computers; that gives you versatility to handle a huge range of software and hardware applications in scientific, business and personal use.

The MZ80B opens up a new world of graphic display potential, more flexible data storage and retrieval, and ease of operation.

Here is the computer from the future. Available today.

Stunning Graphic Display.

Seeing is believing. The large-screen, high-focus, green-face display incorporated in the MZ80B gives you high-resolution graphics of 320 x 200 dots.

An additional graphic RAM can be added which allows another 320 x 200 dot resolution pattern to be displayed.

This dual high-resolution graphic ability is especially useful for simulating and displaying a dynamic picture. It can display 40 characters x 25 lines or 80 characters x 25 lines via software switching.

In addition there are facilities for full, on-screen editing, reverse video, partial scrolling and a full range of graphic symbols.

Character and Graphic Printer.

This fast, quiet printer will reproduce your graphic displays and, of course, print-out upper and lower case letters and symbols. A tractor/friction feed version is also available.

Data Storage/retrieval.

The MZ80B has a remarkable memory. 64K of RAM. And that constitutes all the memory area, giving flexible storage of any computer language and its software. The cassette deck is electromagnetically-controlled, with a data transfer speed of 1800 bits/sec combined with a unique programme search facility to make data storage and retrieval super-fast.

A typewriter-style keyboard incorporates characters and symbols plus a numeric key-pad and ten user-definable keys for fast and simple operation.

BASIC is, of course, provided with Z-80 Assembler Packages, PASCAL and a BASIC compiler.

Floppy Disk Drive.

A twin Floppy Disk Drive unit can be added which will give you 560 bytes of storage on double-sided, double-density disks.

Comprehensive Documentation.

Each MZ80B comes complete with a full set of documentation including an owners' manual giving full circuit diagrams, a monitor reference manual and programming manuals.

Interfaces

RS-232C and IEEE Interfaces are available from January 1982 allowing the MZ80B to communicate with scientific instruments and other peripherals.

CP/M*2.2

CP/M* is also available making a wide range of packages immediately available including wordprocessing, financial modelling, data base management to mention but a few. CP/M* also increases the disk capacity to 680K.

(CP/M* is a Trade Mark of Digital Research Ltd).

SHARP

First, and foremost

SHARP ELECTRONICS (UK) LTD., COMPUTER DIVISION, SHARP HOUSE, THORP RD., NEWTON HEATH, MANCHESTER M10 9BE. TELEPHONE: 061-205 2333.

Why on Earth don't you find out more?

Please send me full information on the Sharp MZ80B computer.

PC 2/82

Name

Address

Tel:

To: Sharp Electronics (UK) Ltd., Computer Division, Sharp House, Thorp Road, Newton Heath, Manchester M10 9BE. Telephone 061-205 2333.

Make the most of your Sinclair ZX Computer...

Sinclair ZX software on cassette.

£3.95 per cassette.

The unprecedented popularity of the ZX Series of Sinclair Personal Computers has generated a large volume of programs written by users.

Sinclair has undertaken to publish the most elegant of these on pre-recorded cassettes. Each program is carefully vetted for interest and quality, and then grouped with other programs to form a single-subject cassette.

Each cassette costs £3.95 (including VAT and p&p) and comes complete with full instructions.

Although primarily designed for the Sinclair ZX81, many of the cassettes are suitable for running on a Sinclair ZX80 – if fitted with a replacement 8K BASIC ROM.

Some of the more elaborate programs can be run only on a Sinclair ZX Personal Computer augmented by a 16K-byte add-on RAM pack.

This RAM pack and the replacement ROM are described below. And the description of each cassette makes it clear what hardware is required.

8K BASIC ROM

The 8K BASIC ROM used in the ZX81 is available to ZX80 owners as a drop-in replacement chip. With the exception of animated graphics, all the advanced features of the ZX81 are now available on a ZX80 – including the ability to run much of the Sinclair ZX Software.

The ROM chip comes with a new keyboard template, which can be overlaid on the existing keyboard in minutes, and a new operating manual.

16K-BYTE RAM pack

The 16K-byte RAM pack provides 16-times more memory in one complete module. Compatible with the ZX81 *and* the ZX80, it can be used for program storage or as a database.

The RAM pack simply plugs into the existing expansion port on the rear of a Sinclair ZX Personal Computer.

Cassette 1 – Games

For ZX81 (and ZX80 with 8K BASIC ROM)

ORBIT – your space craft's mission is to pick up a very valuable cargo that's in orbit around a star.

SNIPER – you're surrounded by 40 of the enemy. How quickly can you spot and shoot them when they appear?

METEORS – your starship is cruising through space when you meet a meteor storm. How long can you dodge the deadly danger?

LIFE – J. H. Conway's 'Game of Life' has achieved tremendous popularity in the computing world. Study the life, death and evolution patterns of cells.

WOLFPACK – your naval destroyer is on a submarine hunt. The depth charges are armed, but must be fired with precision.

GOLF – what's your handicap? It's a tricky course but you control the strength of your shots.

Cassette 2 – Junior Education: 7-11-year-olds

For ZX81 with 16K RAM pack

CRASH – simple addition – with the added attraction of a car crash if you get it wrong.

MULTIPLY – long multiplication with five levels of difficulty. If the answer's wrong – the solution is explained.

TRAIN – multiplication tests against the computer. The winner's train reaches the station first.

FRACTIONS – fractions explained at three levels of difficulty. A ten-question test completes the program.

ADDSUB – addition and subtraction with three levels of difficulty. Again, wrong answers are followed by an explanation.

DIVISION – with five levels of difficulty. Mistakes are explained graphically, and a running score is displayed.

SPELLING – up to 500 words over five levels of difficulty. You can even change the words yourself.

Cassette 3 – Business and Household

For ZX81 (and ZX80 with 8K BASIC ROM) with 16K RAM pack

TELEPHONE – set up your own computerised telephone directory and address book. Changes, additions and deletions of up to 50 entries are easy.

NOTE PAD – a powerful, easy-to-run system for storing and retrieving everyday information. Use it as a diary, a catalogue, a reminder system, or a directory.

BANK ACCOUNT – a sophisticated financial recording system with comprehensive documentation. Use it at home to keep track of 'where the money goes,' and at work for expenses, departmental budgets, etc.

Cassette 4 – Games

For ZX81 (and ZX80 with 8K BASIC ROM) and 16K RAM pack

LUNAR LANDING – bring the lunar module down from orbit to a soft landing. You control attitude and orbital direction – but watch the fuel gauge! The screen displays your flight status – digitally and graphically.

TWENTYONE – a dice version of Blackjack.

COMBAT – you're on a suicide space mission. You have only 12 missiles but the aliens have unlimited strength. Can you take 12 of them with you?

SUBSTRIKE – on patrol, your frigate detects a pack of 10 enemy subs. Can you depth-charge them before they torpedo you?

CODEBREAKER – the computer thinks of a 4-digit number which you have to guess in up to 10 tries. The logical approach is best!

MAYDAY – in answer to a distress call, you've narrowed down the search area to 343 cubic kilometers of deep space. Can you find the astronaut before his life-support system fails in 10 hours time?

Cassette 5 – Junior Education: 9-11-year-olds

For ZX81 (and ZX80 with 8K BASIC ROM)

MATHS – tests arithmetic with three levels of difficulty, and gives your score out of 10.

BALANCE – tests understanding of levers/fulcrum theory with a series of graphic examples.

VOLUMES – 'yes' or 'no' answers from the computer to a series of cube volume calculations.

AVERAGES – what's the average height of your class? The average shoe size of your family? The average pocket money of your friends? The computer plots a bar chart, and distinguishes MEAN from MEDIAN.

BASES – convert from decimal (base 10) to other bases of your choice in the range 2 to 9.

TEMP – Volumes, temperatures – and their combinations.

How to order

Simply use the order form below, and either enclose a cheque or give us the number of your Access, Barclaycard or Trustcard account. Please allow 28 days for delivery. 14-day money-back option.

sinclair ZX SOFTWARE

Sinclair Research Ltd, 6 Kings Parade, Cambridge, Cambs., CB2 1SN. Tel: 0276 66104.

To: Sinclair Research, FREEPOST, Camberley, Surrey, GU15 3BR. Please print
Please send me the items I have indicated below.

Qty	Code	Item	Item price	Total
	21	Cassette 1 – Games	£3.95	
	22	Cassette 2 – Junior Education	£3.95	
	23	Cassette 3 – Business and Household	£3.95	
	24	Cassette 4 – Games	£3.95	
	25	Cassette 5 – Junior Education	£3.95	
	17	*8K BASIC ROM for ZX80	£19.95	
	18	*16K RAM pack for ZX81 and ZX80	£49.95	
		*Post and packing (if applicable)	£2.95	
			Total £	

*Please add £2.95 to total order value **only** if ordering ROM and/or RAM.

I enclose a cheque/PO to Sinclair Research Ltd for £_____

Please charge my Access*/Barclaycard/Trustcard no.

*Please delete as applicable.

Name: Mr/Mrs/Miss

Address:

PRC02

THE MICROPUTE CHALLENGE:– FIND A COMPUTER TO COMPARE WITH THE sig/net ...NEVER.

. . . Because the SIG/NET offers the price advantage of the low cost systems together with the flexibility and infinite expansion capabilities of the high cost systems.

Or in other words a great deal more for a great deal less.

For just **£1,299.00** the standard SIG/NET offers the flexibility to choose the terminal best suited to your requirements, the printer to give the speed and quality you need and disk capacity from 400,000 to 40 Million characters.

The standard SIG/NET 202S	£1,299.00
5 Megabyte hard disk system	£3,100.00
10 Megabyte 4 User	£6,000.00
10 Megabyte 10 User	£9,500.00

FOR FURTHER TECHNICAL DATA AND THE NAME OF YOUR NEAREST DEALER SEND THE COUPON **NOW!**

MICROPUTE
Catherine Street, Macclesfield, Cheshire, SK11 6QY. Tel: (0625) 612759.

NAME _____ POSITION _____

COMPANY NAME _____

COMPANY ADDRESS _____

_____

_____ TEL. NO. _____

Dealer enquiries invited for certain areas of the Midlands and North.

● **Circle No. 167**

THERE'S JUST NONE TO COMPARE.

- **Unbeatable value for money.**
- **Advanced and innovative BRITISH design.**
- **BRITISH BUILT.**
- **Unrivalled expansion.**
- **Faster than comparable systems.**
- **Full 64K of memory.**
- **Sold only through approved dealers.**
- **CP/M compatible.**

MICROPUTE

MICROPUTE
microcomputer systems
Catherine Street,
Macclesfield,
Cheshire,
SK11 6QY.
Tel: (0625) 612759.

ingenious!

..that's the only word to really describe the superb Genie microcomputer system, the home computer which is compatible with the TRS 80, and ideal for all micro – enthusiasts, especially the committed hobbyist.
Genie has now been upgraded to Genie I, incorporating all of the original, excellent features, but with the addition of:

- Extended BASIC, including RENUMBER and SCREEN PRINT.
- Full upper and lower case, flashing cursor and auto-repeat on all keys.
- An internal SOUND UNIT to add a new dimension to your own programs.
- A MACHINE LANGUAGE MONITOR, with Display, modify, enter and execute (with break points) facilities.

Genie I has all of this, plus the built-in cassette deck, 16K RAM, 12k ROM with BASIC interpreter, full-size keyboard , an extremely wide range of new and updated peripherals, and literally 1000's of pre-recorded programmes available.
Yet, almost unbelievably, the price of Genie I is even lower than that of the original Genie.

Ingenious for business

The Genie II is a major breakthrough for small business computers. Harnessing all the advantages of Genie I, including low price, Genie II adapts perfectly to commercial functions with the following features:

- Numeric keyboard
- Four usable, definable function keys.
- Extension to BASIC
- Basic business commands
- Fully expandable with the same peripherals

New!...12" Monitor

Now, a choice of 2 monitors giving a clear easy to read image. The updated EG101 has a new green phospher tube.

New!...Expander

An updated Expansion Box (EG 3014) is a major feature of the new Genie I system, and unleashes all its possibilities, allowing for up to 4 disk drives with optional double density. It connects to a printer, or RS232 interface or S100 cards. There is 16k RAM fitted and it has a new low price!

New!...Printer

The EG 602 printer can be connected to the Genie either through the expander or directly into the computer using the Parallel Printer Interface. It is a compact unit, with an 80 column, 5 x 7 matrix print-out, operating quietly and efficiently at 30 characters per second.

Disk Drive

As well as the obvious advantage of mass storage, the addition of the disk system to the Genie means much faster access to other languages and full random access file handling. Up to 4 of these 40 track drives can be used on a system.

SPECIAL TECHNICAL GENIE HOT – LINE ON 0629 4995

for all your technical advice and service back-up on any aspect of the Genie system direct from the experts!

For full details and demonstration of Genie I, Genie II or advice on any aspect of the system, either call in to your local dealer, or write directly to the sole importers at the address below.

LOWE electronics

Chesterfield Road, Matlock, Derbyshire DE4 5LE.
Telephone: 0629 4995. Telex: 377482 Lowlec G.

nascom

* **Housed in strong, stylish case with high quality QWERTY keyboard.**
* **0.7Mbyte floppy disc system available in matching case.**
* **Full 8K RAM, expandable to 200K with page mode and RAM boards.**
* **Factory-built options plus additional range of Nascom-approved hardware and software.**

Think of Nascom3 as an advanced personal computer, built to professional standards and offering the total systems-versatility needed by enthusiasts whose imaginations are already ahead of the toy computer field.

Think of Nascom3 as the powerful heart of a truly versatile educational or business computer system, with added peripherals and an extensive range of firmware and software options.

Or think of Nascom3 as a custom-structured industrial control unit, well capable of cutting production costs in many key areas.

Nascom3; reliable, expandable, affordable – and backed by one of Britain's best known engineering groups. Think about it.

Lucas Logic

Nascom Microcomputers
Division of Lucas Logic Limited,
Warwick CV34 5PZ.

INGENIOUS Genie I

All the features of the EG3003 system plus: * *Machine Language Monitor*
* *Fitted Sound* * *Renumber Command*
* *Full Lower Case* * *Screen Print*



16K

£295 + VAT

Genie II

The MacroComputer

Offering all the advantages of the Genie I system, with the benefit of advanced design for the professional user.

* *4 Defineable Function Keys*
* *Full Upper & Lower Case*
* *Terminal Routines*
* *Facility to upload & Download*
* *Screen Print*
* *Includes T.V. Modulator*

£299 + VAT

The most compact 80 column impact graphic-dot printer available

at a very compact price

seikosha GP80 printer

£195 + VAT

Acorn Atom

Special features include
*FULL SIZED KEYBOARD
*ASSEMBLER AND BASIC
*HIGH RESOLUTION COLOUR GRAPHICS



from:

£120 + VAT



The Second Generation Personal Computer

Highest performance lowest price

* 48K
* 16 Colours
* Multiple Resolution Graphics
* Split screen modes



DAI

£595 + VAT

TANTEL

'PRESTEL' adaptor

Converts any black and white or colour T.V. for 'PRESTEL' reception.

£170 + VAT

EG3014

Special adaptor to allow connection of TRS 80 to GENIE periferals

EG3023

GENIE low cost 16K expander

Printers

EPSON MX80
EPSON MX100
ANADEX
PAPER TIGER
T.E.C.
SCRIPTA
MICROLINE 80

FOR PAPER DISK-ETTES BITS RIBBONS for most printers LABELS BOOKS SOFT-WARE LATEST SECOND-HAND PRICES Ring: 0225-334659 MONITORS

all this and much much more . . . .

MicroStyle

29 Belvedere, Lansdown Road, Bath.
Telephone: (0225) 334659.

● Circle No. 281

MAPLIN the people for Atari

3 Consoles available:

Atari 400 with 16K RAM(AF36P) £345
Atari 400 with 32K RAM(AF37S)£395
Atari 800 with 16K RAM (AF02C) £645





Lots of other hardware:

Cassette Recorder	(AF28F)	£50.00	16K RAM Module	(AF08J)	£64.00
Disk Drive	(AF06G)	£345.00	32K RAM Module	(AF44X)	£125.35
Thermal Printer	(AF04E)	£265.00	32K Upgrade for 400	(AF45Y)	£75.00
Printer Interface for 400	(AF41U)	£49.95	Floppy Disk	(YX87U)	£2.75
Printer Interface for 800	(AF42V)	£49.95	Le Stick	(AC45Y)	£24.95
Interface Module	(AF29G)	£135.00	Joystick Controllers	(AC37S)	£13.95
Versawriter	(AF43W)	£169.00	For full details ask for our hardware leaflet (XH54J) SAE appreciated		

NOW YOU CAN JOIN THE U.K. ATARI COMPUTER OWNER's CLUB. An independent user's group. Four issues of the club magazine for only £1.60! Address your subscription to Graham.

THE CHOICEST GEMS OF ATARI SOFTWARE FROM MAPLIN

Adventure Games

Star Warrior	-C-32K-(BQ24B)	£28.95
Rescue At Rigel	-C-32K-(BQ21X)	£22.45
Invasion Orion	-C-32K-(BQ23A)	£18.95
Datestones of Ryn	-C-32K-(BQ22Y)	£14.95
Galactic Empire	-C-24K-(BQ14Q)	£14.95
Hi-Res Adventure // 2	-D-48K-(BQ25C)	£24.95
Analog Adventure	-D-32K-(BQ33L)	£24.95
Adventure Land	-C-24K-(BQ00A)	£14.95
Pirates Adventure	-C-24K-(BQ01B)	£14.95
Mission Impossible	-C-24K-(BQ02C)	£14.95
Voodoo Castle	-C-24K-(BQ03D)	£14.95
The Count	-C-24K-(BQ04E)	£14.95
Strange Odyssey	-C-24K-(BQ05F)	£14.95
Mystery Fun House	-C-24K-(BQ06G)	£14.95
Pyramid of Doom	-C-24K-(BQ07H)	£14.95
Ghost Town	-C-24K-(BQ08J)	£14.95
Savage Island I	-C-24K-(BQ09K)	£14.95
Savage Island II	-C-24K-(BQ10L)	£14.95
Golden Voyage	-C-24K-(BQ11M)	£14.95
Energy Czar	-C-16K-(YG53H)	£8.95
Kingdom	-C-8K-(YG55K)	£8.95

Teach-Yourself Programs

Conversational French	-5C-16K-(YG44X)	£32.50
Conversational German	-5C-16K-(YG45Y)	£32.50
Conversational Spanish	-5C-16K-(YG46A)	£32.50
Conversational Italian	-5C-16K-(YG47B)	£32.50
Touch Typing	-2C-16K-(YG49D)	£14.95
States & Capitals	-C-24K-(YG56L)	£8.95
European Countries & Capitals	-C-16K-(YG57M)	£8.95

Learn Programming

Invitation to Programming	-C-8K-(YG43W)	£11.95
Basics of Animation	-C-32K-(BQ57M)	£9.95
Basics of Animation	-D-32K-(BQ58N)	£10.95
Player Missile Graphics	-C-16K-(BQ59P)	£18.95
Player Missile Graphics	-D-24K-(BQ60Q)	£19.95
Display Lists	-C-16K-(BQ51F)	£9.95
Display Lists	-D-24K-(BQ52G)	£10.95
Horiz/Vertical Scroll	-C-16K-(BQ53H)	£9.95
Horiz/Vertical Scroll	-D-24K-(BQ54J)	£10.95
Page Flipping	-C-16K-(BQ55K)	£9.95
Page Flipping	-D-24K-(BQ56L)	£10.95
Master Memory Map	Wallchart-(XH57M)	£4.00

Business Programs

Visicalc	-D-32K-(YL39N)	£119.95
Word Processor	-D-32K-(YG42V)	£85.00
Calculator	-D-24K-(YG50E)	£16.95
Graph—it	-C-16K-(YG51F)	£11.95
Statistics	-C-16K-(YG52G)	£11.95

Arcade Games

Star Raiders	-E-8K-(YG66W)	£29.95
Asteroids	-E-8K-(YG60Q)	£29.95
Space Invaders	-E-8K-(YG70M)	£24.50
Missile Command	-E-8K-(YG64U)	£29.95
Super Breakout	-E-8K-(YG67X)	£29.95
Tari Trek	-C-24K-(YL36P)	£8.95
Tari Trek	-D-32K-(YL37S)	£11.95
Star Trek 3.5	-C-32K-(BQ15R)	£14.95
Race In Space	-C-16K-(BQ35Q)	£14.95
Shooting Gallery	-C-16K-(BQ36P)	£14.95
Mountain Shoot	-C-16K-(BQ12N)	£10.95
Jawbreaker	-D-48K-(BQ26D)	£22.95
Basketball	-E-8K-(YG61R)	£29.95
Tank Trap	-C-16K-(YL34M)	£8.95
Tank Trap	-D-32K-(YL35Q)	£11.95

Home Game Programs

Scram	-C-16/24K-(YG58N)	£12.95
Cypher Bowl	-C-32K-(BQ20W)	£22.45
Thunder Island	-C-16K-(BQ37S)	£10.95
Rotating Tilt	-C-16K-(BQ48C)	£14.95
Lunar Lander	-C-16K-(BQ16S)	£10.95
Jumbo Jet Lander	-C-16K-(BQ46A)	£29.95
Submarine Commander	-C-16K-(BQ47B)	£24.50
Sunday Golf	-C-16K-(BQ13P)	£10.95
Darts	-C-16K-(BQ42V)	£19.95
Tournament Pool	-C-16K-(BQ45Y)	£19.95
Snooker & Billiards	-C-16K-(BQ44X)	£19.95
Chess	-E-8K-(YG63T)	£29.95
Microchess	-C-16K-(YL40T)	£15.95
Checker King	-C-16K-(YL41U)	£15.95
Cribbage & Dominoes	-C-16K-(BQ43W)	£14.95
Poker Solitaire	-C-16K-(BQ17T)	£10.95
Blackjack	-C-8K-(YG62S)	£8.95
Fast Gammon	-C-8K-(YL33L)	£9.95
Reversi (Othello-type)	-C-16K-(BQ19V)	£14.95
Gomoko	-C-16K-(BQ18U)	£14.95
Hangman	-C-8K-(YG54J)	£8.95
Humpty Dumpty & Jack & Jill	-C-16K-(BQ38R)	£19.95
Hickory Dickory Dock	-C-16K-(BQ39N)	£19.95
British Heritage Jig-Saw Puzzles	-C-16K-(BQ40T)	£19.95
European Scene Jig-Saw Puzzles	-C-16K-(BQ41U)	£19.95
Atari Safari (25 Programs)	-C-16K-(BQ49D)	£18.95
Atari Safari (25 Programs)	-D-16K-(BQ50E)	£24.95
Mind Bogglers (3 Programs)	-C-16K-(YL38R)	£8.95

Music Programs

Music Composer	-E-8K-(YG48C)	£32.50
Movie Themes (use with Music Composer)	-C-16K-(BQ34M)	£9.95

Computer Languages

Basic A+	-D-48K-(BQ31J)	£52.50
Operating System A+	-D-48K-(BQ30H)	£52.50
Basic A+ & Operating System A+	-D-48K-(BQ32K)	£99.50
QS Forth	-D-24K-(YL29G)	£44.90
Pilot	-E&2C-8K-(YG69A)	£49.50

Utilities

3D-Super Graphics	-D-48K-(BQ28F)	£29.95
3D-Super Graphics	-C-48K-(BQ29G)	£29.95
Atari World (Graphics)	-D-48K-(BQ27E)	£43.95
Assembler Editor	-E-8K-(YG68Y)	£34.50
Assembler	-C-16K-(YL32K)	£14.95
6502 Disassembler	-C-8K-(YL30H)	£8.95
6502 Disassembler	-D-8K-(YL31J)	£11.95
Character Generator	-C-16K-(YL27E)	£9.97
Character Generator	-D-16K-(YL28F)	£12.50
Telelink	-E-8K-(YG59P)	£14.95

Key: C = Cassette, D = Disk, E = Cartridge, 2C = 2 Cassettes etc. 8K, 16K etc. shows minimum memory requirement.

Send sae now for our new software leaflet with details of all the above programs. Order As XH52G — Issue 2.
Lots of exciting new software titles available soon. Keep in touch with Maplin!
Subscribe now to America's leading Atari-only magazine — Analog — 6 issues per year for just £9.00. Order as GG24B.

MAPLIN

Maplin Electronic Supplies Ltd
P.O. Box 3, Rayleigh, Essex.
Tel: Southend (0702)
552911/554155.

Demonstrations at our shops NOW
See the amazing Atari's in action at
159-161 King St., Hammersmith W6
Tel: 01-748 0926
or at 284 London Road,
Westcliff-on-Sea, Essex.
Tel: (0702) 554000

Note: Order codes shown in brackets. Prices firm until 15th May, 1982 and include VAT and Postage and Packing (Errors excluded).

● Circle No. 280

The MicroPro™ software family

MicroPro produces an entire family of versatile, user-friendly business software for microcomputers. Programs that help you get a lot more work done with a lot less time and effort. Programs that in many cases can join together to multiply your problem-solving power.

WordStar™

Easy, powerful, incredibly versatile – WordStar is the way word processing should be. With WordStar software, from MicroPro, what you see is what you get – the screen shows you exactly what will be printed. And WordStar's numerous onscreen instructions make it simple to use its many capabilities. WordStar now comes with a completely rewritten, easier to understand manual. Also available are a Training Guide for beginners, a Reference Card listing WordStar commands and a *customisation* manual for OEM's.

SpellStar™

SpellStar is MicroPro's "proof-reader" on a disk. A spelling checker program that works with WordStar software, saving you countless hours of proof-reading. Spell Star checks your text against its 20,000 word dictionary-on-a-disk. You can add your own words to SpellStar's dictionary, or create any number of supplemental dictionaries. Because SpellStar software operates within the WordStar program, you get to see your mistakes highlighted in context, and you're always only one keystroke from full word processing.

MailMerge™

MailMerge from MicroPro, is a powerful multi-purpose file merging program, used with WordStar software. One of its most popular applications is producing personalized form letters, at a fraction of the time and expense of individually typed letters. MailMerge software lets you combine a file of names and addresses with a WordStar file containing a form letter. You can even insert special words and phrases unique to each addressee into the body of each letter. Other uses for MailMerge include creating invoices, printing mailing labels, and producing "boilerplate" legal documents out of many different standard paragraphs.

CalcStar™

CalcStar is MicroPro's electronic spread sheet and financial modelling program – a sophisticated, yet easy to use, calculating and planning tool. CalcStar software calculates solutions to complex numerical problems in business and finance. And it projects figures into the future to answer the "what if" questions you face in business. CalcStar is useful for projects such as budget plans, sales forecasts, cash flow analysis, and for evaluating the potential effect of financial decisions with speed and accuracy. And CalcStar has an unique MicroPro bonus: It joins with WordStar to combine spread sheet and word processing capabilities in several powerful ways.

DataStar™

DataStar is MicroPro's high-powered data entry and retrieval program-comprehensive, versatile, and quick. DataStar software features power and faciltities usually found only on large key-to-disk systems. And it gives you remarkable flexibility by letting you design your own data forms to match your exact needs before entering data. The program includes sample forms to guide you.

SuperSort™

SuperSort from MicroPro, lets you sort, merge, and select with tremendous speed and convenience. SuperSort software accepts just about any kind of record you can imagine. It can sort and merge up to 32 files into a single file, up to 10 times faster than a BASIC language sort program. Sort and merge instructions are easy to enter. Errors are pointed out on the screen and easy to correct.

As well as being the largest distributor of MicroPro software in the U.K., we are also the most competitive and hold the largest stock. Contact us now for a free 16 page booklet on MicroPro Products and details of our extensive product range.

TRADE ENQUIRIES WELCOME

CP/M is a trademark of Digital Research Corp.
TM is a trademark of Micro International Corp.

Interam Computer Systems Ltd.
46 Balham High Road, London, SW12 9AQ
Telephone: 01-675 5325/6/7
Telex: 925859

INTERAM

● **Circle No. 279**

BACK NUMBERS ORDER FORM

MONTH	YEAR	QUANTITY

PRACTICAL COMPUTING FEBRUARY 1982 PCO 262

PRACTICAL COMPUTING
READER ENQUIRY SERVICE
429 BRIGHTON ROAD
SOUTH CROYDON
SURREY CR2 6UD

AFFIX STAMP HERE

SUBSCRIPTION ORDER FORM

☐ Please send me Practical Computing each month for 12 months

Cheques should be made payable to IPC Business Press Ltd. Cash with order please.

Name .....

Address .....

.....

.....

.....

Signed .....Date .....

☐ Subscription rate U.K. £10
☐ Overseas £16

Airmail rates can be supplied on application to the Subscription Department.

PRACTICAL COMPUTING FEBRUARY 1982 PCO 262

PRACTICAL COMPUTING
SUBSCRIPTION MANAGER
IPC BUSINESS PRESS
OAKFIELD HOUSE
PERRYMOUNT ROAD
HAYWARDS HEATH
SUSSEX RH16 3DH

AFFIX STAMP HERE

BACK NUMBERS ORDER FORM

Please send me the back numbers of Practical Computing detailed overleaf for which I enclose Cheque/PO for £....

Prices per copy (including post and packing) U.K. £1.50. Europe (excluding U.K.) £2. Elsewhere overseas (airmail) £2.50.

PAYMENT WITH ORDER ONLY

Name .....

Address .....

.....

.....

PRACTICAL COMPUTING
SUBSCRIPTION MANAGER
IPC BUSINESS PRESS
OAKFIELD HOUSE
PERRYMOUNT ROAD
HAYWARDS HEATH
SUSSEX RH16 3DH

AFFIX STAMP HERE

This card is valid for six months only

FREE READER ENQUIRY SERVICE

Please send me more information on the items circled below:

101	102	103	104	105	106	107	108	109	110	111	112	113	114	115
116	117	118	119	120	121	122	123	124	125	126	127	128	129	130
131	132	133	134	135	136	137	138	139	140	141	142	143	144	145
146	147	148	149	150	151	152	153	154	155	156	157	158	159	160
161	162	163	164	165	166	167	168	169	170	171	172	173	174	175
176	177	178	179	180	181	182	183	184	185	186	187	188	189	190
191	192	193	194	195	196	197	198	199	200	201	202	203	204	205
206	207	208	209	210	211	212	213	214	215	216	217	218	219	220
221	222	223	224	225	226	227	228	229	230	231	232	233	234	235
236	237	238	239	240	241	242	243	244	245	246	247	248	249	250
251	252	253	254	255	256	257	258	259	260	261	262	263	264	265
266	267	268	269	270	271	272	273	274	275	276	277	278	279	280
281	282	283	284	285	286	287	288	289	290	291	292	293	294	295
296	297	298	299	300	301	302	303	304	305	306	307	308	309	310
311	312	313	314	315	316	317	318	319	320	321	322	323	324	325
326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355
356	357	358	359	360	361	362	363	364	365	366	367	368	369	370
371	372	373	374	375	376	377	378	379	380	381	382	383	384	385
386	387	388	389	390	391	392	393	394	395	396	397	398	399	400
401	402	403	404	405	406	407	408	409	410	411	412	413	414	415
416	417	418	419	420	421	422	423	424	425	426	427	428	429	430

NAME .....

ADDRESS .....

.....

.....

.....Tel: .....

PRACTICAL COMPUTING FEBRUARY 1982 PCO 262

SUBSCRIPTION ORDER FORM

☐ Please send me Practical Computing each month for 12 months

Cheques should be made payable to IPC Business Press Ltd. Cash with order please.

Name .....

Address .....

.....

.....

.....

Signed .....Date .....

☐ Subscription rate U.K. £10
☐ Overseas £16

Airmail rates can be supplied on application to the Subscription Department.

PRACTICAL COMPUTING FEBRUARY 1982 PCO 262

COMPUTER PLUS
WATFORD

A smart new computer store with a very wide range of products. Staff experienced in computers and in business systems are available to discuss your requirements — for a stock-control system, a word-processor, a file-retrieval system, a home computer — or just a book. Among the systems on display:

COMMODORE — as full commercial systems dealers for CBM, we handle the 4000 and 8000 series machines — with a vast range of business, scientific & engineering software. We have the VIC-20, too.

SHARP — MZ-80K (at a special low price) and the super new MZ-80B, with CP/M, high res. graphics, etc. The PC1211 pocket computer is also in stock.

COMMODORE — the amazing Atom — over 20,000 installed — the ideal first computer for the home. Ring to hear about our low prices.

TEXAS — the new TI-99/4A home computer, faster, new keyboard, 16 colours, 5 octaves music, over 400 software modules.

We also have a wide range of software, computer books and supplies. We're situated in the Queen's Road, opposite Trewins department store — and we're near the car-parks!

COMPUTER PLUS
47 Queens Rd., Watford, Herts WD1 2LH
Telephone 0923 33927

● Circle No. 276

BEFORE YOU JUMP IN AT THE DEEP END

Deep end tactics are alright for those who want to learn fast but not when massive capital investments are involved.

DIGICO enable you to find out exactly what computer facility you need before you get into the deep end. Step by step you can invest and see results from your investment at every stage.

How?

Well start with the Prince micro-computer system.

Add to it accounting packages as you wish, such as payroll, purchase ledger, word processing, sales ledger, order processing, stock control and so on.

If you need more facilities then add more printers, disc storage, graphics etc., at each stage learning exactly what you need.

And if you still want to grow, then add another micro-computer at the same price, or link your existing investment to a mini-computer as an on-line terminal. Then add lots more terminals, all accessing the same information base.

And you still have years more growth potential with you plus a guaranteed maintenance plan for seven years.

At no stage is there massive capital investment involved.

Send today for details on our mini micro network and no longer will the inevitability of computing loom fearfully on your horizon.

DIGICO LIMITED, Arena House, 46 Broadway, Letchworth, Herts. Tel: 78172 Leeds 486688

● Circle No. 277

ST.CS
S T Commercial Systems Ltd

Brain Specialists

Simplify all your accounting
Sales, Purchases, Invoicing,
Payroll, Stock control
VAT Reports
Even Trial balances and
P & L Accounts



SuperBrain can work as a word processor
Provide All Tektronix type graphics
and even emulate a Tektronix terminal.

- Communications to most mainframes and MINIS
- Runs IBM "BISYNC" protocol emulating 3270s or 2780s.
- Programming languages include PASCAL FORTRAN BASIC COBOL!
- Disk capacities from 360K to 10M bytes ● Prices from **£1,695** plus VAT
- Full range of CP/M software and peripherals
- NEC spinwriters. EPSON printer MICROPRO software
- **DEALERS BEST DISCOUNTS**

26 New Broadway, Ealing, London W5

- We also sell CROMEMCO and North Star Hardware. Telephone: 01-840 1926

● Circle No. 278

HITEC

Mail Order Software

THE MORE YOU TAKE THE MORE YOU GAIN FROM COMPUTING

MILESTONE: £210.-
Manual alone: £20.-
"Critical path" network analysis program for scheduling manpower, dollars and time to maximise productivity.

NEW IMPROVED. Interactive project management program that runs under CP/M. MILESTONE can be used to track paper flow, build a computer, check a department's performance, or build a bridge. MILESTONE can be used by executives, engineers, managers, and small businessmen.

- — Produce PERT chart in minutes.
- — Find critical tasks that can't be delayed.
- — Investigate tradeoffs between manpower, dollars and time.
- — Give plans to others using a printed project schedule.
- — Change details and immediately see the results on screen.
- — Balance time, manpower and costs.

Requires 56K RAM and CP/M. Specify Z80 or 8080. Also available for Apple Pascal, UCSD Pascal or CP/M-86 operating systems.

Formats: 8, NS, MP, SB, TRS2, APPL, OB-1, XX, I-5.

ACCESS/80
A report generator and cross-tabulator. Virtually any report that can be described on paper can be generated by using your existing ASCII data files. Produces reports in minutes that would take hours to program in BASIC.

— Level I — Report Generator and Cross-Tabulator — £210.-
Read ASCII files and create sorted reports with subtotalling capability. Provides multi/dimensional cross tabulation and computation. Includes operating system commands.

— Level II — Output and Logic Processor — £354.-
Everything in Level I plus, write out new files in any sorted order (including subtotalling). Load arrays from files. Performs binary search on sorted arrays in memory. Includes control language extensions for complex applications.
Requires CP/M and 48K RAM. Formats: 8, NS, MP, CDOS, SB, TRS2, APPL.

DATEBOOK II: £210.-
Manual alone £18.-

- — Schedules appointments for up to 27 different doctors, lawyers, rooms, etc.
- — File structure allows for appointments up to one year in advance.
- — Searches for openings that fit time of day, day of week and/or day of year constraints.
- — Appointments made, modified or cancelled easily.
- — Copies of day's appointments can be printed quickly.

Requires 56K RAM and CP/M. Specify Z80 or 8080. Also available for Apple Pascal, UCSD Pascal or CP/M-86 operating systems.

Formats: 8, NS, MP, SB, APPL, TRS2, OB-1, XX, I-5.

CBASIC/86: £230.-
Manual alone £20.-
Industry standard intermediate code basic compiler with runtime interpreter for CB/M-86. Features include chaining, integer and external precision arithmetic, random and sequential records of any length (not limited to 256 bytes).
Requires CP/M-86. Formats: 8, I-5.

Personal PEARL: £210.-
— User friendly application software generator. A fourth generation language, automatically creates completely new programs in CBASIC. Excellent documentation makes it easy to create "personal" software such as checking and financial programs, name, address and telephone lists, etc.
Requires CP/M, CBASIC2 and 48K RAM. Formats: 8, NS, SB, TRS2, APPL, OB-1, MP.

SPELLBINDER: £354-.
Manual alone £35.
Full feature word processing system with Office Management capabilities. Its special features include ease-of-use by office personnel, flexible print formatting & output, and powerful macro capability which allows features to be added for the unique requirements of each user. Mail list macro is included for mail merge with form letters.
Requires CP/M & 32K RAM. Formats: 8, NS, MP, CDOS, SB, APPL, XX.

ACT I: £95.-
Manual alone £10.-
CP/M compatible macro assembler for Z80, 8080/85, 6502 & 6800.
Assembler family supporting all major 8 bit micros. ACT features include full macro capabilities, comprehensive pseudo-ops, link-file structures, cross reference map, and algebraic expression processor.
Requires 24K RAM & CP/M.

ACT II: £125.-
Manual alone £15.-
CP/M 2.x compatible cross assembler for 8086/88.

ACT III: £95.-
Manual alone £15.-
CP/M 2.x compatible cross assembler for 6809.

ACT I and II together: £165.-
Formats: 8, NS, CDOS, MP/M, TRS2, APPL, Ob-1, XX.

PASCAL/M: £160.-
Manual alone £15.-
CP/M compatible language for 8080/Z80 CPUs, supports full Jensen & Wirth plus 45 extensions to Standard Pascal including Random access files,, 40 segment procedures & 16 bit BCD real type. Also includes symbolic debugger which features trapping on stores, examining and changing variables and tracing of program execution.
Requires CP/M 2.2 & 56K RAM. Formats: 8, NS, APPL, TRS2.

PASCAL/M for 8086/88: £190.-
Manual alone £15.-
All the features of PASCAL/M for the 8086 and 8088 processors running under CP/M-86.
Requires CP/M-86 and K RAM. Formats: 8, 1-5.

SUPERCALC: £210.-
Allows a layman to manipulate business data in a variety of forecasting and accounting applications. Combines the interactive nature of an electronic spreadsheet with the power and convenience of a simple simulation language. Video display can be scrolled over entire worksheet using cursor controls. Symbolic vector reverrences eliminate repetitive low level data manipulation commands. Easy to use menu driven "Help" commands. Requires CP/M and 48K RAM. Formats: 8, NS, MP, SB, APPL, TRS2.
Call for terminal formats.

SUPERDOS: £100.-
Upgrade of CP/M2.2 for Superbrain. Includes ADM/31 Hazeltine, or Superbrain Terminal emulation mode. Other new features include 132 character keyboard buffer, repeat on all keys, key click, user programmable numeric keypad, 30% disk read/write improvement, real time clock, baud rates to 19,2K on RS232 ports, printer handshake modes, 4 new utilities, and 4 fixes.
Requires Superbrain 3.0. Format: SB.

TRANS 86 — £104.-
Manual alone £15.-
8086/88 Translator for existing 8080/Z80 programs. New source code is easily edited and assembled using ACT II to produce hex code which is executed by 8086/88 CPU. Emphasizes the extensions and features available in the 8086/88.
Requires CP/M & 32K Ram. Formats: 8, NS, APPL, OB 1, XX.

MAILER — £75.-
A fast and easy to use mailing list program. Address labels can get printed in any desired order including alphabetically. Data can be selected. APPL.

IMP — £310.-
Instant mathematical programming for complex engineering design as well as allocation problems, statistics, transport and many other applications. It allows a user to enter difficult mathematical problems (simultaneous non-linear equations, linear programming constructs and multivariate analysis problems) in simple algebraic form. APPL.

LISP £225.-
Interpreter for educational institutions, researchers and individuals for a variety of artificial intelligence applications. APPL.

More Software:	Product/Manual alone
Textwriter III	£95/£20
Spellguard	£210/£14
Pearl Level III	£460/£38
CBasic 2	£95/£20
Ultrasort-II	£130/£15
FABS	£130/£15
SELECTOR/86	£460/£26
SELECTOR IV	£410/£26
GLECTOR for SELECTOR IV	£450/£26
S-BASIC	£210/£28
dBASE II	£495/£38

Format Codes:
8 (8" single density IBM soft-sectored) NS (North Star DD), MP (Micropolis Mod II/Vector MZ), SB (Superbrain 3.0), CDOS (8" Cromemco CDOS), TRS2 (TRS-80 ModII), APPL (Apple II), OB-1 (Osborne-1), XX (Xerox 820), I-5 (IBM 5 ¼").

COPYRIGHT:
Access/80 Friends Software; Pearl Relational Systems; Pascal/M, ACT, Trans 86, Supercalc Sorcim, CBASIC 2, CBASIC/86 Compiler Systems; Datebook II, Milestone, Textwriter III Organic Software; Spellguard ISA; CP/M, CP/M-86 Digital Research; Superbrain Intertec Data Systems; S-Basic Topaz Programming; Spellbinder Lexisoft; Selector IV; Selector/86, Glector Micro Ap.

HITEC
Datenverarbeitungs- und Betriebsberatungs GmbH

London 5 to 9
17 WIGMORE STREET LONDON, W1H 9LA.

ORDERS must specify disk type and format. Add 15% VAT to orders. Add £1 per item postage and packing. All orders must be prepaid. Make cheques, POs etc payable to HITEC Company, 5 to 9, 17 Wigmore Street, London W1H 9LA. Manual costs are deductible from subsequent software purchase. Dealer Inquiries welcome.

● Circle No. 275

Save your time on paperwork and calculations

Visit The LONDON MICRO CENTRE to see word processing and business programs in action.

The Centre stocks a full range of software packages, but experience has shown that programs should normally be tailored to meet the client's particular needs.

We are main SUPERBRAIN, SORCERER and APPLE dealers. We can provide any printer to fit these computers.

You can rent a word processor and a micro system from £12.90 per week.

Contact us today for further information

The LONDON MICRO CENTRE
47 Lower Belgrave Street
LONDON SW1
Telephone: 01-730 8791

Open evenings and weekends

The LONDON MICRO CENTRE Ltd – An **EMG** Company

● Circle No. 272

PC3201 BUSINESS COMPUTER.
C.P.U., SCREEN, TWIN DISC DRIVE, PRINTER.
£2,995

MZ80K
PERSONAL COMPUTER.
New reduced price:
48K now only
£347

MZ80B
PERSONAL/SCIENTIFIC COMPUTER.
64K **£1,095**

SHARP
First, and foremost

Full range of Sharp peripherals available. Also software and consumables.
All prices exclude delivery and VAT. Finance arrangements available.
Call in for a demonstration at our showroom
(local demonstrations on site).

Nelson Computer Services Ltd

St. John's Court, Rawtenstall, Lancs. BB4 7PA.
Tel: Rossendale (STD 0706) 229125 (5 lines) Telex: 635615

● Circle No. 273

THREE ACES FOR THE DEALERS

A Insurance Brokers Accounting System RRP £1,500

A Recruitment Agency System RRP £350

A Advertisers Accounting System RRP £1,500

This DEAL beats all others HANDS down

We give up to 45% discount on the above systems to our registered DEALERS

Demonstration systems available on request

We can guarantee you will find no JOKERS in this PACKAGE

All systems are CP/M based

For further details contact Paul or Dave on Stafford (0785) 42611 or return the reply slip

CORE INTERNATIONAL LIMITED
92 Wolverhampton Road, Stafford, Staffordshire ST17 4AH

Company .....
Contact .....
Address .....

● Circle No. 274

FLOPPY DISK DRIVES FOR TRS 80 AND VIDEO GENIE

DUAL DISK UNITS

2 x 40 TRACK DRIVES	£440
2 x 80 TRACK DRIVES	£569

SINGLE DISK UNITS

1 x 40 TRACK DRIVE	£236
1 x 80 TRACK DRIVE	£299

DISK DRIVE CABLES

2 DRIVE CABLE	£15.50
4 DRIVE CABLE	£26.00



PERCOM DATA SEPARATORS £20

Plugs into the TRS 80 expansion interface and corrects 'READ/VERIFY' and 'CRC ERROR! TRACK LOCKED OUT!' problems on the inside tracks of any floppy disk system. Comes with full installation instructions — NO SOLDERING, NO CUTTING, JUST PLUGS INTO THE EXPANSION INTERFACE.

Call your nearest dealer for a demonstration:

RADIO SHACK LTD., 188, Broadhurst Gardens, London NW6 Tel: 01-624-7174

COMPSHOP LTD., 14, Station Road, New Barnet, Herts. Tel: 01-441-2922

COMPSHOP LTD., 311, Edgware Road, London W2. Tel: 01-262-0387

COMPSHOP LTD., 19, Herbert Street, Dublin 2 Tel: 604165

LONDON COMPUTER CENTRE, 43, Grafton Way, London W1. Tel: 01-388-5721

N.I.C. 61, Broad Lane, London N15. Tel: 01-808-0377

CROYDON COMPUTER CENTRE, 29a, Brigstock Road, Thornton Heath, Surrey. Tel: 01-689-1280

P J EQUIPMENT LTD., 3, Bridge Street, Guildford Tel: 0483-504801

R.D.S. ELECTRICAL LTD., 157-161, Kingston Road, Portsmouth Tel: 0705-812478

TANDY HASTINGS LTD., 48, Queens Road, Hastings. Tel: 0424-431849

MICROWARE COMPUTING SERVICES, 57, Queen Charlotte Street, Bristol Tel: 0272-279560

BLANDFORD COMPUTERS, Higher Shaftsbury Road, Blandford Forum Tel: 0258-53737

TAPE SHOP 32i Viaduct Road, Brighton. Tel: 0273-609099

PARWEST LTD., 18 St. Mary Street, Chippenham. Tel: 0249-2131

COMPUTER SHACK 14, Pittville Street, Cheltenham. Tel: 0242-584343

ENSIGN, 13-19, Milford Street, Swindon, Wilts. Tel: 0793-42615

TANDY GLOUCESTER, 13, Clarence Street, Gloucester Tel: 0452-31323

COMSERVE, 98, Tavistock Street, Bedford. Tel: 0234-216749

CLEARTONE COMPUTERS, Prince of Wales Ind. Estate, Abercarn, Gwent. Tel: 0495-244555

EMPRISE LTD., 58, East Street, Colchester. Tel: 0206-865926

MAGNUS MICRO-COMPUTERS, 139 The Moors, Kidlington, Oxford. Tel: 08675-6703

CAMBRIDGE COMPUTER STORE, 1, Emmanuel Street, Cambridge. Tel: 0223-65334

I.C. ELECTRONICS, Flagstones, Stede Quarter, Biddenden, Kent. Tel: 0508-291816

MICRO CHIP SHOP, 190, Lord Street, Fleetwood, Lancs. Tel: 03917-79511

HARDEN MICRO-SYSTEMS, 28-30, Back Lord Street, Blackpool, Tel: 0253-27590

AMBASSADOR BUSINESS COMPUTERS LTD., Ashley Lane Works, Shipley, W. Yorks Tel: 0274-595941

Q-TEK SYSTEMS LTD, 2 Daltry Close, Old Town, Stevenage, Herts Tel: 0438-65385

COMPUTER & CHIPS Feddinch Mains House, St. Andrews, Fife, Scotland Tel: 0334-72569

NORTH WEST COMPUTER CONSULTANTS LTD., 214 Market Street, Hyde, Cheshire Tel: 061-366-8624

HEWART MICRO-ELECTRONICS, 95, Blakelow Road, Macclesfield. Tel: 0625-22030

KARADAWN LTD., 2 Forest Way, Great Sankey, Warrington. Tel: 0925-572668

PHOTO-ELECTRICS, 459 London Road, Sheffield. Tel: 0742-53865

ARC ELECTRONICS, 54, Heron Drive, Sandal, Nr. Wakefield, W. Yorks WF2 6SL Tel: 0924-253145

VICTOR MORRIS LTD., 340 Argyle Street, Glasgow, G2 8LY Tel: 041-221-8958

THOMAS WRIGHT LTD., Thorite House, Laisterdyke, Bradford. Tel: 0274-663471

GNOMIC LTD., 46, Middle Street, Blackhall, Hartlepool. Tel: 0783-863871

BRIERS COMPUTER SERVICES, 1, King Edward Square, Middlesborough, Clevland. Tel: 0642-242017

3 LINE COMPUTING, 36, Clough Road, Hull. Tel: 0482-445496

H.C. COMPUTER SALES LTD., 182, Earlsway, Team Valley Trading Estate, Gateshead. Tel: 0632-874811

EWL COMPUTERS LTD., 8, Royal Crescent, Glasgow. Tel: 041-332-7642

CUMANA LTD 35 Walnut Tree Close, Guildford, Surrey, GU1 4UN. Telephone: (0483) 503121.

Please add VAT to all prices. Delivery at cost will be advised at time of order.

● Circle No. 271

Kuma Computers

SYBEX BOOKS BOOKS

279	CP/M Handbook	11.50
316	Intro to Pascal	11.50
23	Micro-Interfacing techngs	13.10
367	Pascal Progs for Scientists & Engineers	12.70
200	Programming the Z-80	11.95
60	Programming the 6502	10.75
280	Your first Computer	7.75
334	Fifty Basic Exercises	10.25
65	Basic Computer Games	5.95
327	Basic ComProgs for Bus Vol.1	8.50
374	Basic for Home Computers	5.30
302	Basic - A self teaching Guide (2nd Ed.)	5.95
171	Basic & Personal Computer	9.95
36	Instant Basic	8.75
161	More Basic Games	6.25
307	Using CP/M - A Self-Teaching Guide	7.50

OSBORNE BOOKS

159	Z-80 Assembly Language Programming	12.10
383	The CP/M Users Guide	10.10
365	The Apple 11 Users Guide	11.10

ZX-81 BOOKS

413	Gateway Guide to ZX-80/81	5.95
385	Getting Acquainted	ZX-81	4.95
417	Hints & Tips for ZX-81	4.25
409	Mastering Machine Code ZX-81	5.95
416	Sinclair ZX-81 Prog/Real Applics.	6.95
401	ZX-81 Companion	7.95
404	ZX-81 Pocket Book	5.95
412	Not only 30 Progs.ZX-81	6.95

PHONE NOW FOR SHARP HARDWARE AND SOFTWARE

FOR FULL RANGE SEND FOR FREE CATALOGUE

VIC BOOKS

408	Getting Acquainted - VIC20	5.95
415	VIC Revealed	7.00
276	PET Library of Subroutines	10.00
275	PET Revealed	10.00

SHARP

MZ-80K	Sharp Softwear Techniques	5.95
MZ-80K	Softwear Secrets	5.95

MISCELLANEOUS+ CONSTRUCTIONAL

29	The Cheap Video Cookbook	4.95
347	Son of Cheap Video Cookbook	6.95
24	TTL Cookbook	7.15
187	6502 Assembly Language Programming	13.50
293	Z8000 Assembly Language Programming	15.95
356	6809 Assembly Language Programming	13.50
359	68000 Microprocessor Handbook Kane	5.90
274	The 8086 Book (Inc 8088)	13.50

BASIC GAMES

65	Basic Computer Games	5.50
161	More Basic Games	5.50
289	Basic Computer Programs for the Home	6.50
39	Some Common Basic Programs	11.50
70	Games Playing with Basic	6.15
89	Basic Computer Programs for the Home	6.50

BASIC AND APPLICATIONS

140	Basic Basic	6.75
141	Advanced Basic	6.85
195	The Basic Handbook	11.50
286	Basic Comp Progs in Science & Engin.	6.50
163	Basic Programing Primer	7.95
37	Beginning Basic	8.65
182	Problem Solving and Structured Prog. in Basic	9.40
303	Basic Programming	7.45
332	Basic Business Software	7.05

Add £1.00 p & p to orders under £10.00.
Carriage free on orders over £10.00 within mainland U.K.
Overseas add 15%
Telephone Orders.
Just give your Credit Card number (Barclay Card or Access) and requirements on our 24 hour 7 day Ansaphone Service.

Kuma Computers
11 York road Maidenhead Berks.
Phone:Maidenhead(0628)71778/9
Telex: 849462 TEL FAC.KUM

ORDER FORM

OFFICE USE		GOODS REQUIRED REF. NO.	PRICE
	1		
	2		
	3		
	4		
	5		
	6		
		Add £1 for P & P on Orders under £10	
		TOTAL	

Name .....
Address .....

TICK FOR FREE CATALOGUE ☐

● Circle No. 269

AMERICAN MAIL ORDER & SOFTWARE

Please tick the programs you require and use this page as your order form. Including your name, address & machine type. All prices include VAT, postage & packing.

Send 50p for full catalogues of software available.

DEALER ENQUIRIES INVITED

DYNACOMP	**ATARI**		
☐ Stud Poker	16K(C)	10.99	
☐ Moonprobe	16K(C)	9.99	
☐ Alpha Fighter	24K(C)	11.99	
☐ Intruder Alert	16K(C)	15.99	
☐ Giant Slalom	16K(C)	11.99	
☐ Monarch	16K(C)	10.99	
☐ Crystals	24K(C)	9.99	
☐ Nominoes	24K(C)	15.99	
☐ Chomp Othello	16K(C)	10.99	
C. E. SOFTWARE			
☐ Helicopter Battle	16K(C)	9.95	
☐ Tractor Beam	8K(C)	9.95	
☐ Kend	8K(C)	9.95	
☐ Horseracing	16K(C)	9.95	
☐ Supermaster	8K(C)	9.95	
☐ Mad Marble	8K(C)	9.95	
☐ Lightning Bolts & Reaction	16K(C)	9.95	
☐ Musigame	16K(C)	9.95	
☐ Tag	16K(C)	9.95	
☐ War at Sea	16K(C)	14.95	
U.S.A. SOFTWARE			
☐ 3-O Supergraphics	40K(C)	39.99	
CRYSTALWARE			
☐ House of Usher	0	19.99	
☐ Galactic Quest	0	19.99	
☐ Sumer	0	11.99	
☐ Laser Wars	0	19.99	
☐ World War 3	0	19.99	
☐ Beneath the Pyramids	0	19.99	
☐ Sands of Mars	0	26.99	
☐ Little Crystal	0	26.99	
☐ Fantasy Land 2041	0	34.99	
☐ Waterloo	0	32.99	
☐ Quest for Power	0	26.99	

ADVENTURE INTERNATIONAL	**ATARI**	**TRS-80**	
☐ Adventureland	24K(C)	16K(C)	16.50
☐ Pirate's Adventure	,,	,,	,,
☐ Mission Impossible	,,	,,	,,
☐ Voodoo Castle	,,	,,	,,
☐ The Count	,,	,,	,,
☐ Strange Odyssey	,,	,,	,,
☐ Mystery Fun House	,,	,,	,,
☐ Pyramid of Doom	,,	,,	,,
☐ Ghost Town	,,	,,	,,
☐ Savage Island Part 1	,,	,,	,,
☐ Savage Island Part 2	,,	,,	,,
☐ Golden Voyage	,,	,,	,,
☐ Star Trek 3.5	32K(C)	,,	16.50/12.50
☐ Lunar Lander	16K(C)	,,	12.50
☐ Galactic Trader	32K(C)	,,	16.50/12.50
☐ Galactic Empire	32K(C)	,,	16.50/12.50
☐ Galatic Revolution	32K(C)	,,	16.50/12.50
AVALON HILL			
☐ B-1 Nuclear Bomber	16K(C)	16K(C)	12.50
☐ Midway Campaign	32K(C)	16K(C)	12.50
☐ North Atlantic Convoy Raider	16K(C)	16K(C)	12.50
☐ Planet Miners	24K(C)	16K(C)	12.50
☐ Lands of Karma	40K(C)	48K(C)	17.50
☐ Computer Acquire	N/A	16K(C)	17.50
☐ Conflict 2500	32K(C)	16K(C)	12.50
☐ Empire of the Evermind	40K(C)	48K(C)	24.95
☐ Tanktics	24K(C)	16K(C)	19.95

ADVENTURE INTERNATIONAL	**TRS-80**	
☐ Curse of Crowley Manor	16K(C)	16.50
☐ Escape from Traam	16K(C)	16.50
☐ Balrog Sampler	32K(D)	24.95
☐ Stone of Sisyphus	32K(C)	24.95
☐ Morton's Fork	32K(D)	24.95
☐ Little Red Riding Hood	16K(C)	12.50
☐ Match Maker	16K(C)	12.50
☐ Old McDonald's Farm	16K(C)	12.50
☐ Six Micro Stories	32K(D)	12.50
☐ Local Call for Death	32K(D)	16.50
☐ Two Heads of the Coin	32K(D)	16.50
☐ His Majesty's Ship "Impetuous"	32K(D)	16.50
☐ Dragons of Hong Kong	32K(D)	16.50
☐ Missile Attack	16K(C)	12.50
☐ Frog	,,	12.50
☐ Planetoids	,,	16.50
☐ Showdown	,,	12.50
☐ Silverflash	,,	12.50
☐ Tunnels of Fahad	,,	12.50
☐ Musical YAT-C	,,	12.50
☐ Maxi Manager	48K(D)	84.50
☐ Starfighter	16K(C)	20.95
☐ Zossed in Space	,,	12.50
☐ Star Scout	,,	12.50
☐ Treasure Quest	,,	12.50
☐ Slag	,,	12.50
☐ FOM	,,	17.50
☐ Conquest of Chesterwoode	,,	16.50
☐ Mean Chicken Machine	,,	12.50
☐ Back-40 III	,,	12.50
☐ Z-Chess III	,,	20.95
☐ Project Omega	,,	12.50
☐ Sinutek	,,	12.50

The Avalon Hill games include the programs for TRS-80, Atari, Apple & Pet on the same tape.

TRS-80 trademark of Tandy Corp Apple trademark of Apple Inc. PET trademark of CBM Inc.

Atari trademark of Atari

CALISTO COMPUTERS LIMITED

SPECIALISTS IN MICROCOMPUTER HARDWARE/SOFTWARE
119 John Bright Street
Birmingham B1 1BE
Phone: 021-632 6458

BARCLAYCARD VISA — Buy it with Access

● Circle No. 270

MAXIMUM VALUE . . . MINIMAL COST

The popular Houston Instrument **HI-PLOT** range of digital plotters:

- Well designed and ruggedly constructed
- Easy to interface via RS232C, IEEE or Centronics compatible parallel interfaces
- Easy to use — software listings are available free of charge
- Wide choice of models
- Highly reliable
- Good quality
- 0.1mm step size
- Single or multi pen



DMP-2 £770	The standard A4 sized HI-PLOT
DMP-3 £985	A4 sized but intelligent with remote controls
DMP-4 £1055	Intelligent like the DMP-3 with the same features but with pushbutton controls
DMP-5 £1215	The A3 sized standard HI-PLOT with the same features as the original DMP-2, but with vacuum paper hold
DMP-6 £1430	A3 sized but intelligent with remote controls
DMP-7 £1570	Like the DMP-6 but with pushbutton controls
£340	Six colour pen option

SINTROM GROUP

Sintrom Electronics

Complete mini/micro system capability

CRA PSA PERIPHERAL SUPPLIERS ASSOCIATION

Sintrom Electronics Ltd
Arkwright Road, Reading,
Berks RG2 0LS
Tel: Reading (0734) 85464
Telex: 847395

OEM & DEALER ENQUIRIES WELCOME

● **Circle No. 370**

LEEDS COMPUTER CENTRE



apple II EUROPLUS

48K ..... **£695** + VAT
Disk with controller ..... **£360** + VAT
Disk without controller ..... **£275** + VAT
Monitors b/w or green.
Full range of Peripherals, Epsom and Paper Tiger printers all discounted, Post & Packing £4.

VIC 20 + £175 'INCLUDING VAT' P/P £3—

Price includes fully tested unit with fitted plug.
Complete range of Vic-Peripherals.

SHARP MZ 80K

48K £395
inc. VAT

COMMODORE PET

NEW

4000SR. WITH LARGE 12" GREEN SCREEN

32K MODEL
P-P- £5.00 **£595** inc. VAT

Access and Barclaycard accepted

COMPLETE RANGE OF COMMODORE EQUIPMENT EX-STOCK

Official orders welcome: goods dispatched 24hr delivery. Please phone for our lowest prices.

SALES **SERVICE** **SATISFACTION**

ADVANCED COMPUTER EQUIPMENT (LEEDS) LTD

95 MEADOW LANE, LEEDS 11

PHONE: 0532 446960 **TELEX: 335909**

'Research Machines''Serial Interface
'August 80'Page # of 5'Sales
^!SERIAL\INTERFACES!^
!General !
Data communication between compu
has been around since the early days of
the large range of low speed peripherals
almost universally accepted serial data
The two most commonly used serial data c
are the RS232/V24 standard and the 20 mA
types the RS232/V24 is the most common
There are six serial interfaces availabl
for the Research Machines 380Z, these be
the SIO-1, the SIO-2, the SIO-3,
SIO-4 and the SIO-5/6
sp
^SIO-1^
TXED V 4.2 D
Copyright (c) 1980 by Research Machines
Smooth Scrolling
380Z
Smooth scrolling
Rotation centre(-10 ,-10)
Angle of rotation -20 Degrees
Enter number (1-3)
Research Machines

80/40 CHARACTER MACHINE

Providing exactly the right facilities for different applications can be a real problem when a system is as versatile as the 380Z.

Take, for example, screen line length. Not only do different users have different needs; so too do individual users.

They might welcome forty character clarity for presentation, display, and control applications; but they also want eighty character capacity, because word processing, some programming languages, and many general-purpose applications demand it.

So we've developed Varitext — to provide both, on the same machine.

Varitext means that the 380Z user can always choose the line length best suited to the application. It gives access to a growing range of 80 character software without losing all those well-established and popular 40 character applications. It makes the 380Z equally effective as a computer and a word processor. It lets programmers use the character mode with which they are familiar – or which languages like ALGOL, FORTRAN, and PASCAL really need.

And it improves the quality of our already exceptional graphics, by offering a smaller character size for neater annotation.

But the Varitext option goes a great deal further than that. We also saw it as the opportunity for a major enhancement of the 380Z's screen handling capabilities. So we added:

- ☐ *an 8 × 10 dot matrix, to further refine the character set;*
- ☐ *an additional set of 128 user-definable characters;*
- ☐ *reverse video, underlining, and selective character dimming;*
- ☐ *smooth scrolling and faster screen filling;*
- ☐ *user defined windowing (and independent scrolling) of screen areas;*
- ☐ *audible tone generation (option)*

And all that, we believe, makes the 380Z's screen handling the best on the market.

The Varitext option is available with new systems or as a user-installable enhancement to existing 380Z systems. Contact our Sales Office for details.

RESEARCH MACHINES
MICROCOMPUTER SYSTEMS

RESEARCH MACHINES LTD Mill Street, Oxford OX2 0BW, Tel: (0865) 49866

● **Circle No. 267**

WHEN IT COMES TO MICROCOMPUTER SOFTWARE WE WROTE THE BOOK



How do you stay up-to-the-minute with the rapidly changing world of microcomputer software? Get the Lifeboat Catalogue.

The latest innovations The new *Lifeboat Catalogue* is packed with the latest state-of-the-art software. And if we publish a new program after the latest catalogue has gone to press, we enclose a flash bulletin in your copy.

The greatest selection Because Lifeboat is the world's largest publisher of microcomputer software, our catalogue offers you the greatest selection of programs for business, professional and personal use. Our more than 200 programs range from the integrated accounting and professional practice systems to office tools for book-keepers and secretaries to sophisticated tools for programmers. Included are business systems, word processors, programming languages, database management systems, application tools and advanced system utilities.

We specialise in software that runs on most small business computers. Our more than 60 media formats, including floppy disks, data cartridges, magnetic tape and disk cartridges, support well over 100 different types of computer.

Get full service We give the crucial dimension of after-sales service and full support to everything we sell.

That includes:

- An update service for software and documentation.
- Telephone, telex and mail-order services in the London office and at overseas offices in the United States, France, Switzerland, West Germany and Japan.
- Subscriptions to Lifelines,™ the monthly magazine that offers comparative reviews, tips, techniques, identified bugs and updates that keep you abreast of change.

Get it now Lifeboat now serves tens of thousands of satisfied customers with our breadth of up-to-date, fully tested, fully supported and competitively priced software.

You may not need all we offer, but we offer just what you need. After all, we wrote the book.

Lifeboat Associates

World's foremost software source

Mail coupon to: Lifeboat Associates
PO Box 125, London WC2H 9LU or call 01-836 9028

☐ Please send me a free lifeboat catalogue.

Name

Title

Company

Address

Postcode

Copyright © 1981, by Lifeboat Associates.

Lifeboat Worldwide offers you the world's largest library of software. Contact your nearest dealer of Lifeboat.

USA Lifeboat Associates 1651 Third Ave. New York NY 10028 Tel (212) 860-0300 Telex 640693 (LBSOFT NYK) TWX 710 581-2524 **JAPAN** Lifeboat Inc. OK Bldg. 5F 1-2-8 Shiba-Daimon Minato-ku Tokyo 105 Japan Tel 03-437-3901 Telex 2423296 (LBJTYO) **ENGLAND** Lifeboat Associates Ltd PO Box 125 London WC2H 9LU England Tel 01-836 9028 Telex 893709 (LBSOFTG) **SWITZERLAND** Lifeboat Associates GmbH Hinterbergstrasse Postfach 251 6330 Cham Switzerland Tel 042-36-8686 Telex 865265 (MICO CH) **W GERMANY** Intersoft GmbH Schlossgartenweg 5 D-8045 Ismaning W. Germany Tel 089-966-444 Telex 5213643 (ISOFD) **FRANCE** Lifeboat Associates SARL 10 Grande Rue Charles de Gaulle 92600 Asnieres France Tel 1-733-08-04 Telex 250303 (PUBLIC X PARIS)

● Circle No. 266

TWICKENHAM

COMPUTER CENTRE LTD

With the best microcomputers available

VIC 20 · commodore · apple II

½ day Wednesday – 'phone for latest Prices

SPECIAL OFFER ☆ WE PAY YOUR VAT ON MOST ITEMS ☆

PRINTERS	SOFTWARE	ACCESSORIES
Anadex	Micro Modeller	Z-80 Softcard
Epsom	Visicalc	Monitors
Ricoh	Magic Window	Graphics Tablet

NEW TO OUR RANGE Prestel with Tandel **£170.00 + VAT.**

01 – 892 7896
01 – 891 1612

TWICKENHAM COMPUTER CENTRE LIMITED
72, Heath Road Twickenham Middlesex TW1 4BW

VISA

● Circle No. 264

FROM THE PUBLISHERS OF THE BEST SELLING BOOKS FOR THE SINCLAIR COMES:

Not Only But Also..

PROGRAMS FOR THE SINCLAIR ZX81...1K

Probably the LARGEST range of ZX 81 Software in the WORLD

Not Only...does this book contain over 30 fully debugged and exciting programs, every one of which will fit into the basic 1K memory of your **Sinclair ZX81** – including programs such as **STAR WARS, LUNAR LANDER, BLACKJACK, MINI ADVENTURE, DRAUGHTS, BREAKOUT.**

But Also

- Detailed explanation of how these programs were written.
- Lots of hints on how you can write exciting programs for your **ZX81**.
- Numerous space saving techniques – obviously invaluable to the **ZX81** owner.
- **PEEKS and POKES** and all the other 'complicated' functions are clearly explained.
- **MUCH, MUCH MORE...**

UNDERSTANDING YOUR ZX81 ROM
by DR. IAN LOGAN
PLUS SPECIAL SECTION: HOW TO USE MACHINE CODE ROUTINES IN YOUR BASIC PROGRAMS
NOT ONLY
30 PROGRAMS FOR THE SINCLAIR
ZX81...
1K

£6·95

£8·95

Understanding Your ZX81 ROM

Plus special section: How to use machine code routines in your BASIC programs. by DR. I. LOGAN.

Dr Logan was the first person to dissassemble the Sinclair ZX80 Monitor and was the co-author of the ZX80 COMPANION.

In UNDERSTANDING YOUR ZX81 ROM Dr. Logan illustrates all the facilities of the ZX81 Monitor, how it works and how you can use it in your own programs. A special section shows you how you can squeeze more power into your ZX81, by using machine language and machine language subroutines.

An essential book for those who really want to understand the full working of the SINCLAIR ZX81.

Published by MELBOURNE HOUSE PUBLISHERS LTD.
Send Stamped, self-addressed envelope for FREE catalogue.

THE ESSENTIAL SOFTWARE COMPANY (Visconti Ltd)
47 Brunswick Centre, London WC1N 1AF (01-837 3154)

☐ Please rush me NOT ONLY 30 PROGRAMS FOR THE SINCLAIR ZX81 1K. at £6.95 each

☐ Please also rush UNDERSTANDING YOUR ZX81 ROM by Dr. I. Logan at £8.95

I enclose a cheque/postal order for £..... + 50p post and pack.

Name .....

Address .....

● Circle No. 265

PRINTERS

SEIKOSHA GP-80



The Smallest 80 Column Dot Matrix Printer.

Unique printer principle. 80 col lines. 30 cps. 12 cpl. Plain Paper. Tractor drive. Weight 2.5 kg. Footprint 12.6 sq. ins. Bit addressable graphics. Parallel interface standard. RS 232 Apple Pet TRS 80 options

£199

OKI MICROLINE 80 & 82A



Compact 80 Column Printer.

80-120 cps. Uni direction ML 82A bi-direction). Parallel interface. Serial interface option. (ML 82A standard). Pin and friction feed. Tractor option. Condensed and expanded characters. 80, 40, 66 and 132 cpl.

ML 80 £299
ML 82A £437

EPSON MX SERIES



Low Noise, Low Price-High Performance Printer

Six models. 80 cps. Bi-directional. Parallel interface. RS232 Pet Apple TRS 80 Video Genie Sharp options. Letter quality. Lower case descenders. Condensed enlarged and bold characters. Models provide tractor roll and sheet feed - bit image graphics - up to 15 ins paper.

MX-80 £353
MX-80 F/T £399 **MX-82 £447**
MX-80 II £399 **MX 80 F/T-II £447** **MX-100 £569**

OKI MICROLINE 83A



Medium Speed 15" Printer.

120 cps. Bi-direction. Pin and friction feed. Tractor option. 132 cpl at 10 cpi. 4 character sizes. Graphic characters. Parallel and serial interface. Fast serial interface option.

£827

ANADEX DP–9000 RANGE



Fast, Versatile Printers.

Seven models. Up to 15 inch paper width. Lower case descenders. 160-220 cps bi-directional printing. RS232 current loop & parallel interface. X on X off. Optional 2K buffer. Multiple print densities. Fast print of high-density bit image graphics.

DP-8000 £541
DP-9000L £747 **DP-9001 £888** **DP-9500 £935**
DP-9000 £841 **DP-9500L £841** **DP-9501 £982**

TEC STARWRITER



Best-Buy Daisy Wheel Printer.

Bi-direction. 25 cps. Low cost supplies. Standard Daisy Wheel. Carbon and fabric ribbons. Parallel or RS232 interface. Sheet feeder options.

Parallel Interface £1020
Serial Interface £1067

LEAR SIEGLER 310



Professional Dot Matrix Printer.

High throughput. 180 cps. Bi-direction. Fast head travel. Space skip over. Lower case descenders. Enlarged and bold fonts. Parallel RS232 and current loop interfaces. X on X off. Condensed character option. Sound reducing option.

£1386

FROM

RIVA

- **Authorised distributor**
- **Rapid delivery**
- **Dealer educational & quantity discounts**
- **Prices exclude VAT**

RIVA TERMINALS LTD.
New Head Office: Woking Business Park
Albert Drive, Woking, Surrey GU21
Tel: Woking (04862) 71001 Telex: 859502
Northern Office: Tel: Harrogate (0423) 503867

● **Circle No. 263**

Micro Technology
LIMITED

ARE PLEASED TO ANNOUNCE THEIR FULL PRICE LIST FOR **MZ-80B CP/M** SOFTWARE IS NOW AVAILABLE FOR THE **SHARP PC 3201**

December prices held for yet another month

Cheltenham House, 62 Mount Pleasant,
Tunbridge Wells, Kent.
Telephone: 0892 32116. Telex: 95441
Teclin-G.

● Circle No. 259

PET EPROM PROGRAMMER
ACORN EPROM PROGRAMMERS
SUITABLE FOR ALL PET OR ACORN COMPUTERS



THE 2716/2532 MODEL PLEASE ADD £1.50 P&P **£46.00**

The programmer includes the software tape for reading/programming the 2716/2532 Eproms. Plus a FREE programme for making your own Pet graphics on a 2716 Eprom.

Only 6" x 4" x 2"
- Pet Ieee Port Connector and Cable
- Acorn Expansion Port Connector and Cable
- Independently Powered
- Mains switch with neon indicator light, anti surge fuse at rear.
- Zero force insertion socket.
- Indicator light for read and programme.
- Switch select for read and programme.
- Switch select for 2716/2532 Eproms.
- The programmer can read and programme 2716 and 2532 Eproms.
  And read any 2716/2532 pin compatible ROMs, ie, any Pet ROM/Eproms.
- Software control programme supplied on tape.
- Instantaneous read of Eprom/ROMs verification of data.
- Total price inc P&P £47.50.
- Remittance with order.

2532 compatible EPROMS £10.50
2716 compatible EPROMS £4.50 Incl P&P

PET SUPERBOARD 32 NEW
ONLY INC P&P £45.50

- This board can be plugged into any ROM socket from $9000 to $F000.
- You can plug up to 8 ROM/Eproms into the board in any combination of 2k or 4k. 2716/2532.
- Simply slots onto the expansion port, no soldering or wires required.
- Each chip is programme selectable at a speed of 3y5.
- You can now have viscal, toolkit, etc plugged into one socket.
- It is possible to run a 32k m/c programme from any single ROM location.
- The board plugs onto the expansion port and is compatible with any other add on board.
- Up to 7 boards could be used simultaneously giving a maximum of 224k of on board ROM/Eprom.
- These boards could be used to have several languages residing in the Pet permanently.
- Can also be plugged into the character generator socket to run 8 different character sets.

● SAE for further details.

COMPUTER INTERFACE DESIGNS
4 Albert Road, Margate, Kent CT9 5AN. **Tel: (0843) 294648.**

● Circle No. 260

Ranmor Computing Ltd.
THE APPLE/WORDSTAR SPECIALISTS

WordStar™ V.3.0. £190.00
MailMerge™ V.3.0. £70.00
} £240.00

WP WORKSHOP A complete disc-based self teaching system for WordStar™ and now also for MailMerge™. Learn the easy way! Complete with comprehensive manuals £75.00 each

DOCUMENT INDEX Expands CP/M and Wordstar file description to 40 characters. ONLY £30.00.

NOW AVAILABLE ON apple

DataStar™ £190.00 SuperSort™ £110.00
SpellStar™ £110.00 CalcStar™ £110.00

(VAT NOT INCLUDED)

SUPERBRAIN & OTHER VERSIONS AVAILABLE
Dealer Enquiries welcome
Call us NOW!

Ranmor Computing Ltd.
2 NELSON MEWS, SOUTHEND-ON-SEA, ESSEX SS1 1AL
Tel: 0702 339262

● Circle No. 261

SINCLAIR ZX81
ZX81 built + mains adaptor £60.83 (Post £2.95 extra).

PRINTERS
Buy any of the below and get a free interface kit and word processor program for UK101 or Superboard. Seikosha GP80A £199. Centronics 737 £335. OKI Microline 80 £295. OKI Microline 82A £399. Epson MX70T £259. Epson MX80T £359. Epson MX80F/T1 £399. Epson MX80F T2 £449.



SHARP COMPUTERS
MZ80K 20K £380, 36K £394, 48K £408. PC1211 £82. 46 sample programs for £15. We can supply any Epson printer to run direct from the MZ80K without i/o box for £39 plus printer price.

VIC 20 COMPUTER
£165 with free cables to suit a normal cassette recorder, free high definition graphics and free machine code monitor. 3K ram £26-04. 8k ram £39-09. 16K ram £65-17. Expander + high res 1211M £30-39. Vic printer £199.

5V POWER KITS
Fully stabilized 5V computer and TTL power kits. Short circuit and over-voltage protection 1. 5A £7-83, 3A £12-17, 6A £20.

UK101 AND SUPERBOARD
UK101 with 1K and free power supply and modulator built £149. The below accessories suit both the UK101 and Superboard: Extra ram £2-70 per K. 16K memory expansion complete kit £50, built £58. 32K memory expansion kit £74, built £82. Case £27. Cassette recorder £19. Cesmon £22-50. Wemon £19-95. Assembler/Editor tape £25. Word processor program £10. Centronics interface kit £10. 610 expansion board £179. Cased minifloppy disc drive with DOS £275. Cassette recorder £19. The below suit only Superboard: Colour adaptor board built £45. Guard band kit £10. Series 1 only 30 lines x 50 characters display expansion kit £14. UK101 display expansion kit £14.

ACORN ATOM
Kit £120, built £150.

VIDEO GENIE £279
EG3014 Expansion box with 16K/32K ram £189/£197. Disk drive £205. Colour board £34-95. Parallel printer interface £32. Monitors: EG100 white £69. OVM9PGR green £95. Sound kit £8. Lower case kit £26.



SWANLEY ELECTRONICS
Dept PC, 32 Goldsel Rd, Swanley, Kent BR8 8EZ
Tel: Swanley (0322) 64851

Postage £3-50 on computers, £4-50 on printers and 45p on other orders.
Lists 27p post free. Please add VAT to all prices.
Official credit orders welcome.

● Circle No. 262

NOW IN STOCK

THE NEW & *EXCITING* TRS80 MODEL III



EXTENDED GUARANTEE BY COMPUCARE

48K £619 + VAT

The Radio Shack TRS-80™ Model III is a ROM-based computer system consisting of:
● A 12-inch screen to display results and other information ● A 65-key console keyboard for inputting programs and data to the Computer ● A Z-80 Microprocessor, the "brains" of the system ● A Real-Time Clock ● Read Only Memory (ROM) containing the Model III BASIC Language (fully compatible with most Model I BASIC programs) ● Random Access Memory (RAM) for storage of programs and data while the Computer is on (amount is expandable from "16K" to "48K", optional extra) ● A Cassette Interface for long-term storage of programs and data (requires a separate cassette recorder, optional/extra) ● A Printer Interface for hard-copy output of programs and data (requires a separate line printer, optional/extra) ● Expansion area for upgrading to a disk-based system (optional/extra) ● Expansion area for an RS-232-C serial communications interface (optional/extra)
All these components are contained in a single moulded case, and all are powered via one power cord.

Disc Drives Kit with 2x40 Track Drives — **£599** + VAT
Disc Drives Kit with 2x80 Track Drives — **£729** + VAT
Add **£25** for Installation

YOUR ZX80 IS NOW NO LONGER REDUNDANT

Upgrade your ZX80 to the full animated graphics of the ZX81. (No screen flicker).
FOR ONLY **£12.95** + VAT IN KIT FORM
Works only in conjunction with **NEW** 8K ROM from Sinclair (Not Included).

UP GRADE YOUR SINCLAIR TO A 16K RAM PLUS EXPANSION BOARD WITH 3 SLOTS

This Expansion Board is designed for more than just memory - that's why it costs more than others!
16K £69 + VAT **4K £49** + VAT

Microline 83 & 82 NOW IN STOCK



EXTENDED GUARANTEE BY COMPUCARE

NEW

MICROLINE 80 — £299 + VAT

● 80 cps Uni-directional ● Small size: 342 (W) × 254 (D) × 108 (H) mm. ● 160 Characters, 96 ASCII and 64 graphics ● 3 Character sizes: 40, 80 or 132 chars/line ● Friction and Pin Feed ● Low noise: 65 dB ● Low weight: 6.5 kg

MICROLINE 82 — £449 + VAT

● 80 cps Bi-directional logic seeking ● Small size: 360 (W) × 328 (D) × 130 (H) mm. ● 160 characters, 96 ASCII and 64 graphics, with 10 National character-set Variants. ● 4 Character sizes: 40, 66, 80 or 132 chars/line. ● Built-in parallel and serial interfaces. ● Friction and Pin Feed ● Low noise: 65dB ● Low weight: 8kg

MICROLINE 83 — £779 + VAT

● 120 cps bi-directional logic seeking ● 136 column printing on up to 15in forms ● Small size: 512 (W) × 328 (D) × 130 (H) mm. ● 160 characters, 96 ASCII and 64 graphics with 10 National character-set variants ● 3 Character spacings: 5, 10 and 16.5 Chars/in. ● Built-in parallel and serial Interfaces ● Friction and Pin Feed ● Low noise 65dB ● Low weight: 13 kg

STOCKTAKE SALE
NEVER TO BE REPEATED AT THIS PRICE
UNTIL STOCKS LAST

EUROPE'S FASTEST SELLING ONE BOARD COMPUTER

COMPUKIT UK101

★6502 based system — best value for money on the market. ★Powerful 8K Basic — Fastest around ★Full Qwerty Keyboard ★1K RAM Expandable to 8K on board. ★Power supply and RF Modulator on board. ★No Extras needed — Plug-in and go ★Kansas City Tape Interface on board. ★Free Sampler Tape including powerful Dissassembler and Monitor with each Kit. ★If you want to learn about Micros, but didn't know which machine to buy then this is the machine for you.

COMPUKIT WITH ALL THE FEATURES THAT MADE IT THE MOST PROFESSIONAL COMPUTER KIT ON THE MARKET. Now WITH FREE NEW MONITOR (a saving), which includes Flashing Cursor, Screen Editing, & Save Data on Tape.

Build, Understand and Program your own Computer for only a small outlay.

KIT ONLY **£99.95** + VAT
Fully Assembled — **£149** + VAT

4K Upgrade Kit **£15.90** + VAT

NEW MONITOR IN ROM — available separately at **£7.90** + VAT.
Improved Basic function — revised GARBAGE routine. Allows correct use of STRING ARRAYS **£4.90** + VAT
This chip can be sold separately to existing Compukit and Super board users.

FOR THE COMPUKIT — Assembler Editor **£14.90**
GAME PACKS — 1). Four Games **£5.00** 2). Four Games **£5.00** 3). Three Games 8K only **£5.00**
Super Space Invaders (8K) **£6.50** Chequers **£3.00** Realtime Clock **£3.00**
Case for Compukit **£29.50** 40 pin Expansion Jumper Cable **£8.50** All Prices exclusive VAT

CASIO VL TONE NEW £29.95 + VAT

EXTENDED GUARANTEE BY COMPUCARE

It's a new kind of musical instrument. A computer controlled synthesiser that helps you create, play and arrange compositions that normally take years of musical training.

WE ARE NOW STOCKING THE APPLE II AT REDUCED PRICES

AUTOSTART EURO PLUS

EXTENDED GUARANTEE BY COMPUCARE

48K £649 + VAT

Getting Started APPLE II is faster, smaller, and more powerful than its predecessors. And it's more fun to use too because of built-in features like:
● BASIC — The Language that Makes Programming Fun. ● High-Resolution Graphics (in a 54,000-Point Array) for Finely-Detailed Displays. ● Sound Capability that Brings Programs to Life. ● Hand Controls for Games and Other Human-Input Applications. ● Internal Memory Capacity of 48K Bytes of RAM, 12K Bytes of ROM; for Big-System Performance in a Small Package. ● Eight Accessory Expansion Slots to let the System Grow With Your Needs.
You don't need to be an expert to enjoy APPLE II. It is a complete, ready-to-run computer. Just connect it to a video display and start using programs (or writing your own) the first day. You'll find that its tutorial manuals help you make it your own personal problem solver.

NEW

ACORN ATOM

UNIQUE IN CONCEPT — THE HOME COMPUTER THAT GROWS AS YOU DO

Fully Assembled **£149** + VAT

EXTENDED GUARANTEE BY COMPUCARE

Special features include ● Full Sized Keyboard ● Assembler and Basic ● Top Quality Moulded Case ● High Resolution Colour Graphics ● 6502 Microprocessor

THE VIDEO GENIE SYSTEM

Ideal for small businesses, schools, colleges, homes, etc. Suitable for the experienced, inexperienced, hobbyist, teacher, etc.

EXTENDED GUARANTEE BY COMPUCARE

EG3000 Series
WITH NEW EXTRA KEYS!



16K £279 + VAT

● 16K user RAM plus extended 12K Microsoft BASIC in ROM ● Fully TRS-80 Level II software compatible ● Huge range of software already available ● Self contained, PSU, UHF modulator, and cassette ● Simply plugs into video monitor or UHF TV ● Full expansion to disks and printer ● Absolutely complete — just fit into mains plug.
The Video Genie is a complete computer system, requiring only connection to a domestic 625 line TV set to be fully operational; or if required a video monitor can be connected to provide the best quality display. 51 key typewriter style keyboard, which features a 10 key rollover. Supplied with the following accessories:- ● BASIC demonstration tape; ● Video lead; ● Second cassetee lead; ● Users manual; ● BASIC manual; ● Beginners programming manual. Write useful programs in the BASIC computer language yourself.

HITACHI PROFESSIONAL MONITORS

EXTENDED GUARANTEE BY COMPUCARE

9" — ~~£129~~ **£99.95**
12" — ~~£199~~ **£149**

● **Reliability** Solid state circuitry using an IC and silicon transistors ensures high reliability. ● **500 lines horizontal resolution** Horizontal resolution in excess of 500 lines is achieved in picture center. ● **Stable picture** Even played back pictures of VTR can be displayed without jittering. ● **Looping video input** Video input can be looped through with built-in termination switch. ● **External sync operation** (available as option for U and C types) ● **Compact construction** Two monitors are mountable side by side in a standard 19-inch rack.

EXTENDED GUARANTEE BY COMPUCARE

SHARP PC1211

£79.90 + VAT

COMPUTER POWER THAT ONCE FILLED A ROOM CAN NOW BE CARRIED IN YOUR POCKET!

CLIMAX SHOP

"Europes Largest Discount Personal Computer Stores"

Delivery is added at cost. Please make cheques and postal orders payable to **COMPSHOP LTD.**, or phone your order quoting **BARCLAYCARD, ACCESS, DINERS CLUB** or **AMERICAN EXPRESS** number.

MAIL ORDER AND SHOP: **CREDIT FACILITIES ARRANGED** — send S.A.E. for application form.
14 Station Road, New Barnet, Hertfordshire, EN5 1QW *(Close to New Barnet BR Station — Moorgate Line).*
Telephone: 01-441 2922 (Sales) 01-449 6596 Telex: 298755 TELCOM G
OPEN (BARNET) — 10am - 7pm — Monday to Saturday

NEW WEST END SHOWROOM:
311 Edgware Road, London W2. Telephone: 01-262 0387
OPEN (LONDON) — 10am - 6pm — Monday to Saturday

✸ **IRELAND: 19 Herbert Street, Dublin 2. Telephone: Dublin 604155**
✸ **COMPSHOP USA,** 1348 East Edinger, Santa Ana, California, Zip Code 92705. Telephone: 0101 714 5472526

TELEPHONE SALES
OPEN 24 hrs. 7 days a week
01-449 6596

BARCLAYCARD VISA · ACCESS · DINERS CLUB INTERNATIONAL · AMERICAN EXPRESS

L&J COMPUTERS

192 HONEYPOT LANE, QUEENSBURY, STANMORE, MIDDX HA7 1EE. 01-204 7525

THE "PET" SPECIALISTS

GET THE BEST OF BOTH WORLDS!

WE CAN SUPPLY ALL YOUR 'PET' NEEDS AT CASH & CARRY PRICES

4032	40 Col. PET.	£585.00*	8050	IM Byte Disk	£755.00*
8032	80 Col. PET	£755.00*	4022	Printer	£357.00*
4040	347K Disk	£585.00*	8024	Printer	£975.00*

OR WE CAN SUPPLY, INSTALL AND TRAIN YOUR STAFF AT THE NORMAL PRICE WITHOUT ANY EXTRAS!!

TRY US! YOU WILL NOT BE DISAPPOINTED

EXT CASSETTE DECKS (INC COUNTER & SOUNDBOX) ~~£65~~ **£55***

Printers	Disk Drives	Sundries	
CBM 4022 & 8024	CBM 8050	Interfaces:	C12 Cassettes
Centronic 779	CBM 4040	Disks:	Library Cases
Centronic 737	CBM 3040	Paper	(roll & tractor feed)
Spinwriter 5510		Labels:	Dust covers
CBM 8026 & 8027			

NOW IN STOCK! Single floppy disk drive **£350***

TOOL KITS (BASIC 2 & 4), SUPERCHIPS . . . AND ALL SORTS OF OTHER CHIPS . . . UPGRADE YOUR PET EVEN MORE!!

THE "MUPETs" ARE HERE!
3 TO 8 PETs ONLY NEED 1 DISK DRIVE . . .
Daily demonstrations: Ring for details.

* PRICES DO NOT INCLUDE VAT

SOFTWARE

As well as a full range of Petsoft and Commodore Software, we have some highly reliable "Home-Brewed" programs available.

STOCK CONTROL & INVOICING **£60**
(Handles up to 500 items — 32K) (180 on 16K). Stock depleted on invoicing, search etc. Cassette, disk (& print option).

3000 item; 4040/8050 £125

CASH BOOK ***£90***
Enter daily/weekly amounts — printout and totals, weekly/monthly analysis, totals and balances.

4032 & 8032 versions **£110 & £120**

STOCK TAKING for the licensing trade **£240**

OUTSIDE SERVICES (For Mini-Cabs etc.) **£220**

Sae for free software booklet

VISICALC "OZZ" Commodore Business Programs
COMPSOFT DMSV Bristol Trader, Item & Monitor
ANAGRAM LEDGERS Superpay Word Processing.

COME AND SEE THE NEW VIC 20 at £189 (inc VAT)

FULLY WORKING AND OPERATIONAL
ASK US ABOUT ALL THE ADD-ON-GOODIES THAT GO WITH THE VIC . . . !

PERSONAL SHOPPERS WELCOME
Phone & Mail Orders accepted.

ALL GOODS SENT SAME DAY WHEREVER POSSIBLE
LARGE S.A.E. FOR LISTS ETC.

● Circle No. 256

WE TURN ELECTRONIC TYPEWRITERS INTO COMPUTER PRINTERS



SILVER REED



OLYMPIA



OLIVETTI

If you have one of these, your local typewriter/computer dealer can arrange for the upgrade.
The discom upgrade enables most popular electronic typewriters to communicate with any micro computer.
Interfaces fitted as standard on each machine are: RS 232, Centronics IEEE.

* *Interfaced machines are available from your local dealer.*

discom

Old Manor Farm, Ashton under Hill
Worcestershire
Telephone (0386) 881962

Please send me more details

Name _____

Address _____

_____

Telephone _____

● Circle No. 257

FREE
LIBRARY BOX with every TEN-PACK
****PLUS****
NEW DISK DIRECTORY & DISKWRITER when ordering two packs or more
****PLUS****
BRUSHED CHROME PAPERMATE PEN when ordering 5 — 9 TEN-PACKS
****OR****
GOLD PLATED PAPERMATE PEN when ordering 10+ TEN-PACKS.

DISKING

FOR THE FINEST MINIDISKS & ACCESSORIES

All disks are factory fresh and individually certified 100% error-free.

DISKING INTERNATIONAL FREEPOST LIPHOOK HANTS GU30 7BR U.K. TEL(0428)722563

5¼" MINI DISKS

Datalife minidisks

VERBATIM The World's favourite media 'Datalife' are all double density with hub ring reinforcement.

	EXC VAT
MD525 S/Sided 40 track	£18.95
MD550 D/Sided 40 track	£24.95
MD577 S/Sided 77 track	£26.95
MD557 D/Sided 77 track	£34.95

10 & 16 Hard Sector at same prices

MEMOREX The Ultimate in Memory Excellence based on many years of experience with recording media.

	EXC VAT
MEMX 1S/S S/Density	£18.45
MEMX 1D S/S D/Density	£21.45
MEMX 2D D/S D/Density	£23.95

10 & 16 Hard Sector at same prices

BASF cross-linked Oxide coating for long media life and special lubricants minimise head wear.

	EXC VAT
BASF 1 S/S S/Density	£17.95
BASF 1D S/S D/Density	£21.45
BASF 2D D/S D/Density	£25.95

10 & 16 Hard Sector at same prices

DISKING SUPERLUXE DISK LIBRARY



Manufactured exclusively for us to our own design, the SDL keeps your valuable disks flat & dust free, while at the same time allowing you instant visual selection of any single disk. The standard SDL holds 20 disks, while the SDLX holds 28 disks. The SDL may be uprated to an SDLX retrospectively.

SDL only	£8.65
SDLX only	£10.39

DISKING DISKMAILERS

This product also exclusively ours, is a strong plastic envelope for mailing one, two or three disks, in safety and comes complete with warning labels & address labels.
DM only 50p

DISK DRIVE HEAD CLEANING KITS

Prevent head crashes and ensure efficient error-free operation. Enough for 26 bi-monthly cleans & a lot cheaper than a service call!

CK5 only £16.50p

ALL PRICES ARE EXCLUSIVE OF VAT, PLEASE ADD 15%

SUPERBRAIN SOFTWARE

DATAKING' coming soon: will mathematically massage any Datastar or Wordstar data file, and columnate with report writer. Instant Sales, Nominal or Purchase ledger or Comprehensive Sales/Purchase Reporting for Datastar users.

DATAKING only	£49.00
DATAKING User Manual	£2.50

PLASTIC LIBRARY BOXES

The genuine Egly Box that stores and protects your disks in tens — Unbeatable — (FREE with every ten disks ordered)
LB only £1.90

ATTENTION THE TRADE

Please write to us on your letter headed paper, and ask for our special trade prices and offers.
Give your software the ultimate in presentation. We can make the SDL & SDLX in your colour PVC, with your logo. Sample plastics swatch available free by request.

U.K. P&P RATES	EXC. VAT
Discs (1-5 PACKS) each pack at	95p
Disks (6+ PACKS) each pack at	65p
SDL or SDLX	at 95p
DM (each at 25p) Tens	at 80p
LB	at 45p
CK5	at 75p
DATAKING SOFTWARE	post free
DATAKING USER MANUAL	post free

URGENT ORDERS

Either post your cheque not forgetting to stamp it first-class, or telephone your order with credit card No., mentioning in either instance that your order is URGENT. You may then pay FIRST CLASS POST for your goods, if required.

FIRST CLASS RATES	EXC VAT
First TEN-PACK	£1.80
Second & subsequent	£1.30

NORMAL ORDERS

We accept MOD orders over £50.00 in value. All other customers cheques with order please payable to DISKING. If you are a large establishment, and cannot raise cheques without an invoice, please post or telephone us your order, and we will send a pro-forma invoice by return, for your accounts department to pay against.

CREDIT CARD ORDERS

We accept Barclaycard and Access card, and make a small surcharge of 6%, on the total order value. You may write your c/card No. on your order or telephone the order, day or night, 365 days a year. You may speak for as long as you like, and don't forget to give full details of what you wish to purchase, your credit card number, credit card holder's name & address, and delivery or invoice address if different.

DISKING FREEPOST, Liphook, Hants, GU30 7BR. England.

QTY	DESCRIPTION	PRICE EXC. VAT

TOTAL GOODS VALUE EXC. VAT £ _____
TOTAL DELIVERY AND INSURANCE £ _____
SUB TOTAL EXC. VAT £ _____
VAT £ _____
VALUE OF CHEQUE PAYABLE TO DISKING £ _____

Name:
Address:

PC/2/82 Tel No:

My Access/Barclaycard* Number is:

**Please delete that which is not applicable*

● Circle No. 255



Introducing
The
Incredibly fast
Ramdisc drive
for the
Apple

- Uses two 64K RAMCARDS and RAMDISC software to simulate a disc drive.
- Appears exactly like a real disc drive with a slot number given by the slot into which the lower 64K RAMCARD is plugged.
- Allows use of any DOS 3.3 command.
- Provides up to two thousand per cent (2000%) increase in speed during disc intensive computing.
- Compatible with *all* existing software which uses DOS 3.3
- No controller required.
- Saves on disc head and drive wear.
- One single real disc drive only is required for saving finished files.
- Up to four 64K RAMCARDS may be plugged into any one Apple giving 2 RAMDISC drives.
- The 64K RAMCARDS may be used directly as banked memory in other applications.

The RAMDISC package of two 64K RAMCARDS and RAMDISC software costs £345.
Dealer enquiries invited.
Please add 15% VAT.

Merton Electronics 8 Rutlish Road London SW19 Telephone 01-543 3533

● **Circle No. 251**



THIS IS FRED McNASH
WHO HAS NO CASH
HE CAN'T COMPUTE
WITHOUT SOME LOOT
WITH THINGS SO EXPENSIVE
HE FEELS VERY PENSIVE
BUT DON'T BE SAD
IT'S NOT THAT BAD
WE'VE MANY PERMS
OF EASY TERMS
APPLY FOR QUOTATION
FOR YOUR EDIFICATION

COMMODORE APPLE
ATARI VIC TEXAS
BBC? SHARP NEC
SUPERBRAIN OKI
TELEVIDEO ACORN
HEWLETT PACKARD
TEAC SIEMENS
NOT HERE JUST ASK
INTEGREX PERTEC
EPSON CENTRONICS
OKIMICROLINE QUME
OLYMPIA HONEYWELL
NEC SPINWRITER
P TIGER DIABLO
KEITHLEY HITACHI
SHORT&LONG RENTAL
PERSONAL LOAN
HIRE PURCHASE
LEASING

Avon Computer Rentals

FREEPOST 1 THORNBURY BRISTOL BS12 1BR
TELEPHONE (0454) 415460

● **Circle No. 252**

XEROX 820

The desk top Micro Computer

64K CPM

5¼" Twin Floppy £1,750
8" Twin Floppy £2,245

Maintained by Xerox 1600 engineers in U.K.

General

Software
- SuperCalc
- Xerox Word Processing
- Word Star
- Mail Merge
- Teach
- Superspell

Accounting
- Payroll
- Sales
- Stock Control
- Order Processing
- Production Control

Languages
- M Basic
- Pascal/MT +
- CIS Cobol
- C Basic 2

Alphin Computers Limited
30-32 Priory Buildings, Union Street, Oldham,
Greater Manchester. Telephone: 061-633 1607

● **Circle No. 253**

COMPUSENSE

THE 6800/6809 SPECIALISTS

6800 TAPE SOFTWARE
CST003 SWTPC 8K BASIC V2.3 £15.00
CST012 6800 Disassembler £10.00
CST014 6800 Text Editor £20.00
CST015 6800 Assembler £20.00
CST016 6800 Text Processor £25.00
CST017 6800 Relocator £16.00

6809 TAPE SOFTWARE
CST018 8K BASIC EDITOR/ASSEMBLER £22.00 T.B.A.

DISK SOFTWARE
CSC001 SUPER SLEUTH Disassembler for 6800/6801/6805/6502 (Includes source code) £70.00
CSC002 Super Sleuth for 8080, Z80, 8085 £70.00
CSC003 Cross Assembler Macro Sets for TSC 6809 Macro Assembler
6800/6801 £35.00
6805 £35.00
Z80 £35.00
8080/8085 £35.00
CSC004 TABULA RASA, Financial Modeller for 6809 £120.00

We stock all the standard TSC/SWTPC software packages, including BASIC FLEX etc. Please contact us for full details.

MEMORY
MM-32 32K bytes, low power RAM £340.00
S-32 ROM/RAM Card £120.00

PRINTED CIRCUIT BOARDS
CSH001 SWTPC SS50 Motherboard £27.00
CSH002 SWTPC 6800 CPU board £15.00
CSH003 6800 CPU assembled £85.00
CSH005 SWTPC Parallel Interface £10.00
CSH006 SWTPC Serial Interface £10.00
CSH008 SWTPC 5" disk controller £37.00
CSH009 6800/6809 Convertor £13.50
CSH010 16K Static RAM (2114) £40.00
CSH011 32K Static RAM (2114) £65.00
PROTO-1 SS50 Prototyping board £15.00
PROTO-2 SS30 Prototyping board £10.00

FLOPPY DISKS
DISK-5 ODP 5" disks (ten) £22.00
DISK-8 ODP 8" disks (ten) £38.00
Diskettes are soft sectored double density.

KITS
Note prices exclude carriage
SS-KIT SWTPC 6800/9 Chassis £99.00
power supply/motherboard
SS-09 As above assembled £175.00

DISKS/TERMINALS
Note prices exclude carriage
DD-01 Twin 40 track, controller £580.00
DD-02 Twin 80 track, controller £690.00
T-910c TVI 910 terminal £480.00

CPU/INTERFACE
MP-09 6809 Processor £210.00
MP-S Serial Interface £55.00
MP-1a Parallel Interface £55.00

All prices are quoted exclusive of VAT. Prices may vary without notice. Carriage is included, except as noted above. Carriage by TNT on larger items recommended.

P.O. BOX 169, PALMERS GREEN, LONDON N13 4HT

01-882 0681

● **Circle No. 254**

Bringing computers to everyday life

At The Computer Fair you can see and compare an enormous range of personal and home computers. Find out what they can do and which one would suit you best. Talk to the experts and discover for yourself how much – or how little – you need to spend. Choose from an amazing abundance of software programs and packages, cassette units, VDU terminals and scores of computer games.

Swap your views and know-how with hundreds of other home computer enthusiasts – and find out a whole lot more from computer professionals.

Plus – The Micro Mouse Contest.

Come and watch the incredible ingenuity of computer controlled "mice" and how they find their way (or not!) to the centre of a maze. The knockout heats and the Euromicro British Final can all be seen at The Computer Fair!

Bring the whole family – don't miss this opportunity of bringing computers into your everyday life.

INFORMATION TECHNOLOGY 82

for readers of Practical Computing

child

THE Computer Fair
Personal computers
Home computing
Small business systems

Cut this coupon and exchange for half-price ticket at the door.

April 23-25, 1982
Earls Court, London

Friday & Saturday: 10am – 6pm
Sunday: 10am – 5pm

Admission £2.00 adults
£1.00 children under 16.

THE Computer Fair

Personal computers
Home computing
Small business systems

The computer is with us and soon to be as familiar in the home as your television, video or hi-fi. But much more versatile!

A home computer can be the family's resident teacher, accountant, home economics expert, memory bank and endless source of amusement! It can do anything you programme it to do – from teaching mathematics to the children or computing the most economic use of household fuels for yourself, as well as providing hours of fun on a rainy afternoon. Most important of all, the home computer will teach you and your family about computers – and this is the technology that your children are growing up with.

In the office, the personal computer is rapidly replacing the obsolete mound of box files, adding machines and notebooks on thousands of desk tops. Microchip streamlining means increased efficiency in hundreds of different fields.

adult

THE Computer Fair Personal computers Home computing Small business systems

Cut this coupon and exchange for half-price ticket at the door.

HALF PRICE ADMISSION VOUCHERS

The second in our series of war games from *The War Machine*, a simulation of Second World War tank battles on the Eastern Front is reviewed by Graeme McIver.



TANKTICS

ONE OF the more exciting developments in simulation gaming in recent months has been the application of artificial intelligence techniques to combat games, so that a human player can compete on equal terms against a computer opponent. Such games require larger and more detailed maps than can be simulated on a VDU, and the player will find that he has to acquire some knowledge of military tactics in order to stand up to the forces thrown against him by the machine.

A number of problems remain to be solved in this area, including the construction of artificial-intelligence algorithms for this new type of game-system and the compression of large amounts of data into limited memory. The initial impressions of Tanktics, recently made available in this country, suggest that some of these problems have been solved although it is too early to evaluate the level of sophistication of the program. The game is available for the Pet, TRS-80, Apple and Atari.

Computer combat

Tanktics is a solo board wargame complete with map and counters that is played on a computer. It is published with two of Avalon Hill's standard-quality mapboards and 260 counters.

The game involves individual tanks of the Second World War, operating on the Eastern Front. Up to 16 of them are Russian and eight are German. The computer handles the Russian tanks and resolves sighting, combat and movement. The system takes range and terrain into account and, for combat, facing. All details of the 788 hexagons in the grid overlaid on the map are stored within the computer. Eight different kinds of German and five types of Russian tanks and anti-tank guns are available. Each combination has its own counter, showing a pleasant aerial view. Allowance is made for differing armour thickness, gun penetration and speed, so the player can choose the different types of tank necessary to even up any play-balance problems.

The game plays very easily. It is a relief not to have to count hexes, shake dice and measure line of sight. Not having any idea where the enemy is until you can see him is fun as well. The input system used is very easy to pick up, and the speed of running is impressive.

There are some minor criticisms to be made of the game's performance during play. There is no line of sight as such — distance, terrain of spotter and target, and the terrain in between are taken into account, together with a random factor. There is no blocking terrain for a player to use to hide from an enemy unit. While this is much better than the rigid LOS/range rules common to most tactical board games, it is still a detraction from realism of the game. The reason for this lack of an LOS rule is doubtless the difficulty of doing this for a hex map with only 16K. Indeed the TRS-80 version is loaded in two segments.

Appraisal of realism

The only indications of the scale of the game are that no stacking is allowed and the road looks about one-third of a hex wide. Rightly, no information is given on combat strengths, apart from describing how good the armour and guns are, or how combat is resolved. This is another plus in comparison with a non-computer game, but it does make the appraisal of realism difficult.

The five scenarios fall into two types: reaching and occupying a target hex — which is randomly chosen — or defending the hex. If the computer is attacking, it will move the tanks towards the objective, usually in two separate formations. It will engage targets met on the way, both overrunning and firing when its units are at a reasonable range. It will deviate from the line of advance for combat but only slightly — by a few hexes. On the whole, the computer plays a reasonable game. There is one small tactical mistake which it makes in some situations, but one that is probably historically accurate. I do not intend to reveal it to potential players.

In the defensive area, the computer is equipped with 76mm. anti-tank guns, so there is no question of manoeuvre. There is a program bug on the TRS-80 version. As given, the program will give an error if the player uses more than four tanks, but the bug is easily corrected by changing the dimensioning of the variable in line 40 from (16,8) to (16,16).

Conclusions

Tanktics is an enjoyable game that plays very well and gives the impression of realism.

- Whether Tanktics will be a game you will play again and again probably depends on how much of a "tankie" you are.
- **Ratings:**

Physical quality	Good
Perceived complexity	Fair
Subject complexity	Good
Realism	Good
Play balance	Excellent
Overall	Good

Decision Modeller can help you increase your profits by 50%!

Don't believe it? This is what the CBI say in their booklet 'The Will to Win':
"Company Profitability is critical for new investment and must be restored. In addition to Government action listed above, all levels of management must be involved in their company's short term and medium term profit plan, and think more in current cost accounting terms when making their judgements."*
*These actions referred to Government controlled costs, exchange rate and public spending.

FACT Company Profitability declined from 13% in 1960 to 9% in 1970 and 2/3% in 1980 when measured in real terms.

Decision Modeller is a tool for all managers to use in their business based on the 1980's microcomputer technology. How many managers know the size of improvement in profits which can result from 1% on Prices plus 1% on Volume of Output? And .....

* with 1% off Spending plus 1% reduced Material Waste
* with 2% on Employee efficiency
* with 3% off debtors days
* with 5% on Stock Turnover

Often the improvement in profitability can be *over 40%* and can be as high as *70%* depending on the capital intensity of a business.

Decision Modeller shows you *exactly* how *your* company can improve profitability.

Can you afford to ignore Decision Modeller?

For details call ACT Microsoft on 021-454 8585, or in the London area: Intelligence UK Ltd: 01-947 9846

ACT

To: ACT Microsoft Ltd., ACT House, 111 Hagley Road, Birmingham B16 8LB
Please send me details of Decision Modeller.

NAME: .....

ADDRESS: .....

..... Postcode: .....

From the people who brought you MicroModeller, the No.1 financial planning package for microcomputers.
Decision Modeller costs £525 and runs on the Apple II computer in conjunction with MicroModeller.

● Circle No. 250

Horses for courses they say. We could not agree more.

That is why we have a flexible stable when it comes to helping businessmen choose a micro-computer system.

We need to know something of your business before we can advise you on making the final selection of the relevant system.

Once we have done that we move very quickly:-

We will provide a full demonstration, and if off the shelf business packages do not meet your particular needs, we will design special computer systems that do.

We will train you and your staff.

We will arrange finance — hire purchase or leasing.

We give a full after sales advisory service, and naturally, we offer rapid servicing and comprehensive maintenance contracts.

The best way for us to demonstrate our capabilities, is for you to tell us about your business needs.

One thing is certain.

It is odds-on that between us we will arrive at the best bet.

Write or telephone for further information to:

MICRO FACILITIES

Micro-Facilities Limited
129 High St, Hampton Hill
Middlesex TW12 1NJ
01-979 4546 and 01-941 1197

A member of the MF Group of companies

Please Tick As Applicable
☐ Please Send Me Further Details
☐ Please Have Your Consultant Call Me

Micro-Facilities Ltd, FREEPOST,
Hampton, Middlesex, TW12 1BR
Tel: 01-941 1197 or 01-979 4546

Name Mr/Mrs/Miss _____

Address _____

_____

_____

Post Code _____

Tel _____

FREEPOST — NO STAMP NEEDED

P.C 03-DR



All potential winners. If you put them in the right race.

● Circle No. 248

THE MUNCHER — ultra fast version of popular 'PUCK MAN' for VG/TRS80. No joystick required. Cassette £5. Steve Morris, 44 Park Road, Hull HU5 2TA.

ACORN ATOM, 12K RAM, 12K ROM. P.S.U. leads, etc. £190. Tel: Cambridge 811119.

FOR SALE. Compucolour II minicomputer 16K RAM floppy disc drive, complete with VDU, full colour display, £500 firm. Call: 734 5953. 11am-8pm.

MICRO INPUT/ OUTPUT DEVELOPMENT TOOL. A valuable aid for developing software for interfacing PET or ATOM to outside World. Ideal for beginner wishing to learn how to input and output through their computer user port. Data input is via 8 switches and data output is shown by 8 leds. Fully buffered and wired for immediate connection to user port. Overlays supplied to allow user to define function of each bit used in an application. Complete documentation supplied with examples to get you started. State which system when ordering. £27. Send P.O. or cheques to J. S. Frampton, 19 Brook Croft, Marston Green, Birmingham B37 7EB.

TRS-80 LEVEL II 16K. Numeric keypad software includes instruction course, parts I & II, T-short+ and flight simulator. All hardly used, £325. Phone: 0438 811082 (Datchworth, Hertfordshire).

TRS-80 L2 16K, manuals, books, magazines, cassettes. £290. Phone: Ray 0924-272480 (day), 0924-251797 (evening).

NASCOM-2 — Nas-sys 3, Toolkit, Debug, Zeap, Naspen + 32K RAM + tapes including Pascal, Forth etc. Offers £350 +. Stratford-upon-Avon 69796.

APPLE II PLUS (48K) and over £100 programs including games. £700 ono. Tel: (05385) 2648 evenings.

APPLE SYSTEM ITT 2020 for sale. 64K RAM and FP BASIC in ROM. 2 x disc drives and controller, Pascal language card, disks and documentation. ITT Pascal graphics adaption. Silentype printer, card and docs. May split. £1,200 ono. Tel: Midhurst (044 284) 4811.

WANTED — PET 3000 SERIES, and/or disk unit and printer. Bournemouth 293650.

MAKE YOUR PERSONAL COMPUTER PAY ITS WAY TODAY. International literary agency is looking for you. Can you write original programs for the ZX81, VIC 20, TRS 80, Atari 400, BBC Computer, PC 1211, Tangerine and MZ 80K?
Then you can write a book that we can sell worldwide.
Send your suggestions for programs in confidence to box 000 stating which computer you have and how many programs you have written.
If you don't have enough for a book, don't worry, we will also market individual programs. We specialise in marketing creative computer programs to creative publishers.

WANTED program for Sharp 48K (cassette) to speed up drawing 2-dimension plans with normal Sharp graphics (not high res.). Particularly lines and diagonals. Must Print/P. Kinoulton (09497) 255 evenings/weekends.

NASCOM SOFTWARE: Assemblers, debug, word processors, front panel, business software in various cassette, D DOS & DCS DOS versions. SAE Mr. P. Watson, 101 Village Road, Bromham, Bedford.

Buyers' Guide

Peach Data Services Ltd 0283-44968	5 Horinglow Street Burton on Trent DE14 1NJ	Brian Homewood
Personal Computers Ltd 01-626-8121/2/3	194-200 Bishopsgate London EC4M 4NR	Mike Hardwick
PK Microsystems Ltd 01-839-3143	46-47 Pall Mall London SW1Y 5JG	
P R Daly & Co Ltd 01-868-7284	Butts Mead, High Road, Eastcote Pinner Middlesex HA5 2EY	
Quickmet Software Development 0202-888217	57 Leigh Road, Wimborne Dorset BH21 1AE	I Metcalf
Research Resources Ltd 07073-26633	40 Stonehills Welwyn Garden City Hertfordshire	
Rockliff Brothers Ltd 051-521-5830	2 Rumford Street Liverpool L2 8SZ	M Taylor
SA Systems Newbury 45813	Allington Lodge, Round End Newbury, Berkshire RG14 6PL	S A Trinder
Salmon Microcomputing 0325-721368	PO Box 26 Croft-on-Tees Darlington DL2 2TN	S J A Still
SBD Consultants Ltd 01-940-5194	15 Jocellyn Road Richmond, Surrey TW9 2TJ	Susan Ben-David
Selven Ltd 0376-40900	West House Chambers 3 Sandpit Road Braintree, Essex CM7 7LY	R Crowther
Sheffield MIS Ltd 0742-20224	77 Hallam Grange Rise Sheffield S10 4BE	R A Coates
SMG Microcomputers Gravesend 55813	39 Windmill Street Gravesend, Kent	
Software Aids International Ltd 01-204-9396	14 Chapman Crescent Kenton Harrow, Middlesex	David Bull
Software Architects Ltd 01-734-9402	34/35 Dean Street London W1V 5AP	
Solitaire Ltd 04252-71448	Highcliff House 411-413 Lymington Road Highcliff, Dorset BH23 5EN	
Southdata Ltd 01-994-6477	10 Barley Mow Passage London W4	
Stage One Computers Ltd 0202-23570	6 Criterion Arcade Old Christchurch Road Bournemouth	N Hewitt
Stratheden Ltd 0624-26668/25639	Exchange House, 54 Athol Street Douglas, Isle of Man	P Bridson
Style Systems Ltd 0254-71638	28a Railway Road Darwen, Lancashire BB3 2RG	R Horman
SWTPC Ltd 01-491-7507	38 Dover Street London W1	
Systematics International Ltd 0268-284601	Essex House, Cherrydown Basildon, Essex	R Young
T & V Johnson Ltd 0276-62506	165 London Road Camberley, Surrey GU15 3JS	T Johnson
T W Computers Ltd 061-456-8187	293 London Road Hazel Grove, Stockport Greater Manchester	
Taylor Micro Systems 021-358-2436	Hamstead Industrial Estate Old Walsall Road, Great Barr Birmingham	C A Taylor
The Alphabet Company 03046-7209	2 Whitefriars Way, Sandwich Kent CT13 9AD	A L Minter
Tridata Micros Ltd 021-622-6085	Smithfield House, Digbeth Birmingham B5 6BS	A Plackowski
U-Microcomputers Ltd Warrington 54117	Winstanly Industrial Estate Long Lane, Warrington Cheshire	
Verwood Systems 0788-87629	Verwood House, High Street West Haddon, Northamptonshire	N Howard
Vlasak Electronics Ltd 0494-448633	Vlasak House, Stuart Road High Wycombe, Buckinghamshire HP13 6AG	Paul Vlasak
Xitan Systems Ltd 0703-38740	23 Cumberland Place Southampton	

James C Steedman 0903-814923	18 Manor Road, Upper Beeding Steyning, Sussex	
Keen Computers 0602-583254	5b The Poultry Nottingham	Bob Ellis
Kesho Systems 041-226-4236	72 Waterloo Street Glasgow G2	Angus Nial
L & J Computers 01-204-7525	3 Crundale Avenue Kingsbury, London NW9 9PJ	Jack Goodman
Landsler Software 01-399-2476/7	29a Tolworth Park Road Surbiton, Surrey KT6 7RL	E Landsler
Liveport Ltd 0736-798157	The Ivory Works St Ives, Cornwall	
Logma Systems Design Bolton 389854	2-10 Bradshawgate Bolton, Lancashire	
Ludhouse Ltd 01-679-4321	2-6 Marian Road London SW16 5HR	M Ward
Map Computer Systems Ltd 01-633-3084/5	Belgrave Industrial Estate Honeywell Lane, Oldham OL8 2LY	Denis Thomson
Median-Tec 0734-596842	120 Oxford Road Reading, Berkshire	
Metrotech 0895-58111	Waterloo Road Uxbridge, Middlesex UB8 2YW	
Micro Computation 01-882-5104	8 Station Parade Southgate, London N14	
Micro Focus	c/o Lifeboat Associates 32 Neal Street, London WC2	
Microact Ltd 021-455-8585	Radclyffe House 66-68 Hagley Road, Edgbaston Birmingham	
Microbits 0734-792021	Barford House, Shute End Wokingham Berkshire RG11 1BJ	
Microcomputer Applications 0734-470425	11 Riverside Court Caversham, Reading Berkshire	
Microcomputer BM 01-981-3993	4 Morgan Street London E3 5AB	
Microdigital Ltd 051-227-2535	25 Brunswick Street Liverpool L2 0BJ	Graham Jones
Microgems Software 0602-275559	32 Buckingham Avenue Hucknall, Nottinghamshire	
Microland 0723-70715	17 Victoria Road Scarborough, North Yorkshire	
Micromedia Systems Newport 59276/7	Seymour House 14-16 Chepstow Road Newport, Gwent	
Micropute 0625-612818	Communique Place 9 Prestbury Place Macclesfield, Cheshire	
Microsense 0442-41191/48151	Finway Road Hemel Hempstead Hertfordshire	
Microtek 0689-26803	50 Chislehurst Road Orpington, Kent	
Minicomputer CS Ltd 0494-448686	Pilot Trading Estate 163 West Wycombe Road High Wycombe Buckinghamshire	
MMS Computer Systems 0234-40601	26 Mill Street Bedford	
P J Norris Computer Applications 053-183-428	Rochester House, Canon Frome Ledbury, Herefordshire HR8 2TG	P J Norris
Padmede Computer Services 025-671-2434	112/116 High Street Odiham, Basingstoke Hampshire	John Packwood
PCL Software Ltd 021-552-6126	146-150 Birchfield Lane Oldbury, Warley West Midlands B69 2AY	P Hemmings

COMMODORE PET 8032 with 4040 disk drive, 8027 Daisywheel printer and word processor, four months old, as new, cancelled project, £2,100 ono. Tel: 01-954 3707.

RS232/V24 TERMINALS for sale. Olivetti ASR teleprinters, £50-£75, working or non-working for spares. Newbury 7004 VDU, working, £100. Teletype 110 cps punch, £50. Also keyboards. Haden Ltd. Tel: 01-387 1288, ext. 115.

TRS-80, 4K, Level 1 software, 3 real time moving graphic games on cassette, £3. L. N. Hard, Schaktsg.16, 26700 Bjuv, Sweden.

TELETYPE 43 computer printer with keyboard, good quality print, near new, £450 ono. To include cable, spare ribbon, paper roll holder, 11" x 8½" fan-fold paper. Tel: 01-943 2040/01-399 9022 (Surbiton, Surrey).

SHARP MZ-80K, 48K, as new, includes toolkit, Pascal, assembler, m/c tape, Asteroids, Invaders, Backgammon, Othello, Pontoon and many others. Marriage forces reluctant sale, £450. Tel: (0245) 73057.

ZX-81 PROGRAMS. 21 for 1K or 6 for 16K, £5 each cassette. Craig Cockburn, 49 Doune Road, Dunblane, Perthshire.

DATA DYNAMICS 390 COMPUTER TERMINAL. Regularly serviced by Extel, cost approx £1,000, accept £250. Williams Ltd, 15 Brown Street, Salisbury, Wilts. Tel: (0722) 5388.

APPLE II PLUS 48K. Disk drive, Hitachi monitor, disks, games, serial interface card, Teletype ASR33, low price to sell complete, £890. Tel: Reading 479067.

ZX-81 — STAR-TREK. Full 16K program, menu driven, short and long range scans, weapons option, hours of entertainment with every game. £4 per cassette from Angela, 3 Avon Road, Charfield, Wotton-under-Edge, Glos.

GAMES FOR CBM 8032. HANGMAN — a game with words. HED-BANGER — an infuriating game with numbers. Both games on one cassette for £5.75 incl. J. Bottoms, 17 Wreford Close, St. Columb Major, Cornwall TR9 6SE.

ZX 81 (16K RAM) EDUCATIONAL SOFTWARE. We make learning fun by incorporating jackpot games with moving graphics into all programs plus a printed certificate. Six programs on each cassette: JUNIOR ENGLISH 1: "MEANINGS 1", "MEANINGS 2", "PARTS OF SPEECH", "PROVERBS", "SIMILES", "ANAGRAMS". JUNIOR ENGLISH 2: "IDIOMS", "OPPOSITES 1", "OPPOSITES 2", "GROUP TERMS", "ODD WORD OUT", "SPELLINGS". JUNIOR MATHS 1: "LONG MULTIPLICATION", "LONG DIVISION", "HCF", "LCM", "FRACTIONS 1", "FRACTIONS 2". JUNIOR MATHS 2: "AREAS", "PERIMETERS", "SIMPLE EQUATIONS", "PERCENTAGES", "SETS", "VENN DIAGRAMS". £4.50 per cassette. Rose Cassettes, 148 Widney Lane, Solihull, West Midlands B91 3LH.

PRINTER? — Buy my ASR33 Teletype-Printer, terminal and cheap program, store on paper tape, all in one unit. Excellent condition, only £99. Tel: (0494) 25938.

APPLE II EUROPLUS with 3.3 DOS drive and modulator, unused for anticipated project, £880. Chalfont St. Giles 2418 between 6-8pm.

ZX81 16K GOLF. The first adult sports adventure. Forget dwarfs and dragons, have an adventure on the golf course instead. Can you shoot a good score or will you get caught by the pitfalls? Cassette £5. ZX81 16K Funfair. Test your skill in eight different games. What prize can you win? Cassette £5. Both on one cassette £8. M. Meineck, 41 Church Lane, Leeds LS15 8BB.

TANGERINE — square-selectable reverse video modification for any machine; scrolls (unlike graphics); three chips — cost about 75p. My design, with notes, £2. J. P. Gilliver, 7 Leaside, Clifton Gardens, Folkestone CT20 25D.

CENTRONICS MICROPRINTER P1 . . . 20, 40 or 80 cpl, 150 cps. £150 ono. Tel: 01-393 7989.

PET (16K) Program Pack, Grand Prix, Star Trek, Pools Prediction. Cassette £5 (SAE), 21 Cheriton Field, Fulwood, Preston, Lancashire.

PET 32K, new ROM with Tensai cassette deck, manuals, dustcover and large quantity of software, £500. Computhink 400K disk drive, almost new, £500. Commodore 3022 Tractor Drive Printer, £325. C. J. Blunt, Ashtead (03722) 74909.

GIVEAWAY: Sorcerer 32K, 630K, double disc unit, Prof. monitor, S100 Bus with 5 slots plus disc controller, fans fitted. Extensive software included in price. Details by phone. Worth £3800 without software. Offers £1,600. Phone: 0222 568286 or 0222 27336.

TRS80 48K Green Screen, £495. Also Disk Drives £295. Ring 401 445 0745.

TIPPED-ON A4 PAPER. 900 continuous sheets, plain white. £30 ono. Bristol 502008.

TIPPED-ON ENVELOPES. White 4.1/8" x 9½". 2 boxes x 1000. Unopened. £35 each ono. Bristol 502008.

CENTRONICS 779 matric printer with Tractor Drive, offers around £450. Datasure Ltd. Tel: (0702) 339428, ext. 5.

ZX-80. Both ROMs, 16K RAM, £120, much software and books, including Chess and Invaders, £30. Tel: (0382) 77207.

SINCLAIR, 16K, ZX81, Basic Manual, mains adaptor, games, cassettes, recorder, £125. Tel: (0258) 54653.

UK 101, 8K, Newmon cased, 300/600 band rate cassette, draughts, R.T.C., assembler, etc., £210 inc. P&P and insurance. Paul Broderick, 11 Ramsey Road, St. Ives, Huntingdon, Cambs.

NASCOM 1, £100. NAS-SYS + T4, etc. Tel: (0532) 707600 after 6pm.

NASCOM 1 TO S100 BUS + 8K static RAM card, £60. Tel: (0532) 707600 after 6pm.

RUBIK'S CUBE program for 32K Apple/ITT 2020. 15-colour high resolution 3-D display, cassette + full documentation, £12. Also Supertrek, £8. Both for £17. State machine. Graham Auty, 10 Salisbury View, Leeds LS12 2AU.

Clenlo Computing Services 01-653-6028	15 South View Court The Woodlands, Beulah Hill London SE19	
Commodore BM (U.K.) Ltd Slough 74111	818 Leigh Road Slough Industrial Estate Slough Berkshire	A Gould
Compfer Ltd 0772-57684	Preston Computer Centre 6 Victoria Buildings, Fishergate Preston Lancashire	
CPS (Data Systems) Ltd 021-707-3866	Arden House, 1102 Warwick Road Acocks Green Birmingham B27 6BH	
Compsoft Ltd 0483-39665/505918	Great Tangley, Manor Farm Wonersh, Guildford, Surrey	
Comput-A-Crop 01-771-0867	32 Whitworth Road London SE25 6XH	Jenny Wilson
CPR Systems Ltd 04492-5488	37-39 Ipswich Street Stowmarket, Suffolk	Roger Taylor
Computech Systems 01-794-0202	168 Finchley Road London NW3	Laurence Payne
CSM Ltd 021-382-4171	Refuge Assurance House Sutton New Road, Birmingham	Peter Mart
Cyderpress Ltd 0491-37769	2 Church Lane Wallingford, Oxfordshire	C Murphy
Daman Computer Services 061-793-7015	Kennedy House, Rutland Street Swinton, Manchester M27 2AU	L J Watson
P R Daly 09274-29815	Oaklands Gate, Northwood Middlesex HA6 3AA	Peter Daly
Deltic Computing Ltd Basingstoke 59715	2nd Floor, May Place House May Place, Basingstoke, Hampshire	
Diskdean Ltd 01-242-7394	23 Bedford Row London WC1R 4EB	
Diskwise Ltd 05793-3780	25 Fore Street Callington, Cornwall	R Cornforth
Equinox Computer Systems 01-739-2387/9	Kleeman House, 16 Anning Street New Inn Yard, London EC2	M Kusmirak
Fully Integrated Business Systems Ltd 021-328-7920	18 Hanover Drive Gravelly Industrial Park Tyburn Road, Birmingham B24 8TE	John Metcalf
G W Computers Ltd 01-636-8210	89 Bedford Court Mansions Bedford Avenue, London WC1	
Graffcom Systems Ltd	52 Shaftesbury Avenue London	Barbara Castedine
Graham Dorian Software 01-379-7931	c/o Lifeboat Associates 32 Neal Street, London WC2H 9PS	
Guestel Ltd 0225-65379	Refuge House 2-4 Henry Street, Bath	Allan Timpany
Hayden Young Ltd 01-387-4377	PO Box 117, 141 Euston Road London NW1 2AY	
Haywood Associates Ltd 01-428-9831	11 Station Approach Northwood, Middlesex	
HB Computers Ltd 0536-520910	22 Newland Street Kettering, Northamptonshire	Johnny Johnson
Horizon Software Ltd 0533-556550	Regent House, 16 West Walk Leicester LE1 7NG	
Humac Ltd Romford 752005	168-186 South Street Romford, Essex RM1 1TR	John Oatham
Informex London Ltd 01-318-4213/7	8-12 Lee High Road London SE13 5LQ	
Instar Business Systems 01-680-5330	61 High Street Croydon, Surrey	
Intelligent Artefacts 0223-207689	Cambridge Road Orwell, Hertfordshire	
Intereurope SD Ltd 0734-789183	19-21 Denmark Street Wokingham, Berkshire RG11 2QX	
Interface Computer Services Ltd 0376-518112	First Floor, 17 Guithavon Street Witham, Essex	

SuperBrain	Alan Pearman Ltd	£190	Statistics package
SuperBrain	Alan Pearman Ltd	£105	APL utility functions
SuperBrain	Alan Pearman Ltd	£225	APL Text editor/ processor
SuperBrain	Alan Pearman Ltd	£125	Micro-mainframe communications
SuperBrain	Alan Pearman Ltd	£490	Modelling/simulation
SuperBrain	Alan Pearman Ltd	£325	Actuarial calculations
SuperBrain	Alan Pearman Ltd	£75	Password security system
SuperBrain	Alan Pearman Ltd	£225	Report formatting
SuperBrain	Alan Pearman Ltd	£195	CP/M networks
SuperBrain	Alan Pearman Ltd	£380	Hard graphics copy
Tandy TRS-80	Chess Consultancies	£995	Haulage administration
Tandy TRS-80	Cleartone ADP	£300	WIP and invoicing system
Tandy TRS-80	Cleartone ADP	£500	Patient and drugs records
Tandy TRS-80	P J Norris	£1,000	Comprehensive sales and purchase
Tandy TRS-80	Quickmet	£785	Integrated accounts package
Zilog MCZ range	Microbits	£1,000	Insurance brokers system
Zilog MCZ range	Microbits	£1,000	Production control
Zilog MCZ range	Microbits	£1,000	Bill of materials
Z-80/8080	Intereurope	£500	Conference organiser

Alphabetical list of suppliers

Supplier	Address	Sales contact
3-Line Computing 0482-445496	36 Clough Road Hull HU5 1QL	Tim Hill
ACT Microsoft Ltd 021-455-8585	Radclyffe House 66-68 Hagley Road Birmingham B16 8PF	Matthew Wauchope
Aerco-Gemsoft 04862-22881	27 Chobham Road Woking Surrey	
A J Harding (Molimerx) 0424-22039	28 Collington Avenue Bexhill-on-Sea, East Sussex	John Harding
Algobel Computers Ltd 021-233-2407	33 Cornwall Buildings Newhall Street Birmingham B3 3QR	Amanda Anders
Amplicon M S Ltd 0273-608331	Richmond Road Brighton, Sussex BN1 6JA	Peter Wood
Anagram Systems 0403-50854	60a Queens Street Horsham, West Sussex RH13 5AD	
Analog Electronics 0203-417761	47 Ridgeway Avenue Coventry	
Alan Pearman Ltd 0244-46024/21084	Maple House, Mortlake Crescent Chester CH3 5UR	
Atlanta Data Systems Ltd 01-739-5889	350/356 Old Street London EC1V 9DT	Frank Laughton
Basic Computing 0535-65094	Oakworth Road Keighley, West Yorkshire BD22 7LA	Mike Collier
Benchmark CS Ltd 0726-61000	7-8 Aylmer Square St Austell, Cornwall PL25 5LL	John Fisher
Bristol Software Factory 0272-277135	Kingsons House, Grove Avenue Queen Square, Bristol BS1 4QY	W J Kyle-Price
Business Solutions Ltd 01-554-5985/0582	1 Park Avenue, Ilford Essex IG1 4LU	S Page
Bytesoft Systems Limited 0533-531441	16 New Street Leicester LE1 5NR	David Biggins
Chess Consultancies Ltd 061-832-6792	Progress House 31-33 Mount Street, Salford Manchester M3	D G West
Cleartone ADP 0495-244555	Prince of Wales Industrial Estate Abercarn, Gwent NP1 5RJ	C J Holbrook

16K ZX-81, with printer, full sized keyboard and cassette recorder, over £100 worth of software: Invaders Eprom, m/c programs, 2 books and 22 basic programs. Will sell all for £199. Tel: (0903) 42013.

VIC 20!! Full colour/sound games/educational programs, 4/5 on cassette, £5.50. Tel: (0634) 814118 for details.

TEXAS SILENT 700 portable data terminal, hardly used, £750. Tel: 01-778 2006 (office hours).

DUAL 8" DISKETTE drive model DR 76, from Digico M16E, £450. Tel: 01-778 2006 (office hours).

GTE NOVAR 5-60 golf ball terminal, with keyboard, £300. Tel: 01-778 2006 (office hours).

10 1K ZX-81 GAMES. Cassette, £2.50, listings 30p each. 5 16K games, £2.95, listings 50p. To Ian Morrison, 17 Winton Circus, Saltcoats, Ayrshire KA21 5DA.

PET 2001, new ROMs, 8K, programs, manuals, etc., excellent condition, £290 ono. Tel: Carrickfergus 66516 (N.I.).

APPLE/ITT2020 disc drive with controller, unused, with manual, £290. Tel: 01-521 7733.

ACORN ATOM, fully expanded, worth £400, want £300. Tel: 01-567 8607 after 6pm.

UK 101, 8K, cased, 4K Wemon monitor, all manuals, leads, programs on tape, £100. Tel: Byfleet 42443.

RML 380Z, single mini-floppy disk system, high resolution graphics, etc., etc., £1,500. Tel: Oxford 53514.

SINCLAIR OWNERS! Save and load programs reliably from cassette with the Duette recorder, battery or mains (lead supplied). Ear and mic sockets fit Sinclair jacks. Supplied with three 1K programs on tape — Invaders, Guess the Number, and Bingo. £18.50 (including postage) from G. Henderson, 107 Mersey Road, London E17 5LA.

OWING TO FURTHER EXPANSION. Impetus Computer Systems need programmers with experience in BASIC & Assembler on the PET. Salary a.a.e., Hendon area. Phone Impetus, 01-202 2726.

ZX81: SOPHISTICATED SOFTWARE. Matrix Planner: A versatile and powerful on-screen financial modelling system employing VisiCalc concepts. Allows complete business planning, 'what-if' analysis, home budgeting, etc. (£5). ZTEXT: The first ZX81 word processor. Enter and edit text using the elegant screen-display editor. Print it on either the screen or the ZX printer, using format/print routine. Paging, full justification, indentation, etc. (£5). Or both for £7.50. From Graham Asher, 60 Maryland Road, Wood Green, London N22 5AN. (Cassette, instructions).

PET 3032 32K w/Computhink 1.2 MB dual disk drives, cassette and TNW interface to Qume or whatever. DMS software. Total package cost £2,500. Sell for first £1,000 cash. No offers. 0276 682011.

BREAKOUT in M/C for Sharp MZ80K, uses Set and Reset, nine speeds, one or two bats. £3.00 on cassette. Mr. A. Goodwin, 22 Canterbury Leys, Tewksbury, Glos.

SIMPLICALC

NEW!

FOR EVEN 8K PETS.....FROM CRONITE

For the first time, you can have a visual electronic calculator on even the smallest Commodore Pet, with no need for a disk drive.

You can move your screen around on your electronic worksheet, adding and deleting and recalculating . . . and if you think that sounds familiar, you're right. SimpliCalc was written to provide the main facilities of programs like VisiCalc™ on machines which do not have the 32K and disk drive required for VisiCalc™. Now the real power of your micro can be harnessed at a quarter of the cost of larger programs.

- ★ **Runs even in 8K**
- ★ **Writes figures or alphabetic characters on your sheet**
- ★ **Allows easy change or deletion**
- ★ **Can save your sheet for future use**
- ★ **Lets you print out your sheet on PET printers**
- ★ **Uses cassette or disk**
- ★ **Allows formulae to be set up for rapid recalculation**
- ★ **Shows you your sheet on the screen all the time**
- ★ **Allows replication of columns and rows**

What can you use it for? It's limited only by your imagination; any tabular computation, especially where you want to adjust and recalculate, is ideal. The Cronite Group uses it for costing, modelling, consolidation and capital investment appraisals. Try these:

- ★ **Education — business studies and economics**
- ★ **Investment analysis**
- ★ **Household budgeting**
- ★ **Financial modelling and cash flow**
- ★ **Costing**
- ★ **Tax computations — personal or business**

To obtain your copy of this versatile numeric tool, with comprehensive manual, send cheque with order, specifying whether your CBM is ★ 2001/3000/early 4000 (PEEK (144) = 46) ★ late 4000 series ★ 8032 and whether you want cassette **£29.90 inc. VAT** or disk **£36.80 inc. VAT** (specify drive) to:
SIMPLICALC — The Cronite Group Limited, Montgomery Street, Birmingham B11 1DT.

Further versions for other popular micros e.g. VIC 20 are planned; enquiries welcome.

Further details from Mark Turner on 021-773 8281 — telex 338247

VisiCalc is a trade mark of Personal Software Inc.

● **Circle No. 283**

MAKE THE MOST OF YOUR CP/M SYSTEM

with a highly productive language designed to improve the reliability of software.

- **ProPascal is a full implementation of the standard language, with extensions such as random-access files and separate compilation of program segments.**
- **The compiler runs on any Z80 micro with CP/M and at least 52K RAM, e.g. MZ-80B, Horizon, Conqueror, MCZ, Superbrain and many others.**
- **Object programs are compact and fast, making full use of the Z80's registers and instruction set.**
- **The software package includes a disc-to-disc linker and a cross-reference program.**

Developed and supported in the UK, ProPascal is available now, at a single-user price of £190 plus VAT. Dealer enquiries are also welcome.

new ProPascal runs faster

Prospero

PROGRAMMING LANGUAGE SPECIALISTS

Prospero Software, 37 Gwendolen Avenue, London SW15 6EP. Tel: 01-785 6848.

● **Circle No. 284**

authorized stockists

semicomps NORTHERN LIMITED
Semicomps Northern Ltd.,
East Bowmont Street,
Kelso, Roxburghshire. Tel: (0573) 24366

Eley Electronics
112, Groby Road, Glenfield, Leicester LE3 8GL
Tel: (0533) 871522

MID-SHIRE'S COMPUTER CENTRE
68 Nantwich Road, Crewe, Cheshire
Tel: (0270) 211086

ELECTRICAL ELECTRONIC & MICROCOMPUTING
RETAIL & REPAIR
18 Station Road Lower Parkstone
Poole Dorset BH14 8UB
Tel: Parkstone (0202) 746555
PE PARKSTONE ELECTRICS

MICRO COMMS Amateur radio C.B. radio Electronics Computers
372-374 George Street Aberdeen
Telephone: 0224 633385

JPS
9 East Street, Colne,
Nr. Huntingdon, Cambs.
Tel: Ramsey (0487) 840710
Contact Paul Jephcott

SRS MICROSYSTEMS
161 Bramley Road, Oakwood,
London N14
Telephone: 01-363 8060

58 Battersea Rise,
Clapham Junction
London SW11 1HH
Tel: 01-674 1205
01-675 4557
OFF Records

In the heart of the Nascom country lies Business & Leisure
Business & Leisure Micro Computers
We specialise in tailoring systems to your specific requirements.
16 The Square, Kenilworth, CV8 1EB.
Tel: Kenilworth (0926) 512127

MAAS COMPUTER CONSULTANTS
Stationstraat,
6241 CL,
Bunde (L),
Netherlands.
Tel: 043 641147

OTHER NASCOM PRODUCTS

* Nascom 1 from £125 + VAT
* Nascom 2 from £225 + VAT
* Memory Extension Unit from £80 + VAT
* Disc systems from £375 + VAT
* Input/Output board from £37 + VAT

NEW

* Advanced video controller from £155 + VAT
* Enhanced BASIC from £40 + VAT
* Pascal compiler from £45 + VAT
* Compiled BASIC from £150 + VAT

SPECIAL OFFER
Imp Printers
£199 + VAT
including IMP PRINT

● **Circle No. 282**

NOW YOUR HP-85 IS COMPLETE

WITH THE MSC-9800H 5.0Mb WINCHESTER DRIVE

- 45ms access time.
- 22 bit error detection/11 bit error correction.
- 256 byte data buffer.
- Software compatible with HP9895 floppy drive.
- Compact desk top unit measuring 6⅜″ × 10½″ × 12″.
- Low cost per byte.

JUST PLUG IN AND RUN!! . . . OTHER MODELS AVAILABLE.
MSC-9800 — STANDARD IEEE-48/MSC-9800 L-HP9800 SERIES COMPATIBLE.

U.K. DISTRIBUTORS:

ANGLIA COMPUTER CENTRE
88 ST. BENEDICTS STREET, NORWICH NR2 4AB.
TEL: (0603) 29652/26002.

AS SHOWN AT COMPEC 1981
DEALER ENQUIRIES WELCOME

Tired of hearing about PASCAL?

We think you've waited long enough.

At last, there is an easy to understand Pascal sampler to help you learn Pascal programming, LinkSampler. And to fill the needs of the Pascal programmer, two Pascal utility programs to increase your programming productivity, LinkVideo and LinkDisk.

Link Systems backs its commitment to quality Pascal software with fifteen years of mainframe and micro computer programming experience.

The Easiest Way to Learn Pascal

● **LinkSampler** is an entertaining Pascal learning tool, supplied with easy to understand documentation. LinkSampler includes a full diskette of games, math procedures and financial programs.

LinkSampler I will help you put into practice what you have read in books.

£49.95

An Interactive Pascal Utility

● **LinkDisk** fills the needs of the programmer for manipulating individual bytes of Pascal mass storage media.

It compares, examines and changes any byte on an Apple Pascal disk and translates DOS Basic into Pascal.

Compare.

This function enables you to insure that a disk copy was performed without error, and the copy is readable. Good for Pascal and Basic.

Examine.

Enables you to examine and change data on mass storage, change data byte by byte and alter any nibble of data.

Translate.

Enables you to translate DOS 3.3 text and Binary files into Pascal. **£54.95**

A Multi Function Programmers Aid

● **LinkVideo** saves valuable input, output programming time, and provides terminal independence for essential screen functions.

- Erase to End of line.
- Erase to End of Screen. ● Clear Screen.
- Cursor Moves (both input and output).
- Line and Screen Erasure.
- Filters, Validates and prompts input for Strings, Fields, Boolean, Social Security Numbers, Telephone Numbers, Dates, Integers, Pseudo-Reals. **£44.95**

LINK SYSTEMS

U.K DISTRIBUTORS:

ANGLIA COMPUTER CENTRE
88 ST. BENEDICTS STREET, NORWICH NR2 4AB.
TELEPHONE: (0603) 29652/26002.

(All prices exclude VAT)

DEALER ENQUIRIES WELCOME

● Circle No. 286

The Printer People

NEC

3500

A NEW GENERATION OF NEC SPINWRITERS

(A little less speed for a lot less money)

They've done it again! NEC Information Systems' new Series 3500 Spinwriter combines the reliability of past NEC products with an unbelievable low price.

The 3500 series is a new generation of Spinwriters capable of printing up to 35 characters per second at a saving of approximately 25% over past products. NEC has accomplished this tremendous price reduction while maintaining the same high quality printing and reliability found in all past NEC models. The new series has full functional compatibility with the 5500/7700 series printers, which means not a single line of code need be rewritten to take full advantage of this new product. Call today for more info.

BDT

ASF 160

Automatic sheet feeders

Feeds up to 250 single sheets or letterheads automatically — no more hand feeding !

Universal unit with mountings for **NEC, Tec, Qume, Ricoh, Diablo** *and others.*

Easily attached or removed in seconds.

No modification to printer or software required.

Trade, OEM and Educational Discounts available — area dealerships invited.

NOW YOUR HP-85 IS COMPLETE



WITH THE MSC-9800H 5.0Mb WINCHESTER DRIVE

- 45ms access time.
- 22 bit error detection/11 bit error correction.
- 256 byte data buffer.
- Software compatible with HP9895 floppy drive.
- Compact desk top unit measuring 6⅜″ × 10½″ × 12″.
- Low cost per byte.

JUST PLUG IN AND RUN!! . . . OTHER MODELS AVAILABLE.
MSC-9800 — STANDARD IEEE-48/MSC-9800 L-HP9800 SERIES COMPATIBLE.

U.K. DISTRIBUTORS:

ANGLIA COMPUTER CENTRE

88 ST. BENEDICTS STREET, NORWICH NR2 4AB. TEL: (0603) 29652/26002.

AS SHOWN AT COMPEC 1981
DEALER ENQUIRIES WELCOME

Tired of hearing about PASCAL?

We think you've waited long enough.

At last, there is an easy to understand Pascal sampler to help you learn Pascal programming, LinkSampler. And to fill the needs of the Pascal programmer, two Pascal utility programs to increase your programming productivity, LinkVideo and LinkDisk.

Link Systems backs its commitment to quality Pascal software with fifteen years of mainframe and micro computer programming experience.

The Easiest Way to Learn Pascal

● **LinkSampler** is an entertaining Pascal learning tool, supplied with easy to understand documentation. LinkSampler includes a full diskette of games, math procedures and financial programs.

LinkSampler I will help you put into practice what you have read in books. **£49.95**

An Interactive Pascal Utility

● **LinkDisk** fills the needs of the programmer for manipulating individual bytes of Pascal mass storage media.

It compares, examines and changes any byte on an Apple Pascal disk and translates DOS Basic into Pascal.

Compare.

This function enables you to insure that a disk copy was performed without error, and the copy is readable. Good for Pascal and Basic.

Examine.

Enables you to examine and change data on mass storage, change data byte by byte and alter any nibble of data.

Translate.

Enables you to translate DOS 3.3 text and Binary files into Pascal. **£54.95**

A Multi Function Programmers Aid

● **LinkVideo** saves valuable input, output programming time, and provides terminal independence for essential screen functions.

- Erase to End of line.
- Erase to End of Screen. ● Clear Screen.
- Cursor Moves (both input and output).
- Line and Screen Erasure.
- Filters, Validates and prompts input for Strings, Fields, Boolean, Social Security Numbers, Telephone Numbers, Dates, Integers, Pseudo-Reals. **£44.95**

LINK SYSTEMS

U.K DISTRIBUTORS:

ANGLIA COMPUTER CENTRE

88 ST. BENEDICTS STREET, NORWICH NR2 4AB.

TELEPHONE: (0603) 29652/26002.

(All prices exclude VAT)

DEALER ENQUIRIES WELCOME

● Circle No. 286

Micro General

MATRIX PRINTERS...

Please contact us for advice on printer selection

MICROLINE 80

Popular, robust printer with block graphics. New models 82A & 83A now available, 120 cps, true descenders, Serial/Parallel interfaces switch selectable.



£279 + VAT



EPSON MX-SERIES

Remarkably versatile printers for many applications. Graphics models and full range of interfaces available.

FROM **£359** + VAT
(FOR MX-80T)

CENTRONICS 739-2

Superb proportional print quality. Pin addressable graphics. Superscripts and subscripts. Forward and reverse paper motion.



£504 + VAT

FREE DELIVERY to UK Mainland.
Listing paper £17.00 + VAT per 2,000 sheets.
FREE INSTALLATION within 30 miles of Reading.
DAY or EVENING appointments welcome.

MICRO GENERAL, 6 The Birchwoods, Tilehurst, Reading, Berks RG3 5UH.

Buy it with Access

Tel: 0734 25226.

BARCLAYCARD VISA

● Circle No. 287

"ATTENTION COMPUTER DEALERS"

Let us be your Exporter/Purchasing Agent in the United States for the following products:—

MICROCOMPUTERS:— Ohio Scientific, Onyx.

PRINTERS:— Okidata, Centronics, NEC, Xerox/Diablo, Anadex, Printerm, Eaton.

TERMINALS:— Micro-term, Televideo, Hazeltine, Zintec, Beehive.

MAG-TAPE:— Alloy engineering cartridge and reel.

FURNITURE:— Printer Stands, CRT Stands, Computer Tables.

MISC:— Blank Floppy Disks, Blank Cartridge and reel mag tape, CRT Cables, etc.

NOTE
IF YOU DON'T SEE YOUR NEEDS, PLEASE CONTACT US WITH YOUR REQUIREMENTS.

SYSTEMS INTERNATIONAL INC
500 CHESHAM HOUSE,
150 REGENT STREET,
LONDON W1R 5FA

SYSTEMS INTERNATIONAL INC
15920 LUANNE DRIVE
GAITHERSBURG, MARYLAND
20760 U.S.A.

Telephone 301-977-0100. Telex 710-828-9703
Cable Address SYSINTL. GAITHERSBURG MD

● Circle No. 288

INFRA COMPUTER COMPONENTS LIMITED

Pendorric House, 7 Westfield Road, Great Shelford, Cambridge.

Telephone: (0223) 841728/843953. Telex: 81574.

7400	
7400.	.1010
7401-04	.11
7409.	.14
7410.	.15
7412.	.19
7413.	.25
7420.	.13
7430.	.17
7432.	.24
7440.	.20
7442.	.30
7448.	.36
7486.	.20
74159.	.56
74184.	.87
74185.	.88
74198.	.55
74273.	.75
Zilog. Z80. family	
Z80. CPU.	£3.50
Z80A. CPU.	£4.60
Z80. CTC.	£3.80
Z80A. CTC.	£3.95
Z80. Dart.	£6.00
Z80A. Dart.	£7.10
Z80. PIO	£3.50
Z80A. PIO	£3.50
Rams	
2111A.	£2.50
2114 2L.	£1.00
2114 4L.	.95
4116 150ns	.90
4116 200ns	.79
4118	£4.30
4864	£11.50
6116. P3	£9.50
6116 LP3.	£12.00
Proms	
1702	£4.00
2708	£2.40
2716 350ns	£6.00
2716 450ns	£3.25
2532	£4.50
2732	£5.00
74LS series	
74LS00.	.09
74LS 1-10.	.11
74LS 27.	.13
74LS 30.	.12
74LS 74.	.14
74LS 75.	.23
74LS 85.	.65
74LS 86.	.13
74LS 92.	.34
74LS 93.	.34
74LS 112.	.37
74LS 132.	.43
74LS 138.	.34
74LS 139.	.35
74LS 145.	.75
74LS 151.	.30
74LS 153.	.30
74LS 154.	.88
74LS 155.	.38
74LS 157.	.31
74LS 161.	.35
74LS 163.	.38
74LS 165.	1.00
74LS 166.	.30
74LS 168.	.83
74LS 174.	.45
74LS 175.	.53
74LS 221.	.50
74LS 240.	.90
74LS 241.	1.00
74LS 242.	.70
74LS 243.	.70
74LS 244.	.58
74LS 245.	1.00
74LS 247.	.32
74LS 248.	.63
74LS 249.	.63
74LS 257.	.47
74LS 259.	.95
74LS 261.	2.95
74LS 266.	.22
74LS 273.	.68
74LS 283.	.40
74LS 290.	.50
74LS 365.	.30
74LS 373.	.65
74LS 374.	.65
74LS 393.	.55
I.C. Sockets	
8. pin.	.7p
14. pin.	.8p
16. pin.	.8p
20. pin.	14p
22. pin.	16p
24. pin.	20p
28. pin.	24p
40. pin.	28p
Crystals	
32. 768K Hz.	90p
1000 MHZ	£2.50p
2000 MHZ	£2.52p
2.562 MHZ	£3.10p
3.276 MHZ	£1.00p
3.579 MHZ	£1.00p
3.932 MHZ	£1.10p
4.000 MHZ	£1.40p
4.194 MHZ	£1.80p
4.433 MHZ	.80p
5000 MHZ	£1.75p
5.120 MHZ	£1.00p
6000 MHZ	£1.75p
6.144 MHZ	£1.21p
6.400 MHZ	£1.75p
10000 MHZ	£1.25
18000 MHZ	£1.10p
20000 MHZ	£1.25p

Quantity discounts available on request. All prices exclusive of Vat and carriage.
Government, Education Authorities and trade welcome. Ring our friendly sales staff for prompt service. (0223) 841728 — 843953.

● Circle No. 289

NASCOM USERS

Take a look at the NASCOM APPROVED HS-IN STORAGE SYSTEM. Where else can you get features like these . . .

* **A full on screen instant display of the catalogue.**
* **Auto verification of each file as it is written.**
* **CRC error checking.**
* **Link selectable 2Mhz or 4Mhz option.**
* **Fast data transfer rate of 6000 bps.**
* **Powered from NASBUS.**
* **8" sq NASBUS compatible PCB.**
* **Far more reliable than any floppy disk system.**
* **112K on-line storage with 2 drive system.**

The HS-IN has a Command Set which makes it a floppy-disk "look-alike". It can load an 8K program in under 11 seconds and can store up to 56K (28 files) on each side of tape. Why spend £700 on a floppy disk system when the less expensive HS-IN system has a command set like this . . .

B— Write a Basic file
C— Instant display of catalogue.
D— Delete file.
J— Jump to Basic.
N— Jump to NAS-SYS.
Q— Warm start to NASPEN text editor.
R— Read a file.
T— Transfer file to another drive.
W— Write a file.
X— Exit and rewind cassettes.
Z— Warm start to Basic.

This Mini-Cassette Storage System is technologically far ahead of anything like it on the market and is extremely reliable into the bargain. AND THE COST? Because we have been successful in quantity component purchases we have been able to lower the price until January 31st 1982 (the old price is in brackets).

Single Drive System built and tested **£199** (£230)

Double Drive System built and tested **£279** (£299)

Carriage **£3.50**.

We are Scotland's foremost NASCOM Dealers and keep in stock the full range of NASCOM products as described in the Lucas Logic Advert in this magazine. For the Christmas period and up to January 31st 1982 we are offering a **FREE Statistical Calculator** (without battery) with every NASCOM product worth more than £100 or each series of NASCOM products with a value totalling £100 or more in the same order. AND if you don't want the calculator . . . just 'phone and see if we have something else you need FREE – a book perhaps!

We now have the new NASCOM CASE in stock as well as many more new NASCOM related products.

COMPONENTS AT THE BEST PRICES IN BRITAIN

MICRO-SPARES now have a vast selection of Logic I.C.'s including 74; 74LS and CMOS full range. There are Z80's and support chips as well as resistors, capacitors etc. etc. . . . far too many to list on this page. But to give you an idea of the prices just compare these . . .

	1-199	200+
2114's (all speeds)	**95p**	**POA**
4116's (all speeds)	**61p**	**POA**
2708's	**1.73p**	**POA**
2716's Single +5v	**2.15p**	**POA**
4118's	**3.80p**	**POA**

All components are fully guaranteed and are in stock as at 15th January 1982. Orders under £30 please add 50p p. & p. VAT not included. Send SAE for current price list. Official orders from all establishments welcome.
All components in stock sent same day.

NEW

Very shortly now MICRO-SPARES will be selling the all computer RS232C version of the HS-IN. The Mini-Cassette System is just as fast and files can be any length. The machine can be connected to computers, V.D.U.'s, Printers and and other RS232C device. They will take the place of paper tape in loading engineer test programs for instance. Other communication modes are 20mA current loop, IEEE and Z80 bus.

SECOND HAND COMPUTERS

MICRO-SPARES keep a register of users that are buying or selling a computer. Stocks of second-hand machines – all in working order – are available from the very small to the very large at extremely keen prices.

Micro-Spares

19 Roseburn Terrace, Edinburgh EH12 5NG.
Tel: 031-337 5611.

BARCLAYCARD VISA

● **Circle No. 290**

The Printer People

NEC

3500

A NEW GENERATION OF NEC SPINWRITERS

(A little less speed for a lot less money)



They've done it again! NEC Information Systems' new Series 3500 Spinwriter combines the reliability of past NEC products with an unbelievable low price.

The 3500 series is a new generation of Spinwriters capable of printing up to 35 characters per second at a saving of approximately 25% over past products. NEC has accomplished this tremendous price reduction while maintaining the same high quality printing and reliability found in all past NEC models. The new series has full functional compatibility with the 5500/7700 series printers, which means not a single line of code need be rewritten to take full advantage of this new product. Call today for more info.

BDT

ASF 160

Automatic sheet feeders

Feeds up to 250 single sheets or letterheads automatically — no more hand feeding !

Universal unit with mountings for **NEC, Tec, Qume, Ricoh, Diablo** *and others.*

Easily attached or removed in seconds.

No modification to printer or software required.

Trade, OEM and Educational Discounts available — area dealerships invited.

0372 62071/66398

Phone for your nearest stockist

You've come this far to find a printer supplier – don't blow it now.

*Lots of people can sell you terminals. But no one can give you terminals that come with a guaranteed immediate delivery that ours come with!**

So what's it to be? A terminal from a company that delivers what it promises.

Or a terminal from a company that just makes lots of promises?

**subject to being in stock.*

EPSON

MX80

The unbelievable quality printer from the world's largest print head manufacturer. A whole stable of machines to suit a wide variety of applications: MX80, MX82, MX 80FT/1 & MX80 FT/New Type 2, MX100.

OKI

82A **83A**

Small, light, quiet, dot matrix printer. 40, 80 or 132 columns, 6 or 8 lines per inch, 96 ASCII characters plus 64 graphics characters, Centronics int.

TRANSTEC

1200

Green Screen



Computer data and graphic displays never look better, brighter, sharper. Low cost, high resolution, high performance.

QUME

SPRINT 9



The Daisywheel Printing Terminal series that sets a new standard for print quality, reliability and serviceability. Unbeatable performance at a realistic price.

RICOH

FLOWRITER

The 1600 is one of the most advanced daisy wheel printers on the world market today. With a unique combination of features.

TEC

STARWRITER

NEW

Daisy wheel printer for word processing, professional results. Diablo compatible, suitable for most micro and mini computers.

TVI

910/920/925/950

Fully intelligent terminals with 24x80 display & dual intensity, blinking, reversed, underlining and protect fields, 96 ASCII chrs etc.

HAZELTINE

ESPRIT

Green Screen

The Hazeltine Esprit is a buffered terminal capable of displaying the complete 128 ASCII character set. Based on a 12" diagonal non-glare CRT, the video is crisp and clear with each character presented on a large matrix to reduce eye fatigue.

NORTHAMBER LIMITED

3 & 4 DAWES COURT, ESHER, SURREY.

Tel: Esher (0372) 62071 or 66398 (from 01 nos. dial 78-62071 or 78-66398)

Importers, Distributors & Wholesalers of quality Computer products.

If you want a Printer tomorrow- call us today

● Circle No. 291

BUTEL-COMCO

RP1600 Daisywheel Printer

60 cps!

* Serial V24/IEEE/Centronics interface
* Optional intelligent version includes
  Qume/Diablo compatible commands
  Auto bidirectional operation
  2 – 8K buffer

Write or call for further information:
Butel Comco Limited
Garrick Industrial Centre
Garrick Road,
London NW9 6AQ
Telephone: 01 – 202 0262

BUTEL
Technology for business

Trade / OEM discounts available.

● Circle No. 292

LEARN PROGRAMMING & MICROS IN CAMBRIDGE

SHORT COURSES

"PROGRAMMING IN BASIC"
Dates: 25-27 January, 10-12 March & 21-23 April

"PROGRAMMING IN PASCAL"
Dates: 18-22 January & 22-26 March

"MICROCOMPUTERS IN BUSINESS & INDUSTRY"
Dates: 22-26 February

"INTRODUCTION TO DESIGN OF MICROPROCESSOR SYSTEMS"
Dates: 1-5 February & 29 March-2 April

"ADVANCED SYSTEMS DESIGN USING PASCAL"
Dates: 15-19 February & 26-30 April

Write or phone for Course Prospectus and Booking Form

CAMBRIDGE MICRO COMPUTERS LTD
Cambridge Science Park
Milton Road
Cambridge CB4 4BN
Telephone: 0223-314666

● Circle No. 293

The RX 8000 Printer

A HOST OF OUTSTANDING FEATURES AT A GREAT FINANCIAL SAVING!

Features ● Low Cost ● Excellent Printing Quality
● Logic Seeking Carriage Control for Faster Output
● 96 ASCII Character Set plus block graphics characters
● Long Life Print Head 100 million characters minimum
● Variety of Interfaces ● Paper Roll Carrier Optional
● Tractor Feed Version includes friction feed facility
● Centronics Version available now ● RS 232C Version available in February

Order Code Friction Feed Version RX 8000 FF-CENT **£219**
Tractor Feed Version RX 8000 TF-CENT **£238** VAT & CARRIAGE EXTRA

For complete Specifications or demonstrations, Write or call today.

NAME _____

ADDRESS _____

PRC 82/2

Data Display Monitor



● Reliable Quality
● High Revolution picture tube shows 1920 characters (18 x 24)
● Lightweight and compact with controls
● Easy operating for user 12 inch or 9 inch monitor
£125 + VAT and carriage
Quantity discount available

STOTRON
LIMITED
Member of the Roxburgh Group of Companies.
STOTRON LTD., 4A, Shilton Industrial Estate, Bulkington Road, Shilton, Coventry CV7 9JY Tel: 0203 613521
STOTRON LTD., 72 Blackheath Road, Greenwich, London. SE10 8DA Tel: 01691 2031
STOTRON (HAYWARDS HEATH) LTD., 12 Bridge Road, Haywards Heath, West Sussex. RH16 1VA Tel: 0444 52550

● Circle No. 294

LONDON COMPUTER CENTRE

PET! APPLE! TRS80! HORIZON! OWNERS!

Let LCC the BIG COMPUTER CENTRE put you a cable's length away from **Letter Quality Printing** with 5-Star Printers.

Letter Quality Printing with 6-Star Printers.
Olivetti ET 121. 20 CPS. Proportional Spacing. Doubles as Typewriter. **£795**
Tec-40. 40 CPS. 2K Buffer (Bi-Directional Printing, uses Diablo Daisywheels and ribbons). **£1235**
Daisywheel 11. 60 CPS. Ricoh 1600 Daisywheel. **£995**
Flowriter RP1600. 60 CPS. The most intelligent Daisy. 8K Buffer / Bi-directional / Printing X On/Off, Right, Justify, Repeat, Built-in. **£1500**
Qume Sprint 5. 45 CPS. **£1350**
NEC 55 CPS **£1650**

Demonstrations on all models.

New! 12" wide Automatic Sheet Feeder fits all above. £580





* 16% Greater Disc Capacity
* Faster disc Access
* Auto Repeat on all Keys
* 18 Programmable Keys

Now with multi-coloured dedicated keys for Magic Wand and Wordstar; the ultimate word processors.

* £ = $1.80

EPSON DUAL MODE PRINTERS
LETTER QUALITY & STANDARD DOT MATRIX IN ONE LOW COST UNIT

MX-80 F/T. List £425. £ Phone
LETTER LIKE PRINT QUALITY
3 WAY PAPER HANDLING
1. Leterheads or A4
2. Fanfold
3. Paper Rolls
LOW NOISE
132 COLUMNS PER LINE
JAPANESE RELIABILITY
MX-80 F/T2. List £440.
MX-100 F/T. List £575. £ Phone

The only full 15" width platten printer with dual print modes & built in dot matrix & built in hi-res. graphics.

* Full specification as the MX-80 F/T.



AUTHORISED TANDY DEALERS

COMPLETE MODEL I 48K SYSTEM

SPECIAL OFFER: LIMITED PERIOD 48K System — 16K keyboard, 32K Expansion Interface, dual Disc Drives, Green VDU, complete with all cables. **£999**

16K keyboard with UHF Modulator	£275
16K System with VDU & Cassette	£399
32K Expansion Interface	£289
Dual Disc Drives	£399
Double Density Doubler	£75



MODEL III

From £650

16K without disc drives	£650
48K without disc drives	£695
48K with disc drives	£1350
With Epson MX 80 and Scripsit for Wordprocessing	£1799

MODEL II
from £1999 including CP/M

We supply Model II with TRS DOS AND CP/M at NO EXTRA CHARGE.

CP/M SOFTWARE WORD PROCESSORS

WordStar	£275
WordStar with Dedicated Keys	£340
WordStar Mail-Merge	£65
Magic Wand	£185
Magic Wand with Dedicated Keys	£250
Spellbinder	£185
Spellbinder with Dedicated Keys	£250

DATA BASE SYSTEMS

DBase II Relational Data Base	£375
Condor	£250
TIM	£75

CRITICAL PATH ANALYSIS

Milestone	£250
Task	£250

TRS-80 MODEL I SOFTWARE

Electric Pencil (Disc)	£60
Scripsit (Disc)	£61
Scripsit (Cassette)	£25
Mail-Merge for Pencil & Scripsit	£45
VAT aid programme	£45
CCA Data Management System	£125

FINANCIAL PLANNER/ MODELLING

T/Maker	£155
SuperCalc	£250
Mini-Modeller	£350

THE SPECIAL LCC APPLE SYSTEM

48K Apple, Dual 40 Track Disc Drives & 12" Green Screen Monitor	£1395
80 Column Card with Descenders	£135
CP/M Softcard	£95
16K RAM (Integer) Card	£65
Centronics Parallel Card	£75
Serial Printer / Communications Card	£75

ALL PRICES ARE EXCLUSIVE OF VAT AND DELIVERY
DEALER ENQUIRIES INVITED ON ALL PRODUCTS

43 GRAFTON WAY, LONDON W1P 5LA (Opposite Maples)
OPENING HOURS: 11-7 MON-FRI 12-4 SAT Tel: 388 6991/2
24 hour answer phone: 01-388 5721

● Circle No. 295

centralex

CENTRALEX-LONDON LTD
8–12 Lee High Rd, London SE13
Tel: 01-318 4213/4/5/6/7
9.30 am – 5 pm Mon to Fri –
Evenings and weekends by appointment

A comprehensive range of Microcomputers Equipment, Peripherals, Software and Services for those who value Professional Standards, Guidance and Continuing Support for Hardware and Software.

APPLE	PET	ITT 2020	EXIDY	HORIZON
TEXAS	OHIO SCIENTIFIC	CROMEMCO	MICROSTAR	SHUGART
MICROPOLIS	CENTRONICS	ANADEX	INTEGRAL	TELETYPE
DIABLO	QUME	DEC	DATA GENERAL	EPSON
MICROLINE	HITACHI	LEXICON	ETC. ETC.	

INFORMEX-80 Printer

£399+VAT



Special offer – for a limited period

For PET, APPLE, EXIDY, TRS80, ETC
A high quality, high speed printer
(125 cps) Upper and lower case letters
plus graphics as standard
Interface and cable for TRS80, PET,
APPLE or RS 232 £69 + VAT
Tractor feed option only £39

ALSO Training, Consultancy, Systems Design, Programming and Software

PAYROLL – INVOICING – STOCK CONTROL – SALES/PURCHASE LEDGER – VAT – MEDICAL RECORDS – EDUCATIONAL & ENGINEERING PROGRAMMES – HOTEL RESERVATION – ESTATE AGENTS – BUILDING MAINTENANCE – COBOL – FORTRAN – ETC.

Maintenance Contracts including stand-by equipment during repair periods – Free Delivery Nationwide – Terms arranged – Credit Cards and official orders accepted.



● Circle No. 296

WHY YOU NEED LOCKSMITH.

You've invested some money and a lot of time in a commercial software program for your Apple. It works well, to the point that you are *dependent* on its day-to-day functioning. But the disks are copy-protected. So you are also dependent on the vendor's back-up (if furnished), on his living up to vague promises of support, even on his ability to stay in business.

No computer user can live with that. So until the situation changes (and it will), you need Locksmith.

Locksmith (new 4.0 version) will copy almost all "protected" diskettes for the Apple. It is the most reliable nibble-copy program you can buy. *Locksmith is suitable only for backups,* because the copies include all serial numbers, codes and protection features of the original (under the new copyright law, you'd have to be pretty foolish to try bootlegging software that is traceable back to the purchaser).

Locksmith includes nine other utilities, of which these five are vital to the integrity of your system: 1. Media surface check — Never commit data to a flawed diskette again. 2. Disk-drive speed calibration — the most frequent cause of communication bugs between Apples. 3. Degauss and Erase — Make sure no stray data is left over. 4. Nibble-Editor — sophisticated read/write tool for repairing blown disks. 5. Quickscan — Check for unreliable data, find used and unused tracks.

All for just £65.00 at your local dealer or direct. You don't just need Locksmith. You can't afford to be without it. Access or Visa accepted. Add £1.50 P & P. VAT excluded.





DDP RESEARCH & MARKETING

17 NOBEL SQ., BASILDON
ESSEX SS13 1LP
TEL (0268) 728484

Apple is a registered trademark of Apple Computer, Inc.

● Circle No. 297

WATFORD ELECTRONICS

33/35, CARDIFF ROAD, WATFORD, HERTS, ENGLAND
Tel Watford (0923) 40588. Telex: 8956095

MAIL ORDER CALLERS WELCOME

ALL DEVICES FULL SPEC. AND FULLY GUARANTEED. TERMS OF BUSINESS: CASH/CHEQUE/P.O.S. (OR ACCESS) WITH ORDER. GOVERNMENT AND EDUCATIONAL INSTITUTIONS OFFICIAL ORDERS ACCEPTED. TRADE AND EXPORT INQUIRIES WELCOME. (P&P ad 50p on all orders under £10.00).

VAT ALL PRICES ARE EXCLUSIVE OF VAT. PLEASE ADD 15% TO THE TOTAL COST INCLUDING P & P.

SHOP HOURS: 9.00am - 6.00pm MONDAY TO SATURDAY.
AMPLE FREE CAR PARKING SPACE AVAILABLE.

COMPUTER IC's

1702	299
1802CP	750
2101-2	110
2112-2	250
2114-450	90
2114L-300n	90
2114L-200n	90
2118-3	250
2118-4	200
2147-3	425
2532-450n	525
2708	200
2716-5V	250
2732-450n	455
4027	240
4116-150n	100
4116-200n	85
4118-250	450
4164-200	798
4315-4K	795
4334-3 (CMOS 2114)	325
4864-3 64K	785
5101	270
6116-3 16K CMOS RAM	855
6147-3	
6502 CPU	450
6503	850
6504-250	295
6505	795
6520 PIA	310
6522 VIA	435
6530 RRIOT	1350
6532 RIOT	750
6545 CRTC	1450
6551 ACIA	785
6592 PC	£26
6800	375
6802	500
6803	1360
6804	160
6805	670
6808	520
6809	999
6810	175
6820	175
6821	150
6840	470
6843	1450
6845	975
6847	850
6850	175
6852	255
6875	550
8039	00
8080A	350
8085A	550
81LS95	90
81LS96	90
81LS97	90
8166	00
8123	125
8155	00
8202	£25
8212	170
8214	425
8216	70
8224	250
8226	250
8228	250
8243	00
8251	370
8253	799
8255	375
8257	800
8279	00
8T26A	99
8T27	150
8T28A	135
8T31	350
8T95N	135
8T97N	135
9364AP	550
AM26L531C	125
AM26L532A	125
AY-3-1015	350
AY-3-8910	620
AY-3-8912	625
AY-5-1013	350
AY-5-2376	700
FD1771	£18
IM6402	380
MC1488	62
MC1489	62
MC14411	695
MC14412	800
MM5280D	695
RO-3-2513L	750
RO-3-2513U	650
SFF96364E	800
SFC71301	820
TMS2716-3\	875
TMS6011	365
ULN2003	85
ULN2004	150
Z80CPU 2.5	360
Z80ACPU 4M	425
Z80 P10	300
Z80A P10	325
Z80 CTC	300
Z80A CTC	325
Z80DMA	999
Z80S10-1	£15
Z80AS10	£23
Z80 DART	726
Z80A DART	725
ZN419CE	190
ZN423E	195
ZN424E	130
ZN425E	350
ZN426E	325
ZN427E	625
ZN428E	478
ZN429E	210
ZN1034E	200
ZN1040E	625
74S132	138
74S138	240
74S188	210
74S189	158
74S194	360
74S201	350
74S241	540
74S262	850
74S287	325
74S288	210
74S470	325
74S471	620
74S472	1150
74S475	825
74S571	620
75150	125
75108	350
75182	115
75183	115
75154	150
75188	65
75189	65
75322	165
75450	95
75451/2	70
75454	225
75491/2	70

TTL7400 (TEXAS)

7400	11
7401	11
7402	11
7403	14
7404	14
7405	18
7406	28
7407	28
7408	16
7409	16
7410	14
7411	20
7412	20
7413	24
7414	32
7416	25
7417	25
7420	16
7421	20
7422	20
7423	22
7425	28
7426	30
7427	27
7428	28
7430	16
8432	26
7433	27
7437	27
7438	27
7440	17
7441	68
7442	38
7443	90
7444	90
7445	65
7446	55
7447	50
7448	50
7450	16
7451	16
7453	16
7454	16
7460	16
7470	35
7472	30
7473	30
7474	25
7475	40
7476	30
7480	48
7481	120
7482	70
7483	50
7484	80
7485	95
7486	26
7489	205
7490	28
7491	45
7492	30
7493	30
7494	34
7495	50
7496	45
7497	120
74100	85
74104	54
74105	55
74107	32
74109	35
74110	40
74111	55
74112	170
74116	88
74118	80
74119	90
74120	75
74121	30
74122	45
74123	50
74125	42
74126	40
74128	42
74132	48
74136	35
74141	70
74142	190
74143	250
74144	250
74145	70
74147	99
47148	75
47150	80
74151	45
74153	45
74154	75
74155	75
74156	75
74157	45
74159	99
74160	60
74161	60
74162	62
74163	64
74164	64
74165	62
74166	65
74167	185
74170	168
74172	290
74173	65
74174	72
74175	72
74176	55
74177	75
74178	95
74179	68
74180	65
74181	140
74182	75
74184	99
74185	99
74188	290
74190	70
74191	70
74192	70
74193	65
74194	75
74195	65
74196	65
74197	65
74198	99
74199	99
74221	80
74246	150
74247	150
74248	150
74249	150
74251	80
74259	195
74265	65
74273	195
74276	150
74278	160
74279	90
74283	90
74284	199
74285	199
74290	105
74293	125
74297	236
74298	100
74351	195
74365	55
74366	55
74367	55
74368	55
74390	99
74393	99
74490	120

74LS

LS00	12
LS01	13
LS02	14
LS03	14
LS283	45
LS290	57
LS293	46
LS04	15
LS06	15
LS08	15
LS09	15
LS10	15
LS11	15
LS12	15
LS13	30
LS14	48
LS15	15
LS20	15
LS21	15
LS22	15
LS26	18
LS27	15
LS28	20
LS30	18
LS32	15
LS33	16
LS37	16
LS38	16
LS40	16
LS42	35
LS47	40
LS48	80
LS49	60
LS51	15
LS54	15
LS55	30
LS63	150
LS73	25
LS74	25
LS75	28
LS76	20
LS78	24
LS83	50
LS85	70
LS86	38
LS90	35
LS91	80
LS92	36
LS93	36
LS95	45
LS96	120
LS107	43
LS109	30
LS112	30
LS113	40
LS114	35
LS122	44
LS123	55
LS124	105
LS125	30
LS126	30
LS132	45
LS133	35
LS136	28
LS137	35
LS139	38
LS145	75
LS147	199
LS148	99
LS151	39
LS153	39
LS155	39
LS156	39
LS157	35
LS158	36
LS160	41
LS161	41
LS162	41
LS163	41
LS164	48
LS165	145
LS166	85
LS170	170
LS173	72
LS174	72
LS175	58
LS181	130
LS183	275
LS190	58
LS191	58
LS192	58
LS193	65
LS194	40
LS195	40
LS196	58
LS197	85
LS200	345
LS202	345
LS221	60
LS240	96
LS241	96
LS242	85
LS243	85
LS244	80
LS245	90
LS247	40
LS248	65
LS249	68
LS251	40
LS253	40
LS257	48
LS258	40
LS259	85
LS266	25
LS273	90
LS275	290
LS279	88
LS280	250
LS295	215
LS298	130
LS299	420
LS300	157
LS302	175
LS320	270
LS323	270
LS423	200
LS323	270
LS324	200
LS325	320
LS326	330
LS327	315
LS347	150
LS348	190
LS352	185
LS353	185
LS365	37
LS366	37
LS367	37
LS368	90
LS373	75
LS374	75
LS375	48
LS377	90
LS378	69
LS379	65
LS384	250
LS385	378
LS390	62
LS393	60
LS395	199
LS399	220
LS445	140
LS471	620
LS490	245
LS541	135
LS640	225
LS641	225
LS645	210
LS668	175
LS669	150
LS670	175
LS673	550
LS674	750

CMOS

4000	14
4001	14
4002	14
4006	66
4007	18
4008	62
4009	35
4010	40
4011	15
4012	18
4013	34
4014	75
4015	66
4016	32
4017	48
4018	68
4019	42
4020	61
4021	70
4022	66
4023	20
4024	45
4025	19
4026	130
4027	38
4028	58
4029	77
4030	50
4031	170
4032	125
4033	165
4034	195
4035	95
4036	275
4037	115
4038	110
4039	290
4040	59
4041	78
4042	60
4043	70
4044	65
4045	170
4046	75
4047	75
4048	55
4049	30
4050	30
4051	78
4052	78
4053	78
4054	125
4055	125
4056	120
4057	1915
4059	480
4060	90
4061	1225
4062	995
4063	99
4066	36
4067	399
4068	22
4069	20
4070	26
4071	20
4072	20
4073	20
4075	20
4076	60
4077	26
4078	26
4081	26
4082	21
4085	65
4086	70
4089	140
4093	43
4094	168
4095	90
4096	90
4097	320
4098	88
4099	95
4160	95
4161	99
4162	99
4163	99
4174	99
4175	105
4194	105
4408	790
4409	790
4410	725
4411	695
4412	800
4415	480
4419	280
4422	770
4433	770
4435	850
4440	999
4450	350
4451	350
4490	350
4500	675
4501	28
4502	90
4503	50
4504	105
4506	65
4507	40
4508	265
4510	68
4511	68
4512	75
4513	199
4514	195
4515	198
4516	75
4517	415
4518	42
4519	29
4520	78
4521	200
4522	125
4526	95
4527	115
4528	80
4529	150
4530	90
4531	130
4532	110
4534	500
4536	295
4538	115
4539	115
4541	140
4543	135
4544	150
4549	395
4553	299
4554	190
4555	50
4556	55
4557	320
4558	120
4559	395
4560	180
4561	104
4562	495
4566	175
4568	250
4569	175
4572	36
4580	460
4581	250
4582	99
4583	99
4584	48
4585	99
4597	330
4598	290
4599	595
40097	88
40100	215
40101	130
40102	180
40103	175
40104	95
40105	115
40106	75
40107	60
40108	450
40109	100
40110	300
40114	240

ETI/ WATFORD'S MICRO EXPANSION SYSTEM

Designed by Watford Electronics, this extremely versatile and economical Expansion System as published in E.T.I., starting from Dec., 1981 issue, offers a low cost flexible expansion system for ZX81, UK101, SUPERBOARD, ACORN ATOM, PET, TANGERINE, etc.

The Motherboard (interfaces with the computer) has capacity to accept up to five daughter Cards and can be paralleled for even more Daughter Cards.

All PCBoards are of computer grade finish and are supplied in Kit form.

Just look at the Expansion possibilities.

MOTHERBOARD — Accepts up to five Daughter Cards. Full Kit: £36.50.

SOUND CARD — Utilising up to three AY-3-8910 sound chips. (one supplied with the kit). Full Kit: £24.95.

PIO CARD — Using two 6520 PIA chips, this Board offers Centronics parallel printer driver, digital to analogue converter & a host of other output facilities. Full Kit: £19.95.

PROM PROGRAMMER — This simple but extremely useful card can blow 2716 or single rail EPROMS.
(2732) Full Kit: £19.95.

PROM CARD — P.C.B. cards for housing four 2716 or two 2732 EPROMS.
(4 x 2716) Full Kit: £9.95.
(2 x 2732) Full Kit: £9.75.

RAM CARD — 8K RAM card. Accepts 16 x 2114 RAMs. Board is supplied fully populated. Full Kit: £28.50.

(N.B. PCBs may be bought separately).

WATFORD'S Ultimate Monitor IC.

A 4K Monitor Chip specially designed to produce the best from your: Superboard Series I & II, Enhanced Superboard & UK 101. As reviewed by Dr. A.A. Berk in Practical Electronics, June 1981.

Price only £14.95 + 50p P&P.

SEIKOSHA GP80A

Unihammer Printer, gives normal and double width characters as well as dot resolution graphics 8" Tractor feed. Parallel Interface standard. **£195**

SOFTY·2

As reviewed on PE September 1981. The complete microprocessor development system for Engineers & Beginners. New powerful instruction. Accepts any 24 pin 5V single rail EPROM. Supplied fully built, tested & enclosed in a black ABS case. Price incl. encapsulated plug in power supply. **£169**

SPECIAL OFFER

	1+	50+
2114L-450n	90p	85p
2114L-300n	90p	80p
2114L-200n	90p	80p
2708	195p	180p
2532	500p	425p
2716	210p	195p
2732	420p	390p
4027	240p	215p
4116	85p	70p
4334-3	325p	290p
6116-3	750p	790p
8216	120p	80p

Just phone your order through, we do the rest.

Buy it with Access

EPSON MX Series PRINTERS

Now available from stock at very competitive prices.

- **MX80T** 10" Tractor Feed, 9x9 matrix, 80 column Speed 80 CPS bi-directional Centronics Interface, Baud rate 110-9600 (RS232) **£355**
- **MX80FT** Has Friction & Tractor Feed plus all the MX80T's facilities. **£395**
- **MX80FT2** Has high resolution Graphics option plus all the MX80FT's facilities. **£435**
- **MX100** 132 Column plus all the facilities of MX80FT2. Value for money. **£550**

ACCESSORIES

- **TEX EPROM ERASER.** Erases up to 32 ICs in 15-30 min. **£33**
- **Spare** UV lamp bulbs **£9**
- **5V/5A PSU** Ready built and tested **£25**
- Attractive Beige/Brown **ABS CASE** for Superboard/UK101 or Home Brew **£26**
- **Extra 4K of RAM** (8 off 2114L-300nS) **£6.99**
- **Full ASC11** coded keyboard type '756' **£39**
- **NUMERIC** Keypad (Ready built) **£9**
- **4 x 4 matrix keypad** (reed switch assembly) **£4**
- **C12 Cassettes** in Library Cases **40p**
- **8½" Fan fold paper** (500 sheets) (no VAT) **£6**
- **9½" Fan fold paper** (500 sheets) (no VAT) **£6**
- **Teleprinter Roll** (no VAT) **£3.50**
- **UHF Modulator 6MH2** **280p**
- **UHF Modulator 8MH2** **450p**

CRYSTALS

32 768K Hz	200
100K Hz	270
200K Hz	295
455K Hz	370
1M Hz	295
1 28M Hz	392
1 6M Hz	395
1 8M Hz	395
1 008M	290
1 8432M	220
2 0M Hz	240
2 4576M	220
3 2768M	220
3 57954M	150
3 6864M	300
4 0M Hz	200
4 032M Hz	290
4 80M Hz	200
4 194304M	200
4 433619M	120
5 0M Hz	200
5 185M Hz	300
5 24288M	390
6 0M Hz	220
6 144M Hz	240
6 5536M Hz	200
7 0M Hz	200
7 168M Hz	250
7 68M Hz	200
8 0M Hz	200
8 867237M	240
9 00M Hz	200
10 0M Hz	200
10 7M Hz	220
10 24M Hz	200
12 0M Hz	290
14 31818M	320
16 0M Hz	275
18 0M Hz	240
18 432M	240
19 968M Hz	325
24 0M Hz	200
26 69M	290
27 648M	330
27 145M	240
38 66667M	290
48 0M Hz	270
100 0M Hz	375
116 0M Hz	300

'D' CONNECTORS (Cannon Type)

	Plugs	Sockets	Plastic Covers	DIL Switches
9 way	55p	125p	145p	4 way 70
15 way	135p	128p	150p	6 way 85
25 way	170p	250p	130p	8 way 90
37 way	290p	398p	185p	10 way 145

25 WAY 'D' CONNECTOR Jumper Lead Cable Assembly

18" long single end Male	520
18" long single end Female	525
36" long double ended M/M	1020
36" long double ended F/F	1010
36" long double ended M/F	1000

JUMPER LEADS (Ribbon Cable Assembly)
Single Ended DIP Lead, 24" Cable
14 pin plug **145p** 24 pin plug **240p**
16 pin plug **165p** 40 pin plug **380p**

Double ended DIP Leads

Length	14 pin	16 pin	24 pin	40 pin
6"	185p	205p	300p	465p
12"	198p	215p	315p	490p
24"	210p	235p	345p	540p
36"	230p	250p	375p	595p

DIL PLUGS (Headers)

14 pin	44
16 pin	49
24 pin	88
40 pin	255

Ribbon Cable (Rainbow)

10 way	22p
20 way	40p
24 way	55p
40 way	70p

VOLTAGE REGULATORS 1A
+5; +12; +15V;
+18V; +24V; 50p
-5V; -12V; -15V;
-18V; 55p

DIL SOCKETS (TEXAS)

	Low profile	Wire wrap
8 pin	8p	25p
14 pin	10p	35p
16 pin	10p	42p
18 pin	16p	52p
20 pin	22p	60p
22 pin	25p	70p
24 pin	25p	70p
28 pin	28p	80p
36 pin	–	105p
40 pin	30p	99p

EDGE CONNECTORS double type

	1	156
2 x 10 way	–	135p
2 x 15 way	–	140p
2 x 18 way	180p	145p
2 x 22 way	199p	200p
2 x 25 way	225p	220p
2 x 30 way	245p	–
2 x 36 way	295p	–
2 x 40 way	315p	–
2 x 43 way	395p	–

IC Test Clips DIL Gold plated contacts.

8 pin	600	22 pin	1037
14 pin	368	24 pin	1130
16 pin	389	28 pin	1245
18 pin	815	36 pin	1630
20 pin	945	40 pin	1700

ZERO Insertion Force DIL Sockets
24 way **600p**
28 way **850p**
40 way **975p**

VERO WIRING PEN incl. Wire **310p**
Spare wire (spool) **75p**
Combs **6p**
9" MONITOR B&W Cased **only £69**

● Circle No. 298

Commodore official distributors

NEW DAISYWHEEL PRINTER IN STOCK
NEW MATRIX PRINTER NOW IN STOCK
THE RELIABLE VALUE FOR MONEY SYSTEM
WITH FULL AFTER SALES SUPPORT.

12 Months Warranty

4008/16/32

8032 — 8050

8096

12 Months Warranty

48K £695
DISK WITH CON. £380
DISK ... £290

FULL RANGE OF MONITORS
B/W — GREEN OR COLOUR.
PAPER TIGERS.

Apple authorised distributors
The sophisticated quality system with a reputation for advanced design and innovation.

New low price



64K From 1650
FULLY INTEGRATED ACCOUNTS PACKAGE

SHARP

MZ80K

48K = £395
inc. VAT
DISK DRIVES
PRINTERS ETC.

12 Months Warranty

The incredible computer system
now available ex-stock including the
New Duel Drive Double Sided Floppy Disk.

CAMDEN ELECTRONICS LTD

MICROCOMPUTER SYSTEMS
462 COVENTRY ROAD · SMALL HEATH · BIRMINGHAM B10 0UG
Telephone: 021-773 8240 or 021 772 5718 · Telex: 335909 (Camden G)

● Circle No. 299

CRYSTAL ELECTRONICS
CC ELECTRONICS

FOR YOUR SHARP MZ80K CP/M 2.21 (XTAL)

BASIC CP/M FACILITIES INCLUDE:

- Dynamic file management
- Fast assembler
- General purpose editor
- Advanced debugging utility

YOUR SHARP CP/M 2.21 (XTAL) PACKAGE INCLUDES:
• Hardware modification (if fitted by a SHARP dealer does NOT break the guarantee) • SHARP CP/M 2.21 (latest version) on disc • XTAL Monitor and Operating system • 7 Digital Research manuals • 12 months guarantee and up-dates (on all our products)

CP/M 2.21 (XTAL) FROM £150 + VAT

Ask your SHARP dealer for further details or contact CRYSTAL ELECTRONICS

CP/M SOFTWARE HOUSES—XTAL CAN HELP YOU ESTABLISH YOUR SOFTWARE ON THE SHARP.

XTAL BASIC (SHARP)

Takes 5K less memory, has all the features of SHARP BASIC PLUS Multi dim strings, error trapping, logical operators, machine code monitor, more flexible peripheral handling, improved screen control, increased list control, auto run, If..then..else—and it doesn't stop there—it grows. You can extend the commands and functions at will—10K, 12K, 16K, BASIC?. SHARP to XTAL BASIC conversion program is included. **£40 plus VAT.**

Bi-directional serial board for your SHARP RS232 compatible 150 Baud to 2400 Baud adjustable. <5,6,7,8 Bit words, plugs into MZ80I/O **£99.50 plus VAT.** Includes software for bi-directional use in XTAL BASIC, software for using SHARP BASIC with serial printer and self-diagnostic software for testing Baud rate etc.

Members of Computer Retailers Association & Apple Dealers Association
Shop open 0930—1730 except Saturday & Sunday
40 Magdalene Road, Torquay, Devon, England. Tel: 0803 22699
Access and Barclaycard welcome

COMPUTERS AND COMPONENTS

● Circle No. 300



Metal cased 9"

CROFTON MONITOR

10 MHZ Bandwidth
P4 Standard
£59.50 + VAT (£68.42)
plus carriage £3.00
For P31 (green) high resolution tube add £12.50 + VAT (£14.38)

Plastic cased 12"

NEW PRINCE MONITOR



High resolution
24 MHZ Bandwidth
P31 (green) Standard
for only
£78.00 + VAT
(£89.70) plus
carriage £3.00

ALL MAJOR CREDIT CARDS ACCEPTED — Small surcharge

CROFTON ELECTRONICS LTD
35 Grosvenor Road, Twickenham, Middx TW1 4AD
01-891 1923/1513

● Circle No. 301

...Three star printers



152 NEW

Economical general purpose printer

- 132 column, 150 cps at 10 cpi
- bi-directional, logic seeking
- quick change cartridge ribbon
- fan-fold, cut sheet paper
- adjustable tractors
- 100% duty cycle
- rugged, versatile, dependable

FANTASTIC VALUE AT UNDER £700

150 NEW

Ideal microcomputer printer

- 80 column, 150 cps at 10 cpi
- bi-directional, logic seeking
- quick change cartridge ribbon
- roll, cut sheet, fan-fold paper
- snap-on tractors
- 100% duty cycle
- rugged, versatile, dependable

FULL PROFESSIONAL SPECIFICATION FOR UNDER £500

739 NEW

Versatile, compact printer

- correspondence quality print
- proportional and fixed spacing
- true descenders, subscripts and superscripts
- *pin* addressable graphics
- roll, cut sheet and fan-fold paper
- 100% duty cycle
- compact and quiet

ALL THE FEATURES YOU NEED FOR AROUND £500

...with a five star bonus

★Performance. ★Reliability. ★Versatility. ★Service. ★Economy.

Your Centronics Qualified Retailer

AVON
Decimal Business Machines
Decimal House, Thomas Lane, Bristol Tel: 0272 294591
C & G Computer Group
36-38 Meadow Street, Weston Super Mare Tel: 0934 417724
Target Electronics
6 Cherry Lane, Bristol Tel: 0272 42896
Bristol Computing Centre
St Michael's Hill, Bristol Tel: 0272 23430
Microdeal
44 Com Street, Bristol Tel: 0272 276769

BEDFORDSHIRE
Comserve Computer Services
98 Tavistock Street, Bedford Tel: 0234 216749

BERKSHIRE
Micro General
6 The Birchwoods, Little Heath Road Twyhurst, Reading Tel: 0734 25226
Slough Microshop
120 High Street, Slough Tel: 0753 22855

BUCKINGHAMSHIRE
Interface Components
Oakfield Corner, Sycamore Road, Amersham Tel: 02403 22307

CAMBRIDGESHIRE
Cambridge Computer Store
Emmanuel Street, Cambridge Tel: 0223 65334

CHANNEL ISLANDS
Channel Island Computer Consultants
The Atlantic (Floor C) South Esplanade, St Peter Port, Guernsey Tel: 0481 20155
Omnitec Limited
44 Esplanade, St. Helier, Jersey Tel: 0523 71914

DEVON
C & G Computer Group
South Devon House, Newton Abbot Tel: 0626 62101
AC Systems
53 Magdalene Road, Exeter Tel: 0392 71718

DERBYSHIRE
Comtest
1 Porteons Close, Two Dales, Matlock Tel: 0246 206996

DORSET
South Coast Business Machines
South Coast House, Wimborne Road, Ferndown Tel: 0202 893040

ESSEX
The Computerist
642 London Road, Westcliffe on Sea Tel: 0702 335298
Avrohurst
57 High Street, Ingatestone Tel: 07775 4022
Comma Computers Ltd
West Horndon Industrial Park, West Horndon Tel: 0277 811131

GLOUCESTERSHIRE
Screen Scene
144 St Georges Road, Cheltenham Tel: 0242 28979

GREATER MANCHESTER
The Byte Shop
11 Gateway House, Piccadilly, Manchester Tel: 061 236 4737
Electrovalue
680 Burnage Lane, Burnage, Manchester Tel: 061 432 4945
Executive Reprographic
2-7 Oxford Street, Manchester Tel: 061 228 1637

HAMPSHIRE
Great Business Services Ltd
West Quay Road, Southampton Tel: 0703 39061
HSV Ltd
22 Southampton Road, Southampton Tel: 0703 331422
Padmede Computer Services
351 Fleet Road, Fleet Tel: 02514 21892

Symtec Computer Services
173 Millbrook Road, Southampton Tel: 0703 38868

HERTFORDSHIRE
Alpha Business Services
89 Railway Street, Hertford Tel: 0992 57425
Compshop
14 Station Road, New Barnet Tel: 01 441 2922
Bromwall Data Services
25 Park Street, Old Hatfield AL9 5AT Tel: 07072 60980
Local Business Technology
Wormley House, 82 High Road, Wormley, Broxbourne EN10 6DU Tel: 09924 66157
Rosebrooke Ltd
24 Market Square, Stevenage SG1 1EQ Tel: 0438 726684
Reynolds Medical Ltd
51 St Andrews Street, Hertford Tel: 0992 58211
Hertzville Ltd
326 Birchanger Lane, Birchanger, Bishops Stortford Tel: 0279 813069

KENT
Digital Devices Ltd
134 London Road, Southborough, Tunbridge Wells Tel: 0892 37977
D J Herriott
42 Camden Road, Tunbridge Wells Tel: 0892 22442
Silica Shop Ltd
1 The Mews, Hatherley Road, Sidcup DA14 4DX Tel: 01 309 1111
Protocol Computer Products
114 Widmore Road, Bromley BR1 3EE Tel: 01 460 2580
Telesecurity Ltd
Tunbridge Wells Tel: 0892 863105
The Computer Room
87 High Street, Tonbridge Tel: 0732 355962
Micro Systems Design
9 Church Street, Walmer, Deal Tel: 03045 63071

LONDON
Informex Ltd
8-12 Lee High Road, SE1 5LQ Tel: 01 318 4213
The Xerox Store
77 High Holborn Tel: 01 405 5659
84 Piccadilly Tel: 01 629 0694
110 Moorgate Tel: 01 588 1531
Euro Calc Ltd
128-132 Curtain Road, EC2 Tel: 01 729 4555
Transam Components Ltd
59 Theobalds Road, WC1 Tel: 01 405 5240
Henry's Radio (Dandene Ltd)
404 Edgware Road, W2 Tel: 01 723 1008
Newtronics
255 Archway Road, N6 Tel: 01 348 3325
Lion House Retail
227 Tottenham Court Road, W1P 0HX Tel: 01 580 7383
Rair
6-9 Upper St Martins Lane, WC1H Tel: 01 836 6921
L & J Computers
192 Honeypot Lane, Queensbury, Harrow Tel: 01 204 7525
Atlanta Data
Old Street, London EC1 Tel: 01 739 5889
The Byte Shop
324 Euston Road, W 1 Tel: 01 387 0505
Digitus Ltd
10-14 Bedford Street, WC2 Tel: 01 379 6968
Logic Box
33 Palmer Street, SW1 Tel: 01 222 1122
Leisure Reference
Churchill Chambers, 92 George Lane, E18 Tel: 01 989 3259

Office Installations Ltd
8-11a The Mall, Ealing, W5 2PJ Tel: 01 579 6771
Personal Computers Ltd
194-200 Bishopsgate, EC2M 4NR Tel: 01 626 8121

LANCASHIRE
Fylde Microcomputers
Unit G, Ashleigh Works, Woodland Grove, Blackpool FY3 9ET Tel: 0253 301306

MERSEYSIDE
Rockcliff Brothers Ltd
Long Lane, Aintree, Liverpool Tel: 051 521 5830

MIDDLESEX
Independent Computer Engineering
16-18 Littleton Road, Ashford Tel: 07842 47171
Da Vinci Computers
65 High Street, Edgware Tel: 01 952 0526
Granata Process
Century House, Havelock Road, Southall

NOTTINGHAMSHIRE
The Byte Shop
92A Upper Parliament Street, Nottingham Tel: 0602 40576
MICRO AGE LTD
53 Acton Road, Long Eaton Tel: 06076 64264

SURREY
Aerco-Gemsoft
171 Church Street, Woking Tel: 04862 22681
Computershop (CIS Ltd)
21 Church Street, Reigate Tel: 07372 22244

Ferguson Computer Services
4 Pyrford Road, West Byfleet Tel: 09323 45330
T & V Johnson
Johnson House, Park Street, Camberley Tel: 0276 20446
North Amber Ltd
Great Oak House, Albany Close, Esher Tel: 0372 62071
Oakhill Systems
41 Erskine Road, Sutton Tel: 01 641 6279
Petalect Micros
32 Chertsey Road, Woking Tel: 04862 63901
Saradan Electronics
80 Manor Road, Wallington Tel: 01 669 9483
Electrovalue Ltd
28 St Judes Road, Englefield Green, Egham Tel: 0784 3603

SUSSEX
Robert Harding Ltd
63 London Road, Brighton Tel: 0273 608444
Guestel Ltd
15 Grand Parade, Brighton Tel: 0273 695264
Ace Computing Services
Bridge Road, Worthing Tel: 0903 35411

WARWICKSHIRE
Business & Leisure Micros
16 The Square, Kenilworth Tel: 0926 512127

WEST MIDLANDS
Jasnet
750 Chester Road, Birmingham Tel: 021 350 5247
Micro Associates
471 Lichfield Road, Aston Tel: 021 328 4574
Westwood Computers
117-118 Tennant Street, Fiveways, Birmingham Tel: 021 632 5824

YORKSHIRE
Calel
30 Kings Road, Harrogate Tel: 0423 65125
Huddersfield Computer Centre
1 Cross Church Street, Huddersfield HD1 3PT Tel: 0484 20774
Hallam Computers
1 Berkeley Precinct, Eccleshall Road, Sheffield Tel: 0742 663125
Microtrend Ltd
PO Box 51, Patley Bridge, Harrogate Tel: 0423 711878
Bits & PCs
4 Westgate, Wetherby Tel: 0937 63744

SCOTLAND
Scotbyte Computers Ltd
Thain House, 226 Queensferry Road, Edinburgh EH4 2DQ Tel: 031 343 1009

CENTRONICS®

Your partner in print.

Centronics Data Computer (UK) Ltd., Victoria Way, Burgess Hill, Sussex RH15 9NU Telephone 04446-45011 Telex: 877801

● Circle No. 302

For the best PET software...

COMMAND-O.....	For Basic IV CBM/PET, 39 functions with improved "Toolkit" commands	£59.95 + Vat
DISK-O-PRO....	For Basic II PET, adds 25 commands including Basic IV, in one 4K rom	£59.95 + Vat
KRAM.....	For any 32K PET/CBM for retrieving disk data by KEYED Random Access	£86.95 + Vat
SPACEMAKER IV	For any PET/CBM, mounts 1-4 roms in one rom slot, switch selection	£29.95 + Vat
" USER I/O	For software selection of up to 8 roms, in any two Spacemaker Quads	£12.95 + Vat
PRONTO-PET....	Soft/hard reset for 40-column PETs	£9.99 + Vat

SUPERKRAM, REQUEST & KRAM PLUS will be available shortly

We are sole UK Distributors for these products, which are available from your local CBM dealer, or direct from us by mail or telephone order. To order by cheque write to: Calco Software, FREEPOST, Kingston-upon-Thames, Surrey KT2 7HR (no stamp required). For same-day Access/Barclaycard service, telephone 01-546-7256. Official orders accepted from educational, government & local authority establishments

...at the best prices!

WORDPRO IV PLUS	RRP £395	less £98.75	= £296.25!
WORDPRO III PLUS	RRP £275	less £68.75	= £206.25!
WORDPRO II PLUS	RRP £125	less £31.25	= £93.75!
VISICALC	RRP £125	less £25.00	= £100.00!
TOOLKIT Basic IV	RRP £34	less £9.50	= £24.50!
TOOLKIT Basic II	RRP £29	less £7.25	= £21.75!

The items above are available by mail or telephone order at our Special Offer Price when purchased with any one of our software products. This offer is for a LIMITED PERIOD only. UK - ADD 15% VAT. OVERSEAS airmail postage - add £3.00 (Europe), £5.00 (outside Europe).

Calco Software

Lakeside House - Kingston Hill - Surrey - KT2 7QT Tel 01-546-7256

● Circle No. 303

WOULD YOU LIKE TO START YOUR OWN SOFTWARE COMPANY?

At Superior Systems in Sheffield we have over 4000 sq. ft. of office space available in our building and would like to offer space at a fraction of normal costs. We are looking for up to 10 individuals interested in starting a software bureau associated with the hardware we sell (Apple, Sharp, Adler, BBC, Acorn, Video Genie, VIC). This will give obvious benefits to everyone involved.

Interested parties please contact:

Mike Mahony

at

SUPERIOR SYSTEMS LTD.,

178 West St.,

SHEFFIELD S1 4ET.

● Circle No. 304

15 good reasons for visiting Cambridge

1. Hewlett-Packard HP-85 & HP-125
2. Apple II & III
3. TRS-80 Model I II & III
4. Communicator
5. Osborne 1
6. WordStar/DataStar
7. Daisy-wheel printers
8. Sinclair ZX81
9. Acorn Atom
10. Commodore VIC-20
11. Sharp pocket computer
12. UK 101 kit computer
13. Plotters/digitisers
14. Electronic components

With a uniquely comprehensive selection like this - all generally on demonstration and available from stock with full support by our team of computer professionals - you'll have the ideal chance of finding precisely the right system for your application.



Looking for a microcomputer? - then visit us at:

Cambridge Computer Store

1 Emmanuel Street Cambridge CB1 1NE Telephone: (0223) 65334

Mon.-Fri. 9.00 to 12.30, 1.15 to 5.30 Sat. 9.00 to 5.30

● Circle No. 305

TTLs

74 SERIES

7400	11p
7401	11p
7402	12p
7403	12p
7404	12p
7405	18p
7406	25p
7407	25p
7408	14p
7409	15p
7410	12p
7411	20p
7412	20p
7413	22p
7414	32p
7416	25p
7417	25p
7420	16p
7421	20p
7422	22p
7423	22p
7425	27p
7426	30p
7427	25p
7428	28p
7430	15p
7432	25p
7433	27p
7437	27p
7438	27p
7440	17p
7441	70p
7442A	36p
7445	60p
7446A	93p
7447A	45p
7450	17p
7451	17p
7453	17p
7454	17p
7460	17p
7470	36p
7472	30p
7473	30p
7474	20p
7475	38p
7476	30p
7480	50p
7483A	45p
7485	60p
7486	22p
7489	210p
7490A	25p
7491	45p
7492A	30p
7493A	30p
7494	40p
7495A	50p
7496	45p
7497	120p
74100	85p
74107	22p
74109	30p
74116	60p
74118	75p
74119	90p
74120	70p
74121	27p
74122	45p
74123	40p
74125	40p
74128	40p
74132	30p
74136	32p
74141	65p
74142	200p
74145	50p
74147	100p
74148	75p
74150	60p
74151A	45p
74153	45p
74154	60p
74155	50p
74156	50p
74159	100p
74160	60p
74161	60p
74162	60p
74163	60p
74164	50p
74165	55p
74166	70p
74170	140p
74173	65p
74174	60p
74175	60p
74176	50p
74177	70p
74178	100p
74180	50p
74182A	130p
74182A	90p
74184A	90p
74185	120p
74186	500p
74188	325p
74190	50p
74191	50p
74192	50p
74193	50p
74194	70p
74195	60p
74196	60p
74197	60p
74198	100p
74199	100p
74221	60p
74259	150p
74278	150p
74279	80p
74283	75p
74284	200p
74285	200p
74290	200p
74293	100p
74298	100p
74365	40p
74366	40p
74367	40p
74368	55p
74390	100p
74393	100p
74490	120p

74LS SERIES

74LS00	11p
74LS01	12p
74LS02	12p
74LS03	12p
74LS04	12p
74LS05	15p
74LS08	14p
74LS09	15p
74LS10	15p
74LS11	15p
74LS12	15p
74LS13	25p
74LS14	40p
74LS15	30p
74LS20	15p
74LS21	15p
74LS22	15p
74LS26	15p
74LS27	18p
74LS28	18p
74LS30	14p
74LS32	14p
74LS33	16p
74LS37	16p
74LS38	16p
74LS42	40p
74LS47	40p
74LS51	15p
74LS55	30p
74LS73	75p
74LS74	16p
74LS75	24p
74LS76	20p
74LS83	45p
74LS85	55p
74LS86	16p
74LS90	35p
74LS92	40p
74LS93	35p
74LS95	45p
74LS96	100p
74LS107	45p
74LS109	30p
74LS112	34p
74LS113	30p
74LS114	30p
74LS122	42p
74LS123	50p
74LS124	120p
74LS125	30p
74LS126	30p
74LS132	45p
74LS133	30p
74LS136	30p
74LS138	34p
74LS139	36p
74LS145	75p
74LS147	160p
74LS148	90p
74LS151	30p
74LS153	40p
74LS154	90p
74LS155	40p
74LS156	40p
74LS157	35p
74LS158	36p
74LS160	40p
74LS161	40p
74LS162	40p
74LS163	40p
74LS164	45p
74LS165	100p
74LS166	90p
74LS170	90p
74LS173	70p
74LS174	60p
74LS175	50p
74LS181	140p
74LS190	50p
74LS191	50p
74LS192	50p
74LS193	60p
74LS194	40p
74LS195	50p
74LS196	60p
74LS197	65p
74LS221	60p
74LS240	80p
74LS241	80p
74LS242	80p
74LS243	80p
74LS244	65p
74LS245	90p
74LS251	40p
74LS253	40p
74LS257	45p
74LS258	40p
74LS259	90p
74LS260	24p
74LS266	25p
74LS273	70p
74LS279	45p
74LS280	250p
74LS283	45p
74LS298	160p
74LS299	400p
74LS323	250p
74LS324	180p
74LS348	150p
74LS365	32p
74LS367	32p
74LS368	50p
74LS373	80p
74LS374	80p
74LS375	50p
74LS377	70p
74LS378	60p
74LS390	55p
74LS393	60p
74LS399	200p
74LS445	110p
74LS540	135p
74LS541	135p
74LS640	200p
74LS641	200p
74LS642	200p
74LS643	200p
74LS644	250p
74LS645	250p
74LS668	200p
74LS669	200p
74LS670	170p

74S SERIES

74S00	60p
74S02	60p
74S04	60p
74S05	75p
74S08	75p
74S10	60p
74S11	60p
74S20	60p
74S30	60p
74S32	90p
74S37	90p
74S37	60p
74S74	90p
74S85	300p
74S86	180p
74S112	90p
74S113	90p
74S114	90p
74S124	300p
74S132	160p
74S133	75p
74S138	225p
74S139	225p
74S157	250p
74S163	300p
74S174	250p
74S175	320p
74S188	350p
74S189	350p
74S194	350p
74S200	450p
74S201	400p
74S225	550p
74S241	400p
74S260	70p
74S261	300p
74S262	£10
74S287	350p
74S288	350p
74S373	400p
74S374	400p
74S471	650p
74S474	400p
74S571	900p
74S573	900p

4000 CMOS

4000	15p
4001	14p
4002	15p
4006	65p
4007	18p
4008	60p
4009	30p
4010	30p
4011	14p
4012	20p
4013	35p
4014	60p
4015	60p
4016	30p
4017	45p
4018	60p
4019	32p
4020	60p
4021	65p
4022	60p
4023	18p
4024	36p
4025	20p
4026	130p
4027	30p
4028	60p
4029	75p
4030	40p
4031	170p
4032	125p
4033	180p
4034	160p
4035	80p
4036	295p
4038	120p
4040	60p
4041	70p
4042	55p
4043	60p
4044	70p
4045	120p
4046	80p
4047	75p
4048	55p
4049	30p
4050	30p
4051	60p
4052	80p
4053	60p
4054	130p
4055	125p
4056	120p
4059	500p
4060	90p
4063	100p
4066	35p
4067	400p
4068	18p
4069	16p
4070	16p
4071	16p
4072	16p
4073	16p
4075	16p
4076	60p
4077	26p
4078	20p
4081	16p
4082	16p
4086	72p
4089	150p
4093	40p
4094	150p
4095	95p
4096	95p
4097	340p
4098	90p
4099	90p
40102	150p
40103	180p
40105	120p
40106	50p
40109	100p
4501	28p
4502	70p
4503	50p
4504	75p
4506	35p
4507	40p
4508	200p
4510	65p
4511	50p
4512	65p
4514	150p
4515	150p
4516	75p
4518	50p
4520	70p
4521	150p
4526	75p
4527	90p
4528	75p
4532	90p
4534	500p
4536	300p
4538	120p
4539	120p
4543	100p
4553	290p
4555	45p
4556	45p
4560	180p
4566	180p
4568	300p
4569	180p
4583	90p
4584	50p
4585	100p
40014	90p
40085	120p
40097	90p
40163	115p
40174	95p
40175	100p
40193	115p
14500	700p
14599	290p

LINEAR I.Cs

AN103	200p
AY1 0212	600p
AY1 1313	668p
AY1 1320	320p
AY1 5050	140p
AY3 8910	700p
AY3 8912	650p
AY5 1224A	240p
AY5 1315	600p
AY5 4007D	520p
CA3028A	120p
CA3019	80p
CA3046	70p
CA3048	225p
CA3080E	72p
CA3086	48p
CA3089E	225p
CA3090AQ	375p
CA3130E	90p
CA3140E	50p
CA3160E	100p
CA3161E	140p
CA3162E	450p
CA3189E	300p
CA3240E	120p
CA3280G	200p
DAC1408 8	200p
HA1388	270p
ICL7106	850p
ICL8038	300p
ICM7555	80p
IC7120	600p
LC7130	475p
LF347	180p
LF351	48p
LF353	100p
LF356P	95p
LF357	120p
LM10C	425p
LM301A	27p
LM311	75p
LM318	200p
LM319	225p
LM324	45p
LM3352	140p
LM339	65p
LM348	75p
LM358P	75p
LM377	175p
LM380	75p
LM381AN	180p
LM382	120p
LM386	95p
LM387	120p
LM389	95p
LM393	100p
LM709	36p
LM710	50p
LM725	350p
LM733	100p
LM741	18p
LM747	70p
LM748	35p
LM2917	200p
LM3302	140p
LM3900	65p
LM3909	95p
LM3911	130p
LM3914	210p
LM3915	225p
LM3916	225p
LM13600	125p
M51513L	300p
M51516L	400p
M83712	200p
MC1310P	150p
MC1458	40p
MC1495L	350p
MC1496	70p
MC3340P	120p
MC3403	120p
MK50398	750p
ML920	800p
MM57160	820p
MN6221A	£6
NE531	250p
NE555	20p
NE558	50p
NE564	420p
NE565	130p
NE566	165p
NE567	140p
NE570	425p
NE571	425p
NE5534A	250p
PLL02A	500p
RC4136	70p
RC4151	200p
S5668	260p
SAD1024A	1250p
SFF96364	800p
SL490	350p
SN76477	175p
SP8515	750p
TA7205	250p
TAA621	275p
TBA641811	300p
TB7120	200p
TA7204	250p
TA7222	200p
TA7310	200p
TAA621	275p
TBA651	200p
TBA800	90p
TBA810	100p
TBA820	80p
TBA950	300p
TCA220	350p
TCA940	175p
TOA1004A	300p
TDA1008	320p
TDA1010	225p
TDA1022	600p
TDA1024	120p
TDA1034B	250p
TDA1170	300p
TDA2002V	325p
TDA2020	320p
TLO71/81	45p
TLO72/82	75p
TL074	130p
TL084	110p
TL094	200p
TL170	60p
TL430C	70p
UAA170	170p
UA2240	300p
UDN6118	320p
UDN6184	320p
ULN2003	100p
UPC575	400p
UPC592H	200p
UPC1156H	300p
XR2206	300p
XR2207	400p
XR2211	600p
XR2215	675p
ZN414	90p
ZN419C	225p
ZN423E	150p
ZN424E	135p
ZN425E	360p
ZN427E	625p
ZN1034E	200p

VOLTAGE REGULATORS

FIXED PLASTIC

	+ ve		−ve	
1A				
5V	7805	50p	7905	55p
12V	7812	50p	7912	55p
15V	7815	55p	7915	60p
18V	7818	55p	7918	60p
24V	7824	55p	7924	60p
5V 100mA	78L05	30p	79L05	65p
12V 100mA	78L12	30p	79L12	70p
15V 100mA	78L15	30p	79L15	70p

OTHER REGULATORS

LM309K			
1A 5V	**135p**	78HGKC	600p
LM317K	325p	78HO5KC	550p
LM312T			
1A Adj	200p	78MGT2C	140p
LM337T	225p	78GUIC	200p
LM323K			
3A 5V	500p	79GUIC	225p
LM723			
150mA Adj	37p	79HGKC	700p
TL494	400p	TL497	300p
78S40	300p	LM305AH	250p

SPECIAL OFFER

	1-24	25-99	100+
2114 L-450ns	95p	90p	85p
2114L-200ns	100p	95p	90p
2716	225p	210p	200p
4116-200ns	75p	70p	65p

COMPUTER COMPONENTS

CPUs

1602CE	750p
2650A	£12
6502	450p
6502A	650p
6800	370p
6802	500p
6809	£10
6809E	£15
8035	760p
8039	850p
8080A	350p
8085A	550p
INS8060	£11
TMS9980	£20
Z80	370p
Z80A	450p
8088	£19

SUPPORT DEVICES

3242	800p
3245	450p
5522	500p
6532	775p
6551	700p
6821	180p
6845	£10
6847	£10
6850	180p
6852	370p
6875	600p
8154	950p
8155	800p
8205	320p
8212	180p
8216	180p
8224	250p
8226	250p
8228	250p
8243	450p
8250	850p
8251	350p
8253	800p
8255	350p
8257	800p
8259	800p
8279	950p
TMS9918	£60
Z80PIO	350p
Z80APIO	400p
Z80CTC	350p
Z80ACTC	400p
Z80ADART	800p
Z80ADMA	£12
Z80S10 1	£20

MEMORIES

2101A	400p
2102 2L	120p
2107B	500p
2111A	300p
2112A	300p
2114 2L	160p
2114 4L	130p
2147	450p
4027 3	300p
4044 45	700p
4116 15	200p
4116 20	200p
4118 3	500p
4118 4	450p
4164 2	800p
5101	300p
6116P 3	900p
6514 45	400p
6810	200p
7489	210p
74S189	325p
74S201	350p
74S289	325p

ROM & PROM

74S188	325p
74S287	308p
74S288	226p
74S387	325p
74S471	650p
74S473	850p
74S474	650p
74S570	650p
74S571	650p
74S573	950p

EPROMs

1702A	500p
2708	300p
2716 (.5V)	300p
2564	£38
2516 (.5V)	300p
2532	600p
2732	600p

UARTs

AY 3 1015P	300p
AY 5 1013P	350p
IM6402	450p
TR1602	300p

CHARACTER GENERATORS

RO 3 25130C	750p
RO 3 25131C	700p
SN745262AN	£10

INTERFACE ICs

AD558CI	775p
AD561J	£14
AM25S10	350p
AM26LS31	160p
AM26LS32	190p
DAC80	£20
DM8131	375p
DP8304	450p
DS8832	250p
DS8833	225p
LF13002	450p
MC1488	65p
MC1489	65p
MC3418	950p
MC3446	300p
MC3480	850p
MC3485	500p
MC4024	325p
MC4044	325p
MM58174	£12
ULN2003A	100p
ULN2004A	100p
75017	160p
75110	160p
75112	160p
75114	160p
75115	160p
75150P	140p
75154	140p
75182	220p
75324	325p
75361	150p
75363	150p
75365	160p
75451.2	72p
76453.4	72p
75491.2	70p
H126	120p
8128	140p
8195	140p
8197	140p
81LS95	120p
81LS96	140p
81LS97	120p
81LS98	140p
9602	220p
9637AP	160p
ZN425E 8	350p
ZN426E 8	350p
ZN427E 8	650p
ZN428E 8	600p

DISC CONTROL

FD1771	£20
FD1791	£30
WD1691	£15
WD2143	559p

CRYSTALS

32 768KHz	100p
100KHz	300p
200KHz	370p
1 0MHz	320p
1 008MHz	350p
1 8432MHz	250p
2 00MHz	250p
2 4570MHz	250p
3 276MHz	150p
3 5795MHz	100p
3 686MHz	300p
4 00MHz	150p
4 194MHz	250p
4 43MHz	125p
500 MHz	175p
6 0MHz	150p
6 144MHz	150p
7 0MHz	150p
7 168MHz	200p
8 00MHz	175p
8 86MHz	175p
10 00MHz	175p
10 7MHz	250p
12MHz	350p
14 3168MHz	150p
16 00MHz	250p
18 00MHz	200p
18 432	250p
19 968MHz	390p
20 000MHz	175p
26 690MHz	300p
27 145MHz	250p
38 667MHz	350p
48 0MHz	300p
55 5MHz	400p
116 000MHz	350p

KEYBOARD ENCODER

AY 6 2376	700p
740922	600p

UHF MODULATORS

6MHz	375p
8MHz	450p

DIL SWITCHES

4 Way	90p
6 Way	105p
9 Way	120p
10 Way	150p

ZIF SOCKETS

24 Pin	600p
40 Pin	£11

LOW PROFILE DIL SOCKETS BY TEXAS

8 pin	9p	18 pin	16p	24 pin	24p
14 pin	10p	20 pin	18p	28 pin	26p
16 pin	11p	22 pin	22p	40 pin	30p

WIRE WRAP SOCKETS BY TEXAS

8 pin	25p	18 pin	50p	24 pin	70p
14 pin	35p	20 pin	60p	28 pin	80p
16 pin	40p	22 pin	65p	40 pin	100p

★ ZX80/81 USER PORT ★

(Described in PCW Oct/Nov 81)

ADD SOUND, PLUS RELAY CONTROL & LIGHT DETECTION TO YOUR ZX80/81.

Port module plugs directly in to ZX80/81 to provide 8 input and 8 output lines. These allow input of data from switches, photocells, sensors, joysticks etc and control of 8 relays. Also, 7 segment displays and LED may be used — "VARIABLE TONE AUDIO OUTPUT CAN PRODUCE YOUR OWN SOUND EFFECTS." Port access is by simple PEEK & POKE commands.
Ready built and tested £14.95 + P&P 70p + VAT
Reprint of PCW Oct/Nov, articles £1.00 + large SAE.
For ZX81 USERS, extender card to accept the RAM PACK provided so no need for expensive mother board.

★ TELE TEXT DECODER ★

A complete kit, as described in "ELEKTOR Nov 81" incl the keyboard kit, containing the PCBs, ICs, switches and all other components as listed plus all the sockets for ICs. £85 plus VAT.
Reprints of articles (Elektor Oct/Nov 81) £1.00 + SAE.

★ ACORN ATOM ★

A personal computer with full size QWERTY keyboard and a built-in UHF modulator for direct connection to domestic TV. Available as Basic Kit 4K RAM + 8K ROM £120, Basic built £150. Built and fully expanded £198. P&P £3.00. PSU £10.20 + £1.00 P&P. Atom software also available.

★ UK 101 — INTERFACING SYSTEM ★

The two board interface system plugs directly into the computer expansion skt to provide wide facilities accessible from BASIC or MACHINE CODE.

1) DECODING MODULE: Provides dual 5v supply, 16 bit programmable 1/0 port, plus extensive decoding for various interfaces incl full decoding for programmable sound generator. Kit £27.50.
2) ANALOGUE BOARD: Provides D/A converter, 8 channel multiplexed A/D converter. AY3-8910 + 6522 VIA provide complex timing and counting functions and 16 bit port. Kit £27.50.

MEMORY EXPANSION PCB

LOW price versatile system for ATOM, UK 101 and Superboard compact memory expansion PCB. Various combinations provide 8K RAM + 4, 8 or 16K EPROM or 16K Static RAM (for ATOM 5K RAM + up to 16K EPROM or 13K RAM). Fully buffered and decoded layout. Interfacing instuctions supplied. PCB £11.50.

TECHNOMATIC LTD.

MAIL ORDERS TO: 17 BURNLEY ROAD, LONDON NW10 1ED
SHOPS AT: 17 BURNLEY ROAD, LONDON NW10
(Tel: 01-452 1500, 01-450 6597. Telex: 922800)
305, EDGWARE ROAD, LONDON W2 Tel: 01-723 0233

PLEASE ADD 40p P&P & 15% VAT (Export no VAT)
Government, Colleges, etc. ORDERS WELCOME
BARCLAY & ACCESS CARDS ACCEPTED
STOCK ITEMS ARE NORMALLY BY RETURN OF POST

● Circle No. 306

KNIT YOURSELF A MICROCOMPUTER

Control Universal Ltd make a growing range of microcomputer boards, using the standard Acorn bus, which can be knitted together into a CUBIT microcomputer, or used to extend other computers, eg aim 65, Atom, Apple, Pet, Superboard.



CU-KEY **£40**
53 key high quality keyboard (non-encoded).

CUBIT single board computer **£83**
6502 processor, 6522 i/o chip (VIA) 4K bytes 2114L RAM, 4K byte ROM.
CUBOS cubit operating system **£20**



EURORACK with buffered backplane. For 14 cards **£98**
For 7 cards plus disk **£69**
For 4 cards **£55**

ACORN VDU card, 25 line display, colour, teletext type, 40 col. **£100**
Monochrome, 80 column **£150**

CUMEM holds eight memory devices in two independent banks, can include up to 16K battery — backed CMOS RAM or 64K ROM **£60**



CUBIO 64 channel i/o card
With four PIA (6821) chips **£60**
With four VIA (6522) chips **£70**



CUBAN (the "Wireless World" interface) 16 eight bit analog inputs, one eight bit analog output and 16 digital i/o channels **£120**

FUTURE PLANS



CU-GRAPH. Graphics processor and printer interface. Very high resolution colour graphics, up to 48K bytes display approx **£180**



CU-FACE. Special interface card for compact solutions. Drives a small 40 column impact printer and a 40 character alphanumeric liquid crystal display approx **£100**

All prices quoted 1 off excluding VAT

CONTROL UNIVERSAL LIMITED

UNIT 2, ANDERSONS COURT, NEWNHAM ROAD, CAMBRIDGE
Tel: CAMBRIDGE (0223) 358757

● **Circle No. 307**

A NEW MICRO TIME MODULE

A REAL TIME BATTERY SUPPORTED CALENDAR CLOCK MODULE FOR YOUR TANDY OR VIDEO GENIE MICROCOMPUTER AT A

REALISTIC PRICE

£69.25
includes delivery and VAT

Place your order now or contact for further information

JBA JOHN BIRKWOOD ASSOCIATES
WYVERN HOUSE, 49 STATION ROAD, BILLINGSHURST, W. SUSSEX. TELEPHONE (040381) 3813

● **Circle No. 308**

io systems ltd.

A/D BOARD FOR NASCOM
- 8 input channels
- 30 miscrosec conversion
- Over voltage protection
- Prototyping area
- 8 bit resolution
- Sample and hold
- Full flat/interrupt control
- NASBUS compatible

Price **£135** + 15% VAT (post free)

GRAPHICS BOARD FOR NASCOM
- 384(H) × 256(V) high resolution graphics display
- Fully bit mapped
- Full software control
- Mixed text and graphics
- NASCOM 2 or 4MHz NASCOM 1
- Graphics software supplied

Price **£55** + 15% VAT (post free)

EPROM PROGRAMMER
- Programs 3 rail: 2708/2716
- Single rail: 2508/2758, 2516/2716, 2532/2732
- Software supplied for Read/Program/Verify
- Can be used with other machines with 2 parallel ports

Price **£63** + 15% (post free)

DUNCAN
- Fast real time interpreter/control language for NASCOM 1 or 2 (please specify)

Price **£12** + 15% VAT (post free)

MEMORIES
- 4116-150ns **95p** each + 15% VAT (min order 8)
- 64K-200ns **£10** each + 15% VAT

MONITORS
- BMC 12" green phosphor — 18MHz

Price **£175** × 15% VAT (carriage paid)

6 Laleham Avenue, Mill Hill, London NW7 3HL
Tel: 01-959 0106

● **Circle No. 309**

"The best value for money on the small business systems market"

Which Computer? Jan '81

SUPERBRAIN

A smart, fully self-contained desk-top unit – that's the SUPERBRAIN microcomputer. It will operate as a complete business system, as a word processor (allied to a high quality printer) and as an intelligent terminal.

- **320K, 680K and 1.5 MB disc drives**
- **Wide range of standard packages**
- **Full graphics facility**
- **Nationwide dealer network**



SUPERBRAIN is ideal for both first time buyers needing a general purpose machine, and for users wishing to upgrade from a personal microcomputer system. Its CP/M operating system will handle the most sophisticated programs. Twin Z80 microprocessors and an RS232 communications port make it easy to extend the system in the future.

The Icarus dealer network

ABRAXAS COMPUTER EMPLOYMENT, 357 Euston Road, LONDON NW1 3AL. Tel: 01 388 2061

A.P. LTD, Maple House, Mortlake Crescent, CHESTER CH3 5UR. Tel: 0244 46024

AMCO LTD, Playfair Road, LEEDS LS10 2GP. Tel: 0532 708321

BUSINESS INFORMATION SYSTEMS, 602 Triumph House, 189 Regent Street, LONDON. Tel: 01 437 1069

BORDER COMPUTING LTD, Dog Kennel Lane, BUCKNELL, Shropshire. Tel: 054 74 368

CAMBRIDGE MICRO COMPUTERS, Cambridge Science Park, Milton Road, CAMBRIDGE. Tel: 0223 314666

COMMONSENSE COMPUTING LTD, P.O. Box 7, BIDEFORD, Devon. Tel: 02372 4795

CONQUEST COMPUTER SALES LTD, 92 London Road, BENFLEET, Essex. Tel: 03745 59861

CULLOVILLE LTD, Thornfield, Woodhill Road, SANDON, Chelmsford, Essex. Tel: 024 541 3919

DATA PROFILE, Lawrence Road, Green Lane, HOUNSLOW, Middlesex. Tel: 01 446 1917

DATA WARE, 48 Eaton Drive, KINGSTON, Surrey KT2 7QX. Tel: 01 546 2984

DAYTA, 20b West Street, Wilton, SALISBURY, Wilts. Tel: 0722 74 3898

DRAGON SYSTEMS LTD, 17 Walter Street, SWANSEA, W. Glam. Tel: 0792 749486

DUPLEX COMMUNICATIONS, 2 Leire Lane, Dunton Bassett, Lutterworth, LEICESTERSHIRE. Tel: 0455 209131

EASIBEE COMPUTING LTD, 133/135 High Street, LONDON E6 1HZ. Tel: 01 471 4884

ESCO COMPUTING LTD, 154 Cannongate, EDINBURGH. Tel: 031 557 3937

ESCO COMPUTING LTD, 40a Gower Street, GLASGOW G51 1PH. Tel: 041 427 5497

EFFICIENT BUSINESS SYSTEMS, 9 Clarence Street, BELFAST 1, N. Ireland. Tel: 0232 647 538

E.M.G. MICROS, 30 Heathfield Road, CROYDON, Surrey. Tel: 01 688 0088

EMTEK, 40 South Furzeham Road, BRIXHAM, Devon. Tel: 08045 3566

FARMFAX LTD, 17 Hylton Road, PETERSFIELD, Hants. Tel: 0730 66123

G.T. OFFICE SYSTEMS, 12 Clovelly Road, LONDON W5 5HE. Tel: 01 567 9959

JAEMMA LTD, Unit 24, Lee Bank House, Holloway Head, Lee Bank, BIRMINGHAM. Tel: 021 643 1609

JENNINGS COMPUTER SERVICES, 55/57 Fagley Road, BRADFORD, W. Yorks. Tel: 0274 637867

LONDON COMPUTER CENTRE, 43 Grafton Way, LONDON W1. Tel: 01 388 5721

MICROAGE LTD, 53 Acton Road, LONG EATON, Nottinghamshire. Tel: 06076 64264

MASS MICROS, Wellson House, Brownfields, Welwyn Garden City. Tel: 96 31436

MICRO-K, 186 Martin Way, MORDEN, Surrey. Tel: 01 543 1119

MICRO SOLUTION LTD, Park Farm House, Heythrop, CHIPPING NORTON, Oxon. Tel: 0608 3256

MITESH MICROSYSTEMS LTD, 66 Wooton Drive, Grove Hill, HEMEL HEMPSTEAD, Herts. Tel: 0442 40341

NORTHERN COMPUTERS LTD, 128 Walton Road, Stockton Heath, WARRINGTON. Tel: 0925 601683

OMEGA ELECTRIC LTD, Flaxley Mill, Flaxley Road, MITCHELDEAN, Glos. Tel: 045 276 532

MICROCOMPUTER SPACEDROME, 12 Dene Road, Southgate, LONDON N11 1ES. Tel: 01 368 9002

RANMOR COMPUTING LTD, Nelson House, 2 Nelson Mews, SOUTHEND-ON-SEA. Tel: 0702 339262

ROGIS SYSTEMS LTD, Keepers Lodge, Frittenden, NR. CRANBROOK, Kent. Tel: 058 080 310

S.D.M. COMPUTER SERVICES, Broadway, BEBINGTON, Merseyside L63 5ND. Tel: 051 608 9365

S.M.G. MICROS, 39 Windmill Street, GRAVESEND, Kent. Tel: 0474 55813

SAPPHIRE SYSTEMS, 19-27 Kents Hill Road, BENFLEET, Essex. Tel: 03745 59756

SHEFFIELD COMPUTER CENTRE, 225 Abbeydale Road, SHEFFIELD S7 1FJ. Tel: 0742 53519

SORTFIELD LTD, E. Floor, Milburn House, Dean Street, NEWCASTLE-UPON-TYNE. Tel: 0632 329593

SPOT COMPUTER SYSTEMS LTD, New Street, Kelham Street Indus. Estate, DONCASTER, S. Yorks. Tel: 0302 25159

STUKELEY COMPUTER SERVICES, Barnhill, STAMFORD, Lincs. Tel: 0780 4947

TERMACRE LTD, 126 Woodwarde Road, LONDON SE22 8TU. Tel: 01 693 3037

THAMES VALLEY COMPUTERS, 10 Maple Close, MAIDENHEAD, Berks. Tel: 0628 23532

TURNKEY COMPUTER TECHNIQUE, 23 Calderglen Road, St. Leonards, EAST KILBRIDE. Tel: 03552 39466

THE COMPUTER ROOM, 87 High Street, Tunbridge, Kent. Tel: 0732 355962

WELSH BUSINESS SYSTEMS LTD, 1 Windsor Chambers, Windsor Arcade, PENARTH. Tel: 0222 700059

WING SYSTEMS LTD, 406 Winchester Road, SOUTHAMPTON. Tel: 0703 768338

For further details, or if you want to become a dealer yourself, contact:

ICARUS

Computer Systems Ltd.

Icarus Computer Systems Ltd. Deane House 27 Greenwood Place London NW5 1NN Tel: 01-485 5574 Telex: 264209

● **Circle No. 310**

"PETCLOCK"

REAL-TIME CLOCK-CALENDAR FOR THE PET

★ Entirely self-contained with battery back-up
★ Gives date + day of week, and time (hour/minute/second)
Use for: ★ Automatic date-printing for business programs
★ Variable frequency interrupts for event timing
★ More accurate alternative to CBM internal clock



Real-time Clock-Calendar Type GCC1 plugs into the User Port of any PET. No wiring or external power supply is required.
Accuracy is maintained when the PET is switched off. A lithium battery is used; it needs no recharging, and has a typical life of 10 years.
Software is provided which is easily incorporated into any Basic or Machine Language program. Date and time may be printed on the screen, returned in a character string for easy manipulation, or saved in any area of memory for further processing.
The Clock will also generate interrupts at preset intervals, which may be used for timing in data acquisition systems.
Accuracy: 10 secs/month. Initial calibration is against equipment phase-locked to the Droitwich standard frequency transmission. Format: Time 23:59:59 (24-hour); Date to 31:12:99 + 0-6 (day of week). Interrupts: at 0.125, 0.25, 0.5, 1, 2, 4, and 8 second intervals, into CA1 line. Software: on tape or disc. UK and US format Basic programs. Relocatable Machine Language programs.
Price £62.00 inc. postage. VAT extra.

35K OF MEMORY FOR THE VIC-20

VIC SOFTWARE DEVELOPMENT SYSTEM

★ 35K of RAM/ROM expansion
★ Simple plug-in printed board — no power supply needed
★ Expand memory as required with plug-in memory modules
★ INSTANT ROM battery back-up memory for Auto-run programs
★ Ideal for software development and industrial use

SEND for full leaflets.

'INSTANT' ROM and 'PETCLOCK' are Commodore approved products.

GREENWICH INSTRUMENTS LIMITED
22 BARDSLEY LANE, GREENWICH, LONDON SE10 9RF, UK.
Tel: 01-853 0868.

● Circle No. 311

reprints

If you are interested in a particular article/special feature or advertisement in this journal

Have a good look at our Reprint Service!

We offer an excellent, reasonably priced service working to your own specifications to produce a valuable and prestigeous addition to your promotional material. (Minimum order 250 copies)
Telephone Martin Bloomfield on 01-661 3036 or complete and return the form below.

To: **Martin Bloomfield,**
PCO Room 211A, Quadrant House,
Sutton, Surrey SM2 5AS.

I am interested in .....copies of article/advert. headed.....featured in this journal on pages .....issue dated .....
Please send me full details of your reprint service by return of post.

Name.....
Company.....
Address .....
.....
Tel. No. .....

THREE REALLY USEFUL CP/M PROGRAMMES FROM WESTERN DIGITAL SYSTEMS

** VIDEO-TYPER **

Copyright Western Digital Systems 1980, 1981
Vancouver, British Columbia
'WOULD YOU LIKE TO TOUCH-TYPE at an EFFORTLESS 80 to 100 WORDS PER MINUTE?

The slowest interface in any computer system is that between you and it! VIDEO-TYPER uses the latest Speed-learning techniques to develop YOUR typing skills to the highest level of Speed and Accuracy you can achieve. Learn fast, yet at your own pace. Runs on any 44K+ CP/M microcomputer. (Experienced VDU operators and secretaries really enjoy using it, too!)

Try These ›===› The exercise line to be typed is shown here ‹===‹
Type Here ›===› The exercise line when typed is shown here ‹===‹ 61 Points

That's 88% Accurate at 80 Words Per Minute
Enter 1 to do that line again, 2 for the next line or 3 for the Menu =›?



Interactive [═══SPACE=BAR═══] Graphic Display

Instructions for the Word and Sentence Typing Exercises

1—› This program gives a progressive series of exercises, starting on the Home Keys. As you develop your skills, you progress to nearby keys. Just copy-type the Try These ===› lines of letters, words and sentences, EXACTLY, into the Type Here ===›? space beneath: observe the screen!

Status: WORDS Skill Level 6 User Control Total =› 1050 ‹= Score

Instructions for the Key-finder Programme

6—› Keyfinder gives you this 'Graphic Display' Keyboard picture to see instantly which key you're pressing. You'll find this lets you create skills with which you'll soon be typing without even having to think! Just relax, tap the keys, and observe the results of what you're doing.

The programme includes KEY LOCATION, NUMBER AND PARAGRAPH exercises.
Be sure to specify Disc Format; Screen Control codes (and Keyboard layout if possible).

£49.50

›› BUY ANY TWO — GET ONE FREE!!! ‹‹

** ENCIPHERING / DECIPHERING PACKAGE **

Computer Fraud / Piracy / Seizure / Theft / Invasion of privacy / Interference

Have you ever worried about Data Security?

Now there is a way to encipher all sensitive CP/M ★ Disk Data and Program Files, (Text, Machine Code, etc.) making them SECURE.
You issue the enciphering command using any one of HUNDREDS of MILLIONS of passwords. Within seconds, the file is enciphered, and written back in place on disc. The difference is that the file itself is now TOTALLY different. The disc can be taken away and examined at length with disc editors, DDT, disassemblers or what have you. This will reveal ABSOLUTELY NOTHING RECOGNIZABLE.
Without EXACTLY the correct password(s), (i.e. if you 'forget' a password) there is nothing even we can do to recall the data or Program.
Of course, if the file is enciphered, Data cannot be modified.
Indeed, unsuccessful attempts to decipher the file can only make matters worse.
★ You can even use multiple passwords to re-encipher already enciphered files.
★ You can safely transmit enciphered Files by Modem or Data Courier.
★ Yet, your use of the correct password restores the file in seconds.
★ So, you can stop worrying about your data falling into the wrong hands.
★ We think £50.00 excl. is a very modest price to pay for this.
★ When ordering, specify your computer model and disc format required.

£49.50

*** DISC-MASTER DIRECTORY DATABASE ***

Now you can create, maintain and access a CP/M Disc Contents Database.

Your Filenames are machine-read directly from each Disc's Directory tracks into a Master Directory Database, along with a disc Title and Number chosen by you.
You can then find, in seconds, any or all files by name and/or type and/or disc title and/or disc number, or any part of any of these, and see them listed neatly in columns in Alpha-numeric order, on the Screen or at the Printer.

You can, for example, find:- All files which meet the CP/M 'wild-cards'

PROGRAM.COM or ★.LET
or GJ★.LET or ?R2D2★.COM
or R2D2.★ or C3P0★.R?2

or all files of any name. LET on any disc Titled ★LETTER and Numbered 10 to 19.
★ You can even specify 'instrings':- for example, any file name with GJ in it.
★ Updates are easy and automatic, adding and removing entries as appropriate.
★ Everyone who uses this system wonders how they ever managed without it!
★ When ordering, specify Computer model, and disc format you require.

£49.50

›› DEALER ENQUIRIES WELCOME ‹‹

›› ORDERS TO:- INDEXCHECK LTD., 36 TRINITY RD., LONDON SW17 TEL 01-672 1132 ‹‹

★★ WE PURCHASE MANY OF THE POPULAR MICRO PACKAGES DIRECT IN THE U.S. ASK US ★★
★★ FOR OUR LOW PRICE QUOTATION ON YOUR REQUIREMENTS. WE CAN SAVE YOU £££'s ★★

A POWERFUL MULTI-USER SYSTEM FOR UNDER £6,600.

From as little as £6580.00 (plus VAT) you can enter the world of multi-user distributed processing with the CLENLO ACE MULTI-USER SYSTEM.

The only genuine Micro multi-processor system readily available with the full range of multi-user facilities.

With the CLENLO ACE multi-user system up to sixteen users each have exclusive use of a Z-80A processor and 64K RAM mounted on a S-100 board, each with a serial RS-232 I/O port to which the user's VDU is attached.

The multi-user system is housed in a standard S-100 mainframe chassis enabling individual users to run programs independently and simultaneously, while still having access to shared resources (hard disc storage, printers etc.) – via the S-100 BUS Inter Processor Communication channel.

All this activity is controlled by a DPC/OS multi-user operating system running in a Service Processor and creating a complete CP/M Ver 2.2 environment for each user.



CLENLO
Microcomputers designed for business

The CLENLO ACE multi-user system supports full multi-user facilities...

- ☐ Full lock-out at record level.
- ☐ Facility to designate files – private, group or public.
- ☐ Full 4MHz speed for each user.
- ☐ Fast memory to memory data transfer.
- ☐ Enhanced batch submit facility.
- ☐ Floppy disc storage, or Winchester hard disc storage up to 100 Megabytes.
- ☐ Automatic print spooling and de-spooling.
- ☐ Tape back-up facilities available... backed up by the exceptional CLENLO service and highly competitive prices.

Whether you want a basic two user system incorporating floppy disc storage or the facility of a full sixteen user hard disc based system with high performance, CLENLO can provide the system you need.

For more details of the best, lowest cost multi-user system on the market and our complete range of Microcomputer and business services contact CLENLO COMPUTING SYSTEMS, Telephone 01-670 4202/3.

To: CLENLO COMPUTING SYSTEMS LIMITED, Crown House, 18 Gypsy Hill, London SE19 1NL. Telephone: 01-670 4202/3.

☐ Please send me details of your ACE MULTI-USER SYSTEM.

☐ Please send me details of the complete CLENLO range.

Name

Position

Company

Address

Telephone

● Circle No. 312

Fighting your way through the silicon jungle?

We carry a comprehensive selection of microcomputer software, hardware and peripherals

Apple] [	Accounting
Apple ///	Stock Control
Sharp 3201, MZ80B	Database Management
Superbrain	Production Control
Altos	Graph Plotting
Millbank System 10	Word Processing

We are to you as Jane was to Tarzan!

Well, perhaps not quite, but please 'phone us for a brochure which explains exactly how we can help

THE AVERY
COMPUTER COMPANY
13, The Mall
Bar Hill
CAMBRIDGE
Tel. Crafts Hill 80991 (24 hours)

● Circle No. 313

Master Your Micro FAST with...

Little Genius floppy diskette based courses will teach you, how to use your system and how to realise the full potential of the "Mighty Micro". These fully interactive computer lessons will guide you quickly to a high level of understanding and confidence in your ability to make the most of your microcomputer system.

NOW PASCAL!

Courses now available:

- *Applesoft BASIC*
- *Advanced Applesoft BASIC*
- *Using your Apple*
- *PET BASIC*
- *Advanced PET BASIC*
- *Using your PET*
- *Beginners Pascal*
- *Advanced Pascal Using Pascal*
- *380Z BASIC*
- *Advanced 380Z BASIC*
- *Using your 380Z*

Little Genius

Each course, comprising a floppy diskette, and starting instructions, costs only £40.00 plus VAT.

SPECIAL "3 in one" OFFER for 3 courses covering the same system only £99.00 plus VAT.

Little Genius courses are available from most computer retail outlets, or direct mail order from:

LITTLE GENIUS
Suite 504, Albany House, 324 Regent Street, London W1R 5AA.
Telephone: 01-580 6361 ● Circle No. 314

SOFTWARE FOR CP/M®

HIGH QUALITY SOFTWARE – WITH HIGH QUALITY SERVICE

★ **NEW THE FORMULA £300. Application Builder and Reporter. SPELL STAR £125. Option for Wordstar. SUPER CALC £165. Spread Sheet financial planning.**

WORDSTAR - Professional word processing software. On-screen formatting, wordwrap, pagination, line and character count on view. Micro-justification on daisy-wheel printer. Search and replace. Block/paragraph manipulation. External file read/write. Background printing during editing etc.	£250
MAIL–MERGE - Powerful Wordstar enhancement for file merging and document personalisation.	£65
DATASTAR Screen orientated system for Data Entry, Retrieval and Updating.	£175
SUPERSORT - Sort, merge and selection program.	£125
CONFIGURABLE BUSINESS SYSTEM (CBS) - Unique information management system with user definable files, powerful report generator, menu-driven for ease of use. No programming experience necessary!	£225
ACCOUNTING PACKAGES by Median - Tec: PAYROLL, SALES, PURCHASE, NOMINAL Specially developed by UK software house to exacting specifications. Written in Microsoft Basic each package may be customised by end user, all are widely used. Ledgers are open item. Payroll caters for weekly and monthly pay.	£500 each
PROJECT COST CONTROL/JOB ACCOUNTING - A comprehensive set of programs to monitor budgets, account for expenditure and project completion etc. Ideally suited for contractors. Written in CBASIC-2.	£150
STATISTICS PACKAGE - Over 25 routines including Regression & ANOVA	£100
MATHS PACKAGE - Over 40 easily used routines.	£100
IBM - CP/M COMPATIBILITY - Powerful utility to transfer data to/from IBM machines in standard disk format.	£110
MICROSOFT BASIC INTERPRETER	£155
MICROSOFT BASIC COMPILER	£195
MICROSOFT FORTRAN COMPILER	£205
MICROSOFT COBOL	£310
MAGSAM - Versatile easy to use Keyed File Management System for Microsoft Basic or CBASIC.	£130
CIS - COBOL - ANSI' 74 implementation to full level 1 standard. Supports random, indexed and sequential files, features for conversational working, screen control, interactive debugging, program segmentation etc.	£425
FORMS-2 - Automatic COBOL code generator for screen formats.	£100
PASCAL-Z	£235
STRUCTURED BASIC - Relocatable compiler	£160
CBASIC-2 - Extended Disk Basic pseudo compiler and run-time interpreter.	£75
SELECTOR III - C2 - Information management system written in CBASIC-2	£185
SELECTOR IV - Upward compatible version of III with enhanced reporting.	£300
BSTAM - Telecomms facility for exchanging files between CP/M computers.	£75
ASCOM - Facility for communicating with other computers.	£95
TRANSFER - CP/M to CP/M file exchange - telecomms source code	£125
MACRO 80 - Macro Assembler	£99
CP/M 2.2 - Standard Version 8" Single Density.	£99

Please contact us for availability of other products
All orders must be PREPAID. Add £1 per item P & P (Minimum £2.00) and VAT
CP/M is trade mark of Digital Research

TELESYSTEMS LTD

P.O. Box 12, GREAT MISSENDEN, BUCKS, HP16 9DD
Telephone (02406) 5314

● Circle No. 315

Software for CP/M™

MICRO PRO		LIST
Wordstar™ 3·X		£250
Mail Merge		£ 60
Data Star		£170
Supersort I		£120
Spellstar (USA dictionary)		£120
Calcstar		£150
NEW Compiler Systems	CB 80 (True Compiler)	£280

MICRO SOFT	LIST
Basic-80 Interpreter	£150
Basic Compiler	£190
Fortran-80	£210
Cobol-80	£310

MISC		LIST
Compiler Systems	CBasic-2	£ 65
Sorcim	Pascal/M	£120
Sorcim	Supercalc	£170
Ashton Tate	d Base II	£380
NEW Ecosoft MicroStat		£150
Organic	Milestone (critical path)	£160

CP/M is TM of Digital Research. WORDSTAR is TM of Micro Pro

Other Products constantly being added to our range.

Send *large* s.a.e. for latest list

TRADE ENQUIRIES WELCOME

Ordering Instructions:

Cash with order. Specify disk format.

Add £3.00 per item P&P. Add 15% VAT

the soft option

PO BOX 11 CRANBROOK KENT

TN17 2DF Tel: (058 080) 310

● Circle No. 316

NEW CASIO FP-10 MINI PRINTER



(RRP £49.95)

AN INCREDIBLE £44.95

Compatible with the FX-501P, FX-502P, FX-601P, FX-602P and FX-702P
Manual and program results printout. Memory and program listing.

FP-10 electric discharge mini printer. A remarkably clear 5 x 7 dot matrix printout of 20 characters per line. Up to 30 characters store/printout over 1½ lines, with overload symbol. Fast 2 lines/second print speed. Aluminised paper rolls are approx 2,500 lines/ 30 feet long. Connects directly to the calculator, or via FA-2 cassette interface. Four AA batteries will print approx 6,000-9,600 lines. Rechargeable pack NP-4M, 13,000 lines. (£6.90) AC adaptor AD-4150 will recharge NP-4M, in situ, (£5). Printer rolls £2.50 per pack of five. Dims: 43.5H x 157.5W x 82.5D (1¾" x 6¼" x 3¼") weight 372g (13.1oz)

FX-602P. 512 program steps. With **FREE MICROL PPP** (£9.95) £74.95
FX-702P. Basic pocket computer. 1680 to 80 program steps. 26 to 226 memories, all non-volatile. **FREE MICROL PPP.** £119.95
MICROL PROCOS. Professional Programming solutions on tape £24.95

DISCOUNTS ON SOFTWARE WHEN YOU BUY YOUR HARDWARE FROM US.

Catalogue of Casio calculators, keyboards and watches and further information on the 602P or 702P and PROCOS on request. (14p stamp).

Price includes VAT, P&P. Delivery normally by return. Send cheques, P.O. or phone your Access or Barclaycard number to:-

TEMPUS

Dept PCW,
38 Burleigh Street,
Cambridge CB1 1DG.
Tel: 0223 312866.

● Circle No. 317

J.M.Pickard. MICRO COMPUTER SERVICES

22 HOLLAND ROAD,
CLACTON-ON-SEA,
ESSEX.
CLACTON 29018.

apple computer

GENIE
SALES + SERVICE

GENIE 1 SYSTEM 48K 2 disk drives and 12 inch green screen monitor **£1060**
GENIE II SYSTEM As above with double density drives **£1145**
APPLE II Europlus as above **£1390**
Free with all above — purchase ledger system worth £200
GENIE I 16K **£299**
GENIE II 16K **£310**
EPSON MX80T Printer **£299**
MX80 F/T **£335**
MONITORS 12 inch B/W **£69**
GREEN SCREEN **£79**

computer consumables . . .

11 x 9.5 inch continuous plain paper with perforated sprockets £12.00 per box of 2000 sheets
Labels 1.44 x 4 inch 2 across on web £7.50 per 1000
Floppy disks £16.50 per box of 10 (Memorex)
£17.50 per box of 10 (Verbatim)

Don't worry if you can't see what you want; ring us and we will give you a quote.

Postage at cost. All items plus VAT.

BARCLAYCARD VISA

● Circle No. 318

VIDEOTEX '82 SYSTEMS
CONFERENCE & EXHIBITION

CUNARD INTERNATIONAL HOTEL, LONDON
MAY 5-7 1982

Videotex Systems '82 provides the ideal opportunity for manufacturers and suppliers of specialist services to display their products and demonstrate their expertise within the field of private videotex systems. The event is the second in this unique series of annual conferences and exhibitions, which are entirely dedicated to this new area of information technology.

The exhibition, which will be run in parallel with a major conference, organised on behalf of The Association of Viewdata Information Providers (AVIP), is designed to promote a business-like atmosphere, conducive to the practical discussion of technical and business matters. In addition to the conference, there will be a series of workshops, at which exhibitors will be able to make detailed presentations of their products.

Set in the comfortable surroundings of the Cunard Hotel, London, the event and venue gives every facility to the discerning businessman. Sponsored by Viewdata & TV User and organised by IPC Exhibitions Ltd, the event has the full backing of IPC Business Press, the world's largest publishers of specialist and business journals. Utilising these resources, a comprehensive publicity campaign is sure to attract the highest quality visitors to the event.

Be sure of your participation in this important event, fill in and return this coupon now!

VIDEOTEX '82 SYSTEMS
CONFERENCE & EXHIBITION

Return to The Sales Manager, Videotex Systems '82, IPC Viewdata Ltd, Room 1203, Quadrant House, The Quadrant, Sutton, Surrey SM2 5AS or telephone 01-661 3500.
I am interested in receiving more details on The Exhibition

NAME _____
COMPANY _____
ADDRESS _____

● Circle No. 319

LONDON COMPUTER CENTRE

NEW! EMPEROR 11
£2,150 by TELEVIDEO

made under licence for MicroVideo Ltd., world wide distributors of the Emperor range of micro computer Business Systems.

★ Built in 1 Mbyte dual disk drives.
★ Detachable keyboard with 12 function keys (Wordstar option).
★ Green screen — true descenders.
★ Full graphic capabilities.
★ CPM operating systems. Supports MmmOST.
★ 64K Ram. Real time clock.
★ Expandable to multi-user system and hard disks.

Options:
1.5.M byte floppy disk drives ● 10 Mbyte hard disk ● Multi user up to 16 user ● Demonstrations on all models.

ALL PRICES ARE EXCLUSIVE OF VAT AND DELIVERY
DEALER ENQUIRIES INVITED ON ALL PRODUCTS

43 GRAFTON WAY, LONDON W1P 5LA (Opposite Maples)
Tel: 388 6991/2 OPENING HOURS: 11-7 MON-FRI 12-4 SAT
24 hour answer phone: 01-388 5721

● Circle No. 320

PET PRINTER GRAPHICS

by COMPUTACE LTD. PLUS North Star Horizon



This graph is a typical example printed by AUTOGRAPH on a **STANDARD COMMODORE 3022 or 4022 PRINTER.** (Please specify when ordering) No disk drive or plotter required Simple to use. Hard copy. Fully flexible graph dimensions and position on page. Automatic scale option. Variable background formats. Plots any X,Y function. Multiple graphs on same axes. Full Alphanumeric labelling for professional quality presentation:

AUTOGRAPH is supplied with extensive documentation.
Send for Brochure.

AUTOGRAPH 1 (16K, 32K only)
Plots any function as illus. or in spaced dots. **£39.50 incl.**

AUTOGRAPH 2 (16K, 32K only)
As Autograph 1 but includes data point plot option with joining lines and marking circles. Autographs 1 and 2 combined pack. **£49.50 incl.**

CURVE FIT 1 (32 K only)
Powerful Linear and Non-Linear Regression of any function to a least squares data fit. Complete with plot of regressed curve & data.
£55.50 incl.

CURVE FIT 0
As Curve Fit 1 plus Cubic Spline Fit, Integrals and Gradients throughout.
£65.50 incl.

Send for Brochure and details of combined packs at reduced prices. Including: Epson Printers and Oxford Computer Systems Compiler.

COMPUTACE LTD., INFABCO GROUP, International Base, Greenwell Rd., East Tullos, ABERDEEN AB1 4AX
TEL: (0224) 876622.

For fastest reply use:-
COMPUTACE LTD.,
PO BOX 50D
NEW MALDEN, SURREY KT3 3BD

● **Circle No. 321**

Micropro Software at less cost than Micropro Software!


CALCSTAR™
FOR BUDGET PLANS, SALES FORECASTS, CASH FLOW ANALYSIS, AND FOR EVALUATING THE POTENTIAL EFFECT OF FINANCIAL DECISIONS.
DISCOUNT
INFOSTAR™
THE POWERFUL REPORT GENERATOR, TO TAKE THE PLACE OF CONVENTIONAL PROGRAMMING LANGUAGE IN BUSINESS APPLICATIONS IN AREAS ONLY PREVIOUSLY ACCESSIBLE THROUGH MINIS AND MAINFRAMES.
DISCOUNT
DATASTAR™
THE POWERFUL COMPREHENSIVE DATA ENTRY RETRIEVAL AND UPDATE SYSTEM FOR MICRO SYSTEMS.
DISCOUNT
SPELLSTAR™.
"PROOFREADER" ON A DISK - A SPELLING CHECKER PROGRAM THAT WORKS WITH WORDSTAR™ TO IDENTIFY SPELLING ERROR IN CONTEXT.
DISCOUNT
MicroPro™
WORDSTAR™
THE SCREEN ORIENTATED INTEGRATED WORD PROCESSING SYSTEM SPECIFICALLY DESIGNED FOR NON-TECHNICAL PERSONNEL
DISCOUNT
SUPERSORT™
SUPERIOR SORTING, MERGING AND SELECTING POWER WITH UNMATCHED SPEED AND CONVENIENCE.
DISCOUNT
MAILMERGE™
THE POWERFUL FILE MERGING TOOL
DISCOUNT

This discount offer is available for a limited period only-Please tick appropriate box and send the correct remittance to the address below before March 31st 1982.

GDSS

GRAHAM DORIAN SOFTWARE SYSTEMS LTD.
Unit 58,
Suttons Park Avenue,
Earley, Reading,
Berks. RG6 1AZ
0734-664343/6

	CP/M PRICES			APPLE PRICES		
	REC. RETAIL PRICE	GDSS DISCOUNT PRICE	MANUAL	REC. RETAIL PRICE	GDSS DISCOUNT PRICE	MANUAL
☐ WORDSTAR	£285.00	£195.00	£25.00	£215.00	£145.00	£25.00
☐ MAILMERGE	£ 85.00	£ 55.00	£15.00	£ 70.00	£ 50.00	£15.00
☐ SPELLSTAR	£145.00	£105.00	£15.00	£115.00.	£ 75.00	£15.00
☐ DATASTAR	£200.00	£150.00	£25.00	----------	----------	----------
☐ SUPERSORT I	£145.00	£105.00	£20.00	£115.00	£ 80.00	£20.00
☐ SUPERSORT II	£115.00	£ 80.00	£20.00		----------	----------
☐ INFOSTAR	NOT	YET	RELEASED	----------	----------	----------
☐ CALCSTAR	£170.00	£120.00	£20.00	£140.00	£ 75.00	£20.00
☐ WORDMASTER	£ 85.00	£ 60.00	£20.00	N.A.	N.A.	N.A.

● Price of software includes manual. If manual purchased initially, 100% credit if software purchased subsequently ● Calcstar, Datastar, Wordstar, Mailmerge, Supersort, Spellstar, Infostar and Wordmaster are all Trademarks of MicroPro International Corp. ● Prices do not include VAT and are subject to change without notice.

● Circle No. 322

THE MICRO SOLUTION

HARDWARE

BRITISH GENIUS AND SUPERBRAINS AVAILABLE FROM STOCK

DISC OPTIONS (5:",8" and Winchesters — integral storage up to 9MB)
WIDE RANGE OF PRINTERS (Qume, NEC, Diablo, Sanders, Anadex, Dolphin etc.)
HIGHLY COMPETITIVE CASH AND CARRY PRICES
OUR OWN ENGINEERING MAINTENANCE SERVICE (24hr response contracts)
HARDWARE AND SOFTWARE SUPPORT FROM THE PROFESSIONALS

DEALER ENQUIRIES WELCOME



MICRO SOLUTION APPLICATION SOFTWARE

—INTEGRATED ACCOUNTING SYSTEM £1,000
—STOCK CONTROL £450

The Accounting System includes:
—Full double-entry accounting
—Sales/Purchase/Nominal Ledgers + VAT
—Sales Invoicing
—Trial Balance/Profit & Loss
—Open Item or Balance Forward
—Up to the minute Enquiry facility
—Alphanumeric Account codes etc.

Stock Control includes:
—Order processing
—Invoice/Delivery Note printing
—Reordering and Valuation reports

—BILL OF MATERIALS £450
—PAYROLL .....from £250

Bill of Materials includes:
—Maintenance of Assembly structures
—Multi-level Parts Explosion
—Assembly Component cost calculation
—Requirement Breakdown by period

Payroll System includes:
—Up to 15 Gross and Net pay fields
—Retention of historical dates
—Pension and Holiday pay calculation
—Special Stationery available
—Multi departments
—Up to 9999 employees

COMPILERS AND UTILITIES

—Microfocus CIS-COBOL compiler £425
—Microfocus FORMS-2 utility £100
—Micro Solution REPORTER (CIS-COBOL Report Generator) £100
—Microsoft MBASIC interpreter £165
—Microsoft BASIC 80 compiler £200
—Microsoft COBOL 80 compiler £390
—Microsoft FORTRAN 80 compiler £260
—Microsoft MACRO 80 assembler £85
NEW PRODUCT ———

—SPELLBINDER word-processing £250
—WORDSTAR word-processing £230
—Mail Merge option for above £75
—DATASTAR data management £160
—SUPERSOFT sort/merge £130
—BSTAM (CP/M micro file transfer) £75
—TTY (teletype emulator) £180
—MICROMODELLER finance planning £645
—CBASIC compiler £75
BCPL COMPILER £250

Contact:

THE MICRO SOLUTION LTD

Park Farm House
Heythrop
Chipping Norton
OXFORDSHIRE
OX7 5TW

telephone:
CHIPPING NORTON (0608) 3256
ask for: Bill Whaley
or
Bede Dunlop

● **Circle No. 323**

COMPUTER SUPPLIES
FOR MINI AND MICROCOMPUTERS

We can supply the great majority of microcomputer related products at really competitive prices.

DISKETTES Nashua, Verbatim, Basf.
5¼" DSDD (packs of 10) ..... from **£19.62**
5¼" SSSD (packs of 10) ..... from **£17.09**
5¼" DSSD (packs of 10) ..... from **£17.09**

RIBBONS Low and High Speed Printers
QUME Multi-strike Film Ribbon ... from **£2.30 each**
All ribbons available in singles or in 12s

LISTING PAPER
Plain 11" X 9½" 1 part 60 gsm 1,000 sheets ... **£8.32**
(Other sizes and paper quality available)

BLANK CASSETTES
C10/C12 ..... from **38p each**

LIBRARY STORAGE CASES
5¼" 10 Disk capacity ..... from **£1.96 each**

Postage and packing from **£1.50** V.A.T. not included

- We sell Apple, Commodore, VIC 20, ACT, HP, Computers.
- 24 hr Service Contracts.
- ACCESS & VISA WELCOME.

BEST DISCOUNT PRICES

33/35 Portugal Rd. (Dept.PC), Woking, Surrey. GU21 5JE
Tel: Woking (04862) 21776

DATALECT COMPUTERS

● Circle No. 324

If that Apple is just out of Reach....
Rent One!

If you have a short term requirement for a microcomputer system for evaluation, training or just hands-on experience — come to Atlanta!

Apart from Apples we have top quality printers, (daisy wheels, matrix, graphics), monitors (green, orange, colour, hi-res), disk drives (single/double density and Winchesters), and a huge range of software including Visicalc, Visidex, WordStar, Format-80, Magic Window, Micromodeller, APM, The Last One, CIS Cobol and all accounting programs.

Plus tutorials, compilers, interfaces, bespoke CP/M and PASCAL software, plus help and advice from friendly, professional people.

A complete system can be working for you within a few days of your enquiry from as little as £12.00 pw!

01-729 1411/2

Atlanta Data Systems
350/356 Old Street, London, EC1V 9DT. 01-739 5889

● Circle No. 325

MACHINE LANGUAGE MADE SIMPLE ZX80 AND ZX81

This new book is a must for any **SINCLAIR** user who wants to make full use of his **SINCLAIR ZX80** and **ZX81.** Go beyond Basic into the world of **MACHINE LANGUAGE PROGRAMMING** and open computer horizons you never thought possible! Learn how to use the **SINCLAIR** computer's own language and finally find out what PEEK and POKE is all about!

MORE COMPUTING POWER IN LESS SPACE! FASTER RUNNING PROGRAMS!



Written for the complete beginner as well as for the experienced **SINCLAIR** user, **MACHINE LANGUAGE MADE SIMPLE** has over 120 pages packed with programming techniques, hints and tips.

WRITE YOUR OWN MACHINE LANGUAGE PROGRAMS...

* USEFUL BASIC PROGRAM TO EDIT MACHINE LANGUAGE * COMPLETE DESCRIPTION OF THE INSTRUCTIONS GROUPED BY SUBJECT AND BY USEFULNESS * NUMEROUS SAMPLE MACHINE LANGUAGE ROUTINES DESIGNED SPECIFICALLY FOR THE SINCLAIR 80 & 81 * SIMPLE EASY TO USE LOOK UP TABLES.

£8.95 (plus 50P p&p)

Please send me ..... copies **MACHINE LANGUAGE MADE SIMPLE FOR YOUR ZX80 & ZX 81.**
Orders to: Melbourne House Publishers, 131 Trafalgar Rd, London SE10
Correspondence: Glebe Cottage, Glebe House, Station Rd, Cheddington, Leighton Buzzard. Bedfordshire LU7.
Please enclose cheque or P.O. for £9.45 per copy. Orders outside the UK £9.95.
NAME .....
ADDRESS ..... PC 2/82

● Circle No. 326

FREE
9" BLACK & WHITE MONITOR + 32K ADD-ON RAM

with every purchase of latest model of

apple II europlus & TWIN DISC DRIVE SYSTEM (as illustrated)

Note: This is NOT a cheap U.S. import, but the genuine article backed up by the full one year warranty

You get:—

* Apple][europlus 16K (incl one year warranty)
* 32K Add-on memory ** FREE **
* 9" Black & White monitor & cable ** FREE **
* 3.3 DOS Disc drive & controller
* 2nd 3.3 Disc drive

(SYSTEM VALUE £1,684 + VAT + P&P = TOTAL PRICE £1,953

for **£1412** + VAT + P.P = TOTAL PRICE **£1640**

APPLE III AVAILABLE NOW

All prices correct at going to press. Allow 28 days delivery. CALLERS WELCOME
Send cheques, money order, bankers draft, cash with order to: apple computer

CARLTON COMPUTERS LIMITED
4 Swanstons Road, Great Yarmouth, Norfolk NR30 3NQ.
Tel: Gt Yarmouth (0493) 58898

● Circle No. 327

ATTENTION!

Menu du Jour

	£		£
CPS Multifunction card	115.00	£180, different label)	115.00
16K Ram expansion card	69.95	same monitor but B&W	115.00
64K Expansion card	199.95	Colour monitor — lowest price!	210.00
Disk Emulator software for 64K card	29.95	Epson MX80 FT/2	375.00
128K Ram card (hi-speed software disk emulator)	350.00	Centronics 737	335.00
Time Machine II clock/calend, + multi-tasking	69.95	Centronics 739 (737 + graphics)	399.00
Videx 80 col. card + switchplate	199.95	CX80 colour printer (parr.)	745.00
12" green-phosphor monitor (the same as advertised at		CX80 colour printer (ser.)	797.00
		Z80 CPU card + CP/M	115.00

This is only a selection of the many items on our menu — some of our prices are too low to be printed so — phone for absolutely the best prices on Apple II and Apple /// computers, peripherals, software and books

ADD VAT @ 15% TO ALL PRICES – SERVICE INCLUDED

Drop in for a byte at:

THE BROMLEY COMPUTER SHOP

49 Beckenham Lane
Shortlands
Bromley, Kent

01-460-2580
01-464-0541

● **Circle No. 328**

TRS-80 I, II & III

Superior Disk Software

ELECTRIC SPREADSHEET — eat your heart out VisiCalc users — this second generation product takes over where VisiCalc left off. Mod I/III £39.50/£43.50

STRINGSPEED — ever wondered why programs with more than a few strings occasionally appear to stop, sometimes for minutes, and then re-start — well its because your interpreter is reorganising the string pool — STRINGSPEED dramatically reduces reorganisation times. With 1,000 active strings reorganisation is cut from 150 secs to just 4.5 secs, with 4,000 active strings from 2,300 secs to just 22 secs — over 100 x faster. Mod II/III £54.50/£43.50

AUTOMAP creates formatted screens and automates the programmers task of communicating and displaying information with the user operator. By reducing this task to simple SEND and RECEIVE commands, AUTOMAP will dramatically increase your programming productivity. Mod II/III £54.50/£43.50

AUTOFILE makes for easier, faster random access file handling. No more need for FIELD, MKI$, LSET, CVS etc, as all conversions are now handled directly by your interpreter. Requires no user memory. Mod II/III £3.50/£35.00

TASMON is simply the best monitor available and has far too many features to list here — write or call for details. Mod I/III £17.00

NEW: DOPLUS a superior DO processor, SMARTTERM a communications package, SPOOL-80 a true disk to printer despooler, RENTALS lease/rental stock control, WIZARDS CASTLE & DUNGEON ESCAPE — wizard adventures!

Prices exclude VAT but include postage and packing

For a detailed catalogue send 75p to:

SYSTEM SOFT

49 Dunvegan Drive, Rise Park, Nottingham NG5 5DX.
Tel: (0602) 275559

● **Circle No. 329**

BOOKS FROM MICROSOURCE

NEW! NEW!

GRAPHIC SOFTWARE FOR MICRO COMPUTERS

by B. J. Korites

Over 100 LISTINGS IN BASIC THEORY from simple Algebra to Matrix theory.
Suitable for BEGINNERS/SCHOOLS, COLLEGES.
Starts from plotting points to sophisticated 3D Hidden Line Removal, perspective and shading.
WRITTEN FOR APPLE II but easily adapted for RESEARCH MACHINES 380Z.

BOOK	£15.95 inc P&P
DISK of BASIC LISTINGS for the APPLE	£15.95 inc P&P
2 DISKS of the same programs in MACHINE CODE	£18.95 inc P&P

SOFTALK

In the USA this is the leading Apple Magazine. Why haven't you heard of it? Well, it is distributed free, but only to Apple Owners in the States. It is big and densely packed with articles and useful information. More even than MICRO, CALL APPLE and NIBBLE! Unfortunately we can't offer it free because it is so expensive to ship across the Atlantic — it's so heavy! For sample copy and details of how to receive it regularly send £3 to the address below.

COMING SOON — SOFTLINK the companion Games Magazine to SOFTALK.

Just Published

WHAT'S WHERE IN THE APPLE

By William Luebbert

The Atlas of Peeks, Pokes and Calls — listed numerically and alphabetically.
Suitable for APPLESOFT INTEGER and MACHINE CODE programmers, covers both BASICS, Monitor and DOS.
128 pages £9.95

Another New Book.

ALL ABOUT APPLESOFT

THE Guide to Applesoft. Articles on all aspects of Using Applesoft BASIC — Arrays — Variables, Hi Res Machine Code etc etc — full of listings, programs and subroutines. A must for all Applesoft programmers.
Published by CALL APPLE £9.95 inc P&P

BENEATH APPLE DOS.

By Don Worth & Peter Lechner. A Technical Gold Mine of the secrets of DOS (3.3 and 3.2). Explanation of how the disk is formatted and accessed as well as detailed listings of the routines. £11.95 inc P&P

MICRO on the APPLE

A series of Volumes of Articles on the Apple from MICRO 6502 magazine. No need to type the listings, all programs on disk (included with each volume) contains:- Utilities, Games, Graphics Education and Hardware articles.

VOL 1	£18.95
VOL 2	£18.95
VOL 3	Coming Soon.

Other Books for the Apple:-

Applesoft Language	£8.20
Intimate Instructions in Integer BASIC	£6.20
Apple Machine Language	£10.50
Apple II Users Guide	£11.20
Computer Graphics Primer	£10.50

All Prices Include P&P.

We don't just sell books! We also stock a wide range of peripherals and software and can obtain almost any Apple related item quickly and at a competitive price.
There isn't space to feature all our products in every advert, so look for our ads in back issues of this and other magazines. Better still, write or phone for a quote — you can't lose!

MICROSOURCE

1 Branch Road, Park Street, St. Albans.
Tel: Park Street (0727) 72917

● **Circle No. 330**

Conquer the chip!

The silicon 'Chip', the microprocessor, and the whole field of modern electronics will revolutionise every human activity over the next decade . . . . If you are looking for a new job or career, promotion, your own business or simply want to keep abreast of modern developments – you will need to master the subject. It can be done simply and efficiently, in a practical way. No previous knowledge is needed. Write to us now – without the slightest obligation. . . .
We have been successfully training people in electronics, at home, for over 40 years!

MASTER ELECTRONICS LEARN THE PRACTICAL WAY BY SEEING AND DOING

- Building an oscilloscope. ● Recognition of components.
- Understanding circuit diagrams. ● Handling all types Solid State 'Chips'.
- Carry out over 40 experiments on basic circuits and on digital electronics.
- Testing and servicing of Radio, T.V., Hi-Fi and all types of modern computerised equipment.

MASTER MICROPROCESSORS

LEARN HOW TO REALLY UNDERSTAND MICROPROCESSORS, HOW THEY WORK AND THEIR APPLICATION TO COMPUTER TECHNOLOGY.

- Complete Home Study Library ● Programming
- Special Educational Microprocessor Equipment supplied
- Services of skilled tutor available throughout course

MASTER THE REST

- Radio Amateurs Licence ● Logic/Digital techniques
- Examination courses (City & Guilds etc.) in electronics
- Semi-conductor technology
- Training Kits (Signal Generators, Digital Meters etc.)

FREE

Please send your **FREE** brochure without obligation to –

Name .....

Address .....

.....

BLOCK CAPS PLEASE

I am interested in –

PRACTICAL ELECTRONICS .....

MICROPROCESSORS .....

OTHER SUBJECTS .....
(please state your interest)

.....

BRITISH NATIONAL RADIO & ELECTRONICS SCHOOL
READING, BERKS. RG1 1BR PC/2/817R

● Circle No. 331

SUPERBRAIN® SOFTWARE

LINTEX PRODUCTS
present
LINDATA™

This flexible program is vocabulary based.
It was designed with ordinary business people in mind and uses YOUR names for file areas and YOUR file architectures.
Using prompts in plain English, Lindata™ allows you to:

- ★ Sort a file numerically or alphabetically
- ★ Create file entries
- ★ Print out files in a number of formats
- ★ Alter or use field arithmetics
- ★ Edit a file on a constant keyed input

£75 + VAT including disk, comprehensive manual, packing & UK postage.
Other CP/M™ machines by arrangement

LINTEX PRODUCTS LIMITED
16 Suffolk Road, Potters Bar, Herts EN6 3EZ Telephone Potters Bar (0707) 52834
Regular demonstrations but ONLY by appointment

● Circle No. 332

★ FREE SOUND WITH VIDEO GENIE ★

CASE FOR OHIO SUPERBOARD OR UK101 ONLY £24
IN PLASTIC OR IN STEEL! £37
NUMBER PAD FOR ABOVE ONLY £12

WE CAN OFFER THE INCREDIBLE VIDEO GENIE FOR ONLY £279 INCLUDING SOUND! 32K EXPANSION INTERFACE FOR ONLY £279 AND 40 TRACK DISKS FOR ONLY £195 SINGLE AND £380 DUAL!



OHIO SUPERBOARD
COMPLETE WITH SOUND, POWER SUPPLY, MODULATOR FULLY BUILT & TESTED FOR BRITISH T.V. STANDARDS ONLY **£159**



CENTRONICS 737 LETTER QUALITY PRINTER ONLY £345

PET – CENTRONICS FULLY DECODED INTERFACE NOW ONLY £49

APPLE – CENTRONICS INTERFACE ONLY **£79!**

ALL PRICES INCLUDE POSTAGE & PACKING BUT EXCLUDE V.A.T.
KRAM ELECTRONICS, VICTORIA HOUSE, 17 HIGHCROSS STREET, LEICESTER
FREE POST (NO STAMP REQUIRED)

● Circle No. 333

CHROMASONIC electronics

DEPT P.C., 48 JUNCTION ROAD, ARCHWAY, LONDON N19 5RD

100 yds FROM ARCHWAY STATION & 9 BUS ROUTES

TELEPHONE 01-263 9493 263 9495

YOUR SOUNDEST CONNECTION IN THE WORLD OF COMPUTERS

PET

phone for prices

4016 16K RAM
4032 32K RAM
4040 Dual Drive Disk

The new PET printer.
4022 80 column tracks feed.
3023 80 column friction feed.
C2N Cassette Unit.
For the business man we stock the 8000 range inc. 8032 and 8050 with daisy wheel printers coming soon.

PHONE FOR DETAILS OF OUR 'STARTER SYSTEM' AND 'WORD PROCESSING/BUSINESS SYSTEM'

VIDEO GENIE



£299 EG3003

Utilises Z80, 12K level II Basic, Integral Cassette Deck, UHF O/P, 16K RAM, all TRS80 features. Simply plugs into monitor or UHF TV. With V.U. Meter.

PARALLEL PRINTER INTERFACE INC. CABLE	£33.00
CHROMASONICS PROGRAMABLE SOUND KIT	£24.94
SOUND KIT (FITTING EXTRA)	£7.00
LOWER CASE KIT (FITTING EXTRA)	£27.50
COLOUR KIT (FITTING EXTRA)	£34.95
EXPANSION BOX WITH/WITHOUT RS232	£215/185
16K/32K RAM CARD	£94/129
NEW GENIE II NOW AVAILABLE	£320

APPLE

APPLE II PLUS Apple II plus

48K Machines **£649**
Disk Drive with Controller **£349**
Disk Drive without Controller **£299**
Colour Card **£69**
Graphics Tablet **£425**

ACCESSORY CARDS, SOFTWARE ALL AVAILABLE — PHONE FOR DETAILS

PRINTERS



EPSON MX80 £359
Dot-matrix printer with Pet graphics interface. Centronics parallel and serial. Pet and Apple compatible. True bidirectional, 80 cps.

EPSON MX80 FT/ 1 £399
Dual single sheet friction and tractor, 9 wire head, true descenders.

INTERFACES AND CABLES
for Apple II, Pet, TRS80, RS232, UK101, Sharp Superboard all available.

EPSON MX80 FT/ 2 £440
An FT/1 with high resolution graphics.

EPSON MX70 £259
Tractor feed, 7 wire head high resolution graphics.

SEIKOSHA GP80A £199
Dot matrix 5 × 7, 80 columns 30 cps. graphics, double width characters.

JUST PHONE FOR FURTHER DETAILS

MONITORS

GREEN MONITOR 9"	£98.00
12" BMC Green	£159.00
Hitachi professional monitors	
9" Black & White	£99.95
12" Black & White	£149.00

UK101

DOWN IN PRICE

UK 101 Kit **inc 8K memory**	£125
Ready Built **inc 8K memory**	£175
Complete in case	£199
4K Expansion 8 × 2114	£10
Printer Interface	£24.50
Sound generator plus PIO kit	£29.95
Cases	£19.95
Chromasonic Sound Kit	£24.50
Colour Kit	£69.95

Inc. Demo tape & Insts.

NEW

32K Dynamic Memory Board Kit	£89.95
PIO and EPROM Programmer Kit	£24.50

VIC 20

Colours
24 total. 8 for characters, 8 for border, 16 for screen mixed as you wish. Basic colours on program keys are black, white, red, blue, light blue, green, yellow, and purple.

Sound
3 Tone Generator for music
"White Noise" Generator for language and sound effects.
Each Generator gives 3 octaves.
Reproduction is through TV speaker.

Character/ Line Display
22 Characters by 23 lines
64 ASCII characters, pet-type graphics character set.

Keyboard
DIN typewriter keyboard with 8 programmable function possibilities via 4 special function keys. Colours are directly addressable from the keyboard.

Peripherals/ Accessories
VIC Datacassette with special interface to guarantee high reliability read/write quality (PET/CBM compatible).

PRICE ONLY £165
CASSETTE DECK with 6 free programmes
ONLY £38.00



TANTEL

PRESTEL BY TANTEL

COMMUNICATION AT YOUR FINGER TIPS FOR BUSINESS & HOME. UP TO DATE INFO

180,000 pages of information on Travel, News, Investment, Holidays, Hotels Etc., Etc.

£159

TANTEL IS POST OFFICE APPROVED. SEND FOR DETAILS.
DEMONSTRATION AVAILABLE AT OUR SHOWROOM

BARCLAYCARD VISA

Please add VAT 15% to all prices. Postage on computers, printers and cassette decks charged at cost, all other items P&P 30p. Place your order using your Access or Barclaycard. (Min. tel order £5). Trade and export enquiries welcome.

ALL ITEMS CARRY A ONE YEAR GUARANTEE

Access

● Circle No. 334

Wida Software

Specialists in Educational Software For Schools and Colleges

APFELDEUTSCH	Computer Assisted Course in German: Beginners to O'Level: Textbook: Workbook; 6 Language Lab Cassettes; 9 Apple diskettes of teaching and testing routines. Apple only: Complete set: £120.00 (20% discount for schools)
GERMAN ROUTINES	Individual Testing Routines: article and adjective endings, pronouns, word order, etc. Send s.a.e. for details. Any four routines: Apple Disk £15.00 Pet Cassette £10.00
TEACHER'S TOOLKIT	Starter Pack for building up library of tests. No knowledge of computing needed. Suite of 5 programmes: Tester, Testmaker, Editor, Multiple Choice Specimen, Directory of Tests. Apple Disk £20.00 Pet Cassette £15.00
APPLE PILOT	The Ultimate Language for Teachers: Mix sound graphics and text for questions on screen Disks & Manuals £76.00
ARISTOTLE'S APPLE	Tutor and Test Mode; fill-in, multiple choice, matching; includes alternative answers Apple only Disk & Manual £20.00
PEDAGOG AIDS	Life Raft for Teacher Thrown into Depths of Computer Studies. 20 Apple programs to O'Level 10 Apple Disks £60.00
FRENCH & GERMAN CHIP	Plug-in Replacement Chip for (New ROM) Pet Gives Umlauts, accents, etc. Full instructions. Kit (Pet only) £35.00
THE LOWBROOK TAPES	Suite of 6 Numeracy programmes for the primary school (fractions, carrying over, etc) Pet cassette £10.00
SHAPE MANAGER	Does for shapes what a word processor does for words. From Sinta Software. Kit (Apple) £59.95
TYPE-RIGHT	Lower-Case word processing with Apple Writer. Full shift key operation. Plug-in fitting with disable switch. Manual, fitting instructions, software on disk. Apple only £46.50

All prices incl. VAT:

WIDA SOFTWARE 2 Nicholas Gardens, London W5 5HY. Tel: 01-567 6941

● Circle No. 335

S.B.D. Software is proud to announce their distribution agreement with the most up to date APPLE-only magazine in America.

CALL A.P.P.L.E. MAGAZINE

In today's fast changing world of the APPLE you just can't afford to stay behind, so don't settle for anything less than the best APPLE-only magazine in America.

Now you can purchase this outstanding magazine for the low price of £1.75 per issue.

Your subscription for 12 or 24 magazines may start from any month in 1981.

Single back issues are available at £2.25 per issue including postage and packing.

A bound volume of the 9 issues in 1980 is available for £20.00 including postage and packaging.

(Please note that in 1980 & 1981 there were only 9 issues published but in 1982 there will be 12 issues.)

SPECIAL INTRODUCTORY OFFER

☐ 12 issues @ £21.00 ☐ 24 issues @ £40.00
Act Now and Save

NAME .....

ADDRESS .....

TOWN ..... POSTCODE .....

Please start my subscription ..... Month ..... Year

..... Barclaycard/Access Number ..... Expiry Date

Please make cheques payable to CALL APPLE (UK)

Send to:- CALL APPLE (UK)
c/o SBD Software, FREEPOST
RICHMOND, SURREY TW9 1BR
(No postage stamp required)
Telephone: 01-940 5194

● Circle No. 336

NEW

IMPROVE YOUR PETTING TECHNIQUE!

with PROGRAMMING THE PET/CBM by RAETO WEST

Contents include this and very much more:

1 **INTRODUCTION AND OVERVIEW.** Plan of the book; sources of information; chronology of CBM hardware.
2 **BASIC AND HOW IT WORKS.** Syntax, internal storage and pointers, variables and running. Optimisation.
3 **PROGRAM AND SYSTEM DESIGN.** Concepts required for successful programs; overall design of systems.
4 **EFFECTIVE PROGRAMMING IN BASIC.** Seventeen problems in BASIC. Debugging.
5 **ALPHABETIC REFERENCE TO BASIC KEYWORDS.** Full description of all keywords. Includes non-CBM BASIC implementations.
6 **DISK DRIVES.** Comprehensive description of operation and workings of disks, with BASIC and machine-code demonstrations.
7 **ALPHABETIC REFERENCE TO DISK BASIC COMMANDS.** Comprehensive reference to BASIC 4's disk commands.
8 **OTHER PERIPHERALS AND HARDWARE.** Full description of CBM tape use; printers; EPROMs; other hardware.
9 **GRAPHICS AND SOUND.** Discussion with many examples of CBM graphics (including CRT chip); programming sound.
10 **THE TRANSITION TO MACHINE-CODE.** Introductory chapter to the 6502. Includes monitors, learners' programs.
11 **MORE 6502 MACHINE-CODE.** Fuller explanation of the 6502, with seventeen standard problems and their solutions. Debugging.
12 **ALPHABETIC REFERENCE TO 6502 OPCODES.** Notes with examples to illustrate each opcode.
13 **USING ROM ROUTINES.** Introduction to BASIC's principal routines; how to use them, modify them, relocate them.
14 **EFFECTIVE 6502 PROGRAMMING.** Assemblers, wedges, utilities, loaders, IEEE, PIAs, VIA.
15 **INDEX TO CBM BASIC ROMS AND RAM.** Memory maps of RAM and ROM, comparing and detailing all versions of BASIC.
16 **MATHEMATICAL PROGRAMMING.** Wide-ranging topics include precision, solving equations, finance, calculus, machine-code.
17 **BUSINESS AND EDUCATION.** Examples, applications and pitfalls in the fields of business and education.

Many programs, diagrams and charts. Paperback, 19cm x 26cm approx. 500 pages.

LEVEL LIMITED (PC), P.O. BOX 438, HAMPSTEAD, LONDON NW3 1BH.

U.K. price £14.90 (includes postage, packing). Please allow six days for delivery.

● Circle No. 337

MICROCOMPUTERS AT LASKYS

10 Shops Nationwide

Birmingham

19/21 Corporation Street, Birmingham, B2 4LP.
Tel: 021-632 6303.
Manager: Peter Stallard. 300 yards from Bullring Centre.

Bristol

16/20 Penn Street, Bristol, BS1 3AN. Tel: 0272 20421.
Between Holiday Inn and C & A.

Chester

The Forum, Northgate Street, Chester, CH1 2BZ.
Tel: 0244 317667.
Manager: Jeremy Ashcroft. Next to the Town Hall.

Edinburgh

4 St. James Centre, Edinburgh, EH1 3SR. Tel: 031-556 6217.
Manager: Colin Draper.
East end of Prices Street, St. James Centre.

Preston

1/4 Guildhall Arcade, Preston, PR1 1HR.
Tel: 0772 59264.
Manager: Jim Comisky. Directly under Guild Hall.

Manchester

12/14 St. Mary's Gate, Market Street, Manchester, M1 1PX.
Tel: 061-832 6087.
Manager: Lesly Jacobs. Corner of Deansgate.

Glasgow

22/24 West Nile Street, Glasgow, G7 2PF. Tel: 041-226 3349.
Manager: David Livingstone.
Between Buchannan Street and Central Station.

Sheffield

58 Leopold Street, Sheffield, S1 2GZ. Tel: 0742 750971.
Manager: Justin Rowles. Top of the Moor, opposite Town Hall.

Liverpool

33 Dale Street, Liverpool, L2 2HF. Tel: 051-236 2828.
Manager: Mark Butler.
Between the Town Hall and Magistrates Courts.

London

42 Tottenham Court Road, London, W1 9RD.
Tel: 01-636 0845. Manager: Vass Demosthenis.

Official Orders over £50 are welcome with normal 30 days credit extended to bona-fide commercial and government organisations.

Laskys, the retail division of the Ladbroke Group of Companies

MICROCOMPUTERS AT LASKYS

WORLD BEATING MICRO ACCESSORIES



Memory Chips

Guaranteed quality – thousands already supplied. Any faulty chips should be returned to us within 12 months of purchase with proof of purchase for replacement by return of post.

4116 200 nanoseconds	Nett: 0.66	Vat: 0.10	Total: 0.76
2114 low power 300 nanoseconds	Nett: 1.00	Vat: 0.15	Total: 1.15

Cassettes

We are probably the largest supplier of microcomputer cassettes in the country and have them specially manufactured to our quality specification.

● C15 Agfa Tape ● Special Labels ● Cellophane wrapped ● Precision transport mechanism ● Leaderless ● Insert Cards ● Proven performance

One cassette	Nett: 0.80	Vat: 0.12	Total: 0.92
Box of ten cassettes	Nett: 5.20	Vat: 0.78	Total: 5.98
Fifty cassettes	Nett: 25.00	Vat: 3.75	Total: 28.75
One hundred cassettes	Nett: 45.00	Vat: 6.75	Total: 51.75
One thousand cassettes	Nett: 370.00	Vat: 55.50	Total: 425.50

Monitors

Visit one of our shops and see our range of low cost high quality Video Monitors.

Disks

Manufactured to our specification by Dennison Kybe, imported by us direct from the manufacturer to give superior quality at a sensible price.

● Free library cases with tens ● All disks have reinforced centres ● Double density quality – soft sectored ● Anti-static envelopes, labels and write protect.

Mini Floppy SS/DD	Nett: 2.50	Vat: 0.38	Total: 2.88
Mini Floppy SS/DD x 10	Nett: 20.00	Vat: 3.00	Total: 23.00
Mini Floppy SS/DD x 50	Nett: 87.50	Vat: 13.13	Total: 100.63
Mini Floppy SS/DD x 100	Nett: 150.00	Vat: 22.50	Total: 172.50
Mini Floppy DS/DD	Nett: 4.00	Vat: 0.60	Total: 4.60
Mini Floppy DS/DD x 10	Nett: 33.00	Vat: 4.95	Total: 37.95
Mini Floppy DS/DD x 50	Nett: 150.00	Vat: 22.50	Total: 172.50
Mini Floppy DS/DD x 100	Nett: 275.00	Vat: 41.25	Total: 316.25





QED Mains Interference Suppressor

For use when mains interference is causing your computer problems. Simply plug the equipment into the suppressor and plug the suppressor into the wall socket (see specification for maximum power). Inserted in this way, most forms of mains borne interference will be cured. An alternative method of fitting, whereby the suppressor is connected to the mains circuit of the appliance causing the interference, may prove to be more effective in some cases.

QED Mains Suppressor 3 amp	Nett: 12.80	Vat: 1.92	Total: 14.72
QED Mains Suppressor 6 amp	Nett: 17.30	Vat: 2.60	Total: 19.90

Printers

Established quality printers – at competitive costs.

Microline			
Microline 80	Nett: 270.00	Vat: 40.50	Total: 310.50
Microline 82A	Nett: 395.00	Vat: 59.25	Total: 454.25
Microline 80 Tractor	Nett: 45.00	Vat: 6.75	Total: 51.75
Epson			
MX80 T Newtype 2	Nett: 415.00	Vat: 62.25	Total: 477.25
MX80 FT/1	Nett: 399.00	Vat: 59.85	Total: 458.85
MX80 FT Newtype 2	Nett: 465.00	Vat: 69.75	Total: 534.75
MX100	Nett: 575.00	Vat: 86.25	Total: 661.25
Seikosha			
Seikosha GP80	Nett: 195.00	Vat: 29.25	Total: 224.25
Seiko Paper 8½" x 11" 2000 Sheets	Nett: 12.00	Vat: 1.80	Total: 13.80
Paper 9½" x 11" 2000 Sheets	Nett: 12.00	Vat: 1.80	Total: 13.80
Paper Delivery	Nett: 3.00	Vat: 0.45	Total: 3.45

● Circle No. 338

Mailing Floppy Disks?

Use Swan Disk Mailers — and get Safety in the Mail

Now used by over 1,000 computer companies, Swan Disk Mailers provide outstanding postal security at economical prices.

Combining great strength with simplicity of use, Swan Disk Mailers are manufactured from rigid white corrugated, holding up to four disks.

There are two sizes available: 8·75″ X 8·75″ & 6″ X 6″

ring
01-607 9938
for Free samples and prices

● Circle No. 339

We have the technology to make your business more efficient.

Come to a free seminar at The LONDON MICRO CENTRE and find out what a micro processor can do for you.

See what our business programs do – and try them out yourself.

At our seminar, you can ask any question you like and get an answer you can understand.

Seminars are held every Wednesday and Saturday from 10.30 am till noon at

The LONDON MICRO CENTRE
47 Lower Belgrave Street
LONDON SW1
Telephone 01-730 8791

Contact us today for further information

Open evenings and weekends.

The LONDON MICRO CENTRE Ltd. – An **EMG** Company

● Circle No. 340

SUPERBRAIN SOFTWARE AND HARDWARE +

DP/WP Consumables



Languages
CIS COBOL £425
FORMS-2 .....£100
M-BASIC Interpreter £175
M-BASIC Compiler £195
CBASIC-2 ..... £75
FORTRAN-80 .....£220
COBOL-80 .....£345

Communications
TTY—Terminal Emulation/File Transfer Link to mini or mainframe (IBM, ICL, DEC, Prime, etc) £180

Word Processing
WordStar (version 3.0) £250
Mailmerge (requires W'Star) £75
SpellStar (requires W'Star) £125
WordStar Upgrade (to 3.0) £55

Data Management
DMS (Compsoft) £400
DataStar (input/update) £195
SuperSort (sort/merge) £125

Financial Planning
T/Maker (tables/reports) £165
SuperCalc (Visicalc on CP/M) £185

Call for latest prices of Superbrain, Diablo, NEC, TEC and Epson equipment.
Payment with order. Please add VAT and £2.00 postage & packing per item.

Inchico Systems, 13 City Rd., Winchester, Hants SO23 8SD
Tel. No. Winchester (0962) 51930

● Circle No. 341

BUSS STOP

BUSS STOP

CASH AND CARRY PRICES ON

COMMODORE

8032 32K WITH 80 COL SCREEN	£875.00
8050 DUAL DISK DRIVE, 950K	£875.00
4032 32K WITH 40 COL SCREEN	£690.00
4040 DUAL DISK DRIVE, 340K	£690.00
4022 DOT MATRIX PRINTER	£399.00
4016 16K WITH 40 COL SCREW	£550.27
8026 DAISYWHEEL PRINTER WITH KEYBOARD	£1006.00
8027 DAISYWHEEL PRINTER WITHOUT KEYBOARD	£860.00
8024 132 COL DOT MATRIX PRINTER	£1173.00

APPLE

APPLE 48K VIDEO OUTPUT COMPUTER	£784.00
DISK DRIVE WITH CONTROLLER	£384.00
DISK DRIVE WITHOUT CONTROLLER	£301.00

VIDEO GENIE

EG3003 VIDEO GENIE 16K COMPUTER	£327.00
EG3003 VIDEO GENIE 32K COMPUTER	£350.00
EG3013 EXPANSION BOX WITHOUT RS232	£205.00
EG3013 EXPANSION BOX WITH RS232	£238.00
EG3015 16K MEMORY	£105.00
EG3015 32K MEMORY	£148.00

FULL RANGE OF SOFTWARE AVAILABLE!

☆ **NOW IN STOCK** ☆
VIC 20 £189.00

FULL RANGE OF ACCESSORIES AND PERIPHERALS AVAILABLE.

BARCLAYCARD VISA

255a ST ALBANS ROAD, WATFORD, HERTS. TEL: (0923) 32006.

CREDIT CHARGE
MAIL ORDER
24HR ANSWERPHONE

58 HIGH STREET, NEWPORT PAGNELL, BUCKS. TEL: (0908) 610625

Buy it with Access

● Circle No. 342

FULCRUM COMPUTER PRODUCTS

TESTED & ASSEMBLED PCB'S & KITS

6 MONTH GUARANTEE — REPAIR SERVICE

I-8080 S-100 ENCLOSURE SHEET METAL KIT
Just like THE ORIGINAL IMSAI: Mainframe with blue cover, cardguides and hardware spaced for PS-28D Power Supply, up to 22 slot motherboard.
Kit of all metal parts and hardware with documentation £120.00
Thinker Toys Wunder Buss 20 for above w/o conn. £85.00
S-100 Connectors—*each* £3.60
8015 Blank jump-start panel w/3 switches £41.00
8035 Jump start panel for 2 SA-400 ..... £95.00

PS-28D POWER SUPPLY PARTS KIT
Mounts in the I-8080 enclosure, supplies + 8V @ 28A, +/– 16V @ 3A, kit includes board, transformer, documentation, and all components. Improved from original.
Kit £180.00

PIO 4-4
4 parallel inputs and outputs (8212) £160.00

SIO 2-2
2 serial I/O ports, good to 9600 baud £160.00

VIO-F
Improved memory mapped video I/O board, includes keyboard port, 256 character EPROM's, firmware, monitor.
Assembled & Tested £269.00

DIO/CD
2 board disk controller for 8" or 5¼" £299.00

CPM® 2.2
For DIO including documentation £125.00

CPA
Improved Imsai style front panel works with Z80, etc. £249.00

MPU-A
8080 processor board—requires CPA £129.00

MPU-B
8085 3MHz processor SBC w/serial plus parallel port, monitor £249.00

RAM III 64K MEMORY
64K byte dynamic RAM board—Utilizes the Intel 3242 refresh controller and a single delay line for totally internal refresh. Uses time proven 4116 RAMS. memory mapped I/O boards are allowed to coexist by the use of phantom. Board select via A16 thru A20 extended address lines.
Assembled & Tested £349.00

IKB-1
Intelligent keyboard uses 8035 ..... £189.00

MDX
Dual SA400 drive enclosure £78.00

DE 8
Dual 800R/801R horizontal style enclosure w/power supply and fan £270.00

VIO-X
New port mapped video I/O board w/8085 processor, 8275 CRT controller, keyboard port, firmware.
Assembled & Tested £249.00

IEEE 488 + 3P
New IEEE-488 I/O interface with 3 parallel ports.
Assembled & Tested £599.00

Z 80A COMP

FULCRUM SYSTEMS THE COMPLETE ANSWER

FULCRUM

The 8025 Business System gives you:
- ★ 2.4 Mb Storage
- ★ 64k RAM
- ★ 2 x 8" Disk Drives
- ★ Choice of Terminal or Monitor
- ★ CPM 2.2
- ★ Complete range of Software offered
- ★ In House programming available



A FULL RANGE OF FULCRUM SYSTEMS AVAILABLE TO MEET YOUR NEEDS!

ALL PRICES PLUS VAT

RING NOW 0621 828763

FOR FREE PRODUCT BROCHURE AND DETAILS OF OUR SUPPORT SERVICES & DEALERS

Telex: 995411
Export enquiries welcome

● Circle No. 343

MICROAGE ELECTRONICS

* Personal Computers * TV Games
* VCR's * Printers * Monitors * Software

ATOM's and DAI's ALWAYS IN STOCK

Complete range of Atari games.
Open Mon – Sat. 9am till late.
Credit cards welcome.

LOW PRICES!
LOW PRICES!
LOW PRICES!

The P31 12" Monitor £104.50 inc. VAT.

The Acorn Cassette Recorder £22.50.
Tested . . . "works very well with the ZX81, great with TRS80, fantastic with the Atom . . ."

Send for price list and mail order details.
135 HALE LANE EDGWARE MIDDLESEX HA8 9QP
TEL: 01-959 7119 TELEX 881 3241

● Circle No. 344

Connect your PET to a PRINTER from £160 + VAT

The **TNW 2000** (as illustrated) a rugged single ported bi-directional IEEE 488/RS232 interface:
- Conversion of both PET and true ASC11.
- Daisy Chaining.
- Standard RS 232.
- Fully addressable.

The **TNW 3000** – a bi-ported, bi-directional IEEE 488/RS232 interface as per TNW 2000 plus:
- Crystal controlled Baud rate.
- Fully implemented RS232.
- Power supply for a current loop.



Both the TNW 2000 and 3000 are mainly used for interfacing PETs to printers.

KINGSTON

Kingston Computers Limited, Electricity Buildings, Filey, North Yorkshire YO14 9PJ. Telephone: (0723) 514141. Telex: 52163.

● Circle No. 345

SUPERBRAIN



- 350K — 700K — 1.5MB — 6MB
- Twin Z80A's with 64K RAM
- 12" screen — 25 x 80 characters per line

HARD DISKS NOW AVAILABLE
3 meg; 6 meg; 12 meg;
Your existing Superbrain can be upgraded, prices from £3,300.

SUPERCHARGE YOUR SUPERBRAIN
Up to 5 times faster with:
- QD + ROM

More space — more features — more speed
- ZDOS gives extra 4K of memory & 25% faster screen handling
- true lower descenders for screen
- sleep option on drives.

SOFTWARE FOR YOUR SUPERBRAIN
Languages:
- Basic — Cobol — Fortran

Word Processing:
- WORDSTAR — SPELLBINDER etc

Accounts:
- EASI BUSINESS SYSTEMS — Integrated accounts — Sales/Purchase/ Nominal Ledgers. Invoicing — Stock control — payroll.

SPECIAL BUSINESS SYSTEM PRICES
Telephone for details.

PRINTERS

- Diablo 630
- Tec Starwriter
- Nec Spinwriter
- DRE 1226
- Epson range
- Oki range

from £350
ex-demo ANACOM £575*

TeleVideo® Systems

The Multi-User Family with the MmmOST Security . . .

- A family of multi-user systems — Z80A — CP/M — Starting from £2,300 — 1 meg. floppy — 10 meg. Winchester (floppy back up) — 23 meg. Winchester cartridge tape back up — up to 16 users per disk system which may be networked — will run your existing CP/M software, eg. Wordstar, Integrated Accounts etc. — languages BASIC, COBOL, FORTRAN etc.

apple & ITT2020

COMPLETE BUSINESS SYSTEMS
48K Apple system with 2 disk drives, printer and software: from under £2,000
Sales/Purchase/Nominal Ledgers — Payroll — Stock Control, etc, etc.

ACORN ATOM

ATOM KIT 8K ROM 2K RAM	£120	4K FLOATING POINT ROM (including 12K version)	£20
ASSEMBLED	£150	PRINTER DRIVE	£9
KIT 12K ROM 12K RAM	£220	LS 244 BUFFER	£2.50
ASSEMBLED	£250	COLOUR ENCODER	£19
1K RAM SETS	£5.00	MAINS PSU	£8

BRISTOL (0272) 428165
ELECTRONIC INFORMATION SYSTEMS (BRISTOL) LTD.,
91 ASHLEY DOWN ROAD,
BRISTOL BS7 9JT

MANCHESTER (092) 576 5082
AID LTD,
UNIT 3, LODGE DRIVE,
CULCHETH, NR WARRINGTON.

ALL PRICES EXCLUDE VAT AT 15% & DELIVERY

DAY 1 on-site maintenance contracts available.
FULL SOFTWARE SUPPORT & TRAINING

● Circle No. 346

This memory is made for your Atom

OR OTHER 1MHz 6502/6800/6809 SYSTEM



32K byte
MZ163B + colour
encoder mounted in ATOM

16 or 32K BYTE VERSIONS

Expand your ATOM to 28 or 38K RAM

Ideal for Word Processing, Chess programs and Business Software.

Fully Compatible with other Acorn ATOM software and hardware

Versions available to fit inside the ATOM while still leaving room for other extensions such as the Acorn ATOM colour encoder board. Eurocard rack mounting types also available

PRICES: INCLUDING U.K. P&P &15% VAT

MZ163A 16K Built & tested to fit inside ATOM'S case	£59.50
MZ163B 32K ,, ,, ...	£74.00
MZ163C 16K Built & tested, Eurocard rack mounting	£62.00
MZ163D 32K ,, ,, ,, ,,	£76.50
MZ163E Bare PCB to build any of above with data	£23.00
MP100 DC/DC converter; powers any MZ163 board from unregulated 8V supply such as the ATOM mains adaptor	£8.50

S.A.E. for further details.

Access — We welcome Access

VISA

ALL PRICES INCLUDE U.K.P&P
+15% VAT WHERE APPLICABLE.
PAYMENT WITH ORDER PLEASE.

TIMEDATA LTD 57 Swallowdale, Basildon,
Essex. SS16 5JG Tel; (0268) 411125 (MON FRI)

Books and bits for ZX, Atom

The Explorer's Guide to the ZX81

IF YOU'VE GOT A ZX81 THEN YOU NEED THIS BOOK!

Programs for 1K RAM, and programs for 16K RAM. Games, Business and Engineering Applications. RAM & I/O Circuits. Useful ROM Routines. Hints and Tips. And Much Much More, for only £4.95

NEW!

The ZX80 Magic Book

With 8K ROM/ZX81 Supplement

Games programs, computer music, converting programs written in other BASICS, improving the picture RAM & I/O circuits, and much more. £4.75

Getting Acquainted with your ZX81

75 + programs including Draughts; by Tim Hartnell £4.95

Mastering Machine Code on your ZX80/80

180 pages of immense value to beginner and expert alike. £5.95

The Atom Magic Book

A wealth of games and other programs: storing speech in your ATOM, converting programs written in other BASICs tape recoding hints, and many more useful hardware tips. £5.50

Getting Acquainted with your Acorn Atom

By Tim Hartnell and Trevor Sharples.80 programs including Draughts! £7.95

ZX & Atom IC's & Connectors

S.a.e. for list.

TIMEDATA

● Circle No. 347

...r • The programming space-saver • The ...e progr...

This month we feature a video camera interface for a microcomputer, allowing a television set to present a picture to a computer, which can then store and display it.

Text and graphic material are to be broadcast by the Open University as part of their radiotext project. Since the broadcasts will be outside normal hours the material must be recorded. The system we describe will allow an ordinary cassette recorder to accept the material for display on a TV set or for print-out. Also in our February issue, the professional approach to re-transmitting TV pictures to locations where ordinary broadcast transmitters can't reach.

February issue out now. 70p.

wireless world

DISC DRIVES AT UNBELIEVABLY LOW PRICES

SIEMENS FDD100-8 250/500 KBytes, 8" Single Sided, Single or double density £263.16

TANDON THINLINE™ TM848-2 500/1000 KBytes, 8" Double Sided, Single or double density, half thickness of standard drive, only 2.3", D.C. power only required 24VDC + 5VDC at 1.5 Amp £449.00

TANDON MINI WINCHESTER TM600 5 MBytes

FOR SUPER BRAIN
TM600 + controller + power supply, in case, wired and complete with 3.1DOS £1695.00

FOR S100
TM600 + controller + cables + CP/M 2.21. £1595.00

SOFTWARE:

From MicroPro	£	From Graham Dorian Software	£
WORDSTAR	270.00	Nominal Ledger	495.00
MAILMERGE	85.00	Sales Ledger	495.00
SPELLSTAR	135.00	Purchase Ledger	495.00
SUPERSORT	145.00	Stock Control	495.00
DATASTAR	195.00	Order Entry/Inv.	495.00
CALCSTAR	175.00 (new)	Job Costing	495.00
From Microsoft		The above include Source	
Basic 80	175.00	Code in CBASIC 2	
Basic Compiler	185.00		

EXTRA DISCOUNT

An extra discount of 5% may be deducted from the above prices if cash/cheque is sent with order. All the above prices exclude VAT at 15%

IRVINE BUSINESS SYSTEMS LTD
PO BOX 5, 10 NORTH VENNEL
BOURTREEHILL, IRVINE, AYRSHIRE KA11 1NE
TEL: 0294 218888

● Circle No. 348

CAN YOUR COMPUTER READ THIS?

5 000201 460790

Light-pen and signal conditioning unit enable your computer to read all types of bar code. Typical applications include data collection, ticket identification systems, security checkpoint verification, stock control, identifying assemblies in service, repair or manufacturing environments, programming computers and intelligent instruments, matching of patient and transfusion blood, retail product price information at checkouts etc. Various interface options available for all computers.

Hardware from £125 + VAT .....Further details on request

★★★★★Freelance assembler programmers needed to provide customer backup for the above product. Phone during office hours.

Professional quality light pens for use with VDUs, graphics terminals etc. Stainless steel construction, glass lens optics, built in buffer amp and touch sense switch.

£50 + VAT .....Data sheet available

'FAST DATA' light pen system (complete hardware/software package) for Commodore PETs. This is a quality product designed for serious use. Typical applications include Computer Aided Design (CAD), wordprocessing, data selection etc. When the pen is pointed at the screen its high resolution coordinates are automatically returned as BASIC variables. Compatible with Supersoft & MTU hires boards.

Complete system £149 + VAT . . . Full literature available.

ALTEK (PC) 1 Green Lane
Walton-on-Thames, Surrey
Phone (093 22) 44110 — 24 hours
Access . . . Visa . . . Callers by appointment

● Circle No. 349

Small businesses come in all sizes. So do SD Systems!

The long and short of it is that no two small businesses are the same size. A fact that many small business systems seem to forget.

SD Systems appreciate the much varied requirements of 'small business' and have produced a series of microcomputers that totally adapt to your particular needs. And to help your business grow, each system will upgrade, simply and economically, as you demand more of it.

SD200	2 Mb floppy disk storage
SD605/610	5/10 Mb Winchester storage
SD700	32/96 Mb hard disk storage

All systems can be single or multi-user (1-5), require no special operating skills and are capable of running two printers at the same time.

We deliver. FAST.
Our own engineers will install free-of-charge. And unlike most systems, we offer a full twelve month warranty.

Programs for a better business.
A wide range of tried and tested business programs are available.

Including:-
★ DMS ★ General Accounting ★ Payroll ★ Word Processing ★ Stock Control ★ Client Billing ★ The Circle Package for Practising Accountants ★

To find out which system is best suited to your business, clip this coupon to your company letterhead and return it to us. No stamp required. **Dealer enquiries welcome.**

It's the painless way to grow

See us on STAND 734
The WHICH COMPUTER? Show
National Exhibition Centre Birmingham
19-22 January 1982

SDSystems

ALL SYSTEMS ARE GO FOR SMALL BUSINESS.

CIRCLE COMPUTER BUSINESS SYSTEMS
Freepost, 6 Manor Way, Old Woking, Surrey.
Telephone: Woking (04862) 21012

Name _____

Position _____

_____

● Circle No. 350

ACORN

B.B.C. MICRO-COMPUTER NOW ON DEMONSTRATION, PLEASE SEND S.A.E. FOR CATALOGUE AND LATEST PRICE LIST.

... Monitors & TV's ...



COLOUR TV'S BY FERGUSON, J.V.C., MITSUBISHI, PANASONIC, TOSHIBA.

PANASONIC TC492 Colour TV 14" £199.00

MITSUBISHI B/W 12" TV £54.90

MONITORS

9" O.P.C. GREEN	£95.00
9" APF B/W	£85.00
9" HITACHI B/W	£112.17
12" BMC	£159.00
12" NEC GREEN	£159.00
12" NEC COLOUR	£579.00
14" DECCA COLOUR RGB	£250.00
14" JVC COLOUR MONITOR	£330.00

(Please add VAT to prices above)

SPECIAL OFFER 12" B/W TV, push button tuning, ideal for use with computers, or as 2nd TV. Only £49.90 inc. VAT.

SHARP COMPUTERS

PC 1121 Pocket Computer	£69.50
MZ80K (48K) Computer } MZ80B (64K) Computer }	Phone for cheapest price
P3 Dot Matrix Printer	£379.00
P5 Dot Matrix Printer	£415.00
MZ80 I/O Interface Unit	£95.00

(please add VAT to prices above)

Mail Order Accessories

All items listed are available through our fast efficient mail order service. If you find our prices are not competitive then we will be pleased to match any genuine offer in this magazine.

P & P Rates: a 0.75, b 1.00, c 1.50, d 2.50

Full range of Sinclair ZX-80, ZX-81 books and software now in stock.

ACORN

Floating Point Rom	20.00	a
Memory Chips	ea 1.95	a
Magic Book	5.50	c
Printer Drive	9.00	a
Printer Buffer	2.50	a
Utility	10.00	a
VDU	10.00	a
Maths Pack	10.00	a
Games Packs 1 to 7	10.00	a
Word Pack Rom	26.00	a

APPLE

(Please ring for software not listed)

Visicalc (new 16 sector)	104.00	b
Visiplet	97.00	b
Visitrend/Visiplot	139.00	b
Visidex	109.00	b
Ciscobol	475.00	b
Desk Top Plan	65.00	b
Micro Modeller	425.00	b.
APM	121.00	b
Writer	39.00	b
Magic Window	79.00	b

BOOKS

(Send SAE for full list)

Acorn Magic	5.50	c
Microsoft Basic	8.95	c
Basic Basic	8.25	c
Learning Level II	11.00	c
Basic Handbook	11.00	c
Introduction to Pascal	8.75	c
Programming in Pascal	6.95	c
CP/M Handbook	8.95	c
Programming & Interfacing 65 02	8.95	c
Programming the 65 02	9.10	c
Basic Computer Games	5.50	c
Basic A Unit for Secondary Schools	4.45	c
More Basic Computer Games	6.25	c
Making Most of ZX80	6.95	c
Machine Language from ground up	9.00	c
Getting Acquainted with your VIC 20	5.95	c
Getting Acquainted with your Acorn Atom	7.95	c
ZX81 Companion	7.95	c
ZX81 Pocket Book	4.95	c

MEMORY CHIPS

4116 (Apple, Sharp)	ea 1.50	a
2114 (Acorn)	ea 1.95	a
4027 (½ K Sharp)	ea 0.50	a

VIDEO GENIE

Sound Mod	7.50	a
Colour Mod	39.46	b
Synthesiser	45.00	b
EG 3013/RS232	215.00	d
Lower Case	35.00	b
Dust Cover	5.55	a
Invaders	13.00	a
Biorhythm	7.50	a
Battle Of Britain	13.50	a
Pinball	13.00	a
Pools	13.50	a

Please add P & P and then VAT at 15% (Zero VAT on Books)

Imon	23.10	a
Sargon II chess	25.00	a
Startrek	9.50	a
Z chess 3	14.50	a
Adventure Sampler	6.50	a
Adventure 1 to 9	8.75	a
Haniball	13.50	a
Android Nim	8.75	a
Tables	6.50	a

SHARP

CE 121 Cassette Interface	10.95	b
CE 122 Printer Interface	52.00	b
Editor Assembler	39.00	b
Machine Language Pack	17.78	b
Pascal Interpreter (MZ80K)	50.00	b
Speed Basic	10.00	a
Biorhythm	4.00	a
Autocross	4.00	a
Hanoi	4.00	a
Fox & Geese	4.00	a
Four in a Row	5.00	a
Moonlander	5.00	a
Composer	4.00	a
Bank Account	5.00	a
Posiedon	5.00	a
Address Book	4.00	a
Anagrams	3.00	a
Dust Cover	5.00	a
P3 Printer Dust Cover	5.00	a
Picture Count	5.00	a
Count & Add	5.00	a
Match the Word	5.00	a
Character Match	5.00	a
Head On	6.00	a

We no have the full range of Newbear software in stock, send SAE for details.

SUPERIOR SYSTEMS SOFTWARE SHARP

Games Pack 1 (5 games on Cassette)	10.00	a
Games Pack 2 (5 games on Cassette)	10.00	a

CALCUBET — Complete Bookmaker Bet Calculation programme, various versions available. Phone for details.

VIDEO CLUB RETAILERS PACKAGE

Using the Sharp MZ-80 range of computers, control your video library. Features include: stock control, membership lists, overdue film list etc. Suitable for rental and sale of video films.

DEALER ENQUIRIES WELCOME.

MAKE YOURSELF A FORTUNE!

CALCUSHARE Stock Market program. Keeps control of up to 50 shares. Traditional buy & sell indicators. £50.00

APPLE

Games Pack 1 (Disc 5 games)	12.50	a
Games Pack 2 (Disc 5 games)	12.50	a

VIDEO GENIE

Games Pack (5 games on Cassette)	10.00	a
Education Pack 1 (3-6 year old on Cassette)	10.00	a

APPLE II COMPUTER

Apple II (48K) Computer	£695.00
Disk Drive with Controller	£397.00
Disk Drive without Controller	£311.00
Vlasak Megastor IMB Disk Dr	£1,770.00
Hard Disk Systems	Phone for details
Silentype Thermal Printer	£175.00

(please add VAT to prices above)

Peripherals



PRINTERS

SEIKOSHA GP80	£195.00
EPSON MX80F/T	£399.00
MICROLINE 80	£299.00
MICROLINE 83A	£650.00
CENTRONICS 737	£395.00
SHARP MZ80P3	£379.00
SHARP MZ80P5	£415.00
EPSON MX100	£575.00
EPSON MX130	P.O.A.
EPSON MX80F/T2	£480.00

DISK DRIVES

SHARP DUAL DRIVE	£555.00
VIDEO GENIE SINGLE DRIVE	£220.00

ACORN ATOM

DISK DRIVE PACK	£229.00

INTERFACE UNITS

A WIDE RANGE OF INTERFACES ARE AVAILABLE EX-STOCK

WESTRA COMPUTER STATION DESKS IN STOCK

(Please add VAT to prices above)

We also carry a wide selection of Video Equipment, please phone for details.

VIDEO GENIE

MK I with Sound and Lower Case	£295.00
MK II Business Computer (16K)	£310.00
Expansion Unit with 16K Ram	£215.00
Single Disk Drive	£215.00
New 16K Expander with disk controller	£199.00

(please add VAT to prices above)

Superior Systems Ltd.

BARCLAYCARD VISA

178, WEST STREET, SHEFFIELD S1 4ET TEL: 0742 755005

ALSO AT: QUADRAPHENIA, 19 BRADFORD ROW, (HALLGATE) DONCASTER DN1 3NF TEL: 0302 21215

Business Hours: Sheffield Mon-Sat 9am-5.15pm Doncaster Mon-Sat 10am-5.00pm

Circle No. 351

5MB WINCHESTER FOR APPLE II

- LOWEST COST/MBYTE FROM ANY SUPPLIER
- SINGLE APPLE CONTROLLER
- PASCAL COMPATIBLE "DROP IN" BIOS
- LICENSABLE "PROTECTED SOFTWARE" OPERATING SYSTEM (only available to bona-fide software suppliers)
- DEDICATED APPLE II
- FAST DELIVERY

SUBSYSTEM DOES NOT INCLUDE APPLE DRIVE



SYMBFILE

LOWEST UK PRICES



apple computer Sales and Service

R.R.P. £1450

TO PLACE YOUR ORDER, OR TO MAKE FURTHER ENQUIRIES, CONTACT:-

symbiotic computer systems

85/87 STATION ROAD, WEST CROYDON, SURREY CR0 2RD

01-680 8606

● Circle No. 352

APPLE SOFTWARE

A.C.E. — A program line editor with macro facilities.	£19.95 A48K
Alien Rain (Galaxian) — Colour + hi-res version of pub game.	£13.95 M48K
Alien Typhoon — A much more difficult version of Alien Rain.	£13.95 M48K
Akalabeth — An advanced fantasy role playing game.	£22.95 M48K
Apple-Doc — Cross reference utility + Variable replacement.	£22.95 A48K
Apple Panic — Chase little apples up and down ladders.	£16.95 M48K
AppleWorld — Allows you to produce 3-D animated graphics.	£38.95 M48K
Ascii Express II — A complete intelligent terminal package.	£42.95 A48K
Asteron — The ultimate Asteroids replica game.	£19.95 M48K
Beneath Apple DOS — The definitive guide to the Apple DOS.	£11.95 Book
Both Barrels — 2 hi-res action games on one disk.	£12.95 A48K
Castle Wolfenstein — An action adventure game in hi-res graphics with sound.	£18.95 M48K
Copts & Robbers — An adventure game in the tombs of ancient Egypt.	£19.95 M48K
CPS Multifunction Card — Serial, Parallel and Clock on one card.	£183.95 Card
Cranston Manor — A new hi-res adventure like Wizard & The Princess.	£19.95 M48K
Cross-Ref — Cross reference Applesoft programmers utility.	£14.95 A32K
Cyber Strike — 3-D hi-res action arcade game in space.	£19.95 M48K
D/DATABASE — Ultra-fast, user friendly database using DDA.	£39.95 A48K
DDA FILES CONTROLLER — Sort, copy & restructure DDA files.	£39.95 A48K
DDA PROGRAMMERS UTILITIES — Direct Disk Access for programmers.	£199.95 A48K
Dogfight — Hi-res jet combat game for 1 or 2 players.	£18.95 M32K
Epoch — Hi-res action game fighting the aliens. Our favourite.	£19.95 M48K
E-Z Draw 3.3 — This is the poor man's graphics tablet. Very easy to use.	£28.95 M48K
EXPEDITER II — THE APPLESOFT COMPILER AT A LOW, LOW PRICE.	£56.95 A48K
Falcons — The best Invaders style game available for the Apple.	£18.95 M48K
Fender Bender — Super car game in hi-res colour graphics.	£14.95 M48K
Galaxy Wars — Colour graphics + Sound effects + Hi-res arcade game.	£13.95 M32K
Galactic Attack — A hi-res Star Trek type game.	£19.95 M48K
Gamma Goblins — Yet another superb hi-res action game.	£16.95 M48K
Genetic Drift — A departure from the normal arcade style game.	£16.95 M48K
Higher Graphics — Hi-res picture drawing utility.	£23.95 M48K
Hi-Res Cribbage — The title describes it. Even hear the pegs move.	£14.95 M48K
Hi-Res Soccer — English football for 1 or 2 players in hi-res.	£16.95 M48K
Jawbreaker (Gobbler) — Eat up the dots but watch out for the Gobblers.	£16.95 M48K
KRAM — Fast and powerful Keyed Random Access Method for quick disk access.	£58.95 M32K
Linker — A linking loader/editor for assembly software development.	£28.95 M32K
LISA — The assembly language development system for professionals.	£45.95 M48K
List Master — An excellent companion product to Apple-Doc.	£22.95 M48K
Memory Management System — Enables you to put DOS on a RAM card.	£29.95 M64K
Microsoft 16K Ram Expansion Card.	£114.95 Card
Missile Defense — Hi-res animation and sound arcade game.	£16.95 M48K
Mission: Asteroid — Hi-res adventure in 21 colours. Save the World!!	£10.95 M32K
MultiBoot Upgrade — Upgrade 3.2 disks to boot under 3.2 or 3.3.	£23.95 M48K
Mystery House — Hi-res adventure using over 100 pictures.	£12.95 M48K
Norad — A hi-res simulation of an I.C.B.M attack.	£19.95 M48K
Olympic Decathlon — Long jump, high jump, hurdles plus much more.	£17.95 M48K
Online — A new concept in dial-up software for the Apple II.	£59.95 A48K
Orbitron — Fight off enemy forces and avoid meteor showers.	£14.95 M48K
Pascal Graphics Editor — The professional graphics editing package in Pascal.	P.O.A.
Pegasus II — The latest in pub games now available for the Apple.	£16.95 M48K
Phantoms Five — A fighter-bomber mission simulation in real time 3-D graphics.	£18.95 M48K
Pool 1.5 — Hi-res colour graphics pool table simulation. 4 games.	£19.95 M48K
Pulsar II — 2 superb hi-res games on one disk.	£14.95 M48K
Raster Blaster — A very realistic full-colour pinball simulation.	£15.95 M48K
Sabotage — Shoot down helicopters and bombers in hi-res.	£13.95 M48K
Shooting Gallery — A shooting gallery simulation in hi-res.	£15.95 M48K
Shuffleboard — Real time hi-res simulation by the authors of Pool 1.5.	£19.95 M48K
Sneakers — Waves of little creatures attack you in hi-res.	£16.95 M48K
Snoggle (Puckman) — Hi-res maze of ghosts. Great fun.	£13.95 M48K
Softporn Adventure — An adventure for adults only.	£16.95 M48K
Space Eggs — Hi-res super-fast arcade style game.	£14.95 M48K
Space Quarks — Shoot down the quarks before they get you.	£16.95 M48K
Space Warrior — Protect your shields from the dreaded drone ram ships.	£13.95 M48K
Star Avenger — A fast paced game of guerilla warfare in space.	£19.95 M48K
Star Cruiser — Save yourself from the swooping aliens.	£18.95 M48K
SuperGraphics — A 3-D game development system in colour.	£23.95 M48K
SuperKRAM — As KRAM but with multi-key and multi-index.	£99.95 M32K
SUPERSCRIBE — WORD PROCESSOR. TRUE UPPER/LOWER CASE ON SCREEN.	£73.95 M48K
Tarturian (Wizard) — Another hi-res adventure with 160 rooms.	£14.95 A48K
TASC — An optimising Applesoft compiler from Microsoft.	£129.95 A48K
The Prisoner — A game based on the famous T.V. series.	£21.95 A48K
The Wizard and the Princess — Hi-res adventure in 21 colours.	£18.95 M48K
Threshold — Yet another fast action arcade style game.	£16.95 M48K
Time Zone — The largest adventure ever implemented. Hi-res colour graphics.	P.O.A. M48K
Ulysses & the Golden Fleece — Another superb hi-res adventure.	£19.95 M48K
VisiCalc 3.3 — The 16 sector version with enhanced manual.	£119.95 M48K
Visidex — Store and retrieve information by key words.	£119.95 M48K
Visifile — A database from the same stable as VisiCalc.	£149.95 M48K
Visiplot — A hi-res graphics graph plotting package.	£94.95 M48K
Visiterm — Use your Apple as an on-line terminal.	£89.95 M48K
Visitrend — Performs maths operations on time series data.	£149.95 M48K
Wizardry — 3-D adventure. The best we have yet seen.	£28.95 M48K
Z-Term — A full feature terminal package for the CP/M Apple.	£65.95 M48K

A: Requires Applesoft in ROM.

M: Will run on any Apple.

Please specify which DOS you require when ordering. If you don't see what you are looking for please give us a call. WE ALSO OFFER A BESPOKE SOFTWARE SERVICE WHICH IS SECOND-TO-NONE.

PRICES INCLUDE VAT AT 15%. Add 50p P+P for orders under £30 totally.

Please write or telephone for your free copy of our up-to-date software list.

Dealers inquiries invited. PERSONAL CALLERS BY APPOINTMENT ONLY PLEASE.

SPIDER SOFTWARE

Access

98 AVONDALE ROAD, SOUTH CROYDON, SURREY.

Tel: 01-680 0267 (24 hours a day — 7 days a week)

● Circle No. 353



FOR THE 16K OR ABOVE

ZX81 PET

TRS 80 LEVEL II AND VIDEO GENIE

RUBIK CUBE SOLVER (16K)
Rubik's cube completely solved from any starting position.

RUBIK CUBE SIMULATOR (8K)
Also available for the 8K new monitor UK101, this easy to use program simulates all the possible movements of the cube. By storing all your moves and even allowing you to run backwards to a previous position, the simulator makes the formulation of your own solution possible.

OFFER EXTENDED UNTIL FEBRUARY 28
Rubic Cube solver + instruction booklet £6.00 **£4.50**
Rubic Cube simulator + instruction booklet £5.00 **£4.00**

SPECIAL OFFER!
The Solver + Simulator + Booklet £7.00 **£5.50**

MANY MORE PROGRAMS AVAILABLE
If you own a ZX81 with 16K, TRS 80 Level II, Video Genie, PET or UK101, send 95p for full catalogue and free listing. This will be returned against first order. (Please state machine.)
All the above prices include p&p and VAT.

Available from:
Oasis Software,
Lower North Street,
Cheddar, Somerset.

OASIS SOFTWARE

● Circle No. 354

6809 is HERE!

HARDWARE
SWPTC and APPLE Distributors.
'77—68'.
A single board 6800 or 6809 system, that can be expanded into a full business system. Sold as bare printed circuit boards, with constructional notes.

'6800'	CPU	12.00
MON 1	Soft Monitor	12.00
MON 2	ROM Monitor	12.00
'6809'	CPU	12.00
CASSETTE	High Speed Interface	6.00
4K RAM	Static Memory	12.00
DYNARAM	32K Dynamic Memory	12.00
VDU	Memory Mapped Screen	12.00
PIO	Parallel Interface	12.00
ROM A	8K-16K EPROM Memory	12.00
PROM PROG	EPROM Programmer	12.00
DISC CTRL	Disc Controller	12.00

Call or send for detailed information sheet and price list. Design Notes £1.00 each.

SOFTWARE
FLEX 9 for 6809 Systems, 5¼ or 8 inch Disks.

SORT/MERGE PACKAGE	69.00
DEBUG PACKAGE	69.00
UTILITIES	55.00
TEXT PROCESSOR	69.00
BASIC	62.00
EXTENDED BASIC	90.00
XBASIC PRECOMPILER	48.00
FLEX DIAGNOSTICS	62.00
GENERAL FLEX, incl EDITOR and ASSEMBLER	120.00

CASSETTE SOFTWARE for 6800.

SWTPC 4K BASIC	15.00
SWPTC 8K BASIC	20.00
TSC TEXT EDITOR	25.00
TSC ASSEMBLER	25.00
TSC TEXT PROCESSOR	30.00
TSC RELOCATOR	20.00

BUSINESS SOFTWARE
'Visicalc' for the APPLE II. Price £125.00.
'TABULA RASA,' for '6809'. Price £139.00.

- **Come in and try out any of these systems, or use our Mail Order service.**
- **All prices correct at time of going to press and include VAT at the current rate.**
- **Send for our latest catalogue and price list. Access and Visa accepted.**
- **Store Opening Hours, Monday to Saturday, 9.30 to 5.30.**
- **The '6809' Hardware and Software Specialist Store.**

3RING MICROSYSTEMS

241 Baker Street, London NW1 6XE. Telephone: 01-486 7671.

● Circle No. 355

Get the very best in computer supplies from Willis





Verbatim Datalife disks are tested far beyond industry's standards. We offer the full range right through to CE alignment disks and can supply most types from stock. We also carry a very wide choice of computer supplies. Verbatim quality with our delivery and back up service is unbeatable!

Send for catalogue.
Willis Computer Supplies Limited,
FREEPOST, P.O. Box 10, Southmill Road, Bishop's Stortford, Herts, CM23 1BR or Tel: Bishop's Stortford (0279) 506491. Telex: 817425.

Name _____
Company _____
Address _____

WILLIS
Computer Supplies
for people who know better
PC 2/82

● Circle No. 356

ADDS

VIEWPOINT

the display terminal you can afford

Comfortably*

New to the UK market – Viewpoint, a display terminal of uncompromising quality. But with simplicity built-in too. So the price comes down... drastically.

The fact is, you could acquire *three Viewpoints for the price of two terminals* from another manufacturer.

No compromise on features either:

Full size screen... smaller space-saving cabinet.
Crisp character legibility on dark or light background; plus blinking, underlining, cursor addressing, etc.
Efficient keyboard layout plus separate 14 key cluster for cursor control keys/numerals.
Six international character sets built-in ...UK, Belgian, German, Swedish, Spanish, American, plus appropriate key caps.
Screen tilt on both models, A&B. Additionally, model B incorporates glare-reducing filter.

**Viewpoint features a detached keyboard connected to the CRT display by a stretch cord. So the operator can adjust keyboard position to stay comfortable... and efficient.*

GREEN & AMBER SCREEN EXCLUSIVE

New to the UK... these optional extras set new standards for clarity and easiness on the operator's eye.

DEALERS:
low cost terminal means outstanding new market opportunities

Contact Sigma (UK) for additional product information, volume discounts, sales promotion aids.

VIEWPOINT is available from stock through our appointed dealers. In case of difficulty contact:

Sigma (UK)

Sigma(UK) 4 Cromwell Road Burgess Hill West Sussex Tel. (04446) 47676

● Circle No. 357

apple computer Sales and Service

COMPLETE SYSTEM FOR £1,190

* 48K Apple I I plus
* Disc Drive W/Controller
* Visicalc or Magic Window
* Video Monitor
* Plus 12 Months Warranty

AUTHORISED APPLE SALES AND LEVEL 1 SERVICE CENTRE

SHARP

MZ-80K, 20K £399
PC 1211 Computer . £75
CE 121 Interface .. £13
CE 122 Printer £69

● Programs in BASIC ● 01.9K Random Access Memory ● "QWERTY" Alphabetic keyboard ● Long Battery Life

Verbatim FLOPPY DISCS
5¼" SS s/density
£1.99
REDUCE Error LOW
Rate Use LOW
Cleaning Kit PRICES
£16.95

ATARI®

Atari 400 with 8K RAM — £225
Atari 400 with 16K RAM — £295
Atari 800 with 16K RAM — £625

GAMES

Adventures: Alien Rain — Asteroid — Galaxian — Mystery House — Snoggle All at £9.95

Tarturian — Creature Venture — Apple Panic — Star Mines — Draw Poker — All at £14.95

Soft-Porn Adventure — The Wizard & The Princess — Space Eggs — Trilogy of Games — Missile Defence. All at £17.95

Hi-Res Soccer — Wrap Factor — Three Mile Island at £20.95

VACANCY: Young Sales Engineer required.

Add 15% VAT
Delivery is paid at cost.

DEANS Of Kensington
191, KENSINGTON HIGH STREET, LONDON W.8.
Tel. 01-937 7896 Ext. 3.

● Circle No. 359

APPLE Hardware

APPLE 48K	625.00	APPLE 64K	710.00
Disk Drive with CTRL	340.00	Disk Drive w/o CTRL	255.00
Graphics Tablet	405.00	APPLETEL	560.00

APPLE II P.O.A.

Interface Cards

CCS RS232	95.00	CCS Parallel	79.00
CCS Centronics	79.00	CCS IEEE	155.00
Aristocard RS232	69.00	Aristocard Parallel	65.00
80 Column Card	175.00	Z-80 Softcard	175.00
16K RAM Card	75.00	Sup-R-Terminal	190.00
Eurocolor Card	95.00	CPS Multifunction	135.00

Software and Consumables

VISICALC 3.3	98.00	VISITERM	78.00
DESK TOP PLAN II	98.00	VISIDEX	98.00
VISIPLOT	89.00	DB MASTER	105.00
WORDSTAR ver 3.0	135.00	MAILMERGE	59.00
5" Floppy Disks for 10	17.50	Paper 11" × 9.5" (2000)	12.00

Printers

Olympia KSR ESW 100	925.00	Epson MX100	560.00
Epson MX80 F/T	389.00	Epson MX82	379.00
Anadex 9500	895.00	Anadex 9501	985.00
Centronics 737	375.00	445 Paper Tiger	469.00

Video Monitors

12" Green Monitor	165.00	PORTATEL 14" Colour	310.00

SYSTEMATICS
Integrated Accounting Package

Sales Ledger	250.00	Purchase Ledger	250.00
General Ledger	250.00	Stock Control	250.00
Invoicing	250.00	Payroll	250.00

Postage and Packing on APPLE & Printers £5.00
Other Goods £1.00

ALL PRICES ARE EXCLUSIVE OF VAT

GRANATA COMPUTER SYSTEMS
CENTURY HOUSE, HAVELOCK ROAD, SOUTHALL, MIDDLESEX.
TEL: 01-843 1971.

● Circle No. 360

Advertisement Index

A
ACE 189
ACT 90, 91, 176
A J Harding (Molimex) 146
Almarc 23
Alphin 180
Altek 236
Anglia 202, 203
Apple Orchard 123
Apple UK 59
Atlanta 226
Avery 220
Avon 180

B
BHRA 151
Biodata 18
Blyth 145
British Nat. Radio School 228
Bromley Computer Store 227
Business Computer Centre 37
Buss Stop 233
Butel 34, 152, 208

C
Calco 214
Calisto 190
Cambridge Computer Store 214
Cambridge Micro Computers 208
Camden 212
Carlton 226
Centronics 213
Chromasonic 229
CICC 144
CIEL 205
Circle Business Systems 236
City Microsystems 148
Clenlo 219
Comart 5, 122
Commodore 108
Compshop 183
Compsoft 27
Compusense 180
Computace 223
Computech 19
Computer Fair 178, 179
Computer Interface Designs 184
Computer Plus 194
Computerfacts 138
Computers For All 24
Computer Supermarket 38
Control Universal 216
Core 192
Cosser 30
Croeso 30
Crofton 63, 212
Cronite 200
Crystal 212
CTEC 74
Cumana 29, 191
CWP 21

D
3 D' Digital Design 31
Data Application 131
Datalect 35, 226
David Richards 110
Da Vinci 18
DDP 210
Deans 241
Digico 194
Digital Devices 32
Digitek 105
Digitus 40
Discom 182
Disking 181

E
East Fern 39
Electronic Information 234
EMG 124, 192, 232
Equinox 102

F
Fulcrum 233

G
GP Industrial 17
Gate 89
Graffcom 25
Graham Dorian 224
Gram 18
Grama (Winter) 8, 9
Granata 241
Greenwich Instruments 218

H
Hal 73
Henry's Radio 22
Hi Tech 193
Hotel Microsystems 92

I
IBR 130
Icarus 4, 33, 217, 221
Inchico 232
Index Check
Informex Centralex 210
Infra 204
Interam 195
IO Systems 216
Irvine 236
Ithaca Outside back cover

J
J M Pickard 221
JBA 216

K
KGB 44
Kingston 234
Knights TV 20
Kontron 139
Kram 228
Kuma 190

L
L & J Computers 182
Laskys 64, 231
Level Ltd 230
Lifeboat 187
Lintex 228
Little Genius 220
London Computer Centre 209, 222
Lowe 113
LP Enterprises 10, 11
LSI 106, 107, 142
Lucas Logic 198, 199

M
Maplin 196
Melbourne House 226
Memotech 150
Merton 180
Metrotech 14, 15
Micro 8 242
Micro 80 16
Micro Business Centre 201
Microage 234
Microcentre Inside Front Cover
Micro Computer Applications 37
Microfacilities 175
Microgeneral 204
Micropute 114, 132
Microsolution 225
Microsource 227
Microstyle 197
Microsystems '82 36
Microtechnology 184
Microware 39
Millbank Computers 12, 13

N
Nelson 192
Newton Labs 7
Northamber 206, 207

O
Oasis 239
Oxford Computers 51

P
Pearcom 84
Pete & Pam 104
Prentice Hall 134
Prospero 200

R
Rade 52
Rair 140
Ranmor 184
Research Machines 188
Riva 185

S
SBD 64, 230
SDM 34
SEC 137
Sharp 69, 116
Sigma 240
Silica Shop 26
Sinclair Research 97, 98, 99, 100, 115
Sintrom 189
Sirton 6
Spider Software 238
STCS 194
Stirling 239
Stotron 208
Sun Computers 123
Superior Systems 214, 237
Swan 232
Swanley 184
Symbiotics 238
Systems International 204
Systemsoft 227

T
Tabs 129
Technomatic 215
Telefusion 16
Telesystems 220
Teletone 83
Tempus 221
Teredec Inside back cover
Timedata 235
Transam 28
Transdata 42
Twickenham Computer Store 186

V
Videotex 222
Visconti (Essential Software) 118, 186
Vision Business Systems 60
Vlasak 121

W
Watford 211
Wida 230
Willis 239
Wireless World 235

X
Xerox Store 48

Y
Your Computer 224

ICHIBAN

NUMBER ONE IN JAPANESE



Best possible quality + best possible price = EPSON + MICRO PERIPHERALS for the best of both worlds.

The above machines have many more features including interfaces for Apple, PET (with PET Graphics), TRS80, Sharp, NEC, Hitachi, Nacom, Acorn, Super Brain, Video Genie, BBC Micro etc, some have correspondence quality printing and multiple character sets including international languages. Ring Ian today for full details and specifications and printout samples. All machines usually ex-stock with next day delivery plus 12 months no-quibble guarantee.

	9x9 Matrix	Paper Handling		Speed 80 CPS	Max. Paper Width		High Res. Graphics	High Gearing
		Friction	Tractor		10"	15½"		
MX80T	●		●	●	●			
MX80F/T-1	●	●	●	●	●			
MX80F/T-New Type 2	●	●	●	●	●		●	
MX82	●		●	●	●		●	
MX82F/T	●	●	●	●	●		●	●
MX100	●	●	●	●		●	●	●

Wholesalers and Distributors of quality Japanese Micro Products.

Micro Peripherals ltd.

61 NEW MARKET SQUARE, BASINGSTOKE, HANTS. Telephone: Basingstoke (0256) 56468

Japanese Office: 101 Abe Bldg. 4F, 2-42 Kanda Jinbocho, Chiyado-ku, Tokyo, Japan.

The largest printer dealer network in the UK – are you an Epson Dealer?

● Circle No. 361

INTRODUCING

Performance to the microcomputer-based small business system

PBM-1000

EXTRA PERFORMANCE

The combination of up to *24 MBytes* of hard and floppy mini-disk and a second computer to control disk access provides fast, efficient processing of data and data back up. The *PBM-1000* gives *20-30%* more internal memory for user programs. Memory parity ensures integrity of data programs. The system never locks out. Processing of user code, keystrokes, communications and printer output can be carried out simultaneously. All of these factors mean that both the operator and the computer are more productive more of the time.

INCREASED CAPABILITY

A microcomputer to the user is the *SOFTWARE*.

System software is the industry standard *CP/M*, so any *CP/M* programs operate without modification. Application software is the answer to most computing requirements. We have an extensive catalogue of proven application software products to provide a solution to your needs.

Financial and Resource Management, Accounting, Data and Word Processing operations can be carried out using applications software packages such as Milestone; Plan 80; Sales, Purchase & Nominal Ledgers, Order Processing; WordStar, SpellStar & MailMerge; DataStar, InfoStar & SuperSort. All of these packages plus others operate with noticeable improvement in system performance.

LOW COST

The *PBM-1000* microcomputer is comparable in price to an 8" floppy disk system but out-performs available 8" or 14" hard disk systems. Low cost and high performance provide exceptional value.

The *PBM-1000* can be purchased as a standalone unit. Alternatively, it can be supplied integrated with a Televideo TVI 910/950 VDU, and OKI dot matrix or daisy wheel printer, and various software options. It provides a comprehensive solution to your office automation needs.

We invite you to compare - *PERFORMANCE, CAPABILITY, COST.*

- Circle No. 362
- Circle No. 363 ▶

PBM-1000 is a trademark of Performance Business Machines (A MicroPro Company). CP/M is a trademark of Digital Research Inc. WordStar, SpellStar, MailMerge, DataStar, InfoStar & SuperSort are trademarks of MicroPro International Corporation. Milestone is a trademark of Organic Software Inc.. Plan 80 is a trademark of Business Planning Systems Inc..

Dealer and OEM enquiries invited.

TERODEC

Terodec Limited
Unit 58, Suttons Park Avenue
Earley, Reading, Berkshire.
RG6 1AZ
Telephone (0734) 664343/6
Telex 849758 TERDEC G

"MAKING MICROCOMPUTERS FOR THE '80s"

Pictured is the SuperFAST™ CACHE BIOS System. For further information and a catalogue of our IEEE S100 products contact us today

Coleridge Lane, Coleridge Road,
London N8 8ED England
Telephone: 01-341 2447
Telex: 299568

ITHACA InterSystems™ (UK) Ltd.